

Dieter Riethmacher

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4409786/publications.pdf>

Version: 2024-02-01

62
papers

10,318
citations

81900

39
h-index

149698

56
g-index

62
all docs

62
docs citations

62
times ranked

13694
citing authors

#	ARTICLE	IF	CITATIONS
1	Expression profile of the matricellular protein periostin in paediatric inflammatory bowel disease. <i>Scientific Reports</i> , 2021, 11, 6194.	3.3	7
2	Knowledge, attitude, and practice toward COVID-19 vaccination in Kazakhstan: a cross-sectional study. <i>Human Vaccines and Immunotherapeutics</i> , 2021, 17, 3394-3400.	3.3	28
3	Congenital Deficiency of Conventional Dendritic Cells Promotes the Development of Atopic Dermatitis-Like Inflammation. <i>Frontiers in Immunology</i> , 2021, 12, 712676.	4.8	4
4	Periostin in Allergy and Inflammation. <i>Frontiers in Immunology</i> , 2021, 12, 722170.	4.8	34
5	Vaccine adherence: the rate of hesitancy toward childhood immunization in Kazakhstan. <i>Expert Review of Vaccines</i> , 2020, 19, 579-584.	4.4	11
6	Anticancer activity of metformin: a systematic review of the literature. <i>Future Science OA</i> , 2019, 5, FSO410.	1.9	105
7	A defined commensal consortium elicits CD8 T cells and anti-cancer immunity. <i>Nature</i> , 2019, 565, 600-605.	27.8	741
8	Ultraviolet B-Induced Maturation of CD11b-Type Langerin ⁺ Dendritic Cells Controls the Expansion of Foxp3+ Regulatory T Cells in the Skin. <i>Journal of Immunology</i> , 2018, 200, 119-129.	0.8	29
9	Stress-Induced Anxiety- and Depressive-Like Phenotype Associated with Transient Reduction in Neurogenesis in Adult Nestin-CreERT2/Diphtheria Toxin Fragment A Transgenic Mice. <i>PLoS ONE</i> , 2016, 11, e0147256.	2.5	46
10	Sebaceous lipids are essential for water repulsion, protection against UVB-induced apoptosis, and ocular integrity in mice. <i>Development (Cambridge)</i> , 2016, 143, 1823-31.	2.5	29
11	Reallocation of Olfactory Cajal-Retzius Cells Shapes Neocortex Architecture. <i>Neuron</i> , 2016, 92, 435-448.	8.1	43
12	Promotion of periostin expression contributes to the migration of Schwann cells. <i>Journal of Cell Science</i> , 2015, 128, 3345-55.	2.0	19
13	Sertoli cells control peritubular myoid cell fate and support adult Leydig cell development in the prepubertal testis. <i>Development (Cambridge)</i> , 2014, 141, 2139-2149.	2.5	110
14	35 LOSS OF CASPASE-8 IN HEPATOCYTES ACCELERATES THE ONSET OF LIVER REGENERATION IN MICE THROUGH PREMATURE NF- κ B ACTIVATION. <i>Journal of Hepatology</i> , 2013, 58, S15.	3.7	0
15	Loss of caspase-8 in hepatocytes accelerates the onset of liver regeneration in mice through premature nuclear factor kappa B activation. <i>Hepatology</i> , 2013, 58, 1779-1789.	7.3	28
16	Functional characterization of bitter-taste receptors expressed in mammalian testis. <i>Molecular Human Reproduction</i> , 2013, 19, 17-28.	2.8	86
17	Neurofibromin Modulates Adult Hippocampal Neurogenesis and Behavioral Effects of Antidepressants. <i>Journal of Neuroscience</i> , 2012, 32, 3529-3539.	3.6	25
18	Dendritic Cells Ameliorate Autoimmunity in the CNS by Controlling the Homeostasis of PD-1 Receptor+ Regulatory T Cells. <i>Immunity</i> , 2012, 37, 264-275.	14.3	184

#	ARTICLE	IF	CITATIONS
19	MRI signature in a novel mouse model of genetically induced adult oligodendrocyte cell death. <i>NeuroImage</i> , 2012, 59, 1028-1036.	4.2	14
20	Loss of Caspase-8 Protects Mice Against Inflammation-Related Hepatocarcinogenesis but Induces Non-Apoptotic Liver Injury. <i>Gastroenterology</i> , 2011, 141, 2176-2187.	1.3	105
21	130 CASPASE-8 ABLATION RESCUES SPONTANEOUS APOPTOSIS AND HEPATOCARCINOGENESIS IN NEMO-DEFICIENT MICE BUT TRIGGERS NON-APOPTOTIC LIVER INJURY. <i>Journal of Hepatology</i> , 2011, 54, S57-S58.	3.7	0
22	Conditional Depletion of Airway Progenitor Cells Induces Peribronchiolar Fibrosis. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2011, 183, 511-521.	5.6	68
23	Genetically Induced Adult Oligodendrocyte Cell Death Is Associated with Poor Myelin Clearance, Reduced Remyelination, and Axonal Damage. <i>Journal of Neuroscience</i> , 2011, 31, 1069-1080.	3.6	124
24	Platelets Play an Essential Role in Separating the Blood and Lymphatic Vasculatures During Embryonic Angiogenesis. <i>Circulation Research</i> , 2010, 106, 1197-1201.	4.5	109
25	Epibranchial ganglia orchestrate the development of the cranial neurogenic crest. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 2066-2071.	7.1	51
26	The extracellular-matrix protein matrilin 2 participates in peripheral nerve regeneration. <i>Journal of Cell Science</i> , 2009, 122, 1471-1471.	2.0	2
27	Hepatocyte-specific NEMO deletion promotes NK/NKT cell- and TRAIL-dependent liver damage. <i>Journal of Experimental Medicine</i> , 2009, 206, 1727-1737.	8.5	83
28	DeltaNp73 regulates neuronal survival in vivo. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 16871-16876.	7.1	145
29	The extracellular-matrix protein matrilin 2 participates in peripheral nerve regeneration. <i>Journal of Cell Science</i> , 2009, 122, 995-1004.	2.0	47
30	Somatic Sex Reprogramming of Adult Ovaries to Testes by FOXL2 Ablation. <i>Cell</i> , 2009, 139, 1130-1142.	28.9	815
31	109 DEPLETION OF CASPASE-8 IN MICE MODULATES TNF-INDUCED COMPLEX FORMATION AND CELL CYCLE SIGNALING IN HEPATOCYTES FOLLOWING PARTIAL HEPATECTOMY. <i>Journal of Hepatology</i> , 2009, 50, S45.	3.7	0
32	Lack of Conventional Dendritic Cells Is Compatible with Normal Development and T Cell Homeostasis, but Causes Myeloid Proliferative Syndrome. <i>Immunity</i> , 2008, 29, 986-997.	14.3	198
33	40 DEPLETION OF CASPASE-8 PROTECTS FROM FAS- AND LPS-MEDIATED LIVER INJURY BUT NOT FROM CONCAVALIN A INDUCED HEPATITIS IN MICE. <i>Journal of Hepatology</i> , 2008, 48, S18.	3.7	0
34	Different autonomous myogenic cell populations revealed by ablation of Myf5-expressing cells during mouse embryogenesis. <i>Development (Cambridge)</i> , 2008, 135, 1597-1604.	2.5	93
35	In vivo equilibrium of proinflammatory IL-17+ and regulatory IL-10+ Foxp3+ ROR γ t+ T cells. <i>Journal of Experimental Medicine</i> , 2008, 205, 1381-1393.	8.5	491
36	[45] HEPATOCYTE-SPECIFIC DEPLETION OF CASPASE-8 ACCELERATES THE ONSET OF LIVER REGENERATION IN MICE. <i>Journal of Hepatology</i> , 2007, 46, S21.	3.7	0

#	ARTICLE	IF	CITATIONS
37	Maid (GCIP) is involved in cell cycle control of hepatocytes. <i>Hepatology</i> , 2007, 45, 404-411.	7.3	18
38	A stomatin-domain protein essential for touch sensation in the mouse. <i>Nature</i> , 2007, 445, 206-209.	27.8	225
39	V1 spinal neurons regulate the speed of vertebrate locomotor outputs. <i>Nature</i> , 2006, 440, 215-219.	27.8	348
40	An improved mouse line for Cre-induced cell ablation due to diphtheria toxin A, expressed from the Rosa26 locus. <i>Genesis</i> , 2006, 44, 322-327.	1.6	98
41	Efficient Transfer of HSV-1 Amplicon Vectors Into Embryonic Stem Cells and Their Derivatives. , 2006, 329, 265-272.		4
42	Ermin, A Myelinating Oligodendrocyte-Specific Protein That Regulates Cell Morphology. <i>Journal of Neuroscience</i> , 2006, 26, 757-762.	3.6	104
43	Cell Depletion Due to Diphtheria Toxin Fragment A after Cre-Mediated Recombination. <i>Molecular and Cellular Biology</i> , 2004, 24, 7636-7642.	2.3	106
44	Progenitor cells of the testosterone-producing Leydig cells revealed. <i>Journal of Cell Biology</i> , 2004, 167, 935-944.	5.2	228
45	erbB3 is dispensable for oligodendrocyte development in vitro and in vivo. <i>Glia</i> , 2003, 44, 67-75.	4.9	35
46	Requirements for FGF3 and FGF10 during inner ear formation. <i>Development (Cambridge)</i> , 2003, 130, 6329-6338.	2.5	184
47	Terminal differentiation of myelin-forming oligodendrocytes depends on the transcription factor Sox10. <i>Genes and Development</i> , 2002, 16, 165-170.	5.9	561
48	Identification of protein tyrosine phosphatase 1B and casein as substrates for 124-v-Mos. <i>BMC Biochemistry</i> , 2002, 3, 6.	4.4	1
49	Development and degeneration of dorsal root ganglia in the absence of the HMG-domain transcription factor Sox10. <i>Mechanisms of Development</i> , 2001, 109, 253-265.	1.7	93
50	The transcription factor Sox10 is a key regulator of peripheral glial development. <i>Genes and Development</i> , 2001, 15, 66-78.	5.9	797
51	Chronicles of a switch hunt: gcm genes in development. <i>Trends in Genetics</i> , 2001, 17, 286-290.	6.7	33
52	Placental Failure in Mice Lacking the Mammalian Homolog of Glial Cells Missing, GCMa. <i>Molecular and Cellular Biology</i> , 2000, 20, 2466-2474.	2.3	180
53	Protein Zero Gene Expression Is Regulated by the Glial Transcription Factor Sox10. <i>Molecular and Cellular Biology</i> , 2000, 20, 3198-3209.	2.3	210
54	Peripheral nervous system defects in erbB2 mutants following genetic rescue of heart development. <i>Genes and Development</i> , 1999, 13, 2538-2548.	5.9	217

#	ARTICLE	IF	CITATIONS
55	The ErbB2 and ErbB3 receptors and their ligand, neuregulin-1, are essential for development of the sympathetic nervous system. <i>Genes and Development</i> , 1998, 12, 1825-1836.	5.9	295
56	Severe neuropathies in mice with targeted mutations in the ErbB3 receptor. <i>Nature</i> , 1997, 389, 725-730.	27.8	659
57	The c-ros tyrosine kinase receptor controls regionalization and differentiation of epithelial cells in the epididymis. <i>Genes and Development</i> , 1996, 10, 1184-1193.	5.9	196
58	A targeted mutation in the mouse E-cadherin gene results in defective preimplantation development. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995, 92, 855-859.	7.1	459
59	Essential role for the c-met receptor in the migration of myogenic precursor cells into the limb bud. <i>Nature</i> , 1995, 376, 768-771.	27.8	1,202
60	Mutation of juxtamembrane tyrosine residue 1001 suppresses loss-of-function mutations of the met receptor in epithelial cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995, 92, 2597-2601.	7.1	109
61	Factors Controlling Growth, Motility, and Morphogenesis of Normal and Malignant Epithelial Cells. <i>International Review of Cytology</i> , 1995, 160, 221-266.	6.2	42
62	Downregulation of protein kinase C- β 3 is independent of a functional kinase domain. <i>FEBS Letters</i> , 1991, 280, 262-266.	2.8	40