

# Aaron T Fisk

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4410696/publications.pdf>

Version: 2024-02-01

122  
papers

9,176  
citations

47006

47  
h-index

42399

92  
g-index

122  
all docs

122  
docs citations

122  
times ranked

8041  
citing authors

#	ARTICLE	IF	CITATIONS
1	Global trends in aquatic animal tracking with acoustic telemetry. <i>Trends in Ecology and Evolution</i> , 2022, 37, 79-94.	8.7	60
2	Patterns in spatial use of land-locked Atlantic salmon ( <i>Salmo salar</i> ) in a large lake. <i>Journal of Great Lakes Research</i> , 2022, 48, 381-391.	1.9	5
3	Results of the collaborative Lake Ontario bloater restoration stocking and assessment, 2012–2020. <i>Journal of Great Lakes Research</i> , 2022, 48, 371-380.	1.9	8
4	Biophysical indicators and Indigenous and Local Knowledge reveal climatic and ecological shifts with implications for Arctic Char fisheries. <i>Global Environmental Change</i> , 2022, 74, 102469.	7.8	15
5	Effects of life stage on the spatial ecology of Chinook salmon ( <i>Oncorhynchus tshawytscha</i> ) during pelagic freshwater foraging. <i>Fisheries Research</i> , 2022, 254, 106395.	1.7	2
6	Application of machine learning to identify predators of stocked fish in Lake Ontario: using acoustic telemetry predation tags to inform management. <i>Journal of Fish Biology</i> , 2021, 98, 237-250.	1.6	8
7	Evaluation of muscle lipid extraction and non-lethal fin tissue use for carbon, nitrogen, and sulfur isotope analyses in adult salmonids. <i>Rapid Communications in Mass Spectrometry</i> , 2021, 35, e9093.	1.5	5
8	Movement Ecology of a Potamodromous Top Predator in a Large Lake: Synchrony and Coexistence of Distinct Migratory Patterns. <i>Transactions of the American Fisheries Society</i> , 2021, 150, 748-760.	1.4	4
9	Spatiotemporal interactions of native and introduced salmonid top predators in a large lake: implications for species restoration. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2021, 78, 1158-1167.	1.4	1
10	Comparisons among three diet analyses demonstrate multiple patterns in the estimated adult diet of a freshwater piscivore, <i>Salvelinus namaycush</i> . <i>Ecological Indicators</i> , 2021, 127, 107728.	6.3	3
11	Influence of Feeding Ecology on Legacy Organochlorine Contaminants in Freshwater Fishes of Lake Erie. <i>Environmental Toxicology and Chemistry</i> , 2021, 40, 3421-3433.	4.3	2
12	Spatial distribution of lake trout ( <i>Salvelinus namaycush</i> ) across seasonal thermal cycles in a large lake. <i>Freshwater Biology</i> , 2021, 66, 615-627.	2.4	22
13	Strong thermal stratification reduces detection efficiency and range of acoustic telemetry in a large freshwater lake. <i>Animal Biotelemetry</i> , 2021, 9, .	1.9	6
14	Pop-off data storage tags reveal niche partitioning between native and non-native predators in a novel ecosystem. <i>Journal of Applied Ecology</i> , 2020, 57, 181-191.	4.0	23
15	Survival and migration patterns of naturally and hatchery-reared Atlantic salmon ( <i>Salmo salar</i> ) smolts in a Lake Ontario tributary using acoustic telemetry. <i>Freshwater Biology</i> , 2020, 65, 835-848.	2.4	20
16	Broad feeding niches of capelin and sand lance may overlap those of polar cod and other native fish in the eastern Canadian Arctic. <i>Polar Biology</i> , 2020, 43, 1707-1724.	1.2	15
17	Assessing trophic position quantification methods for three piscivorous freshwater fish using stable isotopes and stomach contents. <i>Journal of Great Lakes Research</i> , 2020, 46, 578-588.	1.9	8
18	Comparing temporal patterns in body condition of ringed seals living within their core geographic range with those living at the edge. <i>Ecography</i> , 2020, 43, 1521-1535.	4.5	10

#	ARTICLE	IF	CITATIONS
19	Identification of predation events in wild fish using novel acoustic transmitters. <i>Animal Biotelemetry</i> , 2020, 8, .	1.9	24
20	Ecological insights from three decades of animal movement tracking across a changing Arctic. <i>Science</i> , 2020, 370, 712-715.	12.6	75
21	Seasonal habitat-use differences among Lake Erie's walleye stocks. <i>Journal of Great Lakes Research</i> , 2020, 46, 609-621.	1.9	25
22	Post-stocking movement and survival of hatchery-reared bloater ( <i>Coregonus hoyi</i> ) reintroduced to Lake Ontario. <i>Freshwater Biology</i> , 2020, 65, 1073-1085.	2.4	20
23	Mercury methylation and demethylation potentials in Arctic lake sediments. <i>Chemosphere</i> , 2020, 248, 126001.	8.2	29
24	Movement types of an Arctic benthic fish, shorthorn sculpin ( <i>Myoxocephalus scorpius</i> ), during open-water periods in response to biotic and abiotic factors. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2019, 76, 626-635.	1.4	11
25	Biotelemetry informing management: case studies exploring successful integration of biotelemetry data into fisheries and habitat management. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2019, 76, 1238-1252.	1.4	46
26	The influence of body size and season on the feeding ecology of three freshwater fishes with different diets in Lake Erie. <i>Journal of Great Lakes Research</i> , 2019, 45, 795-804.	1.9	14
27	Long-term retention of acoustic telemetry transmitters in temperate predators revealed by predation tags implanted in wild prey fish. <i>Journal of Fish Biology</i> , 2019, 95, 1512-1516.	1.6	18
28	Current state of knowledge on biological effects from contaminants on arctic wildlife and fish. <i>Science of the Total Environment</i> , 2019, 696, 133792.	8.0	184
29	Temporal trends, lake-to-lake variation, and climate effects on Arctic char ( <i>Salvelinus alpinus</i> ) mercury concentrations from six High Arctic lakes in Nunavut, Canada. <i>Science of the Total Environment</i> , 2019, 678, 801-812.	8.0	20
30	Food web structure and ecosystem function in the Laurentian Great Lakes—Toward a conceptual model. <i>Freshwater Biology</i> , 2019, 64, 1-23.	2.4	37
31	Limited effects of changing prey fish communities on food quality for aquatic predators in the eastern Canadian Arctic in terms of essential fatty acids, methylmercury and selenium. <i>Chemosphere</i> , 2019, 214, 855-865.	8.2	21
32	The influence of dynamic environmental interactions on detection efficiency of acoustic transmitters in a large, deep, freshwater lake. <i>Animal Biotelemetry</i> , 2019, 7, .	1.9	42
33	Acoustic telemetry observation systems: challenges encountered and overcome in the Laurentian Great Lakes. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2018, 75, 1755-1763.	1.4	75
34	Geographic variation in ringed seal ( <i>Pusa hispida</i> ) growth rate and body size. <i>Canadian Journal of Zoology</i> , 2018, 96, 649-659.	1.0	11
35	Feeding ecology and niche overlap of Lake Ontario offshore forage fish assessed with stable isotopes. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2018, 75, 759-771.	1.4	22
36	A temporal shift in trophic diversity among a predator assemblage in a warming Arctic. <i>Royal Society Open Science</i> , 2018, 5, 180259.	2.4	73

#	ARTICLE	IF	CITATIONS
37	Diet and trophic niche space and overlap of Lake Ontario salmonid species using stable isotopes and stomach contents. <i>Journal of Great Lakes Research</i> , 2018, 44, 1383-1392.	1.9	43
38	Effects of Surgically Implanted Acoustic Tags on Body Condition, Growth, and Survival in a Small, Laterally Compressed Forage Fish. <i>Transactions of the American Fisheries Society</i> , 2018, 147, 749-757.	1.4	24
39	Feeding ecology of a common benthic fish, shorthorn sculpin ( <i>Myoxocephalus scorpius</i> ) in the high arctic. <i>Polar Biology</i> , 2018, 41, 2091-2102.	1.2	15
40	Movements of a deep-water fish: establishing marine fisheries management boundaries in coastal Arctic waters. <i>Ecological Applications</i> , 2017, 27, 687-704.	3.8	50
41	Tissue-specific turnover and diet-tissue discrimination factors of carbon and nitrogen isotopes of a common forage fish held at two temperatures. <i>Rapid Communications in Mass Spectrometry</i> , 2017, 31, 1405-1414.	1.5	15
42	Effects of decomposition on carbon and nitrogen stable isotope values of muscle tissue of varying lipid content from three aquatic vertebrate species. <i>Rapid Communications in Mass Spectrometry</i> , 2017, 31, 389-395.	1.5	19
43	Origins of the Greenland shark ( <i>Somniosus microcephalus</i> ): Impacts of iceolation and introgression. <i>Ecology and Evolution</i> , 2017, 7, 8113-8125.	1.9	14
44	Temporal shifts in intraguild predation pressure between beluga whales and Greenland halibut in a changing Arctic. <i>Biology Letters</i> , 2017, 13, 20170433.	2.3	28
45	A review of Greenland shark ( <i>Somniosus microcephalus</i> ) studies in the Kongsfjorden area, Svalbard Norway. <i>Polar Biology</i> , 2016, 39, 2169-2178.	1.2	12
46	Estimates of lake trout ( <i>Salvelinus namaycush</i> ) diet in Lake Ontario using two and three isotope mixing models. <i>Journal of Great Lakes Research</i> , 2016, 42, 695-702.	1.9	46
47	Foraging ecology of Bowfin ( <i>Amia calva</i> ), in the Lake Huron-Erie Corridor of the Laurentian Great Lakes: Individual specialists in generalist populations. <i>Journal of Great Lakes Research</i> , 2016, 42, 1452-1460.	1.9	3
48	Latitudinal variation in ecological opportunity and intraspecific competition indicates differences in niche variability and diet specialization of Arctic marine predators. <i>Ecology and Evolution</i> , 2016, 6, 1666-1678.	1.9	56
49	Differences in egg quantity and quality among hatchery- and wild-origin Chinook salmon ( <i>Oncorhynchus tshawytscha</i> ). <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2016, 73, 737-746.	1.4	10
50	Mercury and cadmium in ringed seals in the Canadian Arctic: Influence of location and diet. <i>Science of the Total Environment</i> , 2016, 545-546, 503-511.	8.0	41
51	Spatial and temporal variation of an ice-adapted predator's feeding ecology in a changing Arctic marine ecosystem. <i>Oecologia</i> , 2016, 180, 631-644.	2.0	59
52	Influence of sea ice phenology on the movement ecology of ringed seals across their latitudinal range. <i>Marine Ecology - Progress Series</i> , 2016, 562, 237-250.	1.9	34
53	Foraging ecology of ringed seals ( <i>Pusa hispida</i> ), beluga whales ( <i>Delphinapterus leucas</i> ) and narwhals ( <i>Monodon monoceros</i> ) in the Canadian High Arctic determined by stomach content and stable isotope analysis. <i>Polar Research</i> , 2015, 34, 24295.	1.6	24
54	Aquatic animal telemetry: A panoramic window into the underwater world. <i>Science</i> , 2015, 348, 1255642.	12.6	1,038

#	ARTICLE	IF	CITATIONS
55	Juvenile Greenland sharks <i>Somniosus microcephalus</i> (Bloch & Schneider, 1801) in the Canadian Arctic. <i>Polar Biology</i> , 2015, 38, 493-504.	1.2	19
56	Effects of lipid extraction and the utility of lipid normalization models on $\delta^{13}\text{C}$ and $\delta^{15}\text{N}$ values in Arctic marine mammal tissues. <i>Polar Biology</i> , 2015, 38, 131-143.	1.2	68
57	Local contamination, and not feeding preferences, explains elevated PCB concentrations in Labrador ringed seals ( <i>Pusa hispida</i> ). <i>Science of the Total Environment</i> , 2015, 515-516, 188-197.	8.0	15
58	Evaluation of Lake Ontario salmonid niche space overlap using stable isotopes. <i>Journal of Great Lakes Research</i> , 2015, 41, 934-940.	1.9	33
59	Comparative organochlorine accumulation in two ecologically similar shark species ( <i>Carcharodon carcharias</i> and <i>Carcharhinus obscurus</i> ) with divergent uptake based on different life history. <i>Environmental Toxicology and Chemistry</i> , 2015, 34, 2051-2060.	4.3	11
60	Niche plasticity in invasive fishes in the Great Lakes. <i>Biological Invasions</i> , 2015, 17, 2565-2580.	2.4	47
61	Impacts of food web structure and feeding behavior on mercury exposure in Greenland Sharks ( <i>Somniosus microcephalus</i> ). <i>Science of the Total Environment</i> , 2015, 509-510, 216-225.	8.0	41
62	Mercury in the marine environment of the Canadian Arctic: Review of recent findings. <i>Science of the Total Environment</i> , 2015, 509-510, 67-90.	8.0	106
63	Age-related polychlorinated biphenyl dynamics in immature bull sharks ( <i>Carcharhinus leucas</i> ). <i>Environmental Toxicology and Chemistry</i> , 2014, 33, 35-43.	4.3	48
64	Risk-benefit of consuming Lake Erie fish. <i>Environmental Research</i> , 2014, 134, 57-65.	7.5	51
65	Rescaling the trophic structure of marine food webs. <i>Ecology Letters</i> , 2014, 17, 239-250.	6.4	389
66	Feeding Ecology of the Snake Community of the Red Hills Region Relative to Management for Northern Bobwhite: Assessing the Diet of Snakes Using Stable Isotopes. <i>Copeia</i> , 2014, 2014, 288-296.	1.3	6
67	Temporal and spatial variation in polychlorinated biphenyl chiral signatures of the Greenland shark ( <i>Somniosus microcephalus</i> ) and its arctic marine food web. <i>Environmental Pollution</i> , 2014, 186, 216-225.	7.5	16
68	The foraging ecology of Arctic cod ( <i>Boreogadus saida</i> ) during open water (July–August) in Allen Bay, Arctic Canada. <i>Marine Biology</i> , 2013, 160, 2993-3004.	1.5	37
69	Diet- and tissue-specific incorporation of isotopes in the shark <i>Scyliorhinus stellaris</i> , a North Sea mesopredator. <i>Marine Ecology - Progress Series</i> , 2013, 492, 185-198.	1.9	44
70	Associations between vitamins A and E and legacy POP levels in highly contaminated Greenland sharks ( <i>Somniosus microcephalus</i> ). <i>Science of the Total Environment</i> , 2013, 442, 445-454.	8.0	36
71	Fifty years later: trophic ecology and niche overlap of a native and non-indigenous fish species in the western basin of Lake Erie. <i>Biological Invasions</i> , 2013, 15, 1695-1711.	2.4	69
72	Food web structure of a coastal Arctic marine ecosystem and implications for stability. <i>Marine Ecology - Progress Series</i> , 2013, 482, 17-28.	1.9	77

#	ARTICLE	IF	CITATIONS
73	Variable $\delta^{15}\text{N}$ Diet-Tissue Discrimination Factors among Sharks: Implications for Trophic Position, Diet and Food Web Models. PLoS ONE, 2013, 8, e77567.	2.5	46
74	Spatial and seasonal variability in the diet of round goby ( <i>Neogobius melanostomus</i> ): stable isotopes indicate that stomach contents overestimate the importance of dreissenids. Canadian Journal of Fisheries and Aquatic Sciences, 2012, 69, 573-586.	1.4	79
75	Long-term impacts of invasive species on a native top predator in a large lake system. Freshwater Biology, 2012, 57, 2342-2355.	2.4	63
76	Trophic Transfer of Contaminants in a Changing Arctic Marine Food Web: Cumberland Sound, Nunavut, Canada. Environmental Science & Technology, 2012, 46, 9914-9922.	10.0	61
77	Lipid extraction effects on stable isotope values ( $\delta^{13}\text{C}$ and $\delta^{15}\text{N}$ ) of elasmobranch muscle tissue. Journal of Experimental Marine Biology and Ecology, 2012, 434-435, 7-15.	1.5	62
78	Seabird predation on Arctic cod during summer in the Canadian Arctic. Marine Ecology - Progress Series, 2012, 450, 219-228.	1.9	15
79	Composition and temporal variation in the diet of beluga whales, derived from stable isotopes. Marine Ecology - Progress Series, 2012, 471, 283-291.	1.9	76
80	Archival pop-off tag tracking of Greenland sharks <i>Somniosus microcephalus</i> in the High Arctic waters of Svalbard, Norway. Marine Ecology - Progress Series, 2012, 468, 255-265.	1.9	56
81	Isotopic Ratios Reveal Mixed Seasonal Variation Among Fishes from Two Subtropical Estuarine Systems. Estuaries and Coasts, 2012, 35, 811-820.	2.2	15
82	A missing piece in the Arctic food web puzzle? Stomach contents of Greenland sharks sampled in Svalbard, Norway. Polar Biology, 2012, 35, 1197-1208.	1.2	84
83	The slowest fish: Swim speed and tail-beat frequency of Greenland sharks. Journal of Experimental Marine Biology and Ecology, 2012, 426-427, 5-11.	1.5	84
84	Size-Based Analysis of Diet and Trophic Position of the White Shark, <i>Carcharodon carcharias</i> , in South African Waters. , 2012, , 27-50.		72
85	Depth and temperature preferences of the deepwater flatfish Greenland halibut <i>Reinhardtius hippoglossoides</i> in an Arctic marine ecosystem. Marine Ecology - Progress Series, 2012, 467, 193-205.	1.9	30
86	Ocean Tracking Network Canada: A Network Approach to Addressing Critical Issues in Fisheries and Resource Management with Implications for Ocean Governance. Fisheries, 2011, 36, 583-592.	0.8	83
87	Spatial and temporal variabilities of $\delta^{13}\text{C}$ and $\delta^{15}\text{N}$ within lower trophic levels of a large lake: implications for estimating trophic relationships of consumers. Hydrobiologia, 2011, 675, 41-53.	2.0	34
88	Marine mammal and seabird summer distribution and abundance in the fjords of northeast Cumberland Sound of Baffin Island, Nunavut, Canada. Polar Biology, 2011, 34, 41-48.	1.2	14
89	Maternal meddling in neonatal sharks: implications for interpreting stable isotopes in young animals. Rapid Communications in Mass Spectrometry, 2011, 25, 1008-1016.	1.5	83
90	Spatial and temporal trends of selected trace elements in liver tissue from polar bears ( <i>Ursus</i> )	2.1	28

#	ARTICLE	IF	CITATIONS
91	Greenland sharks ( <i>Somniosus microcephalus</i> ) scavenge offal from minke ( <i>Balaenoptera</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 507	1.6	55
92	$\delta^{15}\text{N}$ and $\delta^{13}\text{C}$ diet-tissue discrimination factors for large sharks under semi-controlled conditions. <i>Comparative Biochemistry and Physiology Part A, Molecular &amp; Integrative Physiology</i> , 2010, 155, 445-453.	1.8	179
93	Diet discrimination factors are inversely related to $\delta^{15}\text{N}$ and $\delta^{13}\text{C}$ values of food for fish under controlled conditions. <i>Rapid Communications in Mass Spectrometry</i> , 2010, 24, 3515-3520.	1.5	33
94	Diet and resource use among Greenland sharks ( <i>Somniosus microcephalus</i> ) and teleosts sampled in Icelandic waters, using $\delta^{13}\text{C}$ , $\delta^{15}\text{N}$ , and mercury. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2010, 67, 1428-1438.	1.4	78
95	Preliminary assessment of Greenland halibut diet in Cumberland Sound using stable isotopes. <i>Polar Biology</i> , 2009, 32, 941-945.	1.2	31
96	Metabolic turnover rates of carbon and nitrogen stable isotopes in captive juvenile snakes. <i>Rapid Communications in Mass Spectrometry</i> , 2009, 23, 319-326.	1.5	34
97	Integrating lipids and contaminants in aquatic ecology and ecotoxicology. , 2009, , 93-114.		23
98	Mitochondrial cytochrome b variation in sleeper sharks (Squaliformes: Somniosidae). <i>Marine Biology</i> , 2008, 153, 1015-1022.	1.5	39
99	Fractionation and metabolic turnover of carbon and nitrogen stable isotopes in black fly larvae. <i>Rapid Communications in Mass Spectrometry</i> , 2008, 22, 694-700.	1.5	35
100	Concentrations and patterns of perfluoroalkyl acids in Georgia, USA surface waters near and distant to a major use source. <i>Environmental Toxicology and Chemistry</i> , 2008, 27, 2011-2018.	4.3	48
101	Geographic distribution of selected elements in the livers of polar bears from Greenland, Canada and the United States. <i>Environmental Pollution</i> , 2008, 153, 618-626.	7.5	42
102	PCBs can diminish the influence of temperature on thyroid indices in rainbow trout ( <i>Oncorhynchus</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	4.0	15
103	Essential and non-essential element concentrations in two sleeper shark species collected in arctic waters. <i>Environmental Pollution</i> , 2007, 148, 281-290.	7.5	70
104	Role of Temperature and Enzyme Induction in the Biotransformation of Polychlorinated Biphenyls and Bioformation of Hydroxylated Polychlorinated Biphenyls by Rainbow Trout ( <i>Oncorhynchus mykiss</i> ). <i>Environmental Science &amp; Technology</i> , 2007, 41, 3856-3863.	10.0	70
105	Applications, Considerations, and Sources of Uncertainty When Using Stable Isotope Analysis in Ecotoxicology. <i>Environmental Science &amp; Technology</i> , 2006, 40, 7501-7511.	10.0	308
106	Variable uptake and elimination of stable nitrogen isotopes between tissues in fish. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2006, 63, 345-353.	1.4	189
107	Biotransformation of polychlorinated biphenyls (PCBs) and bioformation of hydroxylated PCBs in fish. <i>Aquatic Toxicology</i> , 2006, 78, 176-185.	4.0	134
108	REGIONAL AND SPECIES SPECIFIC BIOACCUMULATION OF MAJOR AND TRACE ELEMENTS IN ARCTIC SEABIRDS. <i>Environmental Toxicology and Chemistry</i> , 2006, 25, 2927.	4.3	62

#	ARTICLE	IF	CITATIONS
109	Chlorinated hydrocarbon contaminants and metabolites in polar bears ( <i>Ursus maritimus</i> ) from Alaska, Canada, East Greenland, and Svalbard: 1996-2002. <i>Science of the Total Environment</i> , 2005, 351-352, 369-390.	8.0	113
110	Persistent organic pollutants and mercury in marine biota of the Canadian Arctic: An overview of spatial and temporal trends. <i>Science of the Total Environment</i> , 2005, 351-352, 4-56.	8.0	336
111	An assessment of the toxicological significance of anthropogenic contaminants in Canadian arctic wildlife. <i>Science of the Total Environment</i> , 2005, 351-352, 57-93.	8.0	160
112	Mercury and other trace elements in a pelagic Arctic marine food web (Northwater Polynya, Baffin) Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50	8.0	424
113	Evidence for biomagnification of rubidium in freshwater and marine food webs. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2005, 62, 1161-1167.	1.4	74
114	Stable isotopes from multiple tissues reveal diet switching in sharks. <i>Marine Ecology - Progress Series</i> , 2005, 302, 199-206.	1.9	188
115	TOXICOKINETICS OF THREE POLYCHLORINATED BIPHENYL TECHNICAL MIXTURES IN RAINBOW TROUT ( <i>ONCORHYNCHUS MYKISS</i> ). <i>Environmental Toxicology and Chemistry</i> , 2004, 23, 1725.	4.3	55
116	BIOLOGICAL AND CHEMICAL FACTORS OF IMPORTANCE IN THE BIOACCUMULATION AND TROPHIC TRANSFER OF PERSISTENT ORGANOCHLORINE CONTAMINANTS IN ARCTIC MARINE FOOD WEBS. <i>Environmental Toxicology and Chemistry</i> , 2004, 23, 2367.	4.3	383
117	Fluorinated Organic Compounds in an Eastern Arctic Marine Food Web. <i>Environmental Science &amp; Technology</i> , 2004, 38, 6475-6481.	10.0	330
118	Hydroxylated PCBs and Other Chlorinated Phenolic Compounds in Lake Trout ( <i>Salvelinus namaycush</i> ) Blood Plasma from the Great Lakes Region. <i>Environmental Science &amp; Technology</i> , 2003, 37, 1720-1725.	10.0	59
119	USING ANTHROPOGENIC CONTAMINANTS AND STABLE ISOTOPES TO ASSESS THE FEEDING ECOLOGY OF GREENLAND SHARKS. <i>Ecology</i> , 2002, 83, 2162-2172.	3.2	189
120	A stable isotope ( $\delta^{13}C$ , $\delta^{15}N$ ) model for the North Water food web: implications for evaluating trophodynamics and the flow of energy and contaminants. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2002, 49, 5131-5150.	1.4	419
121	Dietary accumulation and biochemical responses of juvenile rainbow trout ( <i>Oncorhynchus mykiss</i> ) to 3,3,4,4,5-pentachlorobiphenyl (PCB 126). <i>Aquatic Toxicology</i> , 2002, 59, 139-152.	4.0	58
122	Dietary accumulation and depuration of hydrophobic organochlorines: Bioaccumulation parameters and their relationship with the octanol/water partition coefficient. <i>Environmental Toxicology and Chemistry</i> , 1998, 17, 951-961.	4.3	350