ÄŒeslovas Venclovas

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4413904/publications.pdf

Version: 2024-02-01

101 papers

7,129 citations

38 h-index 71685 **76** g-index

106 all docs

106 docs citations

106 times ranked 6056 citing authors

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Evolutionary classification of CRISPR–Cas systems: a burst of class 2 and derived variants. Nature Reviews Microbiology, 2020, 18, 67-83. | 28.6 | 1,427 |
| 2 | A cyclic oligonucleotide signaling pathway in type III CRISPR-Cas systems. Science, 2017, 357, 605-609. | 12.6 | 382 |
| 3 | A modified definition of Sov, a segment-based measure for protein secondary structure prediction assessment., 1999, 34, 220-223. | | 323 |
| 4 | Programmable RNA Shredding by the Type III-A CRISPR-Cas System of Streptococcus thermophilus. Molecular Cell, 2014, 56, 506-517. | 9.7 | 278 |
| 5 | Structure-based predictions of Rad1, Rad9, Hus1 and Rad17 participation in sliding clamp and clamp-loading complexes. Nucleic Acids Research, 2000, 28, 2481-2493. | 14.5 | 247 |
| 6 | Spatiotemporal Control of Type III-A CRISPR-Cas Immunity: Coupling DNA Degradation with the Target RNA Recognition. Molecular Cell, 2016, 62, 295-306. | 9.7 | 224 |
| 7 | Processing and analysis of CASP3 protein structure predictions. Proteins: Structure, Function and Bioinformatics, 1999, 37, 22-29. | 2.6 | 206 |
| 8 | PAM recognition by miniature CRISPR–Cas12f nucleases triggers programmable double-stranded DNA target cleavage. Nucleic Acids Research, 2020, 48, 5016-5023. | 14.5 | 175 |
| 9 | Progress over the first decade of CASP experiments. Proteins: Structure, Function and Bioinformatics, 2005, 61, 225-236. | 2.6 | 172 |
| 10 | VoroMQA: Assessment of protein structure quality using interatomic contact areas. Proteins: Structure, Function and Bioinformatics, 2017, 85, 1131-1145. | 2.6 | 149 |
| 11 | A Sliding Clamp Model for the Rad1 Family of Cell Cycle Checkpoint Proteins. Cell, 1999, 96, 769-770. | 28.9 | 143 |
| 12 | Processing and analysis of CASP3 protein structure predictions. Proteins: Structure, Function and Bioinformatics, 1999, 37, 22-29. | 2.6 | 142 |
| 13 | Type III CRISPR-Cas Immunity: Major Differences Brushed Aside. Trends in Microbiology, 2017, 25, 49-61. | 7.7 | 133 |
| 14 | Processing and evaluation of predictions in CASP4. Proteins: Structure, Function and Bioinformatics, 2001, 45, 13-21. | 2.6 | 131 |
| 15 | Transposon-associated TnpB is a programmable RNA-guided DNA endonuclease. Nature, 2021, 599, 692-696. | 27.8 | 125 |
| 16 | CADâ€score: A new contact area differenceâ€based function for evaluation of protein structural models. Proteins: Structure, Function and Bioinformatics, 2013, 81, 149-162. | 2.6 | 123 |
| 17 | A catalogue of biochemically diverse CRISPR-Cas9 orthologs. Nature Communications, 2020, 11, 5512. | 12.8 | 116 |
| 18 | Essential roles for ⟨i⟩imuA⟨ i⟩ ′- and ⟨i⟩imuB⟨ i⟩ -encoded accessory factors in DnaE2-dependent mutagenesis in ⟨i⟩ Mycobacterium tuberculosis⟨ i⟩. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 13093-13098. | 7.1 | 113 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Assessment of progress over the CASP experiments. Proteins: Structure, Function and Bioinformatics, 2003, 53, 585-595. | 2.6 | 110 |
| 20 | Blind prediction of homo―and heteroâ€protein complexes: The CASP13 APRI experiment. Proteins: Structure, Function and Bioinformatics, 2019, 87, 1200-1221. | 2.6 | 99 |
| 21 | Physical and functional interactions between MutY glycosylase homologue (MYH) and checkpoint proteins Rad9–Rad1–Hus1. Biochemical Journal, 2006, 400, 53-62. | 3.7 | 83 |
| 22 | A vitamin B ₁₂ transporter in <i>Mycobacterium tuberculosis</i> . Open Biology, 2013, 3, 120175. | 3.6 | 83 |
| 23 | The logic of DNA replication in double-stranded DNA viruses: insights from global analysis of viral genomes. Nucleic Acids Research, 2016, 44, 4551-4564. | 14.5 | 80 |
| 24 | Estimation of model accuracy in CASP13. Proteins: Structure, Function and Bioinformatics, 2019, 87, 1361-1377. | 2.6 | 78 |
| 25 | Prediction of protein assemblies, the next frontier: The <scp>CASP14 APRI</scp> experiment. Proteins: Structure, Function and Bioinformatics, 2021, 89, 1800-1823. | 2.6 | 73 |
| 26 | Functional mapping of the plant small RNA methyltransferase: HEN1 physically interacts with HYL1 and DICER-LIKE 1 proteins. Nucleic Acids Research, 2015, 43, 2802-2812. | 14.5 | 67 |
| 27 | Comparative modeling in CASP6 using consensus approach to template selection, sequence-structure alignment, and structure assessment. Proteins: Structure, Function and Bioinformatics, 2005, 61, 99-105. | 2.6 | 66 |
| 28 | Evolutionary and functional classification of the CARF domain superfamily, key sensors in prokaryotic antivirus defense. Nucleic Acids Research, 2020, 48, 8828-8847. | 14.5 | 66 |
| 29 | How are tRNAs and mRNA arranged in the ribosome? An attempt to correlate the stereochemistry of the tRNA-mRNA interaction with constraints imposed by the ribosomal topography. Nucleic Acids Research, 1992, 20, 2627-2637. | 14.5 | 64 |
| 30 | Five-stranded \hat{l}^2 -sheet sandwiched with two \hat{l} ±-helices: A structural link between restriction endonucleasesEcoRl andEcoRV. Proteins: Structure, Function and Bioinformatics, 1994, 20, 279-282. | 2.6 | 64 |
| 31 | Comparison of performance in successive CASP experiments. Proteins: Structure, Function and Bioinformatics, 2001, 45, 163-170. | 2.6 | 62 |
| 32 | Voronota: A fast and reliable tool for computing the vertices of the Voronoi diagram of atomic balls. Journal of Computational Chemistry, 2014, 35, 672-681. | 3.3 | 62 |
| 33 | Comprehensive analysis of DNA polymerase III $\hat{l}\pm$ subunits and their homologs in bacterial genomes. Nucleic Acids Research, 2014, 42, 1393-1413. | 14.5 | 59 |
| 34 | Comparative modeling in CASP5: Progress is evident, but alignment errors remain a significant hindrance. Proteins: Structure, Function and Bioinformatics, 2003, 53, 380-388. | 2.6 | 52 |
| 35 | Diversity and evolution of B-family DNA polymerases. Nucleic Acids Research, 2020, 48, 10142-10156. | 14.5 | 52 |
| 36 | Human HLTF mediates postreplication repair by its HIRAN domain-dependent replication fork remodelling. Nucleic Acids Research, 2015, 43, gkv896. | 14.5 | 51 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Detection of distant evolutionary relationships between protein families using theory of sequence profile-profile comparison. BMC Bioinformatics, 2010, 11, 89. | 2.6 | 43 |
| 38 | Comparative modeling of CASP4 target proteins: Combining results of sequence search with three-dimensional structure assessment. Proteins: Structure, Function and Bioinformatics, 2001, 45, 47-54. | 2.6 | 40 |
| 39 | Some measures of comparative performance in the three CASPs. Proteins: Structure, Function and Bioinformatics, 1999, 37, 231-237. | 2.6 | 39 |
| 40 | Structure-based sequence alignment for the \hat{l}^2 -trefoil subdomain of the clostridial neurotoxin family provides residue level information about the putative ganglioside binding site. FEBS Letters, 2000, 482, 119-124. | 2.8 | 39 |
| 41 | The PPI3D web server for searching, analyzing and modeling proteinâ€"protein interactions in the context of 3D structures. Bioinformatics, 2017, 33, 935-937. | 4.1 | 39 |
| 42 | Generation of DNA cleavage specificities of type II restriction endonucleases by reassortment of target recognition domains. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 10358-10363. | 7.1 | 38 |
| 43 | Hhal DNA Methyltransferase Uses the Protruding Gln237 for Active Flipping of Its Target Cytosine. Structure, 2004, 12, 1047-1055. | 3.3 | 36 |
| 44 | Identification of new homologs of PD-(D/E)XK nucleases by support vector machines trained on data derived from profile–profile alignments. Nucleic Acids Research, 2011, 39, 1187-1196. | 14.5 | 34 |
| 45 | The Cytolytic Activity of Vaginolysin Strictly Depends on Cholesterol and Is Potentiated by Human CD59. Toxins, 2015, 7, 110-128. | 3.4 | 34 |
| 46 | A structure–function analysis of the yeast Elg1 protein reveals the importance of PCNA unloading in genome stability maintenance. Nucleic Acids Research, 2017, 45, gkw1348. | 14.5 | 34 |
| 47 | Comparative analysis of methods for evaluation of protein models against native structures. Bioinformatics, 2019, 35, 937-944. | 4.1 | 34 |
| 48 | Molecular modeling-based analysis of interactions in the RFC-dependent clamp-loading process. Protein Science, 2008, 11, 2403-2416. | 7.6 | 33 |
| 49 | PSI-BLAST-ISS: an intermediate sequence search tool for estimation of the position-specific alignment reliability. BMC Bioinformatics, 2005, 6, 185. | 2.6 | 32 |
| 50 | Distinct Double- and Single-Stranded DNA Binding of <i>E. coli</i> Replicative DNA Polymerase III α Subunit. ACS Chemical Biology, 2008, 3, 577-587. | 3.4 | 32 |
| 51 | VoroMQA web server for assessing three-dimensional structures of proteins and protein complexes. Nucleic Acids Research, 2019, 47, W437-W442. | 14.5 | 32 |
| 52 | Novel Families of Archaeo-Eukaryotic Primases Associated with Mobile Genetic Elements of Bacteria and Archaea. Journal of Molecular Biology, 2018, 430, 737-750. | 4.2 | 31 |
| 53 | DnaQ exonucleaseâ€like domain of Cas2 promotes spacer integration in a type lâ€E CRISPRâ€Cas system. EMBO Reports, 2018, 19, . | 4.5 | 31 |
| 54 | COMA server for protein distant homology search. Bioinformatics, 2010, 26, 1905-1906. | 4.1 | 30 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Conformational Analysis of Processivity Clamps in Solution Demonstrates that Tertiary Structure Does Not Correlate with Protein Dynamics. Structure, 2014, 22, 572-581. | 3.3 | 30 |
| 56 | Different enzymes with similar structures involved in Mg2+-mediated polynucleotidyl transfer. Nature Structural Biology, 1995, 2, 838-841. | 9.7 | 29 |
| 57 | Criteria for evaluating protein structures derived from comparative modeling. Proteins: Structure, Function and Bioinformatics, 1997, 29, 7-13. | 2.6 | 28 |
| 58 | New insights into the structures and interactions of bacterial Y-family DNA polymerases. Nucleic Acids Research, 2019, 47, 4393-4405. | 14.5 | 27 |
| 59 | VoroCNN: deep convolutional neural network built on 3D Voronoi tessellation of protein structures. Bioinformatics, 2021, 37, 2332-2339. | 4.1 | 27 |
| 60 | Codon-anticodon pairing A model for interacting codon-anticodon duplexes located at the ribosomal A- and P-sites. FEBS Letters, 1992, 313, 133-137. | 2.8 | 24 |
| 61 | Modeling SARSâ€CoVâ€⊋ proteins in the CASPâ€commons experiment. Proteins: Structure, Function and Bioinformatics, 2021, 89, 1987-1996. | 2.6 | 24 |
| 62 | Thermodynamics of radicicol binding to human Hsp90 alpha and beta isoforms. Biophysical Chemistry, 2010, 152, 153-163. | 2.8 | 23 |
| 63 | Numerical criteria for the evaluation of ab initio predictions of protein structure. Proteins: Structure, Function and Bioinformatics, 1997, 29, 140-150. | 2.6 | 21 |
| 64 | Addressing the issue of sequence-to-structure alignments in comparative modeling of CASP3 target proteins. Proteins: Structure, Function and Bioinformatics, 1999, 37, 73-80. | 2.6 | 21 |
| 65 | Structural and functional analysis of rare missense mutations in human chorionic gonadotrophin \hat{l}^2 -subunit. Molecular Human Reproduction, 2012, 18, 379-390. | 2.8 | 21 |
| 66 | Structure of Csm2 elucidates the relationship between small subunits of CRISPR as effector complexes. FEBS Letters, 2016, 590, 1521-1529. | 2.8 | 21 |
| 67 | The use of automatic tools and human expertise in templateâ€based modeling of CASP8 target proteins. Proteins: Structure, Function and Bioinformatics, 2009, 77, 81-88. | 2.6 | 20 |
| 68 | HEPN-MNT Toxin-Antitoxin System: The HEPN Ribonuclease Is Neutralized by OligoAMPylation. Molecular Cell, 2020, 80, 955-970.e7. | 9.7 | 19 |
| 69 | Voroprot: an interactive tool for the analysis and visualization of complex geometric features of protein structure. Bioinformatics, 2011, 27, 723-724. | 4.1 | 18 |
| 70 | Computational analysis of DNA replicases in double-stranded DNA viruses: relationship with the genome size. Nucleic Acids Research, 2011, 39, 8291-8305. | 14.5 | 17 |
| 71 | Sequence-structure mapping errors in the PDB: OB-fold domains. Protein Science, 2004, 13, 1594-1602. | 7.6 | 15 |
| 72 | Two distinct SSB protein families in nucleo-cytoplasmic large DNA viruses. Bioinformatics, 2012, 28, 3186-3190. | 4.1 | 15 |

| # | Article | IF | Citations |
|----|---|------|-----------|
| 73 | The CAD-score web server: contact area-based comparison of structures and interfaces of proteins, nucleic acids and their complexes. Nucleic Acids Research, 2014, 42, W259-W263. | 14.5 | 15 |
| 74 | Modeling of protein complexes in <scp>CASP14</scp> with emphasis on the interaction interface prediction. Proteins: Structure, Function and Bioinformatics, 2021, 89, 1834-1843. | 2.6 | 14 |
| 75 | Structural modeling of protein complexes: Current capabilities and challenges. Proteins: Structure, Function and Bioinformatics, 2019, 87, 1222-1232. | 2.6 | 12 |
| 76 | Numerical criteria for the evaluation of ab initio predictions of protein structure. Proteins: Structure, Function and Bioinformatics, 1997, 29, 140-150. | 2.6 | 12 |
| 77 | Herpesviral helicase-primase subunit UL8 is inactivated B-family polymerase. Bioinformatics, 2014, 30, 2093-2097. | 4.1 | 11 |
| 78 | DNA Sliding Clamps: Just the Right Twist to Load onto DNA. Current Biology, 2005, 15, R989-R992. | 3.9 | 10 |
| 79 | Methods for Sequence–Structure Alignment. Methods in Molecular Biology, 2011, 857, 55-82. | 0.9 | 10 |
| 80 | VoroContacts: a tool for the analysis of interatomic contacts in macromolecular structures. Bioinformatics, 2021, 37, 4873-4875. | 4.1 | 10 |
| 81 | Restriction endonuclease BpuJI specific for the $5\hat{a}\in^2$ -CCCGT sequence is related to the archaeal Holliday junction resolvase family. Nucleic Acids Research, 2007, 35, 2377-2389. | 14.5 | 9 |
| 82 | Modeling of protein complexes in CAPRI Round 37 using templateâ€based approach combined with model selection. Proteins: Structure, Function and Bioinformatics, 2018, 86, 292-301. | 2.6 | 9 |
| 83 | NR5A1 c.991‶GÂ>ÂC spliceâ€site variant causes familial 46,XY partial gonadal dysgenesis with incomplete penetrance. Clinical Endocrinology, 2021, 94, 656-666. | 2.4 | 9 |
| 84 | The use of interatomic contact areas to quantify discrepancies between RNA 3D models and reference structures. Nucleic Acids Research, 2014, 42, 5407-5415. | 14.5 | 8 |
| 85 | Selection and characterization of anti-MUC-1 scFvs intended for targeted therapy. Clinical Cancer Research, 2003, 9, 3845S-53S. | 7.0 | 8 |
| 86 | Contact Area-Based Structural Analysis of Proteins and Their Complexes Using CAD-Score. Methods in Molecular Biology, 2020, 2112, 75-90. | 0.9 | 6 |
| 87 | Template-Based Modeling of Protein Complexes Using the PPI3D Web Server. Methods in Molecular Biology, 2020, 2165, 139-155. | 0.9 | 6 |
| 88 | Re-searcher: a system for recurrent detection of homologous protein sequences. BMC Bioinformatics, 2008, 9, 296. | 2.6 | 5 |
| 89 | The Nâ€terminal region of the bacterial DNA polymerase PolC features a pair of domains, both distantly related to domain V of the DNA polymerase III ï,, subunit. FEBS Journal, 2011, 278, 3109-3118. | 4.7 | 4 |
| 90 | How Proteins Slide on DNA. Biological and Medical Physics Series, 2010, , 39-68. | 0.4 | 4 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 91 | Some measures of comparative performance in the three CASPs. Proteins: Structure, Function and Bioinformatics, 1999, 37, 231-237. | 2.6 | 4 |
| 92 | Criteria for evaluating protein structures derived from comparative modeling. Proteins: Structure, Function and Bioinformatics, 1997, 29, 7-13. | 2.6 | 4 |
| 93 | Viral DNA replication: new insights and discoveries from large scale computational analysis. BMC Bioinformatics, 2015, 16, . | 2.6 | 3 |
| 94 | Templateâ€based modeling of diverse protein interactions in CAPRI rounds 38â€45. Proteins: Structure, Function and Bioinformatics, 2020, 88, 939-947. | 2.6 | 3 |
| 95 | Genome Replication of Bacterial and Archaeal Viruses. , 2021, , 429-438. | | 2 |
| 96 | Numerical criteria for the evaluation of ab initio predictions of protein structure. Proteins: Structure, Function and Bioinformatics, 1997, 29, 140-150. | 2.6 | 2 |
| 97 | A novel inducible mutagenesis system in Mycobacterium tuberculosis. FASEB Journal, 2012, 26, 222.1. | 0.5 | 2 |
| 98 | The H-subunit of the restriction endonuclease Cgll contains a prototype DEAD-Z1 helicase-like motor. Nucleic Acids Research, 2018, 46, 2560-2572. | 14.5 | 1 |
| 99 | The path of a protein chain can be approximated by the conformation dictated by interpeptide ionic bridges. FEBS Letters, 1992, 302, 57-60. | 2.8 | 0 |
| 100 | Cover Image, Volume 85, Issue 6. Proteins: Structure, Function and Bioinformatics, 2017, 85, C1. | 2.6 | 0 |
| 101 | Addressing the issue of sequenceâ€toâ€structure alignments in comparative modeling of CASP3 target proteins. Proteins: Structure, Function and Bioinformatics, 1999, 37, 73-80. | 2.6 | O |