

Laura C Bishop

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4414797/publications.pdf>

Version: 2024-02-01

45
papers

2,302
citations

236925

25
h-index

265206

42
g-index

45
all docs

45
docs citations

45
times ranked

1507
citing authors

#	ARTICLE	IF	CITATIONS
1	Early hominin diet included diverse terrestrial and aquatic animals 1.95 Ma in East Turkana, Kenya. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 10002-10007.	7.1	229
2	Hominid paleoecology at Olduvai Gorge, Tanzania as indicated by antelope remains. <i>Journal of Human Evolution</i> , 1994, 27, 47-75.	2.6	175
3	Raw material quality and Oldowan hominin toolstone preferences: evidence from Kanjera South, Kenya. <i>Journal of Archaeological Science</i> , 2009, 36, 1605-1614.	2.4	160
4	Earliest Archaeological Evidence of Persistent Hominin Carnivory. <i>PLoS ONE</i> , 2013, 8, e62174.	2.5	159
5	Old stones' song: Use-wear experiments and analysis of the Oldowan quartz and quartzite assemblage from Kanjera South (Kenya). <i>Journal of Human Evolution</i> , 2014, 72, 10-25.	2.6	132
6	Oldowan behavior and raw material transport: perspectives from the Kanjera Formation. <i>Journal of Archaeological Science</i> , 2008, 35, 2329-2345.	2.4	124
7	Research on Late Pliocene Oldowan Sites at Kanjera South, Kenya. <i>Journal of Human Evolution</i> , 1999, 36, 151-170.	2.6	108
8	Habitat preference of extant African bovids based on astragalus morphology: operationalizing ecomorphology for palaeoenvironmental reconstruction. <i>Journal of Archaeological Science</i> , 2008, 35, 3016-3027.	2.4	84
9	New perspectives on middle Pleistocene change in the large mammal faunas of East Africa: <i>Damaliscus hypsodon</i> sp. nov. (Mammalia, Artiodactyla) from Lainyamok, Kenya. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2012, 361-362, 84-93.	2.3	80
10	Oldest Evidence of Toolmaking Hominins in a Grassland-Dominated Ecosystem. <i>PLoS ONE</i> , 2009, 4, e7199.	2.5	80
11	Comparative context of Plio-Pleistocene hominin brain evolution. <i>Journal of Human Evolution</i> , 2001, 41, 1-27.	2.6	79
12	Variability in traces of Middle Pleistocene hominid behavior in the Kapthurin Formation, Baringo, Kenya. <i>Journal of Human Evolution</i> , 1996, 30, 563-580.	2.6	70
13	Hominins without fellow travellers? First appearances and inferred dispersals of Afro-Eurasian large-mammals in the Plio-Pleistocene. <i>Quaternary Science Reviews</i> , 2011, 30, 1343-1352.	3.0	70
14	Current research on the Late Pliocene and Pleistocene deposits north of Homa Mountain, southwestern Kenya. <i>Journal of Human Evolution</i> , 1999, 36, 123-150.	2.6	59
15	Mid-Pleistocene Hominin occupation at Elandsfontein, Western Cape, South Africa. <i>Quaternary Science Reviews</i> , 2013, 82, 145-166.	3.0	58
16	Cats in the forest: predicting habitat adaptations from humerus morphometry in extant and fossil Felidae (Carnivora). <i>Paleobiology</i> , 2013, 39, 323-344.	2.0	52
17	Humeral epiphyseal shape in the felidae: The influence of phylogeny, allometry, and locomotion. <i>Journal of Morphology</i> , 2012, 273, 1424-1438.	1.2	43
18	Mesowear as a means of determining diets in African antelopes. <i>Journal of Archaeological Science</i> , 2011, 38, 1485-1495.	2.4	41

#	ARTICLE	IF	CITATIONS
19	Mammal community structure correlates with arboreal heterogeneity in faunally and geographically diverse habitats: implications for community convergence. <i>Global Ecology and Biogeography</i> , 2011, 20, 717-729.	5.8	39
20	Bovoid ecomorphology and hominin paleoenvironments of the Shungura Formation, lower Omo River Valley, Ethiopia. <i>Journal of Human Evolution</i> , 2015, 88, 108-126.	2.6	37
21	Evolutionary Divergence and Convergence in Shape and Size Within African Antelope Proximal Phalanges. <i>Journal of Mammalian Evolution</i> , 2013, 20, 239-248.	1.8	34
22	The Environmental Context of Oldowan Hominin Activities at Kanjera South, Kenya. <i>Vertebrate Paleobiology and Paleoanthropology</i> , 2009, , 149-160.	0.5	30
23	Stable isotopes provide independent support for the use of mesowear variables for inferring diets in African antelopes. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2012, 279, 4441-4446.	2.6	29
24	Old stonesâ€™ songâ€™second verse: use-wear analysis of rhyolite and fenitized andesite artifacts from the Oldowan lithic industry of Kanjera South, Kenya. <i>Archaeological and Anthropological Sciences</i> , 2019, 11, 4729-4754.	1.8	29
25	Exploring morphological generality in the Old World monkey postcranium using an ecomorphological framework. <i>Journal of Anatomy</i> , 2016, 228, 534-560.	1.5	28
26	Analytical framework for reconstructing heterogeneous environmental variables from mammal community structure. <i>Journal of Human Evolution</i> , 2015, 78, 1-11.	2.6	27
27	Stable isotopic composition of fossil mammal teeth and environmental change in southwestern South Africa during the Pliocene and Pleistocene. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2016, 457, 396-408.	2.3	26
28	Oldowan Technology and Raw Material Variability at Kanjera South. <i>Vertebrate Paleobiology and Paleoanthropology</i> , 2009, , 99-110.	0.5	24
29	Palaeoecology of <i>Kolpochoerus heseloni</i> (= <i>K. limnetes</i>): a multiproxy approach. <i>Transactions of the Royal Society of South Africa</i> , 2006, 61, 81-88.	1.1	22
30	Partial cranium of <i>Cercopithecoides kimeui</i> Leakey, 1982 from Rawi Gully, southwestern Kenya. <i>American Journal of Physical Anthropology</i> , 2003, 122, 191-199.	2.1	20
31	Bovoid mortality patterns from Kanjera South, Homa Peninsula, Kenya and FLK-Zinj, Olduvai Gorge, Tanzania: Evidence for habitat mediated variability in Oldowan hominin hunting and scavenging behavior. <i>Journal of Human Evolution</i> , 2019, 131, 61-75.	2.6	20
32	Recent research into oldowan hominin activities at Kanjera South, Western Kenya. <i>African Archaeological Review</i> , 2006, 23, 31-40.	1.4	18
33	Large mammal turnover in Africa and the Levant between 1.0 and 0.5 Ma. <i>Geological Society Special Publication</i> , 2005, 247, 231-249.	1.3	17
34	Ecology Needs a Paleontological Perspective. , 2012, , 23-38.		15
35	Geochronology and physical context of Oldowan site formation at Kanjera South, Kenya. <i>Geological Magazine</i> , 2019, 156, 1190-1200.	1.5	14
36	Suoidea. , 2010, , 821-842.		14

#	ARTICLE	IF	CITATIONS
37	Stable isotope ecology of Cape dune mole-rats () from Elandsfontein, South Africa: Implications for C4 vegetation and hominin paleobiology in the Cape Floral Region. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2016, 457, 409-421.	2.3	12
38	Quaternary fossil fauna from the Luangwa Valley, Zambia. <i>Journal of Quaternary Science</i> , 2016, 31, 178-190.	2.1	9
39	Zooarchaeological reconstruction of newly excavated Middle Pleistocene deposits from Elandsfontein, South Africa. <i>Journal of Archaeological Science: Reports</i> , 2018, 17, 19-29.	0.5	8
40	Paleoenvironments of Laetoli, Tanzania as Determined by Antelope Habitat Preferences. <i>Vertebrate Paleobiology and Paleoanthropology</i> , 2011, , 355-366.	0.5	7
41	Meat on the menu: GIS spatial distribution analysis of bone surface damage indicates that Oldowan hominins at Kanjera South, Kenya had early access to carcasses. <i>Quaternary Science Reviews</i> , 2022, 277, 107314.	3.0	7
42	Fossil Suids from the Manonga Valley, Tanzania. <i>Topics in Geobiology</i> , 1997, , 191-217.	0.5	5
43	Opening dialogue between the recent and the long ago. <i>Nature</i> , 2009, 462, 847-847.	27.8	4
44	Suidae. <i>Vertebrate Paleobiology and Paleoanthropology</i> , 2011, , 327-337.	0.5	4
45	Postcranial Skeletal Morphology in Living and Fossil African Suidae. , 0, , 20-28.		0