

Chin-Chou Huang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4415284/publications.pdf>

Version: 2024-02-01

70
papers

1,148
citations

567281

15
h-index

454955

30
g-index

75
all docs

75
docs citations

75
times ranked

2095
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Diabetes Mellitus and the Risk of Alzheimer's Disease: A Nationwide Population-Based Study. <i>PLoS ONE</i> , 2014, 9, e87095. | 2.5 | 187 |
| 2 | Statin use in patients with asthma - a nationwide population-based study. <i>European Journal of Clinical Investigation</i> , 2011, 41, 507-512. | 3.4 | 80 |
| 3 | Angiotensin II Receptor Blockers and Risk of Cancer in Patients With Systemic Hypertension. <i>American Journal of Cardiology</i> , 2011, 107, 1028-1033. | 1.6 | 80 |
| 4 | Age-Related Macular Degeneration and Risk of Degenerative Dementia among the Elderly in Taiwan. <i>Ophthalmology</i> , 2015, 122, 2327-2335.e2. | 5.2 | 58 |
| 5 | Risk of Adverse Outcomes in Taiwan Associated With Concomitant Use of Clopidogrel and Proton Pump Inhibitors in Patients Who Received Percutaneous Coronary Intervention. <i>American Journal of Cardiology</i> , 2010, 105, 1705-1709. | 1.6 | 50 |
| 6 | Statin Use and Hospitalization in Patients with Chronic Obstructive Pulmonary Disease: A Nationwide Population-Based Cohort Study in Taiwan. <i>Clinical Therapeutics</i> , 2011, 33, 1365-1370. | 2.5 | 42 |
| 7 | Gastroesophageal Reflux Disease and Atrial Fibrillation: A Nationwide Population-Based Study. <i>PLoS ONE</i> , 2012, 7, e47575. | 2.5 | 39 |
| 8 | The association of asthma and atrial fibrillation – A nationwide population-based nested case-control study. <i>International Journal of Cardiology</i> , 2014, 176, 464-469. | 1.7 | 37 |
| 9 | Association of variability in uric acid and future clinical outcomes of patient with coronary artery disease undergoing percutaneous coronary intervention. <i>Atherosclerosis</i> , 2020, 297, 40-46. | 0.8 | 31 |
| 10 | Association between Preoperative Nutritional Status and Clinical Outcomes of Patients with Coronary Artery Disease Undergoing Percutaneous Coronary Intervention. <i>Nutrients</i> , 2020, 12, 1295. | 4.1 | 30 |
| 11 | Association of Arachidonic Acid-derived Lipid Mediators with Subsequent Onset of Acute Myocardial Infarction in Patients with Coronary Artery Disease. <i>Scientific Reports</i> , 2020, 10, 8105. | 3.3 | 23 |
| 12 | Dose-response effects of physical activity on all-cause mortality and major cardiorenal outcomes in chronic kidney disease. <i>European Journal of Preventive Cardiology</i> , 2022, 29, 452-461. | 1.8 | 23 |
| 13 | Recent Progress in Metabolic Syndrome Research and Therapeutics. <i>International Journal of Molecular Sciences</i> , 2021, 22, 6862. | 4.1 | 20 |
| 14 | Simulation-based inter-professional education to improve attitudes towards collaborative practice: a prospective comparative pilot study in a Chinese medical centre. <i>BMJ Open</i> , 2017, 7, e015105. | 1.9 | 19 |
| 15 | Prediction of Masked Hypertension and Masked Uncontrolled Hypertension Using Machine Learning. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 778306. | 2.4 | 19 |
| 16 | Association between previous history of gout attack and risk of deep vein thrombosis - a nationwide population-based cohort study. <i>Scientific Reports</i> , 2016, 6, 26541. | 3.3 | 18 |
| 17 | Guideline-adherent therapy in patients with cardiovascular diseases in Taiwan. <i>Journal of the Formosan Medical Association</i> , 2015, 114, 1000-1007. | 1.7 | 16 |
| 18 | CHADS2 score predicts risk of contrast-induced nephropathy in stable coronary artery disease patients undergoing percutaneous coronary interventions. <i>Journal of the Formosan Medical Association</i> , 2016, 115, 501-509. | 1.7 | 16 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Genetic variation in C-reactive protein in ethnic Chinese population in Taiwan. <i>European Journal of Clinical Investigation</i> , 2013, 43, 449-456. | 3.4 | 15 |
| 20 | Usefulness of Circulating Decoy Receptor 3 in Predicting Coronary Artery Disease Severity and Future Major Adverse Cardiovascular Events in Patients With Multivessel Coronary Artery Disease. <i>American Journal of Cardiology</i> , 2015, 116, 1028-1033. | 1.6 | 15 |
| 21 | Prediction of vascular dementia and Alzheimer's disease in patients with atrial fibrillation or atrial flutter using CHADS2 score. <i>Journal of the Chinese Medical Association</i> , 2016, 79, 470-476. | 1.4 | 14 |
| 22 | Increased Circulating Visfatin Is Associated With Progression of Kidney Disease in Non-Diabetic Hypertensive Patients. <i>American Journal of Hypertension</i> , 2016, 29, 528-536. | 2.0 | 14 |
| 23 | Predictors of inappropriate atrial sensing in long-term VDD-pacing systems. <i>Europace</i> , 2010, 12, 1251-1255. | 1.7 | 13 |
| 24 | Complexity of atrial fibrillation patients and management in Chinese ethnicity in routine daily practice: Insights from the RealiseAF Taiwanese cohort. <i>Journal of Cardiology</i> , 2014, 64, 211-217. | 1.9 | 13 |
| 25 | Genetic Diagnosis of Familial Hypercholesterolemia in Asia. <i>Frontiers in Genetics</i> , 2020, 11, 833. | 2.3 | 13 |
| 26 | Genetic variation in renin predicts the effects of thiazide diuretics. <i>European Journal of Clinical Investigation</i> , 2011, 41, 828-835. | 3.4 | 12 |
| 27 | Reduction of Circulating Endothelial Progenitor Cell Level Is Associated with Contrast-Induced Nephropathy in Patients Undergoing Percutaneous Coronary and Peripheral Interventions. <i>PLoS ONE</i> , 2014, 9, e89942. | 2.5 | 12 |
| 28 | Clinical and Genetic Factors Associated With Thiazide-Induced Hyponatremia. <i>Medicine (United States)</i> , 2015, 94, e1422. | 1.0 | 12 |
| 29 | Obstructive sleep apnea and the risk of ischemic stroke in patients with atrial fibrillation. <i>International Journal of Cardiology</i> , 2015, 181, 144-146. | 1.7 | 12 |
| 30 | Usefulness of the CHADS2 Score for Prognostic Stratification in Patients With Coronary Artery Disease Having Coronary Artery Bypass Grafting. <i>American Journal of Cardiology</i> , 2017, 119, 839-844. | 1.6 | 12 |
| 31 | Genetic Analysis in a Taiwanese Cohort of 750 Index Patients with Clinically Diagnosed Familial Hypercholesterolemia. <i>Journal of Atherosclerosis and Thrombosis</i> , 2022, 29, 639-653. | 2.0 | 11 |
| 32 | 2020 Consensus Statement of the Taiwan Hypertension Society and the Taiwan Society of Cardiology on Home Blood Pressure Monitoring for the Management of Arterial Hypertension. <i>Acta Cardiologica Sinica</i> , 2020, 36, 537-561. | 0.2 | 11 |
| 33 | Assessment of Clinical Competence of Medical Students Using the Objective Structured Clinical Examination: First 2 Years' Experience in Taipei Veterans General Hospital. <i>Journal of the Chinese Medical Association</i> , 2010, 73, 589-595. | 1.4 | 10 |
| 34 | A performance guide for major risk factors control in patients with atherosclerotic cardiovascular disease in Taiwan. <i>Journal of the Formosan Medical Association</i> , 2020, 119, 674-684. | 1.7 | 10 |
| 35 | 24-h ambulatory blood pressure variability and hypertensive nephropathy in Han Chinese hypertensive patients. <i>Journal of Clinical Hypertension</i> , 2021, 23, 281-288. | 2.0 | 10 |
| 36 | Aortic Arch Calcification Associated with Cardiovascular Events and Death among Patients with Acute Coronary Syndrome. <i>Acta Cardiologica Sinica</i> , 2017, 33, 241-249. | 0.2 | 10 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | The influence of gender on the communication skills assessment of medical students. <i>European Journal of Internal Medicine</i> , 2015, 26, 670-674. | 2.2 | 9 |
| 38 | Circulating Fibroblast Growth Factor 21 is Associated with Subsequent Renal Injury Events in Patients Undergoing Coronary Angiography. <i>Scientific Reports</i> , 2018, 8, 12425. | 3.3 | 9 |
| 39 | Contemporary Management of Coronary Artery Disease and Acute Coronary Syndrome in Patients with Chronic Kidney Disease and End-Stage Renal Disease. <i>Acta Cardiologica Sinica</i> , 2013, 29, 132-41. | 0.2 | 8 |
| 40 | The beneficial effects of statins in patients undergoing hemodialysis. <i>International Journal of Cardiology</i> , 2013, 168, 4155-4159. | 1.7 | 7 |
| 41 | Sleep apnea and risk of aortic dissection: A nonrandomized, pair-matched cohort study. <i>Journal of the Chinese Medical Association</i> , 2016, 79, 422-427. | 1.4 | 7 |
| 42 | Association of Statin Use and Reduced Risk of Lower-Extremity Amputation Among Patients With Diabetes: A Nationwide Population-Based Cohort Observation. <i>Diabetes Care</i> , 2016, 39, e54-e55. | 8.6 | 7 |
| 43 | Optimal blood pressure for the prevention of hypertensive nephropathy in nondiabetic hypertensive patients in Taiwan. <i>Journal of Clinical Hypertension</i> , 2020, 22, 1425-1433. | 2.0 | 7 |
| 44 | Blood pressure management and renal protection: Revisiting hypertensive nephropathy. <i>Journal of the Chinese Medical Association</i> , 2021, 84, 911-916. | 1.4 | 7 |
| 45 | Inflammatory Burden and Immunomodulative Therapeutics of Cardiovascular Diseases. <i>International Journal of Molecular Sciences</i> , 2022, 23, 804. | 4.1 | 7 |
| 46 | Using multimedia tools and high-fidelity simulations to improve medical students' resuscitation performance: an observational study. <i>BMJ Open</i> , 2016, 6, e012195. | 1.9 | 6 |
| 47 | Association between echocardiographic epicardial fat thickness and circulating endothelial progenitor cell level in patients with stable angina pectoris. <i>Clinical Cardiology</i> , 2017, 40, 697-703. | 1.8 | 6 |
| 48 | Optimal achieved blood pressure for patients with stable coronary artery disease. <i>Scientific Reports</i> , 2017, 7, 10137. | 3.3 | 6 |
| 49 | Sex difference in sympathetic nervous system activity and blood pressure in hypertensive patients. <i>Journal of Clinical Hypertension</i> , 2021, 23, 137-146. | 2.0 | 6 |
| 50 | Prolonged sitting time links to subclinical atherosclerosis. <i>Journal of the Chinese Medical Association</i> , 2022, 85, 51-58. | 1.4 | 5 |
| 51 | Plasma metabolomic profiles associated with hypertension and blood pressure in response to thiazide diuretics. <i>Hypertension Research</i> , 2022, 45, 464-473. | 2.7 | 5 |
| 52 | Effects of a new parallel primary healthcare centre and on-campus training programme on history taking, physical examination skills and medical students' preparedness: a prospective comparative study in Taiwan. <i>BMJ Open</i> , 2017, 7, e016294. | 1.9 | 4 |
| 53 | Adherence to guidelines in monitoring amiodarone-induced thyroid dysfunction. <i>Journal of Evaluation in Clinical Practice</i> , 2017, 23, 108-113. | 1.8 | 4 |
| 54 | Mixed simulation course increases participants' positive stress coping abilities. <i>Journal of the Chinese Medical Association</i> , 2018, 81, 58-63. | 1.4 | 4 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Genetic predictors of thiazide-induced serum potassium changes in nondiabetic hypertensive patients. <i>Hypertension Research</i> , 2014, 37, 759-764. | 2.7 | 3 |
| 56 | Soluble Tumor Necrosis Factor Receptor Type 1 Levels Exhibit A Stronger Association With Renal Outcomes Than Traditional Risk Factors in Chinese Subjects With Type 2 Diabetes Mellitus. <i>Endocrine Practice</i> , 2020, 26, 1115-1124. | 2.1 | 3 |
| 57 | Standard setting made easy: validating the Equal Z-score (EZ) method for setting cut-score for clinical examinations. <i>BMC Medical Education</i> , 2020, 20, 167. | 2.4 | 3 |
| 58 | Association between phosphate and long-term outcome in CAD patients underwent coronary intervention. <i>Scientific Reports</i> , 2021, 11, 20080. | 3.3 | 3 |
| 59 | Uric Acid and Impairment of Renal Function in Non-diabetic Hypertensive Patients. <i>Frontiers in Medicine</i> , 2021, 8, 746886. | 2.6 | 3 |
| 60 | Hypertension subtypes modify metabolic response to thiazide diuretics. <i>European Journal of Clinical Investigation</i> , 2016, 46, 80-91. | 3.4 | 2 |
| 61 | Pentraxin 3 Predicts Arteriovenous Fistula Functional Patency Loss and Mortality in Chronic Hemodialysis Patients. <i>American Journal of Nephrology</i> , 2022, 53, 148-156. | 3.1 | 2 |
| 62 | SLC12A3 Variation and Renal Function in Chinese Patients With Hypertension. <i>Frontiers in Medicine</i> , 0, 9, . | 2.6 | 2 |
| 63 | Self- and rater-assessed effectiveness of “thinking-aloud” and “regular” morning report to intensify young physicians’ clinical skills. <i>Journal of the Chinese Medical Association</i> , 2015, 78, 545-554. | 1.4 | 1 |
| 64 | <p>Clinical Evaluation Of Evolocumab For The Treatment Of Homozygous Familial Hypercholesterolemia In Chinese Patients</p>. <i>Therapeutics and Clinical Risk Management</i> , 2019, Volume 15, 1209-1216. | 2.0 | 1 |
| 65 | Optimal blood pressure for patients with end-stage renal disease following coronary interventions. <i>Journal of Clinical Hypertension</i> , 2021, 23, 1622-1630. | 2.0 | 1 |
| 66 | Risk of ischemic stroke in patients with end-stage renal disease receiving peritoneal dialysis with new-onset atrial fibrillation. <i>Journal of the Chinese Medical Association</i> , 2020, 83, 1066-1070. | 1.4 | 1 |
| 67 | Baseline Serum Aldosterone-to-Renin Ratio is Associated with the Add-on Effect of Thiazide Diuretics in Non-Diabetic Essential Hypertensives. <i>Acta Cardiologica Sinica</i> , 2013, 29, 37-48. | 0.2 | 1 |
| 68 | Response to Comment on Yang et al. Association of Statin Use and Reduced Risk of Lower-Extremity Amputation Among Patients With Diabetes: A Nationwide Population-Based Cohort Observation. <i>Diabetes Care</i> 2016;39:e54-e55. <i>Diabetes Care</i> , 2016, 39, e161-e162. | 8.6 | 0 |
| 69 | Is it the time to use wrist devices for health diagnosis in clinical practice?. <i>Journal of the Chinese Medical Association</i> , 2019, 82, 675-676. | 1.4 | 0 |
| 70 | Is a Three-Dimensional Printed Cardiac Model Better Than a Traditional Cardiac Model for Medical Education?. <i>Acta Cardiologica Sinica</i> , 2017, 33, 670-671. | 0.2 | 0 |