
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4419441/publications.pdf Version: 2024-02-01



ALAIN LESACE

#	Article	IF	CITATIONS
1	Characterization of impulsivity in suicide completers: Clinical, behavioral and psychosocial dimensions. Journal of Affective Disorders, 2006, 92, 195-204.	4.1	155
2	Familial Aggregation of Suicide Explained by Cluster B Traits: A Three-Group Family Study of Suicide Controlling for Major Depressive Disorder. American Journal of Psychiatry, 2009, 166, 1124-1134.	7.2	146
3	An examination of DSM-IV depressive symptoms and risk for suicide completion in major depressive disorder: A psychological autopsy study. Journal of Affective Disorders, 2007, 97, 203-209.	4.1	137
4	Risk Factors for Suicide Completion in Borderline Personality Disorder. Journal of Clinical Psychiatry, 2007, 68, 721-729.	2.2	129
5	Cognitive predictors of psychosocial functioning outcome in schizophrenia: A follow-up study of subjects participating in a rehabilitation program. Schizophrenia Research, 2005, 77, 343-353.	2.0	119
6	Do Canada and the United States Differ in Prevalence of Depression and Utilization of Services?. Psychiatric Services, 2007, 58, 63-71.	2.0	109
7	Job Acquisition for People with Severe Mental Illness Enrolled in Supported Employment Programs: A Theoretically Grounded Empirical Study. Journal of Occupational Rehabilitation, 2011, 21, 342-354.	2.2	105
8	Psychosocial Stressors at Work and the Risk of Sickness Absence Due to a Diagnosed Mental Disorder. JAMA Psychiatry, 2020, 77, 842.	11.0	104
9	Joint Effect of Depression and Chronic Conditions on Disability: Results From a Population-Based Study. Psychosomatic Medicine, 2007, 69, 332-338.	2.0	96
10	Sex and Gender Roles in Relation to Mental Health and Allostatic Load. Psychosomatic Medicine, 2016, 78, 788-804.	2.0	93
11	Effect of Tryptophan Hydroxylase-2 Gene Variants on Suicide Risk in Major Depression. Biological Psychiatry, 2007, 62, 72-80.	1.3	88
12	Are school difficulties an early sign for mental disorder diagnosis and suicide prevention? A comparative study of individuals who died by suicide and control group. Child and Adolescent Psychiatry and Mental Health, 2020, 14, 1.	2.5	88
13	Life trajectories and burden of adversity: mapping the developmental profiles of suicide mortality. Psychological Medicine, 2007, 37, 1575-1583.	4.5	85
14	Standardization of health outcomes assessment for depression and anxiety: recommendations from the ICHOM Depression and Anxiety Working Group. Quality of Life Research, 2017, 26, 3211-3225.	3.1	70
15	Youth and young adult suicide: A study of life trajectory. Journal of Psychiatric Research, 2011, 45, 863-870.	3.1	69
16	Work accommodations and natural supports for maintaining employment Psychiatric Rehabilitation Journal, 2014, 37, 90-98.	1.1	68
17	CANTAB explicit memory is less impaired in addicted schizophrenia patients. Brain and Cognition, 2005, 59, 38-42.	1.8	63
18	Recurrent Subthreshold Depression in Type 2 Diabetes: An Important Risk Factor for Poor Health Outcomes. Diabetes Care, 2014, 37, 970-978.	8.6	62

ALAIN LESAGE

#	Article	IF	CITATIONS
19	Counselling the Relatives of the Long-Term Adult Mentally Ill. British Journal of Psychiatry, 1989, 154, 768-775.	2.8	61
20	A Surveillance System to Monitor Excess Mortality of People with Mental Illness in Canada. Canadian Journal of Psychiatry, 2015, 60, 571-579.	1.9	56
21	Perceptions of Barriers to Employment, Coping Efficacy, and Career Search Efficacy in People with Mental Illness. Journal of Career Assessment, 2004, 12, 460-478.	2.5	55
22	Cognitive discernible factors between schizophrenia and schizoaffective disorder. Brain and Cognition, 2005, 59, 292-295.	1.8	54
23	Use of Administrative Data for the Surveillance of Mental Disorders in 5 Provinces. Canadian Journal of Psychiatry, 2009, 54, 571-575.	1.9	53
24	The Influence of Social Anchorage on the Gender Difference in the Use of Mental Health Services. Journal of Behavioral Health Services and Research, 2009, 36, 372-384.	1.4	52
25	Lower Incidence and Increased Male: Female Ratio in Schizophrenia. British Journal of Psychiatry, 1992, 161, 556-557.	2.8	51
26	STin2 Variant and Family History of Suicide as Significant Predictors of Suicide Completion in Major Depression. Biological Psychiatry, 2006, 59, 114-120.	1.3	51
27	Suicide Cases in New Brunswick from April 2002 to May 2003: The Importance of Better Recognizing Substance and Mood Disorder Comorbidity. Canadian Journal of Psychiatry, 2006, 51, 581-586.	1.9	49
28	Systematic Services Audit of Consecutive Suicides in New Brunswick: The Case for Coordinating Specialist Mental Health and Addiction Services. Canadian Journal of Psychiatry, 2008, 53, 671-678.	1.9	49
29	Revisiting the Link Between Depression Symptoms and High School Dropout: Timing of Exposure Matters. Journal of Adolescent Health, 2018, 62, 205-211.	2.5	49
30	Treatment prevalence and incidence of schizophrenia in Quebec using a population health services perspective: different algorithms, different estimates. Social Psychiatry and Psychiatric Epidemiology, 2012, 47, 533-543.	3.1	48
31	Alpha 2A adrenergic receptor gene and suicide. Psychiatry Research, 2004, 125, 87-93.	3.3	47
32	Temporal Trends in the Prevalence and Incidence of Diagnosed ADHD in Children and Young Adults between 1999 and 2012 in Canada: A Data Linkage Study. Canadian Journal of Psychiatry, 2017, 62, 818-826.	1.9	47
33	Association Between Neighborhood-Level Deprivation and Disability in a Community Sample of People With Diabetes. Diabetes Care, 2009, 32, 1998-2004.	8.6	46
34	Clinical specificity of prison inmates with severe mental disorders. British Journal of Psychiatry, 1997, 170, 571-577.	2.8	44
35	Schizophrenia and serious violence: A clinical-profile analysis incorporating impulsivity and substance-use disorders. Schizophrenia Research, 2011, 130, 234-237.	2.0	44
36	Factors Associated With Suicide in the Month Following Contact With Different Types of Health Services in Quebec. Psychiatric Services, 2015, 66, 121-126.	2.0	44

#	Article	IF	CITATIONS
37	The crucial role of sustained attention in community functioning in outpatients with schizophrenia. Psychiatry Research, 2004, 129, 171-177.	3.3	40
38	Counselling the Relatives of the Long-Term Adult Mentally Ill. British Journal of Psychiatry, 1989, 154, 775-782.	2.8	37
39	Preserved awareness of their cognitive deficits in patients with schizophrenia: Convergent validity of the SSTICS. Schizophrenia Research, 2009, 107, 303-306.	2.0	37
40	Self-rated health: A predictor for the three year incidence of major depression in individuals with Type II diabetes. Journal of Affective Disorders, 2013, 145, 100-105.	4.1	37
41	Are UN Peacekeepers at Risk for Suicide?. Suicide and Life-Threatening Behavior, 2001, 31, 103-112.	1.9	36
42	Suicide and gambling: Psychopathology and treatment-seeking Psychology of Addictive Behaviors, 2010, 24, 541-547.	2.1	36
43	Mortality associated with depression. Social Psychiatry and Psychiatric Epidemiology, 2008, 43, 594-601.	3.1	35
44	Mental disorders and mental health care in Canada and Australia: comparative epidemiological findings. Social Psychiatry and Psychiatric Epidemiology, 2009, 44, 63-72.	3.1	35
45	The Prevalence of Electroconvulsive Therapy Use Since 1973. Journal of ECT, 2016, 32, 236-242.	0.6	34
46	Burden of Care of Families Not Living With Young Schizophrenic Relatives. Psychiatric Services, 1992, 43, 38-43.	2.0	33
47	The treatment of sexually dysfunctional men without partners: A controlled study of three behavioural group approaches. British Journal of Psychiatry, 1997, 170, 338-344.	2.8	33
48	The Association Between Traumatic Brain Injury and Suicide: Are Kids at Risk?. American Journal of Epidemiology, 2015, 182, 177-184.	3.4	29
49	Patients' Report of Help Provided by Relatives and Services to Meet Their Needs. Community Mental Health Journal, 2008, 44, 271-281.	2.0	27
50	Assessing the Costs and Benefits of Insuring Psychological Services as Part of Medicare for Depression in Canada. Psychiatric Services, 2017, 68, 899-906.	2.0	27
51	Outpatient Psychiatry: A Beginner's Guideby Thomas E. Steele; New York, W. W. Norton Company, 2007, 176 pages, \$24.95 softcover. Psychiatric Services, 2008, 59, 1069-1069.	2.0	24
52	Does elapsed time between first diagnosis of schizophrenia and migration between health territories vary by place of residence? A survival analysis approach. Health and Place, 2013, 20, 66-74.	3.3	23
53	Feasibility and acceptability of patient partnership to improve access to primary care for the physical health of patients with severe mental illnesses: an interactive guide. International Journal for Equity in Health, 2015, 14, 78.	3.5	23
54	Including Integrated Psychological Treatment as Part of Standard Medical Therapy for Patients With Schizophrenia. Journal of Nervous and Mental Disease, 2006, 194, 463-470.	1.0	22

#	Article	IF	CITATIONS
55	Do people with bipolar disorders have access to psychosocial treatments? A survey in Italy. International Journal of Social Psychiatry, 2016, 62, 334-344.	3.1	22
56	Trajectories of Self-Rated Health in People with Diabetes: Associations with Functioning in a Prospective Community Sample. PLoS ONE, 2013, 8, e83088.	2.5	22
57	Factors Associated with Disability and Depressive Symptoms Among Individuals with Diabetes: A Community Study in Quebec. Psychosomatics, 2011, 52, 167-177.	2.5	21
58	Canadian Practice Guidelines for Comprehensive Community Treatment for Schizophrenia and Schizophrenia Spectrum Disorders. Canadian Journal of Psychiatry, 2017, 62, 662-672.	1.9	21
59	Factors associated with emergency department use for mental health reasons among low, moderate and high users. General Hospital Psychiatry, 2019, 60, 111-119.	2.4	21
60	Unmet needs in the community:can existing services meet them?. Acta Psychiatrica Scandinavica, 2000, 102, 65-70.	4.5	18
61	Investigation of completed suicide and genes involved in cholesterol metabolism. Journal of Affective Disorders, 2004, 79, 25-32.	4.1	18
62	User-led Research: A Global and Person-Centered Initiative. International Journal of Mental Health Promotion, 2011, 13, 4-12.	0.8	18
63	Spatio-temporal clustering of the incidence of schizophrenia in Quebec, Canada from 2004 to 2007. Spatial and Spatio-temporal Epidemiology, 2013, 6, 37-47.	1.7	18
64	High Users of Emergency Departments in Quebec Among Patients With Both Schizophrenia and a Substance Use Disorder. Psychiatric Services, 2014, 65, 1389-1391.	2.0	18
65	The Impact of Psychological Distress on Functional Disability in Asthma: Results From The Canadian Community Health Survey. Psychosomatics, 2009, 50, 42-49.	2.5	17
66	"Who Believes Most in Me and in My Recovery― The Importance of Families for Persons With Serious Mental Illness Living in Structured Community Housing. Journal of Social Work in Disability and Rehabilitation, 2011, 10, 49-65.	0.6	17
67	The pattern of depressive symptoms in people with type 2 diabetes: A prospective community study. Journal of Psychosomatic Research, 2013, 74, 128-134.	2.6	17
68	Implementing Suicide Prevention Programs: Costs and Potential Life Years Saved in Canada. Journal of Mental Health Policy and Economics, 2015, 18, 147-55.	0.6	17
69	Correlates of Attempted Suicide from the Emergency Room of 2 General Hospitals in Montreal, Canada. Canadian Journal of Psychiatry, 2016, 61, 382-393.	1.9	16
70	Family physicians and psychiatrists. Qualitative study of physicians' views on collaboration. Canadian Family Physician, 2002, 48, 923-9.	0.4	16
71	Obesity and the risk of disability in a 12-year cohort study: the role of psychological distress. Social Psychiatry and Psychiatric Epidemiology, 2011, 46, 1173-1179.	3.1	15
72	GP group profiles and involvement in mental health care. Journal of Evaluation in Clinical Practice, 2012, 18, 396-403.	1.8	15

#	Article	IF	CITATIONS
73	Prevalence of Mental Disorders and Suicidality in Canadian Provinces. Canadian Journal of Psychiatry, 2019, 64, 761-769.	1.9	15
74	History of Early Loss Among a Group of Suicide Survivors. Crisis, 1995, 16, 121-125.	1.2	14
75	Impact of First Contacts With the Criminal Justice or Mental Health Systems on the Subsequent Orientation of Mentally Disordered Persons Toward Either System. International Journal of Law and Psychiatry, 2000, 23, 79-90.	0.9	14
76	Intrusion errors in explicit memory: Their differential relationship with clinical and social outcome in chronic schizophrenia. Cognitive Neuropsychiatry, 2007, 12, 112-127.	1.3	14
77	Being pro-active in meeting the needs of suicide-bereaved survivors: results from a systematic audit in MontrA©al. BMC Public Health, 2020, 20, 1534.	2.9	14
78	Management of COVID-19 for Persons with Mental Illness in Secure Units: A Rapid International Review to Inform Practice in Québec. Victims and Offenders, 2020, 15, 1337-1360.	1.6	14
79	New findings on tardive dyskinesia in a community sample. Psychological Medicine, 1993, 23, 453-465.	4.5	13
80	The construct validity of the client questionnaire of the Wisconsin Quality of Life Index – a cross-validation study. International Journal of Methods in Psychiatric Research, 2003, 12, 128-138.	2.1	13
81	Families' and Decision Makers' Experiences With Mental Health Care Reform: The Challenge of Collaboration. Archives of Psychiatric Nursing, 2012, 26, e41-e50.	1.4	13
82	Evaluation of the Dawson College shooting psychological intervention: Moving toward a multimodal extensive plan Psychological Trauma: Theory, Research, Practice, and Policy, 2013, 5, 268-276.	2.1	13
83	Longitudinal Relationships Between Depression and Functioning in People with Type 2 Diabetes. Annals of Behavioral Medicine, 2014, 47, 172-179.	2.9	13
84	Evaluating life in foster homes for persons with serious mental illness: Resident and caregiver perspectives. Journal of Mental Health, 2006, 15, 227-242.	1.9	12
85	Network collaboration of organizations for homeless individuals in the Montreal region. International Journal of Integrated Care, 2014, 14, e003.	0.2	12
86	The interaction of obesity and psychological distress on disability. Social Psychiatry and Psychiatric Epidemiology, 2010, 45, 531-540.	3.1	11
87	Changes in Depressive Symptoms and Changes in Lifestyle-Related Indicators: A 1-Year Follow-Up Study Among Adults With Type 2 Diabetes in Quebec. Canadian Journal of Diabetes, 2013, 37, 243-248.	0.8	11
88	Determinants of mental health professionals' attitudes towards recovery: A review. Canadian Medical Education Journal, 2020, 11, e62-e73.	0.4	11
89	Special Section: A Memorial Tribute: Care of Patients With the Most Severe and Persistent Mental Illness in an Area Without a Psychiatric Hospital. Psychiatric Services, 2006, 57, 1765-1770.	2.0	10
90	Service Utilization by Hospitalized Suicide Attempters With Schizophrenia or Depression in Montreal. Psychiatric Services, 2012, 63, 364-369.	2.0	10

#	Article	lF	CITATIONS
91	Private exposure and covert sensitization in the treatment of exhibitionism. Journal of Behavior Therapy and Experimental Psychiatry, 1986, 17, 197-201.	1.2	9
92	Gambling over the life course and treatment-seeking. International Gambling Studies, 2013, 13, 302-318.	2.1	9
93	Association between community pharmacy loyalty and persistence and implementation of antipsychotic treatment among individuals with schizophrenia. Research in Social and Administrative Pharmacy, 2018, 14, 53-61.	3.0	9
94	Psychological distress and short-term disability in people with diabetes: Results from the Canadian Community Health Survey. Journal of Psychosomatic Research, 2008, 65, 165-172.	2.6	8
95	Community pharmacy loyalty among individuals with schizophrenia. Research in Social and Administrative Pharmacy, 2013, 9, 806-816.	3.0	8
96	Factors associated with high use of general practitioner and psychiatrist services among patients attending an addiction rehabilitation center. BMC Psychiatry, 2016, 16, 258.	2.6	8
97	Heuristic model of depressive disorders as systemic chronic disease. Epidemiology and Psychiatric Sciences, 2015, 24, 309-311.	3.9	7
98	Mental health services costs within the Alberta criminal justice system. International Journal of Law and Psychiatry, 2016, 47, 102-108.	0.9	7
99	Survey evidence of the decline in child abuse in younger Canadian cohorts. European Journal of Pediatrics, 2019, 178, 1423-1432.	2.7	7
100	The Public Cost of Mental Health– and Addiction-Related Services for Youth (Ages 12-17) in Alberta. Canadian Journal of Psychiatry, 2019, 64, 323-328.	1.9	7
101	Editorial: From Residential Care to Supported Housing. Frontiers in Psychiatry, 2020, 11, 560.	2.6	7
102	Using administrative health data to estimate prevalence and mortality rates of alcohol and other substanceâ€related disorders for surveillance purposes. Drug and Alcohol Review, 2021, 40, 662-672.	2.1	7
103	Online and Recovery-Oriented Support Groups Facilitated by Peer Support Workers in Times of COVID-19: Protocol for a Feasibility Pre-Post Study. JMIR Research Protocols, 2020, 9, e22500.	1.0	7
104	Redevelopment of tertiary psychiatric services in British Columbia: A prospective study of clinical, social, and residential outcomes of former long-stay inpatients. Schizophrenia Research, 2013, 149, 96-103.	2.0	6
105	Weight Cycling and Depressive Symptoms in Diabetes: A Community-Based Study of Adults with Type 2 Diabetes Mellitus in Quebec. Canadian Journal of Diabetes, 2014, 38, 456-460.	0.8	6
106	Disentangling the influence of neighborhood and individual characteristics on early residential mobility among newly diagnosed patients with schizophrenia: a multilevel analysis. Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 1569-1578.	3.1	6
107	Resident and proprietor perspectives on a recovery orientation in community-based housing Psychiatric Rehabilitation Journal, 2015, 38, 88-95.	1.1	6
108	Effect of psychosocial work factors on the risk of depression: a protocol of a systematic review and meta-analysis of prospective studies. BMJ Open, 2019, 9, e033093.	1.9	6

ALAIN LESAGE

#	Article	IF	CITATIONS
109	Berkson's bias in biobank sampling in a specialised mental health care setting: a comparative cross-sectional study. BMJ Open, 2020, 10, e035088.	1.9	6
110	Public Funding of Evidence-Based Psychotherapy for Common Mental Disorders: Increasing Calls for Action in Canadian Provinces. Healthcare Policy, 2021, 16, 16-25.	0.6	6
111	Over-the-Counter Drugs and OtherÂSubstancesÂUsedÂinÂAttempted SuicideÂPresentedÂtoÂEmergency Departments in Montreal, Canada. Crisis, 2019, 40, 166-175.	1.2	6
112	Mental Health Service Utilization among Students and Staff in 18 Months Following Dawson College Shooting. AIMS Public Health, 2014, 1, 84-99.	2.6	6
113	Health care resource use associated with integrated psychological treatment. Journal of Mental Health Policy and Economics, 2006, 9, 201-7.	0.6	6
114	Effect of psychosocial work factors on the risk of certified absences from work for a diagnosed mental health problem: a protocol of a systematic review and meta-analysis of prospective studies. BMJ Open, 2018, 8, e025948.	1.9	5
115	Using Group Concept Mapping to Develop a Conceptual Model of Housing and Community-Based Residential Settings for Adults With Severe Mental Illness. Frontiers in Psychiatry, 2020, 11, 430.	2.6	5
116	Housing Orientations and Needs of Above-Average Length of Stay Hospitalized Psychiatric Patients. Frontiers in Psychiatry, 2020, 11, 231.	2.6	5
117	Attempted Suicide Among Students and Young Adults in Montreal, Quebec, Canada. primary care companion for CNS disorders, The, 2015, 17, .	0.6	5
118	Regional Variations in Suicide and Undetermined Death Rates among Adolescents across Canada. Journal of the Canadian Academy of Child and Adolescent Psychiatry, 2018, 27, 112-121.	0.6	4
119	Lifestyle Care Indicators in Individuals with Major, Minor No Depression: A Community-Based Diabetes Study in Quebec. Canadian Journal of Diabetes, 2011, 35, 22-30.	0.8	3
120	Clinical Characteristics of Patients Deemed to Require Long-Term Hospitalization in a Civil or Forensic Psychiatric Setting. International Journal of Forensic Mental Health, 2012, 11, 110-118.	1.0	3
121	Regional Tertiary Psychiatric Care and Rehabilitation Authorities for People with Severe Mental Illness in Canada. Canadian Journal of Psychiatry, 2014, 59, 175-177.	1.9	3
122	Canadian ADHD black-box warnings. Lancet Psychiatry,the, 2015, 2, 1057.	7.4	3
123	Utilization of Health Care Services by Patients With Cluster B Personality Disorders or Schizophrenia. Psychiatric Services, 2021, 72, 1392-1399.	2.0	3
124	Définir les troubles liés aux substances psychoactives à partir de données administratives. Sante Mentale Au Quebec, 0, 43, 39-64.	0.1	3
125	How many sheltered housing places?. British Journal of Psychiatry, 1989, 155, 565-566.	2.8	2
126	Clinical measurement of addictions. Drug and Alcohol Review, 2012, 31, 33-39.	2.1	2

ALAIN LESAGE

#	Article	IF	CITATIONS
127	A Quantitative and Qualitative Study of Notes Left by Youth Who Died by Suicide in Quebec from 1895 to 1985. Archives of Suicide Research, 2020, 24, 554-567.	2.3	2
128	Prevalence of depressive, bipolar and adjustment disorders, in Quebec, Canada. Journal of Affective Disorders, 2020, 263, 54-59.	4.1	2
129	A Descriptive Study of Data Collection Systems Used in Electroconvulsive Therapy Units in the Province of Quebec, Canada. Journal of ECT, 2020, 36, 36-41.	0.6	2
130	Measuring Substance-Related Disorders Using Canadian Administrative Health Databanks: Interprovincial Comparisons of Recorded Diagnostic Rates, Incidence Proportions and Mortality Rate Ratios. Canadian Journal of Psychiatry, 2022, 67, 117-129.	1.9	2
131	SuicÃdio e ausência de psicopatologia em eixo I. Revista De Psiquiatria Do Rio Grande Do Sul, 2004, 26, 268-273.	0.3	2
132	Consultations médicales et types de services de santé utilisés dans les deux années précédant le suicide auprès des Québécois diagnostiqués avec et sans troubles mentaux et troubles avec utilisation de substances. Sante Mentale Au Quebec, 0, 43, 153-173.	0.1	2
133	Peut-on distinguer homicide-suicide et suicide par leurs facteurs de risqueÂ?. Criminologie, 0, 51, 314-342.	0.3	2
134	Profiles of patients using emergency departments or hospitalized for suicidal behaviors. Suicide and Life-Threatening Behavior, 2022, 52, 943-962.	1.9	2
135	Innovative Prospects for Suicide Prevention and Action Opportunities for the Public Health Agency of Canada and the Government of Canada. Canadian Journal of Community Mental Health, 2017, 36, 205-237.	0.4	1
136	Implementing a Suicide Audit in Montreal: Taking Suicide Review Further to Make Concrete Recommendations for Suicide Prevention. Archives of Suicide Research, 2021, , 1-14.	2.3	1
137	Investigating characteristics of patients with mental disorders to predict out-patient physician follow-up within 30 days of emergency department discharge. BJPsych Open, 2022, 8, e95.	0.7	1
138	Letters to the Editor. Canadian Journal of Psychiatry, 2009, 54, 425-425.	1.9	0
139	Response to Comment on Schmitz et al. Recurrent Subthreshold Depression in Type 2 Diabetes: An Important Risk Factor for Poor Health Outcomes. Diabetes Care 2014;37:970–978. Diabetes Care, 2014, 37, e146-e147.	8.6	0
140	Social Inequalities and Antidepressant Use in Canada and France. Psychiatric Services, 2014, 65, 1506-1506.	2.0	0
141	Prenatal Antidepressant Use and Risk of Autism Spectrum Disorders in Children. JAMA Pediatrics, 2016, 170, 714.	6.2	0
142	PP142 A Mental Health Hospital-based Health Technology Assessment In Quebec, Canada: Structure And Products. International Journal of Technology Assessment in Health Care, 2017, 33, 137-138.	0.5	0
143	VP190 A Review Of Best Practices In Five Mental Disorders In Youth. International Journal of Technology Assessment in Health Care, 2017, 33, 237-237.	0.5	0
144	Urbanicity, Schizophrenia and Equitable Specialist Services Allocation. Canadian Journal of Psychiatry, 2021, , 070674372110406.	1.9	0

#	Article	IF	CITATIONS
145	L'Usage D'Alcool et de Drogues Chez un Groupe de Patients Psychotiques: Ampleur de la Consommation Selon DiffA©rentes Pratiques D'enquête. Canadian Journal of Community Mental Health, 1993, 12, 127-141.	0.4	0
146	Solidaires pour la vie. Perspectives Psy, 2020, 59, 127-139.	0.1	0