
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4419441/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Measuring Substance-Related Disorders Using Canadian Administrative Health Databanks: Interprovincial Comparisons of Recorded Diagnostic Rates, Incidence Proportions and Mortality Rate Ratios. Canadian Journal of Psychiatry, 2022, 67, 117-129.	1.9	2
2	Investigating characteristics of patients with mental disorders to predict out-patient physician follow-up within 30 days of emergency department discharge. BJPsych Open, 2022, 8, e95.	0.7	1
3	Profiles of patients using emergency departments or hospitalized for suicidal behaviors. Suicide and Life-Threatening Behavior, 2022, 52, 943-962.	1.9	2
4	Using administrative health data to estimate prevalence and mortality rates of alcohol and other substanceâ€related disorders for surveillance purposes. Drug and Alcohol Review, 2021, 40, 662-672.	2.1	7
5	Public Funding of Evidence-Based Psychotherapy for Common Mental Disorders: Increasing Calls for Action in Canadian Provinces. Healthcare Policy, 2021, 16, 16-25.	0.6	6
6	Utilization of Health Care Services by Patients With Cluster B Personality Disorders or Schizophrenia. Psychiatric Services, 2021, 72, 1392-1399.	2.0	3
7	Implementing a Suicide Audit in Montreal: Taking Suicide Review Further to Make Concrete Recommendations for Suicide Prevention. Archives of Suicide Research, 2021, , 1-14.	2.3	1
8	Urbanicity, Schizophrenia and Equitable Specialist Services Allocation. Canadian Journal of Psychiatry, 2021, , 070674372110406.	1.9	0
9	A Quantitative and Qualitative Study of Notes Left by Youth Who Died by Suicide in Quebec from 1895 to 1985. Archives of Suicide Research, 2020, 24, 554-567.	2.3	2
10	Prevalence of depressive, bipolar and adjustment disorders, in Quebec, Canada. Journal of Affective Disorders, 2020, 263, 54-59.	4.1	2
11	A Descriptive Study of Data Collection Systems Used in Electroconvulsive Therapy Units in the Province of Quebec, Canada. Journal of ECT, 2020, 36, 36-41.	0.6	2
12	Being pro-active in meeting the needs of suicide-bereaved survivors: results from a systematic audit in MontrA©al. BMC Public Health, 2020, 20, 1534.	2.9	14
13	Editorial: From Residential Care to Supported Housing. Frontiers in Psychiatry, 2020, 11, 560.	2.6	7
14	Berkson's bias in biobank sampling in a specialised mental health care setting: a comparative cross-sectional study. BMJ Open, 2020, 10, e035088.	1.9	6
15	Management of COVID-19 for Persons with Mental Illness in Secure Units: A Rapid International Review to Inform Practice in Québec. Victims and Offenders, 2020, 15, 1337-1360.	1.6	14
16	Using Group Concept Mapping to Develop a Conceptual Model of Housing and Community-Based Residential Settings for Adults With Severe Mental Illness. Frontiers in Psychiatry, 2020, 11, 430.	2.6	5
17	Are school difficulties an early sign for mental disorder diagnosis and suicide prevention? A comparative study of individuals who died by suicide and control group. Child and Adolescent Psychiatry and Mental Health, 2020, 14, 1.	2.5	88
18	Psychosocial Stressors at Work and the Risk of Sickness Absence Due to a Diagnosed Mental Disorder. JAMA Psychiatry, 2020, 77, 842.	11.0	104

#	Article	IF	CITATIONS
19	Housing Orientations and Needs of Above-Average Length of Stay Hospitalized Psychiatric Patients. Frontiers in Psychiatry, 2020, 11, 231.	2.6	5
20	Online and Recovery-Oriented Support Groups Facilitated by Peer Support Workers in Times of COVID-19: Protocol for a Feasibility Pre-Post Study. JMIR Research Protocols, 2020, 9, e22500.	1.0	7
21	Solidaires pour la vie. Perspectives Psy, 2020, 59, 127-139.	0.1	0
22	Determinants of mental health professionals' attitudes towards recovery: A review. Canadian Medical Education Journal, 2020, 11, e62-e73.	0.4	11
23	Survey evidence of the decline in child abuse in younger Canadian cohorts. European Journal of Pediatrics, 2019, 178, 1423-1432.	2.7	7
24	Factors associated with emergency department use for mental health reasons among low, moderate and high users. General Hospital Psychiatry, 2019, 60, 111-119.	2.4	21
25	Prevalence of Mental Disorders and Suicidality in Canadian Provinces. Canadian Journal of Psychiatry, 2019, 64, 761-769.	1.9	15
26	Effect of psychosocial work factors on the risk of depression: a protocol of a systematic review and meta-analysis of prospective studies. BMJ Open, 2019, 9, e033093.	1.9	6
27	The Public Cost of Mental Health– and Addiction-Related Services for Youth (Ages 12-17) in Alberta. Canadian Journal of Psychiatry, 2019, 64, 323-328.	1.9	7
28	Over-the-Counter Drugs and OtherÂSubstancesÂUsedÂinÂAttempted SuicideÂPresentedÂtoÂEmergency Departments in Montreal, Canada. Crisis, 2019, 40, 166-175.	1.2	6
29	Association between community pharmacy loyalty and persistence and implementation of antipsychotic treatment among individuals with schizophrenia. Research in Social and Administrative Pharmacy, 2018, 14, 53-61.	3.0	9
30	Revisiting the Link Between Depression Symptoms and High School Dropout: Timing of Exposure Matters. Journal of Adolescent Health, 2018, 62, 205-211.	2.5	49
31	Effect of psychosocial work factors on the risk of certified absences from work for a diagnosed mental health problem: a protocol of a systematic review and meta-analysis of prospective studies. BMJ Open, 2018, 8, e025948.	1.9	5
32	Regional Variations in Suicide and Undetermined Death Rates among Adolescents across Canada. Journal of the Canadian Academy of Child and Adolescent Psychiatry, 2018, 27, 112-121.	0.6	4
33	Temporal Trends in the Prevalence and Incidence of Diagnosed ADHD in Children and Young Adults between 1999 and 2012 in Canada: A Data Linkage Study. Canadian Journal of Psychiatry, 2017, 62, 818-826.	1.9	47
34	Assessing the Costs and Benefits of Insuring Psychological Services as Part of Medicare for Depression in Canada. Psychiatric Services, 2017, 68, 899-906.	2.0	27
35	Canadian Practice Guidelines for Comprehensive Community Treatment for Schizophrenia and Schizophrenia Spectrum Disorders. Canadian Journal of Psychiatry, 2017, 62, 662-672.	1.9	21
36	Standardization of health outcomes assessment for depression and anxiety: recommendations from the ICHOM Depression and Anxiety Working Group. Quality of Life Research, 2017, 26, 3211-3225.	3.1	70

#	Article	IF	CITATIONS
37	Innovative Prospects for Suicide Prevention and Action Opportunities for the Public Health Agency of Canada and the Government of Canada. Canadian Journal of Community Mental Health, 2017, 36, 205-237.	0.4	1
38	PP142 A Mental Health Hospital-based Health Technology Assessment In Quebec, Canada: Structure And Products. International Journal of Technology Assessment in Health Care, 2017, 33, 137-138.	0.5	0
39	VP190 A Review Of Best Practices In Five Mental Disorders In Youth. International Journal of Technology Assessment in Health Care, 2017, 33, 237-237.	0.5	0
40	Factors associated with high use of general practitioner and psychiatrist services among patients attending an addiction rehabilitation center. BMC Psychiatry, 2016, 16, 258.	2.6	8
41	Prenatal Antidepressant Use and Risk of Autism Spectrum Disorders in Children. JAMA Pediatrics, 2016, 170, 714.	6.2	0
42	The Prevalence of Electroconvulsive Therapy Use Since 1973. Journal of ECT, 2016, 32, 236-242.	0.6	34
43	Sex and Gender Roles in Relation to Mental Health and Allostatic Load. Psychosomatic Medicine, 2016, 78, 788-804.	2.0	93
44	Mental health services costs within the Alberta criminal justice system. International Journal of Law and Psychiatry, 2016, 47, 102-108.	0.9	7
45	Do people with bipolar disorders have access to psychosocial treatments? A survey in Italy. International Journal of Social Psychiatry, 2016, 62, 334-344.	3.1	22
46	Correlates of Attempted Suicide from the Emergency Room of 2 General Hospitals in Montreal, Canada. Canadian Journal of Psychiatry, 2016, 61, 382-393.	1.9	16
47	Heuristic model of depressive disorders as systemic chronic disease. Epidemiology and Psychiatric Sciences, 2015, 24, 309-311.	3.9	7
48	Resident and proprietor perspectives on a recovery orientation in community-based housing Psychiatric Rehabilitation Journal, 2015, 38, 88-95.	1.1	6
49	A Surveillance System to Monitor Excess Mortality of People with Mental Illness in Canada. Canadian Journal of Psychiatry, 2015, 60, 571-579.	1.9	56
50	Feasibility and acceptability of patient partnership to improve access to primary care for the physical health of patients with severe mental illnesses: an interactive guide. International Journal for Equity in Health, 2015, 14, 78.	3.5	23
51	Factors Associated With Suicide in the Month Following Contact With Different Types of Health Services in Quebec. Psychiatric Services, 2015, 66, 121-126.	2.0	44
52	Canadian ADHD black-box warnings. Lancet Psychiatry,the, 2015, 2, 1057.	7.4	3
53	The Association Between Traumatic Brain Injury and Suicide: Are Kids at Risk?. American Journal of Epidemiology, 2015, 182, 177-184.	3.4	29
54	Attempted Suicide Among Students and Young Adults in Montreal, Quebec, Canada. primary care companion for CNS disorders, The, 2015, 17, .	0.6	5

#	Article	IF	CITATIONS
55	Implementing Suicide Prevention Programs: Costs and Potential Life Years Saved in Canada. Journal of Mental Health Policy and Economics, 2015, 18, 147-55.	0.6	17
56	Response to Comment on Schmitz et al. Recurrent Subthreshold Depression in Type 2 Diabetes: An Important Risk Factor for Poor Health Outcomes. Diabetes Care 2014;37:970–978. Diabetes Care, 2014, 37, e146-e147.	8.6	0
57	High Users of Emergency Departments in Quebec Among Patients With Both Schizophrenia and a Substance Use Disorder. Psychiatric Services, 2014, 65, 1389-1391.	2.0	18
58	Social Inequalities and Antidepressant Use in Canada and France. Psychiatric Services, 2014, 65, 1506-1506.	2.0	0
59	Weight Cycling and Depressive Symptoms in Diabetes: A Community-Based Study of Adults with Type 2 Diabetes Mellitus in Quebec. Canadian Journal of Diabetes, 2014, 38, 456-460.	0.8	6
60	Recurrent Subthreshold Depression in Type 2 Diabetes: An Important Risk Factor for Poor Health Outcomes. Diabetes Care, 2014, 37, 970-978.	8.6	62
61	Disentangling the influence of neighborhood and individual characteristics on early residential mobility among newly diagnosed patients with schizophrenia: a multilevel analysis. Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 1569-1578.	3.1	6
62	Longitudinal Relationships Between Depression and Functioning in People with Type 2 Diabetes. Annals of Behavioral Medicine, 2014, 47, 172-179.	2.9	13
63	Regional Tertiary Psychiatric Care and Rehabilitation Authorities for People with Severe Mental Illness in Canada. Canadian Journal of Psychiatry, 2014, 59, 175-177.	1.9	3
64	Work accommodations and natural supports for maintaining employment Psychiatric Rehabilitation Journal, 2014, 37, 90-98.	1.1	68
65	Mental Health Service Utilization among Students and Staff in 18 Months Following Dawson College Shooting. AIMS Public Health, 2014, 1, 84-99.	2.6	6
66	Network collaboration of organizations for homeless individuals in the Montreal region. International Journal of Integrated Care, 2014, 14, e003.	0.2	12
67	Spatio-temporal clustering of the incidence of schizophrenia in Quebec, Canada from 2004 to 2007. Spatial and Spatio-temporal Epidemiology, 2013, 6, 37-47.	1.7	18
68	Redevelopment of tertiary psychiatric services in British Columbia: A prospective study of clinical, social, and residential outcomes of former long-stay inpatients. Schizophrenia Research, 2013, 149, 96-103.	2.0	6
69	Gambling over the life course and treatment-seeking. International Gambling Studies, 2013, 13, 302-318.	2.1	9
70	Self-rated health: A predictor for the three year incidence of major depression in individuals with Type II diabetes. Journal of Affective Disorders, 2013, 145, 100-105.	4.1	37
71	Changes in Depressive Symptoms and Changes in Lifestyle-Related Indicators: A 1-Year Follow-Up Study Among Adults With Type 2 Diabetes in Quebec. Canadian Journal of Diabetes, 2013, 37, 243-248.	0.8	11
72	Does elapsed time between first diagnosis of schizophrenia and migration between health territories vary by place of residence? A survival analysis approach. Health and Place, 2013, 20, 66-74.	3.3	23

#	Article	IF	CITATIONS
73	Community pharmacy loyalty among individuals with schizophrenia. Research in Social and Administrative Pharmacy, 2013, 9, 806-816.	3.0	8
74	The pattern of depressive symptoms in people with type 2 diabetes: A prospective community study. Journal of Psychosomatic Research, 2013, 74, 128-134.	2.6	17
75	Evaluation of the Dawson College shooting psychological intervention: Moving toward a multimodal extensive plan Psychological Trauma: Theory, Research, Practice, and Policy, 2013, 5, 268-276.	2.1	13
76	Trajectories of Self-Rated Health in People with Diabetes: Associations with Functioning in a Prospective Community Sample. PLoS ONE, 2013, 8, e83088.	2.5	22
77	Service Utilization by Hospitalized Suicide Attempters With Schizophrenia or Depression in Montreal. Psychiatric Services, 2012, 63, 364-369.	2.0	10
78	Clinical Characteristics of Patients Deemed to Require Long-Term Hospitalization in a Civil or Forensic Psychiatric Setting. International Journal of Forensic Mental Health, 2012, 11, 110-118.	1.0	3
79	Families' and Decision Makers' Experiences With Mental Health Care Reform: The Challenge of Collaboration. Archives of Psychiatric Nursing, 2012, 26, e41-e50.	1.4	13
80	Treatment prevalence and incidence of schizophrenia in Quebec using a population health services perspective: different algorithms, different estimates. Social Psychiatry and Psychiatric Epidemiology, 2012, 47, 533-543.	3.1	48
81	Clinical measurement of addictions. Drug and Alcohol Review, 2012, 31, 33-39.	2.1	2
82	GP group profiles and involvement in mental health care. Journal of Evaluation in Clinical Practice, 2012, 18, 396-403.	1.8	15
83	Lifestyle Care Indicators in Individuals with Major, Minor No Depression: A Community-Based Diabetes Study in Quebec. Canadian Journal of Diabetes, 2011, 35, 22-30.	0.8	3
84	Schizophrenia and serious violence: A clinical-profile analysis incorporating impulsivity and substance-use disorders. Schizophrenia Research, 2011, 130, 234-237.	2.0	44
85	Factors Associated with Disability and Depressive Symptoms Among Individuals with Diabetes: A Community Study in Quebec. Psychosomatics, 2011, 52, 167-177.	2.5	21
86	Youth and young adult suicide: A study of life trajectory. Journal of Psychiatric Research, 2011, 45, 863-870.	3.1	69
87	Job Acquisition for People with Severe Mental Illness Enrolled in Supported Employment Programs: A Theoretically Grounded Empirical Study. Journal of Occupational Rehabilitation, 2011, 21, 342-354.	2.2	105
88	Obesity and the risk of disability in a 12-year cohort study: the role of psychological distress. Social Psychiatry and Psychiatric Epidemiology, 2011, 46, 1173-1179.	3.1	15
89	"Who Believes Most in Me and in My Recovery― The Importance of Families for Persons With Serious Mental Illness Living in Structured Community Housing. Journal of Social Work in Disability and Rehabilitation, 2011, 10, 49-65.	0.6	17
90	User-led Research: A Global and Person-Centered Initiative. International Journal of Mental Health Promotion, 2011, 13, 4-12.	0.8	18

#	Article	IF	CITATIONS
91	Suicide and gambling: Psychopathology and treatment-seeking Psychology of Addictive Behaviors, 2010, 24, 541-547.	2.1	36
92	The interaction of obesity and psychological distress on disability. Social Psychiatry and Psychiatric Epidemiology, 2010, 45, 531-540.	3.1	11
93	Letters to the Editor. Canadian Journal of Psychiatry, 2009, 54, 425-425.	1.9	0
94	Association Between Neighborhood-Level Deprivation and Disability in a Community Sample of People With Diabetes. Diabetes Care, 2009, 32, 1998-2004.	8.6	46
95	Familial Aggregation of Suicide Explained by Cluster B Traits: A Three-Group Family Study of Suicide Controlling for Major Depressive Disorder. American Journal of Psychiatry, 2009, 166, 1124-1134.	7.2	146
96	The Influence of Social Anchorage on the Gender Difference in the Use of Mental Health Services. Journal of Behavioral Health Services and Research, 2009, 36, 372-384.	1.4	52
97	Mental disorders and mental health care in Canada and Australia: comparative epidemiological findings. Social Psychiatry and Psychiatric Epidemiology, 2009, 44, 63-72.	3.1	35
98	Preserved awareness of their cognitive deficits in patients with schizophrenia: Convergent validity of the SSTICS. Schizophrenia Research, 2009, 107, 303-306.	2.0	37
99	The Impact of Psychological Distress on Functional Disability in Asthma: Results From The Canadian Community Health Survey. Psychosomatics, 2009, 50, 42-49.	2.5	17
100	Use of Administrative Data for the Surveillance of Mental Disorders in 5 Provinces. Canadian Journal of Psychiatry, 2009, 54, 571-575.	1.9	53
101	Patients' Report of Help Provided by Relatives and Services to Meet Their Needs. Community Mental Health Journal, 2008, 44, 271-281.	2.0	27
102	Mortality associated with depression. Social Psychiatry and Psychiatric Epidemiology, 2008, 43, 594-601.	3.1	35
103	Psychological distress and short-term disability in people with diabetes: Results from the Canadian Community Health Survey. Journal of Psychosomatic Research, 2008, 65, 165-172.	2.6	8
104	Systematic Services Audit of Consecutive Suicides in New Brunswick: The Case for Coordinating Specialist Mental Health and Addiction Services. Canadian Journal of Psychiatry, 2008, 53, 671-678.	1.9	49
105	Outpatient Psychiatry: A Beginner's Guideby Thomas E. Steele; New York, W. W. Norton Company, 2007, 176 pages, \$24.95 softcover. Psychiatric Services, 2008, 59, 1069-1069.	2.0	24
106	Intrusion errors in explicit memory: Their differential relationship with clinical and social outcome in chronic schizophrenia. Cognitive Neuropsychiatry, 2007, 12, 112-127.	1.3	14
107	Joint Effect of Depression and Chronic Conditions on Disability: Results From a Population-Based Study. Psychosomatic Medicine, 2007, 69, 332-338.	2.0	96
108	Do Canada and the United States Differ in Prevalence of Depression and Utilization of Services?. Psychiatric Services, 2007, 58, 63-71.	2.0	109

ALAIN LESAGE

#	Article	IF	CITATIONS
109	Life trajectories and burden of adversity: mapping the developmental profiles of suicide mortality. Psychological Medicine, 2007, 37, 1575-1583.	4.5	85
110	Effect of Tryptophan Hydroxylase-2 Gene Variants on Suicide Risk in Major Depression. Biological Psychiatry, 2007, 62, 72-80.	1.3	88
111	An examination of DSM-IV depressive symptoms and risk for suicide completion in major depressive disorder: A psychological autopsy study. Journal of Affective Disorders, 2007, 97, 203-209.	4.1	137
112	Risk Factors for Suicide Completion in Borderline Personality Disorder. Journal of Clinical Psychiatry, 2007, 68, 721-729.	2.2	129
113	Evaluating life in foster homes for persons with serious mental illness: Resident and caregiver perspectives. Journal of Mental Health, 2006, 15, 227-242.	1.9	12
114	STin2 Variant and Family History of Suicide as Significant Predictors of Suicide Completion in Major Depression. Biological Psychiatry, 2006, 59, 114-120.	1.3	51
115	Suicide Cases in New Brunswick from April 2002 to May 2003: The Importance of Better Recognizing Substance and Mood Disorder Comorbidity. Canadian Journal of Psychiatry, 2006, 51, 581-586.	1.9	49
116	Special Section: A Memorial Tribute: Care of Patients With the Most Severe and Persistent Mental Illness in an Area Without a Psychiatric Hospital. Psychiatric Services, 2006, 57, 1765-1770.	2.0	10
117	Including Integrated Psychological Treatment as Part of Standard Medical Therapy for Patients With Schizophrenia. Journal of Nervous and Mental Disease, 2006, 194, 463-470.	1.0	22
118	Characterization of impulsivity in suicide completers: Clinical, behavioral and psychosocial dimensions. Journal of Affective Disorders, 2006, 92, 195-204.	4.1	155
119	Health care resource use associated with integrated psychological treatment. Journal of Mental Health Policy and Economics, 2006, 9, 201-7.	0.6	6
120	CANTAB explicit memory is less impaired in addicted schizophrenia patients. Brain and Cognition, 2005, 59, 38-42.	1.8	63
121	Cognitive discernible factors between schizophrenia and schizoaffective disorder. Brain and Cognition, 2005, 59, 292-295.	1.8	54
122	Cognitive predictors of psychosocial functioning outcome in schizophrenia: A follow-up study of subjects participating in a rehabilitation program. Schizophrenia Research, 2005, 77, 343-353.	2.0	119
123	Perceptions of Barriers to Employment, Coping Efficacy, and Career Search Efficacy in People with Mental Illness. Journal of Career Assessment, 2004, 12, 460-478.	2.5	55
124	Investigation of completed suicide and genes involved in cholesterol metabolism. Journal of Affective Disorders, 2004, 79, 25-32.	4.1	18
125	Alpha 2A adrenergic receptor gene and suicide. Psychiatry Research, 2004, 125, 87-93.	3.3	47
126	The crucial role of sustained attention in community functioning in outpatients with schizophrenia. Psychiatry Research, 2004, 129, 171-177.	3.3	40

#	Article	IF	CITATIONS
127	SuicÃdio e ausência de psicopatologia em eixo I. Revista De Psiquiatria Do Rio Grande Do Sul, 2004, 26, 268-273.	0.3	2
128	The construct validity of the client questionnaire of the Wisconsin Quality of Life Index – a cross-validation study. International Journal of Methods in Psychiatric Research, 2003, 12, 128-138.	2.1	13
129	Family physicians and psychiatrists. Qualitative study of physicians' views on collaboration. Canadian Family Physician, 2002, 48, 923-9.	0.4	16
130	Are UN Peacekeepers at Risk for Suicide?. Suicide and Life-Threatening Behavior, 2001, 31, 103-112.	1.9	36
131	Unmet needs in the community:can existing services meet them?. Acta Psychiatrica Scandinavica, 2000, 102, 65-70.	4.5	18
132	Impact of First Contacts With the Criminal Justice or Mental Health Systems on the Subsequent Orientation of Mentally Disordered Persons Toward Either System. International Journal of Law and Psychiatry, 2000, 23, 79-90.	0.9	14
133	Clinical specificity of prison inmates with severe mental disorders. British Journal of Psychiatry, 1997, 170, 571-577.	2.8	44
134	The treatment of sexually dysfunctional men without partners: A controlled study of three behavioural group approaches. British Journal of Psychiatry, 1997, 170, 338-344.	2.8	33
135	History of Early Loss Among a Group of Suicide Survivors. Crisis, 1995, 16, 121-125.	1.2	14
136	New findings on tardive dyskinesia in a community sample. Psychological Medicine, 1993, 23, 453-465.	4.5	13
137	L'Usage D'Alcool et de Drogues Chez un Groupe de Patients Psychotiques: Ampleur de la Consommation Selon Différentes Pratiques D'enquête. Canadian Journal of Community Mental Health, 1993, 12, 127-141.	0.4	0
138	Burden of Care of Families Not Living With Young Schizophrenic Relatives. Psychiatric Services, 1992, 43, 38-43.	2.0	33
139	Lower Incidence and Increased Male: Female Ratio in Schizophrenia. British Journal of Psychiatry, 1992, 161, 556-557.	2.8	51
140	Counselling the Relatives of the Long-Term Adult Mentally Ill. British Journal of Psychiatry, 1989, 154, 775-782.	2.8	37
141	How many sheltered housing places?. British Journal of Psychiatry, 1989, 155, 565-566.	2.8	2
142	Counselling the Relatives of the Long-Term Adult Mentally Ill. British Journal of Psychiatry, 1989, 154, 768-775.	2.8	61
143	Private exposure and covert sensitization in the treatment of exhibitionism. Journal of Behavior Therapy and Experimental Psychiatry, 1986, 17, 197-201.	1.2	9
144	Définir les troubles liés aux substances psychoactives à partir de données administratives. Sante Mentale Au Quebec, 0, 43, 39-64.	0.1	3

#	Article	IF	CITATIONS
145	Consultations médicales et types de services de santé utilisés dans les deux années précédant le suicide auprès des Québécois diagnostiqués avec et sans troubles mentaux et troubles avec utilisation de substances. Sante Mentale Au Quebec, 0, 43, 153-173.	0.1	2
146	Peut-on distinguer homicide-suicide et suicide par leurs facteurs de risqueÂ?. Criminologie, 0, 51, 314-342.	0.3	2