

Fiona M Gribble

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4422261/publications.pdf>

Version: 2024-02-01

233
papers

25,146
citations

6613

79
h-index

7745

150
g-index

249
all docs

249
docs citations

249
times ranked

22961
citing authors

#	ARTICLE	IF	CITATIONS
1	Gut peptide regulation of food intake – evidence for the modulation of hedonic feeding. <i>Journal of Physiology</i> , 2022, 600, 1053-1078.	2.9	15
2	Nutrient sensing in the gut and the regulation of appetite. <i>Current Opinion in Endocrine and Metabolic Research</i> , 2022, 23, 100318.	1.4	1
3	GIPR Is Predominantly Localized to Nonadipocyte Cell Types Within White Adipose Tissue. <i>Diabetes</i> , 2022, 71, 1115-1127.	0.6	20
4	Acetyl-CoA-carboxylase 1 (ACC1) plays a critical role in glucagon secretion. <i>Communications Biology</i> , 2022, 5, 238.	4.4	8
5	The Enteroendocrine System in Obesity. <i>Handbook of Experimental Pharmacology</i> , 2022, , 109-129.	1.8	6
6	Targeting the Enteroendocrine System for Treatment of Obesity. <i>Handbook of Experimental Pharmacology</i> , 2022, , 1.	1.8	0
7	A comparative transcriptomic analysis of glucagon-like peptide-1 receptor- and glucose-dependent insulinotropic polypeptide receptor-expressing cells in the hypothalamus. <i>Appetite</i> , 2022, 174, 106022.	3.7	11
8	Glucose-Dependent Insulinotropic Polypeptide – A Postprandial Hormone with Unharnessed Metabolic Potential. <i>Annual Review of Nutrition</i> , 2022, 42, 21-44.	10.1	9
9	Behavioural and neurochemical mechanisms underpinning the feeding-suppressive effect of GLP-1/CCK combinatorial therapy. <i>Molecular Metabolism</i> , 2021, 43, 101118.	6.5	8
10	Expected values for gastrointestinal and pancreatic hormone concentrations in healthy volunteers in the fasting and postprandial state. <i>Annals of Clinical Biochemistry</i> , 2021, 58, 108-116.	1.6	7
11	Chemosensing in enteroendocrine cells: mechanisms and therapeutic opportunities. <i>Current Opinion in Endocrinology, Diabetes and Obesity</i> , 2021, 28, 222-231.	2.3	7
12	Metabolic Messengers: glucagon-like peptide 1. <i>Nature Metabolism</i> , 2021, 3, 142-148.	11.9	73
13	Positive Effects of NPY1 Receptor Activation on Islet Structure Are Driven by Pancreatic Alpha- and Beta-Cell Transdifferentiation in Diabetic Mice. <i>Frontiers in Endocrinology</i> , 2021, 12, 633625.	3.5	12
14	Nutrient-Induced Cellular Mechanisms of Gut Hormone Secretion. <i>Nutrients</i> , 2021, 13, 883.	4.1	39
15	Obesity therapeutics: The end of the beginning. <i>Cell Metabolism</i> , 2021, 33, 705-706.	16.2	9
16	Increased C-Peptide Immunoreactivity in Insulin Autoimmune Syndrome (Hirata Disease) Due to High Molecular Weight Proinsulin. <i>Clinical Chemistry</i> , 2021, 67, 854-862.	3.2	6
17	Functionally distinct POMC-expressing neuron subpopulations in hypothalamus revealed by intersectional targeting. <i>Nature Neuroscience</i> , 2021, 24, 913-929.	14.8	64
18	Accelerating cryoprotectant diffusion kinetics improves cryopreservation of pancreatic islets. <i>Scientific Reports</i> , 2021, 11, 10418.	3.3	8

#	ARTICLE	IF	CITATIONS
19	GIPR Function in the Central Nervous System: Implications and Novel Perspectives for GIP-Based Therapies in Treating Metabolic Disorders. <i>Diabetes</i> , 2021, 70, 1938-1944.	0.6	17
20	Placental secretome characterization identifies candidates for pregnancy complications. <i>Communications Biology</i> , 2021, 4, 701.	4.4	18
21	Peptidomics of enteroendocrine cells and characterisation of potential effects of a novel preprogastrin derived-peptide on glucose tolerance in lean mice. <i>Peptides</i> , 2021, 140, 170532.	2.4	7
22	Peptidomics: A Review of Clinical Applications and Methodologies. <i>Journal of Proteome Research</i> , 2021, 20, 3782-3797.	3.7	40
23	Genetically Predicted Glucose-Dependent Insulinotropic Polypeptide (GIP) Levels and Cardiovascular Disease Risk Are Driven by Distinct Causal Variants in the <i>GIPR</i> Region. <i>Diabetes</i> , 2021, 70, 2706-2719.	0.6	12
24	L-Cell Expression of Melanocortin-4-Receptor Is Marginal in Most of the Small Intestine in Mice and Humans and Direct Stimulation of Small Intestinal Melanocortin-4-Receptors in Mice and Rats Does Not Affect GLP-1 Secretion. <i>Frontiers in Endocrinology</i> , 2021, 12, 690387.	3.5	2
25	The Human and Mouse Islet Peptidome: Effects of Obesity and Type 2 Diabetes, and Assessment of Intra-islet Production of Glucagon-like Peptide-1. <i>Journal of Proteome Research</i> , 2021, 20, 4507-4517.	3.7	11
26	Murine neuronatin deficiency is associated with a hypervariable food intake and bimodal obesity. <i>Scientific Reports</i> , 2021, 11, 17571.	3.3	5
27	In vitro metabolism of synthetic Elabela/Toddler (ELA-32) peptide in human plasma and kidney homogenates analyzed with mass spectrometry and validation of endogenous peptide quantification in tissues by ELISA. <i>Peptides</i> , 2021, 145, 170642.	2.4	2
28	Inhibition of mitochondrial function by metformin increases glucose uptake, glycolysis and GDF-15 release from intestinal cells. <i>Scientific Reports</i> , 2021, 11, 2529.	3.3	52
29	Central and peripheral GLP-1 systems independently suppress eating. <i>Nature Metabolism</i> , 2021, 3, 258-273.	11.9	107
30	Stimulation of motilin secretion by bile, free fatty acids, and acidification in human duodenal organoids. <i>Molecular Metabolism</i> , 2021, 54, 101356.	6.5	10
31	Ghrelin Does Not Directly Stimulate Secretion of Glucagon-like Peptide-1. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, 266-275.	3.6	8
32	The glucose-dependent insulinotropic polypeptide signaling axis in the central nervous system. <i>Peptides</i> , 2020, 125, 170194.	2.4	21
33	The core clock gene, <i>Bmal1</i> , and its downstream target, the SNARE regulatory protein secretagogin, are necessary for circadian secretion of glucagon-like peptide-1. <i>Molecular Metabolism</i> , 2020, 31, 124-137.	6.5	34
34	Cellular mechanisms governing glucose-dependent insulinotropic polypeptide secretion. <i>Peptides</i> , 2020, 125, 170206.	2.4	18
35	Effects of long-acting GIP, xenin and oxyntomodulin peptide analogues on alpha-cell transdifferentiation in insulin-deficient diabetic <i>GluCreERT2;ROSA26-eYFP</i> mice. <i>Peptides</i> , 2020, 125, 170205.	2.4	24
36	Antidiabetic drug therapy alleviates type 1 diabetes in mice by promoting pancreatic β -cell transdifferentiation. <i>Biochemical Pharmacology</i> , 2020, 182, 114216.	4.4	14

#	ARTICLE	IF	CITATIONS
37	SGLT2 is not expressed in pancreatic $\hat{\pm}$ - and $\hat{2}$ -cells, and its inhibition does not directly affect glucagon and insulin secretion in rodents and humans. <i>Molecular Metabolism</i> , 2020, 42, 101071.	6.5	26
38	Organoid Sample Preparation and Extraction for LC-MS Peptidomics. <i>STAR Protocols</i> , 2020, 1, 100164.	1.2	5
39	Suppression of enteroendocrine cell glucagon-like peptide (GLP)-1 release by fat-induced small intestinal ketogenesis: a mechanism targeted by Roux-en-Y gastric bypass surgery but not by preoperative very-low-calorie diet. <i>Gut</i> , 2020, 69, 1423-1431.	12.1	19
40	Mass spectrometric characterisation of the circulating peptidome following oral glucose ingestion in control and gastrectomised patients. <i>Rapid Communications in Mass Spectrometry</i> , 2020, 34, e8849.	1.5	11
41	Essential Role of Syntaxin-Binding Protein-1 in the Regulation of Glucagon-Like Peptide-1 Secretion. <i>Endocrinology</i> , 2020, 161, .	2.8	25
42	Impact of global PTP1B deficiency on the gut barrier permeability during NASH in mice. <i>Molecular Metabolism</i> , 2020, 35, 100954.	6.5	11
43	Labeling and Characterization of Human GLP-1-Secreting L-cells in Primary Ileal Organoid Culture. <i>Cell Reports</i> , 2020, 31, 107833.	6.4	42
44	Secretin release after Roux-en-Y gastric bypass reveals a population of glucose-sensitive S cells in distal small intestine. <i>International Journal of Obesity</i> , 2020, 44, 1859-1871.	3.4	25
45	L-Cell Differentiation Is Induced by Bile Acids Through GPBAR1 and Paracrine GLP-1 and Serotonin Signaling. <i>Diabetes</i> , 2020, 69, 614-623.	0.6	54
46	GDF15 mediates the effects of metformin on body weight and energy balance. <i>Nature</i> , 2020, 578, 444-448.	27.8	326
47	Selective stimulation of colonic L cells improves metabolic outcomes in mice. <i>Diabetologia</i> , 2020, 63, 1396-1407.	6.3	45
48	Ileo-colonic delivery of conjugated bile acids improves glucose homeostasis via colonic GLP-1-producing enteroendocrine cells in human obesity and diabetes. <i>EBioMedicine</i> , 2020, 55, 102759.	6.1	43
49	The cytokine GDF15 signals through a population of brainstem cholecystokinin neurons to mediate anorectic signalling. <i>ELife</i> , 2020, 9, .	6.0	46
50	Glucose stimulates somatostatin secretion in pancreatic $\hat{1}$ -cells by cAMP-dependent intracellular Ca ²⁺ release. <i>Journal of General Physiology</i> , 2019, 151, 1094-1115.	1.9	19
51	Glucose-Dependent Insulinotropic Polypeptide Receptor-Expressing Cells in the Hypothalamus Regulate Food Intake. <i>Cell Metabolism</i> , 2019, 30, 987-996.e6.	16.2	171
52	Abcc5 Knockout Mice Have Lower Fat Mass and Increased Levels of Circulating GLP-1. <i>Obesity</i> , 2019, 27, 1292-1304.	3.0	11
53	Synaptic Inputs to the Mouse Dorsal Vagal Complex and Its Resident Preproglucagon Neurons. <i>Journal of Neuroscience</i> , 2019, 39, 9767-9781.	3.6	30
54	Characterisation of proguanylin expressing cells in the intestine – evidence for constitutive luminal secretion. <i>Scientific Reports</i> , 2019, 9, 15574.	3.3	8

#	ARTICLE	IF	CITATIONS
55	Single cell transcriptomic profiling of large intestinal enteroendocrine cells in mice – Identification of selective stimuli for insulin-like peptide-5 and glucagon-like peptide-1 co-expressing cells. <i>Molecular Metabolism</i> , 2019, 29, 158-169.	6.5	77
56	Paracrine crosstalk between intestinal L- and D-cells controls secretion of glucagon-like peptide-1 in mice. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2019, 317, E1081-E1093.	3.5	32
57	Diet-Induced Obese Mice and Leptin-Deficient Lepob/ob Mice Exhibit Increased Circulating GIP Levels Produced by Different Mechanisms. <i>International Journal of Molecular Sciences</i> , 2019, 20, 4448.	4.1	4
58	Important Role of the GLP-1 Axis for Glucose Homeostasis after Bariatric Surgery. <i>Cell Reports</i> , 2019, 26, 1399-1408.e6.	6.4	121
59	Acipimox Acutely Increases GLP-1 Concentrations in Overweight Subjects and Hypopituitary Patients. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 2581-2592.	3.6	7
60	No direct effect of SGLT2 activity on glucagon secretion. <i>Diabetologia</i> , 2019, 62, 1011-1023.	6.3	58
61	Adenosine triphosphate is co-secreted with glucagon-like peptide-1 to modulate intestinal enterocytes and afferent neurons. <i>Nature Communications</i> , 2019, 10, 1029.	12.8	26
62	Comparison of Human and Murine Enteroendocrine Cells by Transcriptomic and Peptidomic Profiling. <i>Diabetes</i> , 2019, 68, 1062-1072.	0.6	100
63	Inactivation of Ppp1r15a minimises weight gain and insulin resistance during caloric excess in female mice. <i>Scientific Reports</i> , 2019, 9, 2903.	3.3	7
64	Function and mechanisms of enteroendocrine cells and gut hormones in metabolism. <i>Nature Reviews Endocrinology</i> , 2019, 15, 226-237.	9.6	350
65	Development and validation of an LC-MS/MS method for detection and quantification of in vivo derived metabolites of [Pyr1]apelin-13 in humans. <i>Scientific Reports</i> , 2019, 9, 19934.	3.3	14
66	A unique olfactory bulb microcircuit driven by neurons expressing the precursor to glucagon-like peptide 1. <i>Scientific Reports</i> , 2019, 9, 15542.	3.3	24
67	The aromatic amino acid sensor GPR142 controls metabolism through balanced regulation of pancreatic and gut hormones. <i>Molecular Metabolism</i> , 2019, 19, 49-64.	6.5	43
68	GDF15 Provides an Endocrine Signal of Nutritional Stress in Mice and Humans. <i>Cell Metabolism</i> , 2019, 29, 707-718.e8.	16.2	286
69	Insulin inhibits glucagon release by SGLT2-induced stimulation of somatostatin secretion. <i>Nature Communications</i> , 2019, 10, 139.	12.8	117
70	PYY plays a key role in the resolution of diabetes following bariatric surgery in humans. <i>EBioMedicine</i> , 2019, 40, 67-76.	6.1	65
71	Immunosuppression overcomes insulin- and vector-specific immune responses that limit efficacy of AAV2/8-mediated insulin gene therapy in NOD mice. <i>Gene Therapy</i> , 2019, 26, 40-56.	4.5	8
72	Preproglucagon Neurons in the Nucleus of the Solitary Tract Are the Main Source of Brain GLP-1, Mediate Stress-Induced Hypophagia, and Limit Unusually Large Intakes of Food. <i>Diabetes</i> , 2019, 68, 21-33.	0.6	119

#	ARTICLE	IF	CITATIONS
73	Hierarchical neural architecture underlying thirst regulation. <i>Nature</i> , 2018, 555, 204-209.	27.8	113
74	Targeted intestinal delivery of incretin secretagogues towards new diabetes and obesity therapies. <i>Peptides</i> , 2018, 100, 68-74.	2.4	14
75	Rapid sensing of l-leucine by human and murine hypothalamic neurons: Neurochemical and mechanistic insights. <i>Molecular Metabolism</i> , 2018, 10, 14-27.	6.5	12
76	Microbial regulation of the L cell transcriptome. <i>Scientific Reports</i> , 2018, 8, 1207.	3.3	52
77	Mechanistic insights into the detection of free fatty and bile acids by ileal glucagon-like peptide-1 secreting cells. <i>Molecular Metabolism</i> , 2018, 7, 90-101.	6.5	46
78	Gastrectomy with Roux-en-Y reconstruction as a lean model of bariatric surgery. <i>Surgery for Obesity and Related Diseases</i> , 2018, 14, 562-568.	1.2	49
79	Bile acids are important direct and indirect regulators of the secretion of appetite- and metabolism-regulating hormones from the gut and pancreas. <i>Molecular Metabolism</i> , 2018, 11, 84-95.	6.5	135
80	Development and characterisation of a novel glucagon like peptide-1 receptor antibody. <i>Diabetologia</i> , 2018, 61, 711-721.	6.3	22
81	Trophoblast organoids as a model for maternal-fetal interactions during human placentation. <i>Nature</i> , 2018, 564, 263-267.	27.8	436
82	Assessment and Management of Anti-Insulin Autoantibodies in Varying Presentations of Insulin Autoimmune Syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 3845-3855.	3.6	24
83	Models and Tools for Studying Enteroendocrine Cells. <i>Endocrinology</i> , 2018, 159, 3874-3884.	2.8	28
84	Distribution and Stimulus Secretion Coupling of Enteroendocrine Cells along the Intestinal Tract. , 2018, 8, 1603-1638.		25
85	Quantitative mass spectrometry for human melanocortin peptides in vitro and in vivo suggests prominent roles for l ² -MSH and desacetyl l ¹ -MSH in energy homeostasis. <i>Molecular Metabolism</i> , 2018, 17, 82-97.	6.5	21
86	Peptidomic analysis of endogenous plasma peptides from patients with pancreatic neuroendocrine tumours. <i>Rapid Communications in Mass Spectrometry</i> , 2018, 32, 1414-1424.	1.5	32
87	Enteroendocrine cells switch hormone expression along the crypt-to-villus BMP signalling gradient. <i>Nature Cell Biology</i> , 2018, 20, 909-916.	10.3	188
88	Free Fatty Acid Receptors in Enteroendocrine Cells. <i>Endocrinology</i> , 2018, 159, 2826-2835.	2.8	50
89	Co-storage and release of insulin-like peptide-5, glucagon-like peptide-1 and peptide YY from murine and human colonic enteroendocrine cells. <i>Molecular Metabolism</i> , 2018, 16, 65-75.	6.5	45
90	Gastrointestinal Hormones . , 2018, , 31-70.		20

#	ARTICLE	IF	CITATIONS
91	Glucagon-Like Peptide 1 and Its Analogs Act in the Dorsal Raphe and Modulate Central Serotonin to Reduce Appetite and Body Weight. <i>Diabetes</i> , 2017, 66, 1062-1073.	0.6	66
92	Signalling in the gut endocrine axis. <i>Physiology and Behavior</i> , 2017, 176, 183-188.	2.1	49
93	The SNARE Protein Syntaxin-1a Plays an Essential Role in Biphasic Exocytosis of the Incretin Hormone Glucagon-Like Peptide 1. <i>Diabetes</i> , 2017, 66, 2327-2338.	0.6	30
94	Scaling it down: new in vitro tools to get the balance right. <i>Biochemical Journal</i> , 2017, 474, 47-50.	3.7	1
95	Liquid chromatography/mass spectrometry based detection and semi-quantitative analysis of INSL5 in human and murine tissues. <i>Rapid Communications in Mass Spectrometry</i> , 2017, 31, 1963-1973.	1.5	26
96	Chylomicrons stimulate incretin secretion in mouse and human cells. <i>Diabetologia</i> , 2017, 60, 2475-2485.	6.3	47
97	Mixed Primary Cultures of Murine Small Intestine Intended for the Study of Gut Hormone Secretion and Live Cell Imaging of Enteroendocrine Cells. <i>Journal of Visualized Experiments</i> , 2017, , .	0.3	20
98	Serotonergic modulation of the activity of GLP-1 producing neurons in the nucleus of the solitary tract in mouse. <i>Molecular Metabolism</i> , 2017, 6, 909-921.	6.5	22
99	Roux-en-Y Gastric Bypass Surgery in the Management of Familial Partial Lipodystrophy Type 1. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 3616-3620.	3.6	16
100	Optogenetic Analysis of Depolarization-Dependent Glucagonlike Peptide-1 Release. <i>Endocrinology</i> , 2017, 158, 3426-3434.	2.8	2
101	Single-cell RNA-sequencing reveals a distinct population of proglucagon-expressing cells specific to the mouse upper small intestine. <i>Molecular Metabolism</i> , 2017, 6, 1296-1303.	6.5	68
102	Pregnane glycosides from <i>Cynanchum menarandrense</i> . <i>Steroids</i> , 2017, 125, 27-32.	1.8	6
103	Preproglucagon neurons in the hindbrain have IL-6 receptor- β and show Ca ²⁺ influx in response to IL-6. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2016, 311, R115-R123.	1.8	21
104	Transcriptomic profiling of pancreatic alpha, beta and delta cell populations identifies delta cells as a principal target for ghrelin in mouse islets. <i>Diabetologia</i> , 2016, 59, 2156-2165.	6.3	169
105	Role of enteroendocrine L-cells in arginine vasopressin-mediated inhibition of colonic anion secretion. <i>Journal of Physiology</i> , 2016, 594, 4865-4878.	2.9	24
106	The effect of encapsulated glutamine on gut peptide secretion in human volunteers. <i>Peptides</i> , 2016, 77, 38-46.	2.4	22
107	Roles of the Gut in Glucose Homeostasis. <i>Diabetes Care</i> , 2016, 39, 884-892.	8.6	155
108	Angiotensin II Type 1 Receptor-Dependent GLP-1 and PYY Secretion in Mice and Humans. <i>Endocrinology</i> , 2016, 157, 3821-3831.	2.8	25

#	ARTICLE	IF	CITATIONS
109	Mechanisms underlying glucose-dependent insulinotropic polypeptide and glucagon-like peptide-1 secretion. <i>Journal of Diabetes Investigation</i> , 2016, 7, 13-19.	2.4	54
110	Functional and Molecular Adaptations of Enteroendocrine L-Cells in Male Obese Mice Are Associated With Preservation of Pancreatic β -Cell Function and Prevention of Hyperglycemia. <i>Endocrinology</i> , 2016, 157, 3832-3843.	2.8	42
111	The incretin hormone glucagon-like peptide 1 increases mitral cell excitability by decreasing conductance of a voltage-dependent potassium channel. <i>Journal of Physiology</i> , 2016, 594, 2607-2628.	2.9	43
112	Gut Hormone Regulation and Secretion via FFA1 and FFA4. <i>Handbook of Experimental Pharmacology</i> , 2016, 236, 181-203.	1.8	26
113	<i>Medicago sativa</i> L., a functional food to relieve hypertension and metabolic disorders in a spontaneously hypertensive rat model. <i>Journal of Functional Foods</i> , 2016, 26, 470-484.	3.4	16
114	GPR119, a Major Enteroendocrine Sensor of Dietary Triglyceride Metabolites Coacting in Synergy With FFA1 (GPR40). <i>Endocrinology</i> , 2016, 157, 4561-4569.	2.8	77
115	G protein-coupled receptors as new therapeutic targets for type 2 diabetes. <i>Diabetologia</i> , 2016, 59, 229-233.	6.3	56
116	Galanin inhibits GLP-1 and GIP secretion via the GAL ₁ receptor in enteroendocrine L and K cells. <i>British Journal of Pharmacology</i> , 2016, 173, 888-898.	5.4	33
117	Peptide production and secretion in GLUTag, NCI-H716, and STC-1 cells: a comparison to native L-cells. <i>Journal of Molecular Endocrinology</i> , 2016, 56, 201-211.	2.5	76
118	Stimulation of incretin secreting cells. <i>Therapeutic Advances in Endocrinology and Metabolism</i> , 2016, 7, 24-42.	3.2	76
119	β -Cell Dysfunctions and Molecular Alterations in Male Insulinopenic Diabetic Mice Are Not Completely Corrected by Insulin. <i>Endocrinology</i> , 2016, 157, 536-547.	2.8	21
120	GLP1- and GIP-producing cells rarely overlap and differ by bombesin receptor-2 expression and responsiveness. <i>Journal of Endocrinology</i> , 2016, 228, 39-48.	2.6	35
121	The effect of bariatric surgery on gastrointestinal and pancreatic peptide hormones. <i>Peptides</i> , 2016, 77, 28-37.	2.4	210
122	Enteroendocrine Cells: Chemosensors in the Intestinal Epithelium. <i>Annual Review of Physiology</i> , 2016, 78, 277-299.	13.1	438
123	Lipid derivatives activate GPR119 and trigger GLP-1 secretion in primary murine L-cells. <i>Peptides</i> , 2016, 77, 16-20.	2.4	79
124	Signalling pathways involved in the detection of peptones by murine small intestinal enteroendocrine L-cells. <i>Peptides</i> , 2016, 77, 9-15.	2.4	70
125	High fat diet impairs the function of glucagon-like peptide-1 producing L-cells. <i>Peptides</i> , 2016, 77, 21-27.	2.4	104
126	Proglucagon Promoter Cre-Mediated AMPK Deletion in Mice Increases Circulating GLP-1 Levels and Oral Glucose Tolerance. <i>PLoS ONE</i> , 2016, 11, e0149549.	2.5	13

#	ARTICLE	IF	CITATIONS
127	Effect of reducing portion size at a compulsory meal on later energy intake, gut hormones, and appetite in overweight adults. <i>Obesity</i> , 2015, 23, 1362-1370.	3.0	34
128	Gut chemosensing mechanisms. <i>Journal of Clinical Investigation</i> , 2015, 125, 908-917.	8.2	194
129	Activation of the GLP-1 Receptors in the Nucleus of the Solitary Tract Reduces Food Reward Behavior and Targets the Mesolimbic System. <i>PLoS ONE</i> , 2015, 10, e0119034.	2.5	116
130	LKB1 and AMPK \pm 1 are required in pancreatic alpha cells for the normal regulation of glucagon secretion and responses to hypoglycemia. <i>Molecular Metabolism</i> , 2015, 4, 277-286.	6.5	23
131	Targeting development of incretin-producing cells increases insulin secretion. <i>Journal of Clinical Investigation</i> , 2015, 125, 379-385.	8.2	51
132	Inhibition of the malate \leftrightarrow aspartate shuttle in mouse pancreatic islets abolishes glucagon secretion without affecting insulin secretion. <i>Biochemical Journal</i> , 2015, 468, 49-63.	3.7	27
133	Novel <i>SCN9A</i> Mutations Underlying Extreme Pain Phenotypes: Unexpected Electrophysiological and Clinical Phenotype Correlations. <i>Journal of Neuroscience</i> , 2015, 35, 7674-7681.	3.6	50
134	Distribution and characterisation of Glucagon-like peptide-1 receptor expressing cells in the mouse brain. <i>Molecular Metabolism</i> , 2015, 4, 718-731.	6.5	323
135	Submembrane ATP and Ca ²⁺ kinetics in β -cells: unexpected signaling for glucagon secretion. <i>FASEB Journal</i> , 2015, 29, 3379-3388.	0.5	58
136	Farnesoid X receptor inhibits glucagon-like peptide-1 production by enteroendocrine L cells. <i>Nature Communications</i> , 2015, 6, 7629.	12.8	274
137	Stimulation of GLP-1 Secretion Downstream of the Ligand-Gated Ion Channel TRPA1. <i>Diabetes</i> , 2015, 64, 1202-1210.	0.6	50
138	Limited impact on glucose homeostasis of leptin receptor deletion from insulin- or proglucagon-expressing cells. <i>Molecular Metabolism</i> , 2015, 4, 619-630.	6.5	40
139	An Absorbing Sense of Sweetness: Figure 1. <i>Diabetes</i> , 2015, 64, 338-340.	0.6	7
140	A Transcriptome-Led Exploration of Molecular Mechanisms Regulating Somatostatin-Producing D-Cells in the Gastric Epithelium. <i>Endocrinology</i> , 2015, 156, 3924-3936.	2.8	67
141	Bile Acids Trigger GLP-1 Release Predominantly by Accessing Basolaterally Located G Protein \leftrightarrow Coupled Bile Acid Receptors. <i>Endocrinology</i> , 2015, 156, 3961-3970.	2.8	253
142	Spinally projecting proglucagon axons preferentially innervate sympathetic preganglionic neurons. <i>Neuroscience</i> , 2015, 284, 872-887.	2.3	27
143	Heterogeneity of glucagonomas due to differential processing of proglucagon-derived peptides. <i>Endocrinology, Diabetes and Metabolism Case Reports</i> , 2015, 2015, 150105.	0.5	7
144	Bacterial Metabolite Indole Modulates Incretin Secretion from Intestinal Enteroendocrine L Cells. <i>Cell Reports</i> , 2014, 9, 1202-1208.	6.4	368

#	ARTICLE	IF	CITATIONS
145	Generation of L Cells in Mouse and Human Small Intestine Organoids. <i>Diabetes</i> , 2014, 63, 410-420.	0.6	118
146	Identification and Characterization of GLP-1 Receptor-expressing Cells Using a New Transgenic Mouse Model. <i>Diabetes</i> , 2014, 63, 1224-1233.	0.6	345
147	The Peutz-Jeghers kinase LKB1 suppresses polyp growth from intestinal cells of a proglucagon-expressing lineage. <i>DMM Disease Models and Mechanisms</i> , 2014, 7, 1275-86.	2.4	10
148	Reversible changes in pancreatic islet structure and function produced by elevated blood glucose. <i>Nature Communications</i> , 2014, 5, 4639.	12.8	220
149	The Melanocortin-4 Receptor Is Expressed in Enteroendocrine L Cells and Regulates the Release of Peptide YY and Glucagon-like Peptide 1 In Vivo. <i>Cell Metabolism</i> , 2014, 20, 1018-1029.	16.2	139
150	GLP-1 Receptor Stimulation of the Lateral Parabrachial Nucleus Reduces Food Intake: Neuroanatomical, Electrophysiological, and Behavioral Evidence. <i>Endocrinology</i> , 2014, 155, 4356-4367.	2.8	71
151	The role of gut endocrine cells in control of metabolism and appetite. <i>Experimental Physiology</i> , 2014, 99, 1116-1120.	2.0	38
152	LKB1 and AMPK differentially regulate pancreatic β -cell identity. <i>FASEB Journal</i> , 2014, 28, 4972-4985.	0.5	71
153	Fructose stimulates GLP-1 but not GIP secretion in mice, rats, and humans. <i>American Journal of Physiology - Renal Physiology</i> , 2014, 306, G622-G630.	3.4	94
154	Insulin-like peptide 5 is an orexigenic gastrointestinal hormone. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 11133-11138.	7.1	120
155	Diabetes recovery by age-dependent conversion of pancreatic β -cells into insulin producers. <i>Nature</i> , 2014, 514, 503-507.	27.8	335
156	Na ⁺ current properties in islet β - and δ -cells reflect cell-specific <i>Scn3a</i> and <i>Scn9a</i> expression. <i>Journal of Physiology</i> , 2014, 592, 4677-4696.	2.9	78
157	Glycemic Effects and Safety of L-Glutamine Supplementation with or without Sitagliptin in Type 2 Diabetes Patients: A Randomized Study. <i>PLoS ONE</i> , 2014, 9, e113366.	2.5	21
158	Co-localisation and secretion of glucagon-like peptide 1 and peptide YY from primary cultured human L cells. <i>Diabetologia</i> , 2013, 56, 1413-1416.	6.3	150
159	Molecular mechanisms of incretin hormone secretion. <i>Current Opinion in Pharmacology</i> , 2013, 13, 922-927.	3.5	77
160	Oligopeptides stimulate glucagon-like peptide-1 secretion in mice through proton-coupled uptake and the calcium-sensing receptor. <i>Diabetologia</i> , 2013, 56, 2688-2696.	6.3	158
161	Role of KATP Channels in Glucose-Regulated Glucagon Secretion and Impaired Counterregulation in Type 2 Diabetes. <i>Cell Metabolism</i> , 2013, 18, 871-882.	16.2	179
162	Towards the harnessing of gut feelings. <i>Current Opinion in Pharmacology</i> , 2013, 13, 909-911.	3.5	6

#	ARTICLE	IF	CITATIONS
163	Preproglucagon (PPG) neurons innervate neurochemically identified autonomic neurons in the mouse brainstem. <i>Neuroscience</i> , 2013, 229, 130-143.	2.3	52
164	A Tag to Track Short Chain Fatty Acid Sensors. <i>Endocrinology</i> , 2013, 154, 3492-3494.	2.8	3
165	The G Protein-coupled Receptor Family C Group 6 Subtype A (GPC6A) Receptor Is Involved in Amino Acid-induced Glucagon-like Peptide-1 Secretion from GLUTag Cells. <i>Journal of Biological Chemistry</i> , 2013, 288, 4513-4521.	3.4	125
166	Neurochemical Characterization of Body Weight-Regulating Leptin Receptor Neurons in the Nucleus of the Solitary Tract. <i>Endocrinology</i> , 2012, 153, 4600-4607.	2.8	74
167	Intestinal Sensing of Nutrients. <i>Handbook of Experimental Pharmacology</i> , 2012, , 309-335.	1.8	83
168	The gut endocrine system as a coordinator of postprandial nutrient homeostasis. <i>Proceedings of the Nutrition Society</i> , 2012, 71, 456-462.	1.0	79
169	Overlap of Endocrine Hormone Expression in the Mouse Intestine Revealed by Transcriptional Profiling and Flow Cytometry. <i>Endocrinology</i> , 2012, 153, 3054-3065.	2.8	317
170	G-Protein-Coupled Receptors in Intestinal Chemosensation. <i>Cell Metabolism</i> , 2012, 15, 421-431.	16.2	196
171	Short-Chain Fatty Acids Stimulate Glucagon-Like Peptide-1 Secretion via the G-Protein-Coupled Receptor FFAR2. <i>Diabetes</i> , 2012, 61, 364-371.	0.6	1,644
172	Somatostatin receptor 5 and cannabinoid receptor 1 activation inhibit secretion of glucose-dependent insulinotropic polypeptide from intestinal K cells in rodents. <i>Diabetologia</i> , 2012, 55, 3094-3103.	6.3	68
173	Predominant role of active versus facilitative glucose transport for glucagon-like peptide-1 secretion. <i>Diabetologia</i> , 2012, 55, 2445-2455.	6.3	175
174	Na ⁺ -glucose Cotransporter SGLT1 is Pivotal for Intestinal Glucose Absorption and Glucose-Dependent Incretin Secretion. <i>Diabetes</i> , 2012, 61, 187-196.	0.6	550
175	Molecular mechanisms underlying bile acid-stimulated glucagon-like peptide-1 secretion. <i>British Journal of Pharmacology</i> , 2012, 165, 414-423.	5.4	179
176	Nutrient detection by incretin hormone secreting cells. <i>Physiology and Behavior</i> , 2012, 106, 387-393.	2.1	97
177	PPAR δ affects pancreatic β cell mass and insulin secretion in mice. <i>Journal of Clinical Investigation</i> , 2012, 122, 4105-4117.	8.2	45
178	CCK Stimulation of GLP-1 Neurons Involves β 1-Adrenoceptor-Mediated Increase in Glutamatergic Synaptic Inputs. <i>Diabetes</i> , 2011, 60, 2701-2709.	0.6	78
179	Interleukin-6 enhances insulin secretion by increasing glucagon-like peptide-1 secretion from L cells and alpha cells. <i>Nature Medicine</i> , 2011, 17, 1481-1489.	30.7	714
180	Preproglucagon neurons project widely to autonomic control areas in the mouse brain. <i>Neuroscience</i> , 2011, 180, 111-121.	2.3	159

#	ARTICLE	IF	CITATIONS
181	Role of phosphodiesterase and adenylate cyclase isozymes in murine colonic glucagon-like peptide 1 secreting cells. <i>British Journal of Pharmacology</i> , 2011, 163, 261-271.	5.4	24
182	Glutamine Triggers and Potentiates Glucagon-Like Peptide-1 Secretion by Raising Cytosolic Ca ²⁺ and cAMP. <i>Endocrinology</i> , 2011, 152, 405-413.	2.8	134
183	Glutamine Reduces Postprandial Glycemia and Augments the Glucagon-Like Peptide-1 Response in Type 2 Diabetes Patients. <i>Journal of Nutrition</i> , 2011, 141, 1233-1238.	2.9	85
184	Leptin Directly Depolarizes Preproglucagon Neurons in the Nucleus Tractus Solitarius. <i>Diabetes</i> , 2010, 59, 1890-1898.	0.6	127
185	Pain perception is altered by a nucleotide polymorphism in <i>SCN9A</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 5148-5153.	7.1	279
186	Molecular mechanisms underlying nutrient-stimulated incretin secretion. <i>Expert Reviews in Molecular Medicine</i> , 2010, 12, e1.	3.9	128
187	GLP-1 Inhibits and Adrenaline Stimulates Glucagon Release by Differential Modulation of N- and L-Type Ca ²⁺ Channel-Dependent Exocytosis. <i>Cell Metabolism</i> , 2010, 11, 543-553.	16.2	225
188	β _{2A} -Adrenergic Receptors and Type 2 Diabetes. <i>New England Journal of Medicine</i> , 2010, 362, 361-362.	27.0	24
189	Insulin Storage and Glucose Homeostasis in Mice Null for the Granule Zinc Transporter ZnT8 and Studies of the Type 2 Diabetes-Associated Variants. <i>Diabetes</i> , 2009, 58, 2070-2083.	0.6	347
190	Hypogonadotropic Hypogonadism due to a Novel Missense Mutation in the First Extracellular Loop of the Neurokinin B Receptor. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009, 94, 3633-3639.	3.6	122
191	Nutrient-dependent secretion of glucose-dependent insulinotropic polypeptide from primary murine K cells. <i>Diabetologia</i> , 2009, 52, 289-298.	6.3	274
192	Nutritional regulation of glucagon-like peptide-1 secretion. <i>Journal of Physiology</i> , 2009, 587, 27-32.	2.9	177
193	Intolerant of glucose and gasping for oxygen. <i>Nature Medicine</i> , 2009, 15, 247-249.	30.7	8
194	The role of the PDE4D cAMP phosphodiesterase in the regulation of glucagon-like peptide-1 release. <i>British Journal of Pharmacology</i> , 2009, 157, 633-644.	5.4	50
195	Oral glutamine increases circulating glucagon-like peptide 1, glucagon, and insulin concentrations in lean, obese, and type 2 diabetic subjects. <i>American Journal of Clinical Nutrition</i> , 2009, 89, 106-113.	4.7	201
196	Calcium elevation in mouse pancreatic beta cells evoked by extracellular human islet amyloid polypeptide involves activation of the mechanosensitive ion channel TRPV4. <i>Diabetologia</i> , 2008, 51, 2252-2262.	6.3	109
197	No differences in mortality between users of pancreatic-specific and non-pancreatic-specific sulphonylureas: a cohort analysis. <i>Diabetes, Obesity and Metabolism</i> , 2008, 10, 350-352.	4.4	20
198	RD Lawrence Lecture 2008 Targeting GLP-1 release as a potential strategy for the therapy of Type 2 diabetes. <i>Diabetic Medicine</i> , 2008, 25, 889-894.	2.3	30

#	ARTICLE	IF	CITATIONS
199	Glucose Sensing in L Cells: A Primary Cell Study. <i>Cell Metabolism</i> , 2008, 8, 532-539.	16.2	624
200	TCF7L2 Polymorphisms Modulate Proinsulin Levels and β -Cell Function in a British European Population. <i>Diabetes</i> , 2007, 56, 1943-1947.	0.6	154
201	Impairment of the Ubiquitin-Proteasome Pathway Is a Downstream Endoplasmic Reticulum Stress Response Induced by Extracellular Human Islet Amyloid Polypeptide and Contributes to Pancreatic β -Cell Apoptosis. <i>Diabetes</i> , 2007, 56, 2284-2294.	0.6	125
202	Cyclic AMP triggers glucagon-like peptide-1 secretion from the GLUTag enteroendocrine cell line. <i>Diabetologia</i> , 2007, 50, 2181-2189.	6.3	67
203	Mucolipin-1 Is a Lysosomal Membrane Protein Required for Intracellular Lactosylceramide Traffic. <i>Traffic</i> , 2006, 7, 1388-1398.	2.7	143
204	An SCN9A channelopathy causes congenital inability to experience pain. <i>Nature</i> , 2006, 444, 894-898.	27.8	1,353
205	Sodium-Coupled Glucose Cotransporters Contribute to Hypothalamic Glucose Sensing. <i>Diabetes</i> , 2006, 55, 3381-3386.	0.6	109
206	A higher power for insulin. <i>Nature</i> , 2005, 434, 965-966.	27.8	27
207	Relapsing diabetes can result from moderately activating mutations in KCNJ11. <i>Human Molecular Genetics</i> , 2005, 14, 925-934.	2.9	184
208	Open to Control "New Hope for Patients with Neonatal Diabetes. <i>New England Journal of Medicine</i> , 2004, 350, 1817-1818.	27.0	5
209	Glutamine potently stimulates glucagon-like peptide-1 secretion from GLUTag cells. <i>Diabetologia</i> , 2004, 47, 1592-1601.	6.3	208
210	Characterisation of new KATP-channel mutations associated with congenital hyperinsulinism in the Finnish population. <i>Diabetologia</i> , 2003, 46, 241-249.	6.3	35
211	Sulphonylurea action revisited: the post-cloning era. <i>Diabetologia</i> , 2003, 46, 875-891.	6.3	270
212	Differential selectivity of insulin secretagogues. <i>Journal of Diabetes and Its Complications</i> , 2003, 17, 11-15.	2.3	96
213	Genetic cause of hyperglycaemia and response to treatment in diabetes. <i>Lancet</i> , The, 2003, 362, 1275-1281.	13.7	526
214	KATP channel pharmacology in the pancreas and the cardiovascular system. <i>International Congress Series</i> , 2003, 1253, 279-287.	0.2	1
215	A Novel Glucose-Sensing Mechanism Contributing to Glucagon-Like Peptide-1 Secretion From the GLUTag Cell Line. <i>Diabetes</i> , 2003, 52, 1147-1154.	0.6	341
216	Analysis of the differential modulation of sulphonylurea block of β -cell and cardiac ATP-sensitive K ⁺ (KATP) channels by Mg-nucleotides. <i>Journal of Physiology</i> , 2003, 547, 159-168.	2.9	19

#	ARTICLE	IF	CITATIONS
217	Sulfonylurea Stimulation of Insulin Secretion. <i>Diabetes</i> , 2002, 51, S368-S376.	0.6	393
218	Glucose-Sensing in Glucagon-Like Peptide-1-Secreting Cells. <i>Diabetes</i> , 2002, 51, 2757-2763.	0.6	256
219	The antimalarial agent mefloquine inhibits ATP-sensitive K-channels. <i>British Journal of Pharmacology</i> , 2000, 131, 756-760.	5.4	75
220	Tissue-specific effects of sulfonylureas. <i>Journal of Diabetes and Its Complications</i> , 2000, 14, 192-196.	2.3	88
221	Differential Response of K _{ATP} Channels Containing SUR2A or SUR2B Subunits to Nucleotides and Pinacidil. <i>Molecular Pharmacology</i> , 2000, 58, 1318-1325.	2.3	54
222	A Novel Method for Measurement of Submembrane ATP Concentration. <i>Journal of Biological Chemistry</i> , 2000, 275, 30046-30049.	3.4	257
223	New windows on the mechanism of action of KATP channel openers. <i>Trends in Pharmacological Sciences</i> , 2000, 21, 439-445.	8.7	178
224	Sulfonylurea sensitivity of adenosine triphosphate-sensitive potassium channels from cells and extrapancreatic tissues. <i>Metabolism: Clinical and Experimental</i> , 2000, 49, 3-6.	3.4	64
225	Involvement of the N-terminus of Kir6.2 in the inhibition of the KATP channel by ATP. <i>Journal of Physiology</i> , 1999, 514, 19-25.	2.9	54
226	In vitro mechanism of action on insulin release of S-22068, a new putative antidiabetic compound. <i>British Journal of Pharmacology</i> , 1999, 128, 1021-1026.	5.4	16
227	Correlating structure and function in ATP-sensitive K ⁺ channels. <i>Trends in Neurosciences</i> , 1998, 21, 288-294.	8.6	392
228	Mechanism of Cloned ATP-sensitive Potassium Channel Activation by Oleoyl-CoA. <i>Journal of Biological Chemistry</i> , 1998, 273, 26383-26387.	3.4	119
229	The Interaction of nucleotides with the tolbutamide block of cloned atp-sensitive k ⁺ channel currents expressed in xenopus oocytes: a reinterpretation. <i>Journal of Physiology</i> , 1997, 504, 35-45.	2.9	149
230	Truncation of Kir6.2 produces ATP-sensitive K ⁺ channels in the absence of the sulphonylurea receptor. <i>Nature</i> , 1997, 387, 179-183.	27.8	723
231	Heteromeric channel formation and Ca ²⁺ -free media reduce the toxic effect of the weaver Kir3.2 allele. <i>FEBS Letters</i> , 1996, 390, 253-257.	2.8	28
232	Promiscuous coupling between the sulphonylurea receptor and inwardly rectifying potassium channels. <i>Nature</i> , 1996, 379, 545-548.	27.8	156
233	Expression of the relaxin family peptide 4 receptor by enterochromaffin cells of the mouse large intestine. <i>Cell and Tissue Research</i> , 0, , .	2.9	2