

Masataka Imura

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4424513/publications.pdf>

Version: 2024-02-01

183
papers

9,052
citations

53794

45
h-index

43889

91
g-index

188
all docs

188
docs citations

188
times ranked

11015
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Thermal Conversion of Core-Shell Metal-Organic Frameworks: A New Method for Selectively Functionalized Nanoporous Hybrid Carbon. <i>Journal of the American Chemical Society</i> , 2015, 137, 1572-1580. | 13.7 | 1,307 |
| 2 | Direct Synthesis of MOF-Derived Nanoporous Carbon with Magnetic Co Nanoparticles toward Efficient Water Treatment. <i>Small</i> , 2014, 10, 2096-2107. | 10.0 | 588 |
| 3 | Facile synthesis of nanoporous carbons with controlled particle sizes by direct carbonization of monodispersed ZIF-8 crystals. <i>Chemical Communications</i> , 2013, 49, 2521. | 4.1 | 474 |
| 4 | Electric Double-Layer Capacitors Based on Highly Graphitized Nanoporous Carbons Derived from ZIF-67. <i>Chemistry - A European Journal</i> , 2014, 20, 7895-7900. | 3.3 | 423 |
| 5 | Shape- and Size-Controlled Synthesis in Hard Templates: Sophisticated Chemical Reduction for Mesoporous Monocrystalline Platinum Nanoparticles. <i>Journal of the American Chemical Society</i> , 2011, 133, 14526-14529. | 13.7 | 377 |
| 6 | Synthesis of Nanoporous Carbon-Cobalt-Oxide Hybrid Electrocatalysts by Thermal Conversion of Metal-Organic Frameworks. <i>Chemistry - A European Journal</i> , 2014, 20, 4217-4221. | 3.3 | 253 |
| 7 | Tailored Design of Multiple Nanoarchitectures in Metal-Cyanide Hybrid Coordination Polymers. <i>Journal of the American Chemical Society</i> , 2013, 135, 384-391. | 13.7 | 228 |
| 8 | All-Metal Mesoporous Nanocolloids: Solution-Phase Synthesis of Core-Shell Pd@Pt Nanoparticles with a Designed Concave Surface. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 13611-13615. | 13.8 | 211 |
| 9 | Mesoporous Pt nanospheres with designed pore surface as highly active electrocatalyst. <i>Chemical Science</i> , 2016, 7, 1575-1581. | 7.4 | 197 |
| 10 | Large Cs adsorption capability of nanostructured Prussian Blue particles with high accessible surface areas. <i>Journal of Materials Chemistry</i> , 2012, 22, 18261. | 6.7 | 174 |
| 11 | Synthesis of Superparamagnetic Nanoporous Iron Oxide Particles with Hollow Interiors by Using Prussian Blue Coordination Polymers. <i>Chemistry of Materials</i> , 2012, 24, 2698-2707. | 6.7 | 163 |
| 12 | Ordered Mesoporous Cobalt Phosphate with Crystallized Walls toward Highly Active Water Oxidation Electrocatalysts. <i>Small</i> , 2016, 12, 1709-1715. | 10.0 | 153 |
| 13 | Synthesis of Mesoporous TiO ₂ /SiO ₂ Hybrid Films as an Efficient Photocatalyst by Polymeric Micelle Assembly. <i>Chemistry - A European Journal</i> , 2014, 20, 6027-6032. | 3.3 | 123 |
| 14 | Kinetically Controlled Crystallization for Synthesis of Monodispersed Coordination Polymer Nanocubes and Their Self-Assembly to Periodic Arrangements. <i>Chemistry - A European Journal</i> , 2013, 19, 1882-1885. | 3.3 | 122 |
| 15 | Multimetallic Mesoporous Spheres Through Surfactant-Directed Synthesis. <i>Advanced Science</i> , 2015, 2, 1500112. | 11.2 | 116 |
| 16 | Low on-resistance diamond field effect transistor with high-k ZrO ₂ as dielectric. <i>Scientific Reports</i> , 2014, 4, 6395. | 3.3 | 107 |
| 17 | Normally-off HfO ₂ -gated diamond field effect transistors. <i>Applied Physics Letters</i> , 2013, 103, . | 3.3 | 105 |
| 18 | Epitaxial lateral overgrowth of AlN on trench-patterned AlN layers. <i>Journal of Crystal Growth</i> , 2007, 298, 257-260. | 1.5 | 104 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | High-Temperature Metal-Organic Vapor Phase Epitaxial Growth of AlN on Sapphire by Multi Transition Growth Mode Method Varying V/III Ratio. Japanese Journal of Applied Physics, 2006, 45, 8639-8643. | 1.5 | 101 |
| 20 | Mesoporous Carbon Incorporated with In ₂ O ₃ Nanoparticles as High-Performance Supercapacitors. European Journal of Inorganic Chemistry, 2013, 2013, 1109-1112. | 2.0 | 92 |
| 21 | Dislocations in AlN Epilayers Grown on Sapphire Substrate by High-Temperature Metal-Organic Vapor Phase Epitaxy. Japanese Journal of Applied Physics, 2007, 46, 1458-1462. | 1.5 | 90 |
| 22 | Morphology development of GaN nanowires using a pulsed-mode MOCVD growth technique. CrystEngComm, 2014, 16, 2273-2282. | 2.6 | 82 |
| 23 | Microstructure of epitaxial lateral overgrown AlN on trench-patterned AlN template by high-temperature metal-organic vapor phase epitaxy. Applied Physics Letters, 2006, 89, 221901. | 3.3 | 79 |
| 24 | Band offsets of Al ₂ O ₃ and HfO ₂ oxides deposited by atomic layer deposition technique on hydrogenated diamond. Applied Physics Letters, 2012, 101, . | 3.3 | 76 |
| 25 | Persistent positive and transient absolute negative photoconductivity observed in diamond photodetectors. Physical Review B, 2008, 78, . | 3.2 | 75 |
| 26 | Growth of high-quality and crack free AlN layers on sapphire substrate by multi-growth mode modification. Journal of Crystal Growth, 2007, 298, 349-353. | 1.5 | 74 |
| 27 | Phosphonate-Derived Nanoporous Metal Phosphates and Their Superior Energy Storage Application. ACS Applied Materials & Interfaces, 2016, 8, 9790-9797. | 8.0 | 71 |
| 28 | High-mobility p-channel wide-bandgap transistors based on hydrogen-terminated diamond/hexagonal boron nitride heterostructures. Nature Electronics, 2022, 5, 37-44. | 26.0 | 70 |
| 29 | Annihilation mechanism of threading dislocations in AlN grown by growth form modification method using V/III ratio. Journal of Crystal Growth, 2007, 300, 136-140. | 1.5 | 66 |
| 30 | Impact of high-temperature growth by metal-organic vapor phase epitaxy on microstructure of AlN on 6H-SiC substrates. Journal of Crystal Growth, 2008, 310, 2308-2313. | 1.5 | 65 |
| 31 | Controlled Synthesis of Nanoporous Nickel Oxide with Two-Dimensional Shapes through Thermal Decomposition of Metal-Cyanide Hybrid Coordination Polymers. Chemistry - A European Journal, 2015, 21, 3605-3612. | 3.3 | 64 |
| 32 | Polymeric Micelle Assembly with Inorganic Nanosheets for Construction of Mesoporous Architectures with Crystallized Walls. Angewandte Chemie - International Edition, 2015, 54, 4222-4225. | 13.8 | 64 |
| 33 | Mesoporous Pt hollow cubes with controlled shell thicknesses and investigation of their electrocatalytic performance. Chemical Communications, 2014, 50, 15337-15340. | 4.1 | 62 |
| 34 | Tailored Design of Architecturally Controlled Pt Nanoparticles with Huge Surface Areas toward Superior Unsupported Pt Electrocatalysts. ACS Applied Materials & Interfaces, 2012, 4, 2865-2869. | 8.0 | 61 |
| 35 | Interfacial band configuration and electrical properties of LaAlO ₃ /Al ₂ O ₃ /hydrogenated-diamond metal-oxide-semiconductor field effect transistors. Journal of Applied Physics, 2013, 114, . | 2.5 | 60 |
| 36 | Comprehensive Investigation of Single Crystal Diamond Deep-Ultraviolet Detectors. Japanese Journal of Applied Physics, 2012, 51, 090115. | 1.5 | 60 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 37 | High-mobility diamond field effect transistor with a monocrystalline h-BN gate dielectric. <i>APL Materials</i> , 2018, 6, . | 5.1 | 59 |
| 38 | Thiourea bridged periodic mesoporous organosilica with ultra-small Pd nanoparticles for coupling reactions. <i>RSC Advances</i> , 2017, 7, 56306-56310. | 3.6 | 57 |
| 39 | Dual Soft-Template System Based on Colloidal Chemistry for the Synthesis of Hollow Mesoporous Silica Nanoparticles. <i>Chemistry - A European Journal</i> , 2015, 21, 6375-6380. | 3.3 | 55 |
| 40 | A Mesoporous γ -Alumina Film with Vertical Mesoporosity: The Unusual Conversion from a γ -Alumina Mesostructure to Vertically Oriented γ -Alumina Nanowires. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 7410-7413. | 13.8 | 49 |
| 41 | Logic Circuits With Hydrogenated Diamond Field-Effect Transistors. <i>IEEE Electron Device Letters</i> , 2017, 38, 922-925. | 3.9 | 49 |
| 42 | Epitaxial lateral overgrowth of AlN layers on patterned sapphire substrates. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2006, 203, 1632-1635. | 1.8 | 48 |
| 43 | Microstructure of thick AlN grown on sapphire by high-temperature MOVPE. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2006, 203, 1626-1631. | 1.8 | 48 |
| 44 | Recent developments in inorganically filled carbon nanotubes: successes and challenges. <i>Science and Technology of Advanced Materials</i> , 2010, 11, 054501. | 6.1 | 48 |
| 45 | Epitaxial lateral overgrowth of a-AlN layer on patterned a-AlN template by HT-MOVPE. <i>Journal of Crystal Growth</i> , 2007, 300, 141-144. | 1.5 | 46 |
| 46 | Superior electrocatalytic activity of mesoporous Au film templated from diblock copolymer micelles. <i>Nano Research</i> , 2016, 9, 1752-1762. | 10.4 | 46 |
| 47 | Flat (11 $\bar{2}$ 0) GaN Thin Film on Precisely Offset-Controlled (1 $\bar{1}$ 02) Sapphire Substrate. <i>Japanese Journal of Applied Physics</i> , 2005, 44, 7418-7420. | 1.5 | 44 |
| 48 | Unipolar assembly of zinc oxide rods manifesting polarity-driven collective luminescence. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 13588-13592. | 7.1 | 44 |
| 49 | Block-copolymer-assisted synthesis of hydroxyapatite nanoparticles with high surface area and uniform size. <i>Science and Technology of Advanced Materials</i> , 2011, 12, 045005. | 6.1 | 44 |
| 50 | Comprehensive Investigation of Single Crystal Diamond Deep-Ultraviolet Detectors. <i>Japanese Journal of Applied Physics</i> , 2012, 51, 090115. | 1.5 | 43 |
| 51 | Electrical characteristics of hydrogen-terminated diamond metal-oxide-semiconductor with atomic layer deposited HfO ₂ as gate dielectric. <i>Applied Physics Letters</i> , 2013, 102, . | 3.3 | 42 |
| 52 | Deposition of TiO ₂ /Al ₂ O ₃ bilayer on hydrogenated diamond for electronic devices: Capacitors, field-effect transistors, and logic inverters. <i>Journal of Applied Physics</i> , 2017, 121, . | 2.5 | 42 |
| 53 | Integration of high-dielectric constant Ta ₂ O ₅ oxides on diamond for power devices. <i>Applied Physics Letters</i> , 2012, 101, . | 3.3 | 41 |
| 54 | Facile Synthesis of Nanoporous Pt-Ru Alloy Spheres with Various Compositions toward Highly Active Electrocatalysts. <i>Chemistry - an Asian Journal</i> , 2012, 7, 876-880. | 3.3 | 41 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Single-Crystal-Like Nanoporous Spinel Oxides: A Strategy for Synthesis of Nanoporous Metal Oxides Utilizing Metal-Cyanide Hybrid Coordination Polymers. <i>Chemistry - A European Journal</i> , 2014, 20, 17375-17384. | 3.3 | 41 |
| 56 | Demonstration of diamond field effect transistors by AlN/diamond heterostructure. <i>Physica Status Solidi - Rapid Research Letters</i> , 2011, 5, 125-127. | 2.4 | 39 |
| 57 | Energy-Efficient Metal-Insulator-Metal-Semiconductor Field-Effect Transistors Based on 2D Carrier Gases. <i>Advanced Electronic Materials</i> , 2019, 5, 1800832. | 5.1 | 39 |
| 58 | Control of normally on/off characteristics in hydrogenated diamond metal-insulator-semiconductor field-effect transistors. <i>Journal of Applied Physics</i> , 2015, 118, . | 2.5 | 35 |
| 59 | Synthesis of a Novel Rocksalt-Type Ternary Nitride Semiconductor MgSnN_2 Using the Metathesis Reaction under High Pressure. <i>European Journal of Inorganic Chemistry</i> , 2020, 2020, 446-451. | 2.0 | 33 |
| 60 | Charge-carrier mobility in hydrogen-terminated diamond field-effect transistors. <i>Journal of Applied Physics</i> , 2020, 127, . | 2.5 | 33 |
| 61 | Displacement Plating of a Mesoporous Pt Skin onto Co Nanochains in a Low-Concentration Surfactant Solution. <i>Chemistry - A European Journal</i> , 2014, 20, 3277-3282. | 3.3 | 32 |
| 62 | Development of AlN/diamond heterojunction field effect transistors. <i>Diamond and Related Materials</i> , 2012, 24, 206-209. | 3.9 | 31 |
| 63 | Diamond field effect transistors with a high-dielectric constant Ta_2O_5 as gate material. <i>Journal Physics D: Applied Physics</i> , 2014, 47, 245102. | 2.8 | 31 |
| 64 | Tailored synthesis of various Au nanoarchitectures with branched shapes. <i>CrystEngComm</i> , 2012, 14, 7594. | 2.6 | 29 |
| 65 | Synthesis of Olive-Shaped Mesoporous Platinum Nanoparticles (MPNs) with a Hard-Templating Method Using Mesoporous Silica (SBA-15). <i>Chemistry - an Asian Journal</i> , 2012, 7, 802-808. | 3.3 | 29 |
| 66 | Diamond logic inverter with enhancement-mode metal-insulator-semiconductor field effect transistor. <i>Applied Physics Letters</i> , 2014, 105, . | 3.3 | 29 |
| 67 | A universal approach to the preparation of colloidal mesoporous platinum nanoparticles with controlled particle sizes in a wide range from 20 nm to 200 nm. <i>Physical Chemistry Chemical Physics</i> , 2014, 16, 8787-8790. | 2.8 | 28 |
| 68 | Synthesis of Highly Strained Mesostructured $\text{SrTiO}_3/\text{BaTiO}_3$ Composite Films with Robust Ferroelectricity. <i>Chemistry - A European Journal</i> , 2013, 19, 4446-4450. | 3.3 | 27 |
| 69 | Thermal Conversion of Hollow Prussian Blue Nanoparticles into Nanoporous Iron Oxides with Crystallized Hematite Phase. <i>European Journal of Inorganic Chemistry</i> , 2014, 2014, 1137-1141. | 2.0 | 27 |
| 70 | Thermodynamic Aspects of Growth of AlGaIn by High-Temperature Metal Organic Vapor Phase Epitaxy. <i>Japanese Journal of Applied Physics</i> , 2006, 45, 2502-2504. | 1.5 | 26 |
| 71 | Electrochemical Design of Mesoporous Pt-Ru Alloy Films with Various Compositions toward Superior Electrocatalytic Performance. <i>Chemistry - A European Journal</i> , 2012, 18, 13142-13148. | 3.3 | 26 |
| 72 | Assembly of a high-dielectric constant thin TiO_x layer directly on H-terminated semiconductor diamond. <i>Applied Physics Letters</i> , 2016, 108, . | 3.3 | 26 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 73 | Improvement of the quality factor of single crystal diamond mechanical resonators. Japanese Journal of Applied Physics, 2017, 56, 024101. | 1.5 | 26 |
| 74 | Single-crystal diamond microelectromechanical resonator integrated with a magneto-strictive galfenol film for magnetic sensing. Carbon, 2019, 152, 788-795. | 10.3 | 26 |
| 75 | Mesoporous SiO ₂ and Nb ₂ O ₅ thin films with large spherical mesopores through self-assembly of diblock copolymers: unusual conversion to cuboidal mesopores by Nb ₂ O ₅ crystal growth. CrystEngComm, 2011, 13, 40-43. | 2.6 | 25 |
| 76 | High- <i>k</i> ZrO ₂ /Al ₂ O ₃ bilayer on hydrogenated diamond: Band configuration, breakdown field, and electrical properties of field-effect transistors. Journal of Applied Physics, 2016, 120, . | 2.5 | 25 |
| 77 | Growth mechanism of c-axis-oriented AlN on (0 0 1) diamond substrates by metal-organic vapor phase epitaxy. Journal of Crystal Growth, 2010, 312, 368-372. | 1.5 | 24 |
| 78 | pH-responsive polymeric micelles with core-shell-corona architectures as intracellular anti-cancer drug carriers. Science and Technology of Advanced Materials, 2013, 14, 044402. | 6.1 | 24 |
| 79 | Growth mechanism of c-axis-oriented AlN on (1 1 1) diamond substrates by metal-organic vapor phase epitaxy. Journal of Crystal Growth, 2010, 312, 1325-1328. | 1.5 | 23 |
| 80 | Synthesis and characterization of highly ordered titania-alumina mixed oxide mesoporous films with high alumina content. Microporous and Mesoporous Materials, 2010, 134, 150-156. | 4.4 | 23 |
| 81 | Compressive properties of cartilage-like tissues repaired in vivo with scaffold-free, tissue engineered constructs. Clinical Biomechanics, 2009, 24, 110-116. | 1.2 | 22 |
| 82 | Structural properties and transfer characteristics of sputter deposition AlN and atomic layer deposition Al ₂ O ₃ bilayer gate materials for H-terminated diamond field effect transistors. Journal of Applied Physics, 2016, 120, . | 2.5 | 22 |
| 83 | Electrical properties of atomic layer deposited HfO ₂ /Al ₂ O ₃ multilayer on diamond. Diamond and Related Materials, 2015, 54, 55-58. | 3.9 | 21 |
| 84 | ±-Al ₂ O ₃ /Ga ₂ O ₃ superlattices coherently grown on <i>r</i> -plane sapphire. Applied Physics Express, 2018, 11, 065501. | 2.4 | 21 |
| 85 | Mg-doped high-quality Al _x Ga _{1-x} N (x=0-1) grown by high-temperature metal-organic vapor phase epitaxy. Physica Status Solidi C: Current Topics in Solid State Physics, 2007, 4, 2502-2505. | 0.8 | 20 |
| 86 | Shape-controlled synthesis of mesoporous iron phosphate materials with crystallized frameworks. Chemical Communications, 2015, 51, 13806-13809. | 4.1 | 20 |
| 87 | Magnetic Control of Magneto-Electrochemical Cell and Electric Double Layer Transistor. Scientific Reports, 2017, 7, 10534. | 3.3 | 20 |
| 88 | Electrical hysteresis in p-GaN metal-oxide-semiconductor capacitor with atomic-layer-deposited Al ₂ O ₃ as gate dielectric. Applied Physics Express, 2016, 9, 121002. | 2.4 | 19 |
| 89 | Sophisticated Crystal Transformation of a Coordination Polymer into Mesoporous Monocrystalline Ti-Fe-Based Oxide with Room-Temperature Ferromagnetic Behavior. Chemistry - an Asian Journal, 2011, 6, 3195-3199. | 3.3 | 18 |
| 90 | Synthesis of CaSnN ₂ via a High-Pressure Metathesis Reaction and the Properties of II-Sn-N ₂ (II = Ca, Mg, Zn) Semiconductors. Inorganic Chemistry, 2021, 60, 1773-1779. | 4.0 | 18 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Integration of (PbZr _{0.52} Ti _{0.48} O ₃) on single crystal diamond as metal-ferroelectric-insulator-semiconductor capacitor. Applied Physics Letters, 2009, 94, . | 3.3 | 17 |
| 92 | Synthesis of MoO ₃ nanotubes by thermal mesostructural transition of spherical triblock copolymer micelle templates. Chemical Communications, 2012, 48, 12091. | 4.1 | 17 |
| 93 | Systematic investigation of surface and bulk electronic structure of undoped In-polar InN epilayers by hard X-ray photoelectron spectroscopy. Journal of Applied Physics, 2013, 114, . | 2.5 | 17 |
| 94 | Temperature dependence of Young's modulus of single-crystal diamond determined by dynamic resonance. Diamond and Related Materials, 2021, 116, 108403. | 3.9 | 17 |
| 95 | Reducing intrinsic energy dissipation in diamond-on-diamond mechanical resonators toward one million quality factor. Physical Review Materials, 2018, 2, . | 2.4 | 17 |
| 96 | Impedance analysis of Al ₂ O ₃ /H-terminated diamond metal-oxide-semiconductor structures. Applied Physics Letters, 2015, 106, 083506. | 3.3 | 16 |
| 97 | Effect of off-cut angle of hydrogen-terminated diamond(111) substrate on the quality of AlN towards high-density AlN/diamond(111) interface hole channel. Journal of Applied Physics, 2017, 121, . | 2.5 | 16 |
| 98 | Quantum oscillations in diamond field-effect transistors with a h^{-1} -BN gate dielectric. Physical Review Materials, 2019, 3, . | 2.4 | 16 |
| 99 | High-speed growth of AlGaN having high-crystalline quality and smooth surface by high-temperature MOVPE. Journal of Crystal Growth, 2007, 298, 215-218. | 1.5 | 15 |
| 100 | AgBiS ₂ single crystal grown using slow cooling method and its characterization. Journal of Crystal Growth, 2015, 411, 1-3. | 1.5 | 15 |
| 101 | Annealing effects on hydrogenated diamond NOR logic circuits. Applied Physics Letters, 2018, 112, . | 3.3 | 15 |
| 102 | Effect of Boron Incorporation on Structural and Optical Properties of AlN Layers Grown by Metal-Organic Vapor Phase Epitaxy. Physica Status Solidi (A) Applications and Materials Science, 2018, 215, 1800282. | 1.8 | 15 |
| 103 | The electric double layer effect and its strong suppression at Li ⁺ solid electrolyte/hydrogenated diamond interfaces. Communications Chemistry, 2021, 4, . | 4.5 | 15 |
| 104 | Schottky-barrier photodiode using p-diamond epilayer grown on p ⁺ -diamond substrates. Diamond and Related Materials, 2009, 18, 296-298. | 3.9 | 14 |
| 105 | Mesoporous Co ₃ O ₄ for Low Temperature CO Oxidation: Effect of Calcination Temperatures on Their Catalytic Performance. Journal of Nanoscience and Nanotechnology, 2011, 11, 3843-3850. | 0.9 | 14 |
| 106 | Controlled Crystallization of Cyano-Bridged Cu-Pt Coordination Polymers with Two-Dimensional Morphology. Chemistry - an Asian Journal, 2014, 9, 1511-1514. | 3.3 | 14 |
| 107 | Direct observation of inversion capacitance in p-type diamond MOS capacitors with an electron injection layer. Japanese Journal of Applied Physics, 2018, 57, 04FR01. | 1.5 | 14 |
| 108 | Band Gap-Tunable (Mg, Zn)Sn ₂ Earth-Abundant Alloys with a Wurtzite Structure. ACS Applied Electronic Materials, 2021, 3, 4934-4942. | 4.3 | 14 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 109 | Submicron metal-semiconductor-metal photodiodes toward improving the responsivity. Applied Physics Letters, 2007, 91, 163510. | 3.3 | 13 |
| 110 | Nanoelectromechanical switch fabricated from single crystal diamond: Experiments and modeling. Diamond and Related Materials, 2012, 24, 69-73. | 3.9 | 13 |
| 111 | Schottky photodiode using submicron thick diamond epilayer for flame sensing. Nano-Micro Letters, 2009, 1, 30-33. | 27.0 | 12 |
| 112 | Improved ferroelectric properties of Pb(Zr _{0.52} Ti _{0.48})O ₃ thin film on single crystal diamond using CaF ₂ layer. Applied Physics Letters, 2010, 96, . | 3.3 | 12 |
| 113 | Silicon-compatible Mg ₂ Si/Si n-p photodiodes with high room temperature infrared responsivity. Materials Science in Semiconductor Processing, 2019, 102, 104577. | 4.0 | 12 |
| 114 | Composition-Dependent Properties of Wurtzite-Type Mg _{1+x} Sn _{1-x} N ₂ Epitaxially Grown on GaN(001) Templates. ACS Applied Electronic Materials, 2021, 3, 1341-1349. | 4.3 | 12 |
| 115 | High-quality Al _{0.12} Ga _{0.88} N film with low dislocation density grown on facet-controlled Al _{0.12} Ga _{0.88} N by MOVPE. Journal of Crystal Growth, 2004, 272, 377-380. | 1.5 | 11 |
| 116 | Microstructure in nonpolar m-plane GaN and AlGaIn films. Journal of Crystal Growth, 2007, 298, 288-292. | 1.5 | 11 |
| 117 | Piezoelectric Pb(Zr _{0.52} Ti _{0.48})O ₃ thin films on single crystal diamond: Structural, electrical, dielectric, and field-effect-transistor properties. Journal of Applied Physics, 2010, 107, 024101. | 2.5 | 11 |
| 118 | Interfacial electronic band alignment of Ta ₂ O ₅ /hydrogen-terminated diamond heterojunction determined by X-ray photoelectron spectroscopy. Diamond and Related Materials, 2013, 38, 24-27. | 3.9 | 11 |
| 119 | SnS crystal grown using horizontal gradient freeze method and its electrical properties. Journal of Alloys and Compounds, 2014, 591, 326-328. | 5.5 | 11 |
| 120 | Reducing energy dissipation and surface effect of diamond nanoelectromechanical resonators by annealing in oxygen ambient. Carbon, 2017, 124, 281-287. | 10.3 | 11 |
| 121 | Fabrication of coherent Γ^3 -Al ₂ O ₃ /Ga ₂ O ₃ superlattices on MgAl ₂ O ₄ substrates. Applied Physics Express, 2019, 12, 065503. | 2.4 | 11 |
| 122 | Critical aspects of high temperature MOCVD growth of AlN epilayers on 6H-SiC substrates. Physica Status Solidi C: Current Topics in Solid State Physics, 2006, 3, 1392-1395. | 0.8 | 10 |
| 123 | Mechanism of photoconductivity gain and persistent photoconductivity for diamond photodetector. Diamond and Related Materials, 2010, 19, 205-207. | 3.9 | 9 |
| 124 | Synthesis and characterization of Zn-doped mesoporous SnO ₂ by using thermally-stable block copolymer templates. Dalton Transactions, 2013, 42, 6366. | 3.3 | 9 |
| 125 | Photoelectron spectroscopic study of electronic state and surface structure of In ₂ O ₃ single crystals. Applied Physics Express, 2017, 10, 011102. | 2.4 | 9 |
| 126 | Microstructure of a-plane AlN grown on r-plane sapphire and on patterned AlN templates by metalorganic vapor phase epitaxy. Physica Status Solidi C: Current Topics in Solid State Physics, 2007, 4, 2528-2531. | 0.8 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Impact of Mg concentration on energy-band-depth profile of Mg-doped InN epilayers analyzed by hard X-ray photoelectron spectroscopy. Applied Physics Letters, 2013, 103, . | 3.3 | 8 |
| 128 | Investigation of the near-surface structures of polar InN films by chemical-state-discriminated hard X-ray photoelectron diffraction. Applied Physics Letters, 2013, 102, . | 3.3 | 8 |
| 129 | A density functional study of the effect of hydrogen on electronic properties and band discontinuity at anatase TiO ₂ /diamond interface. Journal of Applied Physics, 2018, 123, . | 2.5 | 8 |
| 130 | Growth of high-quality thick AlGaIn by high-temperature metalorganic vapor phase epitaxy. Physica Status Solidi C: Current Topics in Solid State Physics, 2008, 5, 1559-1561. | 0.8 | 7 |
| 131 | Vertical-type Schottky-barrier photodiode using p-diamond epilayer grown on heavily boron-doped p+-diamond substrate. Diamond and Related Materials, 2008, 17, 1916-1921. | 3.9 | 7 |
| 132 | Microstructure of AlN with two-domain structure on (001) diamond substrate grown by metal-organic vapor phase epitaxy. Diamond and Related Materials, 2010, 19, 131-133. | 3.9 | 7 |
| 133 | Interfacial chemical bonding state and band alignment of CaF ₂ /hydrogen-terminated diamond heterojunction. Journal of Applied Physics, 2013, 113, 123706. | 2.5 | 7 |
| 134 | Photoelectron spectroscopic study of electronic states and surface structure of an in situ cleaved In ₂ O ₃ (111) single crystal. Japanese Journal of Applied Physics, 2019, 58, SDDG06. | 1.5 | 7 |
| 135 | Ultraviolet Detectors Based on Ultraviolet-Ozone Modified Hydrogenated Diamond Surfaces. Applied Physics Express, 0, 2, 065501. | 2.4 | 6 |
| 136 | Strong Correlation Between Oxygen Donor and Near-Surface Electron Accumulation in Undoped and Mg-Doped In-Polar InN Films. Applied Physics Express, 2012, 5, 031002. | 2.4 | 6 |
| 137 | Oxygen-Assisted Synthesis of Mesoporous Palladium Nanoparticles as Highly Active Electrocatalysts. Chemistry - A European Journal, 2015, 21, 18671-18676. | 3.3 | 6 |
| 138 | A Solution Phase Synthesis of Dendritic Platinum Nanoelectrocatalysts with the Assistance of Polyoxyethylene Nonylphenyl Ether. Journal of Inorganic and Organometallic Polymers and Materials, 2015, 25, 245-250. | 3.7 | 6 |
| 139 | Photoelectron spectroscopic study on electronic state and electrical properties of SnO ₂ single crystals. Japanese Journal of Applied Physics, 2019, 58, 080903. | 1.5 | 6 |
| 140 | Precise characterization of atomic-scale corrosion of single crystal diamond in H ₂ plasma based on MEMS/NEMS. Corrosion Science, 2020, 170, 108651. | 6.6 | 6 |
| 141 | Analysis of Broken Symmetry in Convergent-Beam Electron Diffraction along $112_{0,0}$ and $111_{,00}$ Zone-Axes of AlN for Polarity Determination. Japanese Journal of Applied Physics, 2013, 52, 08JE15. | 1.5 | 5 |
| 142 | Synthesis of a Large-Sized Mesoporous Phosphosilicate Thin Film through Evaporation-Induced Polymeric Micelle Assembly. Chemistry - an Asian Journal, 2015, 10, 183-187. | 3.3 | 5 |
| 143 | Surface and bulk electronic structures of heavily Mg-doped InN epilayer by hard X-ray photoelectron spectroscopy. Journal of Applied Physics, 2017, 121, . | 2.5 | 5 |
| 144 | Nanometer-thin ALD-Al ₂ O ₃ for the improvement of the structural quality of AlN grown on sapphire substrate by MOVPE. Physica Status Solidi (A) Applications and Materials Science, 2017, 214, 1600727. | 1.8 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Microstructure of threading dislocations caused by grain boundaries in AlN on sapphire substrates. Physica Status Solidi C: Current Topics in Solid State Physics, 2008, 5, 1582-1584. | 0.8 | 4 |
| 146 | Electrically multiplexed tactile interface: fusion of smart tactile sensor and display. , 2013, , . | | 4 |
| 147 | Influence of surface structure of (0001) sapphire substrate on the elimination of small-angle grain boundary in AlN epilayer. AIP Advances, 2015, 5, 097143. | 1.3 | 4 |
| 148 | Unobtrusive tactile sensing based on electromechanical boundary estimation. , 2015, 2015, 4375-8. | | 4 |
| 149 | Electrotactile Augmentation for Carving Guidance. IEEE Transactions on Haptics, 2016, 9, 43-53. | 2.7 | 4 |
| 150 | Optoelectronic characteristics of the Ag-doped Si p-n photodiodes prepared by a facile thermal diffusion process. AIP Advances, 2019, 9, 055024. | 1.3 | 4 |
| 151 | Analysis of polar direction of AlN grown on (0001) sapphire and 6H-SiC substrates by high-temperature metal-organic vapor phase epitaxy using coaxial impact collision ion scattering spectroscopy. Physica Status Solidi C: Current Topics in Solid State Physics, 2010, 7, 2365-2367. | 0.8 | 3 |
| 152 | Fabrication and electrical properties of SrTiO ₃ /diamond junctions. Diamond and Related Materials, 2010, 19, 319-323. | 3.9 | 3 |
| 153 | Bias induced Cu ion migration behavior in resistive change memory structure observed by hard X-ray photoelectron spectroscopy. Japanese Journal of Applied Physics, 2015, 54, 06FG01. | 1.5 | 3 |
| 154 | Thermal mismatch induced stress characterization by dynamic resonance based on diamond MEMS. Applied Physics Express, 2021, 14, 045501. | 2.4 | 3 |
| 155 | Spatially Transparent Tactile Sensor Utilizing Electromechanical Properties of Skin. Advanced Biomedical Engineering, 2012, 1, 89-97. | 0.6 | 3 |
| 156 | Microstructure of nitrides grown on inclined c-plane sapphire and SiC substrate. Physica B: Condensed Matter, 2006, 376-377, 491-495. | 2.7 | 2 |
| 157 | High Temperature MOVPE Growth of Al _x Ga _{1-x} N (0.2-1) Layers on Sapphire and SiC Substrates for the Fabrication Deep UV Optical Devices. Materials Research Society Symposia Proceedings, 2006, 955, 1. | 0.1 | 2 |
| 158 | AlN and AlGa _N by MOVPE for UV Light Emitting Devices. Materials Science Forum, 2008, 590, 175-210. | 0.3 | 2 |
| 159 | Investigation of the Effect of Oxygen on the Near-Surface Electron Accumulation in Nonpolar m-Plane (101̄,0) InN Film by Hard X-ray Photoelectron Spectroscopy. Japanese Journal of Applied Physics, 2013, 52, 08JD01. | 1.5 | 2 |
| 160 | Easy and General Synthesis of Large-Sized Mesoporous Rare-Earth Oxide Thin Films by Micelle Assembly. Chemistry - an Asian Journal, 2015, 10, 2590-2593. | 3.3 | 2 |
| 161 | Threshold Voltage Instability of Diamond Metal-Oxide-Semiconductor Field-Effect Transistors Based on 2D Hole Gas. Physica Status Solidi (A) Applications and Materials Science, 2019, 216, 1900538. | 1.8 | 2 |
| 162 | Integrated TbDyFe Film on a Single-Crystal Diamond Microelectromechanical Resonator for Magnetic Sensing. Physica Status Solidi - Rapid Research Letters, 2021, 15, 2100352. | 2.4 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 163 | Optical and electrical properties of silicon-implanted Al_2O_3 . Japanese Journal of Applied Physics, 2021, 60, 106502. | 1.5 | 2 |
| 164 | Electron transport properties in degenerate magnesium tin oxynitride ($\text{Mg}_{1-x}\text{Sn}_{1+x}\text{N}_2\text{O}_2$) with average wurtzite structure. Journal of Applied Physics, 2022, 131, 075302. | 2.5 | 2 |
| 165 | Group III nitrides grown on 4H-SiC (30 \times 3 \times 8) substrate by metal-organic vapor phase epitaxy. Materials Research Society Symposia Proceedings, 2004, 831, 165. | 0.1 | 1 |
| 166 | Sublimation growth of AlN bulk crystals by seeded and spontaneous nucleation methods. Materials Research Society Symposia Proceedings, 2004, 831, 158. | 0.1 | 1 |
| 167 | Smart sensing of tool/tissue interaction by resistive coupling. , 2013, 2013, 628-31. | | 1 |
| 168 | Mesoporous Spheres: Multimetallic Mesoporous Spheres Through Surfactant-Directed Synthesis (Adv.) Tj ETQq0 0 0 rgBT /Overlock 10 | 11.2 | 1 |
| 169 | Bottom-electrode effect on switching behavior and interface reaction in nanoionic-based resistive changing memory. Japanese Journal of Applied Physics, 2016, 55, 08PC03. | 1.5 | 1 |
| 170 | Effect of Sputter Deposition Atmosphere of AlN on the Electrical Properties of Hydrogen-Terminated Diamond Field Effect Transistor with AlN/ Al_2O_3 Stack Gate. Physica Status Solidi (A) Applications and Materials Science, 2017, 214, 1700463. | 1.8 | 1 |
| 171 | Surface and bulk electronic structures of unintentionally and Mg-doped In _{0.7} Ga _{0.3} N epilayer by hard X-ray photoelectron spectroscopy. Journal of Applied Physics, 2018, 123, 095701. | 2.5 | 1 |
| 172 | Nitride-Based UV Lasers. Conference Proceedings - Lasers and Electro-Optics Society Annual Meeting-LEOS, 2007, , . | 0.0 | 0 |
| 173 | 3D simulation of platelet aggregation in cryosurgery. , 2013, 2013, 1891-4. | | 0 |
| 174 | Diamond FETs using heterojunction and high-k dielectrics. , 2014, , . | | 0 |
| 175 | Å¼ctitelbild: Polymeric Micelle Assembly with Inorganic Nanosheets for Construction of Mesoporous Architectures with Crystallized Walls (Angew. Chem. 14/2015). Angewandte Chemie, 2015, 127, 4478-4478. | 2.0 | 0 |
| 176 | Formation Mechanism and Elimination of Small-Angle Grain Boundary in AlN Grown on (0001) Sapphire Substrate. , 2017, , . | | 0 |
| 177 | Synthesis of a Novel Rocksalt-Type Ternary Nitride Semiconductor MgSnN ₂ Using the Metathesis Reaction Under High Pressure. European Journal of Inorganic Chemistry, 2020, 2020, 418-418. | 2.0 | 0 |
| 178 | 8D-03 Force generation and bone destruction model by impact. The Proceedings of the Bioengineering Conference Annual Meeting of BED/JSME, 2011, 2010.23, 59-60. | 0.0 | 0 |
| 179 | 8D16 Surgical Preoperative Planning System with Haptic Device for Total Hip Arthroplasty.. The Proceedings of the Bioengineering Conference Annual Meeting of BED/JSME, 2012, 2012.24, _8D16-1_-_8D16-2_. | 0.0 | 0 |
| 180 | Development of Diamond-based Optical and Electronic Devices. Journal of Smart Processing, 2013, 2, 224-229. | 0.1 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 181 | Bolus Transport Simulation by Peristaltic Movement of Esophagus. The Japanese Journal for Medical Virtual Reality, 2014, 12, 9-14. | 0.2 | 0 |
| 182 | Sound-aided Tracing System for Visually Impaired People. Transactions of the Institute of Systems Control and Information Engineers, 2015, 28, 205-212. | 0.1 | 0 |
| 183 | Improvement of structural quality of AlN layers grown on c-plane sapphire substrate by metal-organic vapor phase epitaxy using post-growth annealing with trimethylgallium. AIP Advances, 2022, 12, 015203. | 1.3 | 0 |