
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4427436/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Peripheral blood smear and hemoglobin electrophoresis of unsuspected hemoglobin Bart's hydrops fetalis in a newborn. International Journal of Laboratory Hematology, 2022, 44, 53-54.	1.3	0
2	Novel ELISA Protocol Links Pre-Existing SARS-CoV-2 Reactive Antibodies With Endemic Coronavirus Immunity and Age and Reveals Improved Serologic Identification of Acute COVID-19 via Multi-Parameter Detection. Frontiers in Immunology, 2021, 12, 614676.	4.8	13
3	Distinctive pseudopalisaded histiocytic hyperplasia characterizes the transition of exudative to proliferative phase of diffuse alveolar damage in patients dying of COVID-19. Human Pathology, 2021, 116, 49-62.	2.0	2
4	SARS-CoV-2 Infection–Associated Hemophagocytic Lymphohistiocytosis. American Journal of Clinical Pathology, 2020, 154, 466-474.	0.7	103
5	Comparing measures of hematologic response after high-dose melphalan and stem cell transplantation in AL amyloidosis. Blood Cancer Journal, 2020, 10, 88.	6.2	14
6	Early Serum Free Light Chain Response after High-Dose Melphalan and Stem Cell Transplantation Predicts Hematologic Response in AL Amyloidosis. Blood, 2020, 136, 26-26.	1.4	0
7	Modified High Dose Versus High Dose Melphalan Conditioning in Older Patients Undergoing Autologous Stem Cell Transplantation for Immunoglobulin Light Chain Amyloidosis. Blood, 2020, 136, 4-5.	1.4	0
8	High-dose melphalan and autologous peripheral blood stem cell transplantation in patients with AL amyloidosis and cardiac defibrillators. Bone Marrow Transplantation, 2019, 54, 1304-1309.	2.4	4
9	Monoclonal IgG4/2κ Deposition Following Eculizumab Therapy for Recurrent Atypical Hemolytic Uremic Syndrome in Kidney Transplantation. Kidney Medicine, 2019, 1, 139-143.	2.0	0
10	Induction Therapy with Bortezomib and Dexamethasone and Conditioning with High-Dose Melphalan and Bortezomib Followed by Autologous Stem Cell Transplantation for Immunoglobulin Light Chain Amyloidosis: Long-Term Follow-Up Analysis. Biology of Blood and Marrow Transplantation, 2019, 25, e169-e173.	2.0	14
11	Safety and Efficacy of Propylene Clycol-Free Melphalan (Evomela) in Patients with AL Amyloidosis Undergoing Autologous Stem Cell Transplantation: Preliminary Results of a Phase II Study. Blood, 2019, 134, 4578-4578.	1.4	1
12	Concurrent Presentation of Thrombotic Thrombocytopenic Purpura and Membranous Nephropathy. Kidney International Reports, 2018, 3, 476-481.	0.8	3
13	Teach, listen, love: a personalised approach to supervising doctors in training. Postgraduate Medical Journal, 2018, 94, 730-730.	1.8	0
14	Quality Management of massive transfusion protocol incorporating tranexamic acid adherence. Transfusion and Apheresis Science, 2018, 57, 785-789.	1.0	0
15	Evaluation of a new continuous mononuclear cell collection procedure in a single transplant center cohort enriched for AL amyloidosis patients. Transfusion and Apheresis Science, 2018, 57, 411-415.	1.0	1
16	Modified High-Dose Melphalan and Autologous Stem Cell Transplantation for Immunoglobulin Light Chain Amyloidosis. Biology of Blood and Marrow Transplantation, 2018, 24, 1823-1827.	2.0	12
17	Heparin-induced thrombocytopenia and thrombosis during high dose melphalan and autologous stem cell transplantation. Blood, 2018, 132, 755-757.	1.4	4
18	High-dose melphalan and stem cell transplantation in AL amyloidosis with elevated cardiac biomarkers. Bone Marrow Transplantation, 2018, 53, 1593-1595.	2.4	2

#	Article	IF	CITATIONS
19	High-Dose Melphalan and Stem Cell Transplantation in Patients on Dialysis Due to Immunoglobulin Light-Chain Amyloidosis and Monoclonal Immunoglobulin Deposition Disease. Biology of Blood and Marrow Transplantation, 2018, 24, 127-132.	2.0	31
20	Induction Therapy with Bortezomib and Dexamethasone and Conditioning with High-Dose Melphalan and Bortezomib Followed By Autologous Stem Cell Transplantation for AL Amyloidosis: Long Term Follow-up Analysis. Blood, 2018, 132, 4616-4616.	1.4	0
21	Safety of Autologous Stem Cell Transplantation in Patients with Known HTLV-1 Infection: A Case Series of 4 Patients. Blood, 2018, 132, 5738-5738.	1.4	0
22	Acute Oxaliplatin-induced Hemolytic Anemia, Thrombocytopenia, and Renal Failure: Case Report and a Literature Review. Clinical Colorectal Cancer, 2017, 16, e105-e107.	2.3	5
23	Thrombotic Microangiopathy: A Multidisciplinary TeamÂApproach. American Journal of Kidney Diseases, 2017, 70, 715-721.	1.9	20
24	Hematologic relapse in AL amyloidosis after high-dose melphalan and stem cell transplantation. Blood, 2017, 130, 1383-1386.	1.4	30
25	Hemovigilance in Massachusetts and the adoption of statewide hospital blood bank reporting using the National Healthcare Safety Network. Transfusion, 2017, 57, 478-483.	1.6	5
26	The trials and tribulations of chronic transfusion in pediatric sickle cell disease: progress from STOP to TWiTCH?. Transfusion, 2016, 56, 1673-1674.	1.6	0
27	Recurrent focal segmental glomerulosclerosis apparently resistant to plasmapheresis improves after surgical repair of arteriovenous fistula aneurysms. CKJ: Clinical Kidney Journal, 2016, 9, 408-410.	2.9	0
28	Transfusion of Red Cells. New England Journal of Medicine, 2016, 374, e12.	27.0	1
29	Long-term outcome of patients with AL amyloidosis treated with high-dose melphalan and stem cell transplantation: 20-year experience. Blood, 2015, 126, 2345-2347.	1.4	109
30	Induction Therapy with Bortezomib Followed by Bortezomib-High Dose Melphalan and Stem Cell Transplantation for Light Chain Amyloidosis: Results of a Prospective Clinical Trial. Biology of Blood and Marrow Transplantation, 2015, 21, 1445-1451.	2.0	55
31	Nonoperative Management of Spontaneous Splenic Rupture in a Patient with Light-Chain Amyloidosis: A Case Report. Journal of Vascular and Interventional Radiology, 2015, 26, 1578-1580.	0.5	2
32	The Incidence of Atrial Fibrillation Among Patients with AL Amyloidosis Undergoing High Dose Melphalan and Stem Cell Transplantation (HDM/SCT): Experience at a Single Institution. Blood, 2015, 126, 5490-5490.	1.4	1
33	Effect of Severe Hypoalbuminemia on Myelosuppression and Other Toxicities of High Dose Melphalan and Autologous Stem Cell Transplantation in AL Amyloidosis Patients. Blood, 2015, 126, 5499-5499.	1.4	0
34	A Retrospective Review of Engraftment Data for Tbo-Filgrastim Vs. Filgrastim in Patients Undergoing High Dose Chemotherapy and Autologous Stem Cell Transplantation. Blood, 2015, 126, 5484-5484.	1.4	0
35	Plerixafor-augmented peripheral blood stem cell mobilization in AL amyloidosis with cardiac involvement: a case series. Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis, 2014, 21, 149-153.	3.0	11
36	Blood and bombs: blood use after the <scp>B</scp> oston <scp>M</scp> arathon bombing of <scp>A</scp> pril 15, 2013. Transfusion, 2014, 54, 1202-1203.	1.6	12

#	Article	IF	CITATIONS
37	Acquired Glanzmann Thrombasthenia Associated With Hodgkin Lymphoma: Rapid Reversal of Functional Platelet Defect With ABVD (Adriamycin/Bleomycin/Vinblastine/Dacarbazine) Chemotherapy. Clinical Lymphoma, Myeloma and Leukemia, 2014, 14, e51-e54.	0.4	10
38	Genes Associated with Alloimmunization to Blood Group Antigens in Sickle Cell Disease. Blood, 2014, 124, 762-762.	1.4	3
39	Effect of Severe Hypoalbuminemia on Myelosuppression and Other Toxicities of High Dose Melphalan and Autologous Stem Cell Transplantation in AL Amyloidosis Patients. Blood, 2014, 124, 5906-5906.	1.4	0
40	Plasma exchange and glucocorticoid dosing in the treatment of anti-neutrophil cytoplasm antibody associated vasculitis (PEXIVAS): protocol for a randomized controlled trial. Trials, 2013, 14, 73.	1.6	198
41	In search of plentiful universal donor plasma: what might <scp>L</scp> andsteiner say?. Transfusion, 2013, 53, 1863-1864.	1.6	2
42	Long-Term Outcome Of Patients With AL Amyloidosis Treated With High-Dose Melphalan and Stem Cell Transplantation: 19 Year Experience At a Single Center. Blood, 2013, 122, 3328-3328.	1.4	1
43	Diagnosis and Management of Platelet Alloimmunization. , 2013, 10, .		Ο
44	Proteasome Inhibitor Based Protocol For Antibody Mediated Rejection In Kidney Transplantation. Blood, 2013, 122, 4728-4728.	1.4	0
45	A Massive Transfusion Protocol Incorporating a Higher FFP/RBC Ratio Is Associated With Decreased Use of Recombinant Activated Factor VII in Trauma Patients. American Journal of Clinical Pathology, 2012, 137, 566-571.	0.7	14
46	High-dose melphalan and stem cell transplantation for patients with AL amyloidosis: trends in treatment-related mortality over the past 17 years at a single referral center. Blood, 2012, 120, 4445-4446.	1.4	38
47	Amyloid Deposits in the Bone Marrow of Patients with Immunoglobulin Light Chain Amyloidosis Do Not Impact Stem Cell Mobilization or Engraftment. Biology of Blood and Marrow Transplantation, 2012, 18, 1935-1938.	2.0	13
48	Hemolysis from platelet transfusion: call to action for an underreported reaction. Transfusion, 2012, 52, 2072-2074.	1.6	15
49	Successful Long-Term Management of Aneurysm-Associated Chronic Disseminated Intravascular Coagulation with Low Molecular Weight Heparin. Journal of Cardiac Surgery, 2012, 27, 730-735.	0.7	7
50	Treatment of AL Amyloidosis with Two Cycles of Induction Therapy with Bortezomib and Dexamethasone Followed by Bortezomib-High Dose Melphalan Conditioning and Autologous Stem Cell Transplantation. Blood, 2012, 120, 2019-2019.	1.4	4
51	Acquired Glanzmann's Thrombasthenia Associated with Hodgkin Lymphoma: Rapid Reversal of Functional Platelet Defect with Chemotherapy Despite Persistence of a Glycoprotein lib/liia Auto-Antibody. Blood, 2012, 120, 4656-4656.	1.4	0
52	Outcome of AL amyloidosis after high-dose melphalan and autologous stem cell transplantation: long-term results in a series of 421 patients. Blood, 2011, 118, 4346-4352.	1.4	259
53	Bortezomib and high-dose melphalan conditioning for stem cell transplantation for AL amyloidosis: a pilot study. Haematologica, 2011, 96, 1890-1892.	3.5	34
54	A practical strategy to reduce the risk of passive hemolysis by screening plateletpheresis donors for highâ€ŧiter ABO antibodies. Transfusion, 2011, 51, 92-96.	1.6	58

#	Article	IF	CITATIONS
55	Screening plateletpheresis donors for HLA antibodies on two highâ€throughput platforms and correlation with recipient outcome. Transfusion, 2011, 51, 504-510.	1.6	16
56	High-Dose Melphalan and Stem Cell Transplantation for Patients with AL Amyloidosis and Cardiac Involvement. Blood, 2011, 118, 2043-2043.	1.4	0
57	Short and long-term outcome of treatment with high-dose melphalan and stem cell transplantation for multiple myeloma-associated AL amyloidosis. Annals of Hematology, 2010, 89, 579-584.	1.8	14
58	Prevalence of RhD Variants, Confirmed by Molecular Genotyping, in a Multiethnic Prenatal Population. American Journal of Clinical Pathology, 2010, 134, 438-442.	0.7	32
59	High-Dose Melphalan and Autologous Stem Cell Transplantation In AL Amyloidosis and Monoclonal Immunoglobulin Deposition Disease Associated End-Stage Renal Disease Requiring Dialysis. Blood, 2010, 116, 3553-3553.	1.4	1
60	Outcome of Patients with AL Amyloidosis Who Do Not Achieve Hematologic Complete Response After Treatment with High Dose Melphalan and Autologous Transplantation: Results In a Series of 421 Patients. Blood, 2010, 116, 2394-2394.	1.4	1
61	Hepatic response after high-dose melphalan and stem cell transplantation in patients with AL amyloidosis associated liver disease. Haematologica, 2009, 94, 1029-1032.	3.5	25
62	Granulocyte transfusions in severe aplastic anemia: an eleven-year experience. Haematologica, 2009, 94, 1661-1668.	3.5	84
63	Spontaneous rupture of the liver in a patient with systemic AL amyloidosis undergoing treatment with high-dose melphalan and autologous stem cell transplantation: A case report with literature review. Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis. 2009. 16. 103-107.	3.0	16
64	Tenâ€year followâ€up of unrelated volunteer granulocyte donors who have received multiple cycles of granulocyte–colonyâ€stimulating factor and dexamethasone. Transfusion, 2009, 49, 513-518.	1.6	26
65	The determinants of granulocyte yield in 1198 granulocyte concentrates collected from unrelated volunteer donors mobilized with dexamethasone and granulocyte–colonyâ€stimulating factor: a 13â€year experience. Transfusion, 2009, 49, 421-426.	1.6	20
66	Probioticâ€associated highâ€ŧiter antiâ€B in a group A platelet donor as a cause of severe hemolytic transfusion reactions. Transfusion, 2009, 49, 1845-1849.	1.6	71
67	A Genome-Wide Association Study of the Alloimmunization Responder Phenotype in Sickle Cell Disease Blood, 2009, 114, 2551-2551.	1.4	2
68	Bortezomib and High Dose Melphalan Followed by Autologous Stem Cell Transplantation (BortHDM/SCT) for the Treatment of AL Amyloidosis: Results of a Feasibility Study Blood, 2009, 114, 4353-4353.	1.4	1
69	Second Autologous Peripheral Blood Stem Cell Transplantation with High Dose Melphalan (HDM/SCT) in Patients Relapsing After An Initial Course of HDM/SCT for the Treatment of AL Amyloidosis Blood, 2009, 114, 2318-2318.	1.4	0
70	Early Serum Free Light Chain Responses Following High-Dose Melphalan and Stem Cell Transplantation for AL Amyloidosis Blood, 2009, 114, 4352-4352.	1.4	0
71	Long Term Results of High-Dose Melphalan and Autologous Stem Cell Transplantation in Non-Amyloid Monoclonal Immunoglobulin Deposition Disorders Blood, 2009, 114, 4356-4356.	1.4	0
72	PREVALENCE OF CEFTRIAXONE-INDUCED RED BLOOD CELL ANTIBODIES IN PEDIATRIC PATIENTS WITH SICKLE CELL DISEASE AND HUMAN IMMUNODEFICIENCY VIRUS INFECTION. Pediatric Infectious Disease Journal, 2008, 27, 357-358.	2.0	23

#	Article	IF	CITATIONS
73	Long-term outcome of patients with AL amyloidosis treated with high-dose melphalan and stem-cell transplantation. Blood, 2007, 110, 3561-3563.	1.4	154
74	Low-dose recombinant activated factor VII in massively transfused trauma patients with coagulopathy. Transfusion, 2007, 47, 749-751.	1.6	8
75	Effect of Hydroxyurea on Immature Reticulocyte Fraction in Sickle Cell Anemia. Laboratory Hematology: Official Publication of the International Society for Laboratory Hematology, 2007, 13, 93-97.	1.2	5
76	Successful treatment of AL amyloidosis with high-dose melphalan and autologous stem cell transplantation in patients over age 65. Blood, 2006, 108, 3945-3947.	1.4	33
77	Quality Improvement to Decrease Specimen Mislabeling in Transfusion Medicine. Archives of Pathology and Laboratory Medicine, 2006, 130, 1196-1198.	2.5	35
78	Treatment of AL Amyloidosis with Tandem Cycles of High Dose Melphalan and Autologous Stem Cell Transplantation: Final Analysis of a Prospective Trial Blood, 2006, 108, 612-612.	1.4	0
79	Relapse Rate and Long-Term Survival of AL Amyloidosis Patients Treated with High-Dose Melphalan and Autologous Stem Cell Transplantation (HDM/SCT) Blood, 2006, 108, 3094-3094.	1.4	10
80	High-Dose Melphalan and Autologous Stem Cell Transplantation in Unusual Non-Amyloid Light Chain Deposition Disorders Blood, 2005, 106, 5476-5476.	1.4	0
81	Efficacy of Low-Dose Recombinant Activated Factor VII (rFVIIa) in Massively Transfused Trauma Patients with Coagulopathy Blood, 2005, 106, 950-950.	1.4	0
82	Early Serum Free Light Chain Responses Following High-Dose Melphalan and Stem Cell Transplantation for AL Amyloidosis Predict Treatment Outcomes Blood, 2005, 106, 1160-1160.	1.4	0
83	Pericardial effusion: A rare presentation of adult T-cell leukemia/lymphoma. American Journal of Hematology, 2004, 77, 381-383.	4.1	14
84	A Novel Sickle Hemoglobin: Hemoglobin S-South End. Journal of Pediatric Hematology/Oncology, 2004, 26, 773-776.	0.6	18
85	Improvement in quality of life of patients with AL amyloidosis treated with high-dose melphalan and autologous stem cell transplantation. Blood, 2004, 104, 1888-1893.	1.4	109
86	High-Dose Melphalan and Autologous Stem-Cell Transplantation in Patients with AL Amyloidosis: An 8-Year Study. Annals of Internal Medicine, 2004, 140, 85.	3.9	539
87	Feasibility of Second Autologous Peripheral Blood Stem Cell (PBSC) Collection Followed by a Second Cycle of High Dose Melphalan (HDM) in Patients Relapsing after an Initial Course of HDM for the Treatment of AL Amyloidosis Blood, 2004, 104, 5226-5226.	1.4	4
88	Successful Treatment of AL Amyloidosis Patients over Age 65 with High-Dose Melphalan and Autologous Stem Cell Transplantation (HDM/SCT) Blood, 2004, 104, 923-923.	1.4	7
89	Acquired factor X deficiency in patients with amyloid light-chain amyloidosis: incidence, bleeding manifestations, and response to high-dose chemotherapy. Blood, 2001, 97, 1885-1887.	1.4	200
90	Hypotensive Transfusion Reactions in Patients Taking Angiotensin-Converting–Enzyme Inhibitors. New England Journal of Medicine, 2000, 343, 1422-1423.	27.0	25

#	Article	IF	CITATIONS
91	Vascular erosion caused by a double-lumen central venous catheter during therapeutic plasma exchange. Transfusion, 1995, 35, 510-512.	1.6	6