

Else-Marie LÃ,berg

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4427614/publications.pdf>

Version: 2024-02-01

61
papers

1,054
citations

394421

19
h-index

454955

30
g-index

66
all docs

66
docs citations

66
times ranked

1601
citing authors

#	ARTICLE	IF	CITATIONS
1	Neural Activation in the Ventromedial Prefrontal Cortex Precedes Conscious Experience of Being in or out of a Transient Hallucinatory State. <i>Schizophrenia Bulletin</i> , 2023, 49, S58-S67.	4.3	7
2	Impact of liver fibrosis and clinical characteristics on dose-adjusted serum methadone concentrations. <i>Journal of Addictive Diseases</i> , 2023, 41, 53-63.	1.3	2
3	Association between C-reactive protein levels and antipsychotic treatment during 12-months follow-up period after acute psychosis. <i>Schizophrenia Research</i> , 2022, 241, 174-183.	2.0	3
4	Akathisia and atypical antipsychotics: relation to suicidality, agitation and depression in a clinical trial. <i>Acta Neuropsychiatrica</i> , 2022, 34, 282-288.	2.1	2
5	Prevalence and correlates of suicide attempts in high-risk populations: a cross-sectional study among patients receiving opioid agonist therapy in Norway. <i>BMC Psychiatry</i> , 2022, 22, 181.	2.6	4
6	Negative valence of hallucinatory voices as predictor of cortical glutamatergic metabolite levels in schizophrenia patients. <i>Brain and Behavior</i> , 2022, 12, e32446.	2.2	3
7	Substance use and symptoms of mental health disorders: a prospective cohort of patients with severe substance use disorders in Norway. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2021, 16, 20.	2.2	17
8	Glutamate- and GABA-Modulated Connectivity in Auditory Hallucinations – A Combined Resting State fMRI and MR Spectroscopy Study. <i>Frontiers in Psychiatry</i> , 2021, 12, 643564.	2.6	7
9	Subjective symptoms and serum methadone concentrations: what should guide dose adjustments in methadone maintenance treatment? A naturalistic cohort study from Norway. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2021, 16, 39.	2.2	3
10	Integrated treatment of hepatitis C virus infection among people who inject drugs: A multicenter randomized controlled trial (INTRO-HCV). <i>PLoS Medicine</i> , 2021, 18, e1003653.	8.4	29
11	The Influence of Substance Use on Side Effects of Olanzapine, Quetiapine, Risperidone, and Ziprasidone in Psychosis. <i>Substance Use and Misuse</i> , 2021, 56, 1880-1891.	1.4	0
12	Sex differences in antipsychotic efficacy and side effects in schizophrenia spectrum disorder: results from the BeSt InTro study. <i>NPJ Schizophrenia</i> , 2021, 7, 39.	3.6	35
13	Changes in substance use during outpatient treatment for substance use disorders: a prospective Norwegian cohort study from 2016 to 2020. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2021, 16, 67.	2.2	3
14	Cognitive change and antipsychotic medications: Results from a pragmatic rater-blind RCT. <i>Schizophrenia Research: Cognition</i> , 2021, 26, 100204.	1.3	2
15	White Matter Microstructural Differences between Hallucinating and Non-Hallucinating Schizophrenia Spectrum Patients. <i>Diagnostics</i> , 2021, 11, 139.	2.6	6
16	“Not at all what I had expected”: Discontinuing treatment with extended-release naltrexone (XR-NTX): A qualitative study. <i>Journal of Substance Abuse Treatment</i> , 2021, , 108667.	2.8	7
17	The association between cytokines and psychomotor speed in a spectrum of psychotic disorders: A longitudinal study. <i>Brain, Behavior, & Immunity - Health</i> , 2021, 18, 100392.	2.5	6
18	Intra-Regional Glu-GABA vs Inter-Regional Glu-Glu Imbalance: A 1H-MRS Study of the Neurochemistry of Auditory Verbal Hallucinations in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2020, 46, 633-642.	4.3	23

#	ARTICLE	IF	CITATIONS
19	“Needing different things from different people” a qualitative exploration of recovery in first episode psychosis. <i>Social Work in Mental Health</i> , 2020, 18, 75-95.	1.0	6
20	T206. ANTIPSYCHOTIC EFFECTIVENESS FOCUSING ON INSIGHT. <i>Schizophrenia Bulletin</i> , 2020, 46, S310-S311.	4.3	0
21	M47. AKATHISIA AND ATYPICAL ANTIPSYCHOTICS: EXPLORING ASSOCIATIONS TO SUICIDALITY AND AGITATION. <i>Schizophrenia Bulletin</i> , 2020, 46, S151-S152.	4.3	2
22	M146. NEUROCHEMICAL MODULATION OF AUDITORY CORTEX FUNCTIONAL CONNECTIVITY IN PATIENTS WITH AUDITORY VERBAL HALLUCINATIONS. <i>Schizophrenia Bulletin</i> , 2020, 46, S191-S191.	4.3	0
23	Brain Age Prediction Reveals Aberrant Brain White Matter in Schizophrenia and Bipolar Disorder: A Multisample Diffusion Tensor Imaging Study. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2020, 5, 1095-1103.	1.5	28
24	Amisulpride, aripiprazole, and olanzapine in patients with schizophrenia-spectrum disorders (BeSt) Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50	7.4	36
25	Health-related quality of life of long-term patients receiving opioid agonist therapy: a nested prospective cohort study in Norway. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2020, 15, 68.	2.2	26
26	Impact of clinical and sociodemographic factors on fatigue among patients with substance use disorder: a cohort study from Norway for the period 2016–2020. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2020, 15, 93.	2.2	8
27	Hallucinating schizophrenia patients have longer left arcuate fasciculus fiber tracks: a DTI tractography study. <i>Psychiatry Research - Neuroimaging</i> , 2020, 302, 111088.	1.8	9
28	Different response patterns in hallucinations and delusions to antipsychotic treatment. <i>Nordic Journal of Psychiatry</i> , 2020, 74, 497-504.	1.3	3
29	Dynamic Functional Connectivity Patterns in Schizophrenia and the Relationship With Hallucinations. <i>Frontiers in Psychiatry</i> , 2020, 11, 227.	2.6	36
30	T134. THE ROLE OF THE DEFAULT MODE NETWORK IN SCHIZOPHRENIA AND AUDITORY VERBAL HALLUCINATIONS – AN INVESTIGATION OF DYNAMIC FMRI RESTING STATE CONNECTIVITY. <i>Schizophrenia Bulletin</i> , 2020, 46, S281-S282.	4.3	1
31	Predictors of treatment satisfaction in antipsychotic-naïve and previously medicated patients with acute-phase psychosis. <i>Nordic Journal of Psychiatry</i> , 2019, 73, 349-356.	1.3	3
32	Integrated treatment of hepatitis C virus infection among people who inject drugs: study protocol for a randomised controlled trial (INTRO-HCV). <i>BMC Infectious Diseases</i> , 2019, 19, 943.	2.9	28
33	Cognitive Profile in Ultra High Risk for Psychosis and Schizophrenia: A Comparison Using Coordinated Norms. <i>Frontiers in Psychiatry</i> , 2019, 10, 695.	2.6	13
34	S2. CHILDHOOD TRAUMA SUBTYPES IN RELATION TO COGNITIVE FUNCTIONING IN SCHIZOPHRENIA SPECTRUM DISORDERS. <i>Schizophrenia Bulletin</i> , 2019, 45, S306-S306.	4.3	0
35	The influence of substance use on the effectiveness of antipsychotic medication: a prospective, pragmatic study. <i>Nordic Journal of Psychiatry</i> , 2019, 73, 281-287.	1.3	6
36	Psychosocial characteristics differentiate non-distressing and distressing voices in 10,346 adolescents. <i>European Child and Adolescent Psychiatry</i> , 2019, 28, 1353-1363.	4.7	12

#	ARTICLE	IF	CITATIONS
37	Integrated care of severe infectious diseases to people with substance use disorders; a systematic review. <i>BMC Infectious Diseases</i> , 2019, 19, 306.	2.9	14
38	Peer involvement and cross-sector efforts in establishing integrated treatment of hepatitis C virus infection for people with substance use disorders: experiences from Norway. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2019, 14, 58.	2.2	0
39	Associations between C-reactive protein levels and cognition during the first 6 months after acute psychosis. <i>Acta Neuropsychiatrica</i> , 2019, 31, 36-45.	2.1	15
40	Childhood trauma in schizophrenia spectrum disorders as compared to substance abuse disorders. <i>Psychiatry Research</i> , 2018, 261, 481-487.	3.3	20
41	The Beliefs about Voices Questionnaire " Revised: A factor structure from 450 participants. <i>Psychiatry Research</i> , 2018, 259, 95-103.	3.3	19
42	S57. TREATMENT SATISFACTION IN ACUTE PHASE PSYCHOSIS: COMPARISON BETWEEN ANTIPSYCHOTIC NAÏVE AND PREVIOUSLY MEDICATED PATIENTS. <i>Schizophrenia Bulletin</i> , 2018, 44, S346-S346.	4.3	0
43	S87. THE INITIAL CHANGE IN THE SERUM LEVEL OF C-REACTIVE PROTEIN IN ACUTE PSYCHOSIS IS ASSOCIATED WITH COGNITIVE PERFORMANCE IN LATER PHASES. <i>Schizophrenia Bulletin</i> , 2018, 44, S358-S359.	4.3	0
44	S3. CHILDHOOD TRAUMA AND COGNITIVE FUNCTIONING IN SCHIZOPHRENIA SPECTRUM DISORDERS: EFFECT OF FREQUENCY AND TYPE OF CHILDHOOD TRAUMA. <i>Schizophrenia Bulletin</i> , 2018, 44, S324-S325.	4.3	0
45	The positive link between executive function and lifetime cannabis use in schizophrenia is not explained by current levels of superior social cognition. <i>Psychiatry Research</i> , 2017, 250, 92-98.	3.3	10
46	The serum level of C-reactive protein (CRP) is associated with cognitive performance in acute phase psychosis. <i>BMC Psychiatry</i> , 2016, 16, 60.	2.6	54
47	Patient satisfaction after acute admission for psychosis. <i>Nordic Journal of Psychiatry</i> , 2016, 70, 321-328.	1.3	23
48	Cannabis use is associated with 3 years earlier onset of schizophrenia spectrum disorder in a naturalistic, multi-site sample (N = 1119). <i>Schizophrenia Research</i> , 2016, 170, 217-221.	2.0	47
49	The Course of Neurocognitive Changes in Acute Psychosis: Relation to Symptomatic Improvement. <i>PLoS ONE</i> , 2016, 11, e0167390.	2.5	18
50	Influence of different second generation antipsychotics on the QTc interval: A pragmatic study. <i>World Journal of Psychiatry</i> , 2016, 6, 442.	2.7	11
51	Prevalence of auditory hallucinations in Norwegian adolescents: Results from a population-based study. <i>Scandinavian Journal of Psychology</i> , 2015, 56, 391-396.	1.5	19
52	Glutamate as a mediating transmitter for auditory hallucinations in schizophrenia: A 1H MRS study. <i>Schizophrenia Research</i> , 2015, 161, 252-260.	2.0	55
53	Auditory verbal hallucinations reflect stable auditory attention deficits: a prospective study. <i>Cognitive Neuropsychiatry</i> , 2015, 20, 81-94.	1.3	16
54	A Critical Review of Pro-Cognitive Drug Targets in Psychosis: Convergence on Myelination and Inflammation. <i>Frontiers in Psychiatry</i> , 2014, 5, 11.	2.6	35

#	ARTICLE	IF	CITATIONS
55	Cognitive changes in patients with acute phase psychosis—Effects of illicit drug use. <i>Psychiatry Research</i> , 2014, 220, 818-824.	3.3	9
56	Neurobiology of Cognitive Remediation Therapy for Schizophrenia: A Systematic Review. <i>Frontiers in Psychiatry</i> , 2014, 5, 103.	2.6	44
57	The Cannabis Pathway to Non-Affective Psychosis may Reflect Less Neurobiological Vulnerability. <i>Frontiers in Psychiatry</i> , 2014, 5, 159.	2.6	30
58	QTc Prolongation in Patients Acutely Admitted to Hospital for Psychosis and Treated with Second Generation Antipsychotics. <i>Schizophrenia Research and Treatment</i> , 2013, 2013, 1-7.	1.5	7
59	Amphetamine-induced psychosis - a separate diagnostic entity or primary psychosis triggered in the vulnerable?. <i>BMC Psychiatry</i> , 2012, 12, 221.	2.6	183
60	An fMRI Study of Neuronal Activation in Schizophrenia Patients with and without Previous Cannabis Use. <i>Frontiers in Psychiatry</i> , 2012, 3, 94.	2.6	20
61	Functional brain asymmetry and attentional modulation in young and stabilised schizophrenic patients: a dichotic listening study. <i>Psychiatry Research</i> , 2002, 109, 281-287.	3.3	27