

Michael D Sumption

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4427770/publications.pdf>

Version: 2024-02-01

320
papers

5,542
citations

117625

34
h-index

118850

62
g-index

324
all docs

324
docs citations

324
times ranked

2482
citing authors

#	ARTICLE	IF	CITATIONS
1	AC losses of Roebel and CORC [®] cables at higher AC magnetic fields and ramp rates. Superconductor Science and Technology, 2022, 35, 025006.	3.5	6
2	Magnetic, Mechanical and Thermal Modeling of Superconducting, Whole-Body, Actively Shielded, 3 T MRI Magnets Wound Using MgB ₂ Strands for Liquid Cryogen Free Operation. IEEE Transactions on Applied Superconductivity, 2022, 32, 1-4.	1.7	2
3	Electrical Contact Resistance in REBCO Stacks and Cables With Modified Surfaces. IEEE Transactions on Applied Superconductivity, 2022, 32, 1-6.	1.7	4
4	Flux Creep in a Bi-2212 Rutherford Cable for Particle Accelerator Applications. IEEE Transactions on Applied Superconductivity, 2022, 32, 1-5.	1.7	2
5	Dipole Magnets Wound Using YBCO Cables-FEM Stability Issues Modeling. IEEE Transactions on Applied Superconductivity, 2022, 32, 1-5.	1.7	1
6	Stability and Current Sharing in YBCO Cables – Impact of Broken Elements – FEM Modeling. IEEE Transactions on Applied Superconductivity, 2022, 32, 1-5.	1.7	4
7	FEM Modeling of Superconducting Whole Body, Actively Shielded 7 T MRI Magnets Wound Using Nb ₃ Sn Strands. IEEE Transactions on Applied Superconductivity, 2022, 32, 1-5.	1.7	0
8	Methods of Estimating AC Losses in Superconducting MgB ₂ Armature Windings With Spatial and Time Harmonics. IEEE Transactions on Applied Superconductivity, 2022, 32, 1-7.	1.7	3
9	Low Loss Bi:2212 Superconductors for Electric Aircraft. , 2022, , .		1
10	Evolution of the superconducting properties from binary to ternary APC-Nb ₃ Sn wires. Superconductor Science and Technology, 2021, 34, 035028.	3.5	10
11	Metal composite T-junction terminals for MW-class aerospace electric power distribution. Journal of Physics: Conference Series, 2021, 1975, 012036.	0.4	1
12	The Roles of Grain Boundary Refinement and Nano-Precipitates in Flux Pinning of APC Nb ₃ Sn. IEEE Transactions on Applied Superconductivity, 2021, 31, 1-5.	1.7	9
13	YBCO Coated Conductor Interlayer Electrical Contact Resistance Measured From 77 K to 4 K Under Applied Pressures up to 9.4 MPa. IEEE Transactions on Applied Superconductivity, 2021, 31, 1-5.	1.7	7
14	The Magnetization of Bi:2212 Rutherford Cables for Particle Accelerator Applications. IEEE Transactions on Applied Superconductivity, 2021, 31, 1-5.	1.7	2
15	Enhanced higher temperature irreversibility field and critical current density in MgB ₂ wires with Dy ₂ O ₃ additions. Superconductor Science and Technology, 2021, 34, 025010.	3.5	16
16	Accelerators, Gantries, Magnets and Imaging Systems for Particle Beam Therapy: Recent Status and Prospects for Improvement. Frontiers in Oncology, 2021, 11, 737837.	2.8	10
17	Enhancement of B _{c1} and B _{c2} in bulk MgB ₂ superconductors with SnO ₂ Additions. Physica C: Superconductivity and Its Applications, 2020, 578, 1353749.	1.2	5
18	The Role of CHPD and AIMI processing on enhancing J _c and transverse connectivity of in-situ MgB ₂ strand. IOP Conference Series: Materials Science and Engineering, 2020, 756, 012018.	0.6	2

#	ARTICLE	IF	CITATIONS
19	Increased flux pinning force and critical current density in MgB ₂ by nano-La ₂ O ₃ doping. IOP Conference Series: Materials Science and Engineering, 2020, 756, 012019.	0.6	0
20	Modified Interconductor Contact Resistivity in Coated Conductor Stacks and Roebel Cables. IEEE Transactions on Applied Superconductivity, 2020, 30, 1-5.	1.7	8
21	High critical current density in internally-oxidized Nb ₃ Sn superconductors and its origin. Scripta Materialia, 2020, 186, 317-320.	5.2	24
22	High performance, advanced-internal-magnesium-infiltration (AIMI) MgB ₂ wires processed using a vapor-solid reaction route. Superconductor Science and Technology, 2020, 33, 094004.	3.5	10
23	A Tear-Drop Bifilar Sample Holder for Full Excitation and Stability Studies of HTS Cables at 4.2 K Using a Superconducting Transformer. IEEE Transactions on Applied Superconductivity, 2019, 29, 1-5.	1.7	0
24	Quench, normal zone propagation velocity, and the development of an active protection scheme for a conduction cooled, react-and-wind, MgB ₂ MRI coil segment. Superconductor Science and Technology, 2019, 32, 125003.	3.5	6
25	Influence of thermal and electrical turn-to-turn sharing on quench protection in superconducting coils for very high density motors and generators for hybrid-electric aircraft. , 2019, , .		1
26	Quench Measurements in a YBCO Pancake Coil at 77 K and 4.2 K in Magnetic Fields up to 10 Tesla. IEEE Transactions on Applied Superconductivity, 2019, 29, 1-5.	1.7	1
27	Magnetization and Flux Penetration of YBCO CORC Cable Segments at the Injection Fields of Accelerator Magnets. IEEE Transactions on Applied Superconductivity, 2019, 29, 1-5.	1.7	11
28	Magnetization and Creep in YBCO Tape and CORC Cables for Particle Accelerators: Value and Modification Via Preinjection Cycle. IEEE Transactions on Applied Superconductivity, 2019, 29, 1-5.	1.7	8
29	Magnetization Measurements of CORC TM and Roebel Type YBCO Cables for Accelerators Using a ± 3 -T Dipole Magnetometer. IEEE Transactions on Applied Superconductivity, 2019, 29, 1-5.	1.7	5
30	Study of Superconducting, Structural, and Thermal Properties of SnO ₂ Added MgB ₂ Bulks. IEEE Transactions on Applied Superconductivity, 2019, 29, 1-5.	1.7	2
31	AC Loss of Superconducting Materials- refined loss estimates for very high density motors and generators for hybrid-electric aircraft: MgB ₂ wires, Coated conductor tapes and wires. , 2019, , .		12
32	Influence of Compaction During Reaction Heat Treatment on the Interstrand Contact Resistances of Nb ₃ Sn Rutherford Cables for Accelerator Magnets. IEEE Transactions on Applied Superconductivity, 2018, 28, 1-4.	1.7	0
33	Instrumentation, cooling, and initial testing of a large, conduction-cooled, react-and-wind MgB ₂ coil segment for MRI applications. Superconductor Science and Technology, 2018, 31, 085013.	3.5	12
34	AC Loss of Superconducting Materials in Motors and Generators for Very High Density Motors and Generators for Hybrid-Electric Aircraft. , 2018, , .		16
35	Single-Strand Excitation for Probing Current Sharing and Parallel Resistance in Cored Nb ₃ Sn Rutherford Cables at 4.2 K and 10 Tesla. IEEE Transactions on Applied Superconductivity, 2017, 27, 1-4.	1.7	0
36	Fabrication and Superconductivity of Ba _{0.6} K _{0.4} Fe ₂ As ₂ /Ag Wires and Tapes Using Mechanical Alloyed Precursor. IEEE Transactions on Applied Superconductivity, 2017, 27, 1-5.	1.7	1

#	ARTICLE	IF	CITATIONS
37	Architecture and Transport Properties of Multifilamentary MgB ₂ Strands for MRI and Low AC Loss Applications. IEEE Transactions on Applied Superconductivity, 2017, 27, 1-5.	1.7	13
38	AC Loss Reduction in Multifilamentary Coated Conductors With Transposed Filaments. IEEE Transactions on Applied Superconductivity, 2017, 27, 1-5.	1.7	3
39	Demonstration of a Practical Nb ₃ Sn Coil for an Actively Shielded Generator. IEEE Transactions on Applied Superconductivity, 2017, 27, 1-7.	1.7	1
40	Influence of oxygen doping on critical fields in MgB ₂ bulk superconductors. IOP Conference Series: Materials Science and Engineering, 2017, 279, 012025.	0.6	2
41	Persistent-current magnetizations of Nb ₃ Sn Rutherford cables and extracted strands. IOP Conference Series: Materials Science and Engineering, 2017, 279, 012037.	0.6	1
42	Interstrand Coupling Properties of LARP High Gradient Quadrupole Cables in Response to Variations in Cable Design and Heat Treatment Condition. IEEE Transactions on Applied Superconductivity, 2017, 27, 1-5.	1.7	2
43	Pressure-induced property improvement of magnesium diboride wire. IOP Conference Series: Materials Science and Engineering, 2017, 279, 012024.	0.6	7
44	Stability and normal zone propagation in YBCO CORC cables. Superconductor Science and Technology, 2016, 29, 044006.	3.5	18
45	A model for the compositions of non-stoichiometric intermediate phases formed by diffusion reactions and its application to Nb ₃ Sn superconductors. Scientific Reports, 2016, 6, 19096.	3.3	17
46	Influence of Metal Diboride and Dy ₂ O ₃ Additions on Microstructure and Properties of MgB ₂ Fabricated at High Temperatures and under Pressure. Scientific Reports, 2016, 6, 29306.	3.3	17
47	A conduction cooled Nb ₃ Sn racetrack coil: Design, construction, and testing. , 2016, , .		1
48	Bulge testing of copper and niobium tubes for hydroformed RF cavities. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2016, 654, 13-20.	5.6	3
49	The effect of chemical pressure on the structure and properties of A ₂ CrOsO ₆ (A=Sr, Ca) ferrimagnetic double perovskite. Journal of Solid State Chemistry, 2016, 238, 46-52.	2.9	44
50	Microstructures and superconducting properties of high performance MgB ₂ thin films deposited from a high-purity, dense MgB target. Applied Surface Science, 2015, 357, 452-458.	6.1	3
51	Magnetic structure of the quasi-one-dimensional La ₃ O ₇ as determined by neutron powder diffraction. Physical Review B, 2015, 92, .	3.2	9
52	Internally Oxidized Nb ₃ Sn Strands with Fine Grain Size and High Critical Current Density. Advanced Materials, 2015, 27, 1346-1350.	21.0	56
53	Demonstration of Conduction Cooled React and Wind MgB ₂ Coil Segment for MRI Applications. IEEE Transactions on Applied Superconductivity, 2015, 26, 1-1.	1.7	13
54	Validation of Finite-Element Models of Persistent-Current Effects in Nb ₃ Sn Accelerator Magnets. IEEE Transactions on Applied Superconductivity, 2015, 25, 1-6.	1.7	14

#	ARTICLE	IF	CITATIONS
55	Persistent-Current Magnetization of Nb_3Sn Strands: Influence of Applied Field Angle and Transport Current. IEEE Transactions on Applied Superconductivity, 2015, 25, 1-4.	1.7	4
56	Kinetic analysis of MgB ₂ layer formation in advanced internal magnesium infiltration (AIMI) processed MgB ₂ wires. Acta Materialia, 2015, 96, 66-71.	7.9	28
57	Reduced Magnetization and Loss in Ag–Mg Sheathed Bi2212 Wires: Systematics With Sample Twist Pitch and Length. IEEE Transactions on Applied Superconductivity, 2015, 25, 1-4.	1.7	9
58	Effects of Core Type, Placement, and Width on the Estimated Interstrand Coupling Properties of QXF-Type Nb ₃ Sn Rutherford Cables. IEEE Transactions on Applied Superconductivity, 2015, 25, 1-5.	1.7	6
59	Inter-strand current sharing and ac loss measurements in superconducting YBCO Roebel cables. Superconductor Science and Technology, 2015, 28, 055010.	3.5	5
60	Influence of twisting and bending on the J and n-value of multifilamentary MgB ₂ strands. Physica C: Superconductivity and Its Applications, 2015, 519, 118-123.	1.2	11
61	Chemical synthesis of superconducting MgB ₂ nanopowder. Journal of Alloys and Compounds, 2015, 622, 986-988.	5.5	6
62	Homogeneous carbon doping of magnesium diboride by high-temperature, high-pressure synthesis. Applied Physics Letters, 2014, 104, .	3.3	20
63	Enhanced higher temperature (20â€“30â€“K) transport properties and irreversibility field in nano-Dy ₂ O ₃ doped advanced internal Mg infiltration processed MgB ₂ composites. Applied Physics Letters, 2014, 105, .	3.3	33
64	Refinement of Nb ₃ Sn grain size by the generation of ZrO ₂ precipitates in Nb ₃ Sn wires. Applied Physics Letters, 2014, 104, 082602.	3.3	52
65	Effects of Normal Load, Sliding Speed, and Surface Roughness on Tribological Properties of Niobium under Dry and Wet Conditions. Tribology Transactions, 2014, 57, 944-954.	2.0	25
66	Catalyst-free ZnO nanowires on silicon by pulsed laser deposition with tunable density and aspect ratio. Physica E: Low-Dimensional Systems and Nanostructures, 2014, 62, 95-103.	2.7	20
67	Experimental determination of the peritectic transition temperature of MgB ₂ in the Mgâ€“B phase diagram. Thermochimica Acta, 2014, 576, 27-35.	2.7	13
68	Magnetization losses in superconducting YBCO conductor-on-round-core (CORC) cables. Superconductor Science and Technology, 2014, 27, 125008.	3.5	39
69	Extracted Strand Magnetizations of an HQ Type Nb_3Sn Rutherford Cable and Estimation of Transport Corrections at Operating and Injection Fields. IEEE Transactions on Applied Superconductivity, 2014, 24, 1-5.	1.7	6
70	The Effects of Ti Addition and High Cu/Sn Ratio on Tube Type Nb_3Sn Strands, and a New Type of Strand Designed to Reduce Unreacted Nb Ratio. IEEE Transactions on Applied Superconductivity, 2014, 24, 1-4.	1.7	2
71	Influence of heat treatment temperature and Ti doping on low-field flux jumping and stability in (Nb-Ta) ₃ Sn strands. Superconductor Science and Technology, 2014, 27, 095009.	3.5	10
72	Stability, Inter-Strand Contact Resistance, and AC Losses in YBCO Roebel Cables. IEEE Transactions on Applied Superconductivity, 2014, 24, 1-5.	1.7	17

#	ARTICLE	IF	CITATIONS
73	Transport Critical Current Densities and n -Values of Multifilamentary MgB_2 Wires at Various Temperatures and Magnetic Fields. IEEE Transactions on Applied Superconductivity, 2014, 24, 1-5.	1.7	7
74	Cation non-stoichiometry in pulsed laser deposited $\text{Sr}_{2+y}\text{Fe}_{1+x}\text{Mo}_{1-x}\text{O}_6$ epitaxial films. Journal of Applied Physics, 2014, 116, .	2.5	3
75	Evidence for Zr site-substitution for Mg in PLD-deposited MgB_2 thin films. Superconductor Science and Technology, 2014, 27, 075009.	3.5	4
76	Intrawire resistance, AC loss and strain dependence of critical current in MgB_2 wires with and without cold high-pressure densification. Superconductor Science and Technology, 2014, 27, 075002.	3.5	9
77	Smoothing of niobium by electropolishing. Journal of Applied Electrochemistry, 2013, 43, 829-838.	2.9	9
78	Critical current densities and microstructures in rod-in-tube and tube type Nb_3Sn strands—present status and prospects for improvement. Superconductor Science and Technology, 2013, 26, 075015.	3.5	11
79	Specific Heats of Composite $\text{Bi}_2\text{212}$, Nb_3Sn , and MgB_2 Wire Conductors. IEEE Transactions on Applied Superconductivity, 2013, 23, 8800204-8800204.	1.7	5
80	Evaluation of Mechanical Properties of Tubular Materials With Hydraulic Bulge Test for Superconducting Radio Frequency (SRF) Cavities. IEEE Transactions on Applied Superconductivity, 2013, 23, 3500604-3500604.	1.7	1
81	Coupling- and Persistent-Current Magnetizations of Nb_3Sn Rutherford Cables With Cores of Stainless Steel and Woven Glass-Fiber Tape Measured by Pick-Up Coil Magnetometry. IEEE Transactions on Applied Superconductivity, 2013, 23, 4702305-4702305.	1.7	5
82	LiFeAs Pnictide Superconductor—A Simple Electrochemical Method of Preparation. IEEE Transactions on Applied Superconductivity, 2013, 23, 7300204-7300204.	1.7	4
83	Intra-wire resistance and AC loss in multi-filamentary MgB_2 wires. Superconductor Science and Technology, 2013, 26, 025002.	3.5	4
84	A model for phase evolution and volume expansion in tube type Nb_3Sn conductors. Superconductor Science and Technology, 2013, 26, 125006.	3.5	7
85	Effects of oxide precursors on superconducting properties of polycrystalline $\text{SmFeAsO}_{1-x}\text{F}_x$. Physica C: Superconductivity and Its Applications, 2013, 495, 198-201.	1.2	0
86	Critical current densities of doped MgB_2 strands in low and high applied field ranges: The $J_c(B)$ crossover effect. Physica C: Superconductivity and Its Applications, 2013, 490, 20-25.	1.2	11
87	Critical Current Density and Current Transfer Length of Multifilamentary MgB_2 Strands of Various Design. IEEE Transactions on Applied Superconductivity, 2013, 23, 6200204-6200204.	1.7	11
88	Experiment Setup for Calorimetric Measurements of Losses in HTS Coils Due to AC Current and External Magnetic Fields. IEEE Transactions on Applied Superconductivity, 2013, 23, 4701505-4701505.	1.7	22
89	Effects of carbon concentration and filament number on advanced internal Mg infiltration-processed MgB_2 strands. Superconductor Science and Technology, 2013, 26, 095007.	3.5	33
90	Analysis of materials properties of niobium tube from the results of a virtual bulge test. AIP Conference Proceedings, 2012, .	0.4	3

#	ARTICLE	IF	CITATIONS
91	Magnetic measurement of interstrand contact resistance and persistent-current magnetization of Nb ₃ Sn Rutherford cables with cores of MgO tape and woven S-glass ribbon. , 2012, , .		3
92	Stability and Normal Zone Propagation in a 50 Tesla Solenoid Wound of YBCO Coated Conductor Tape—FEM Modeling. IEEE Transactions on Applied Superconductivity, 2012, 22, 4705104-4705104. Fully ordered S $\langle \text{mml:msub} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mn} \rangle 2 \langle \text{mml:mn} \rangle \langle \text{mml:msub} \rangle \langle \text{mml:math} \rangle \text{CrReO} \langle \text{mml:math} \rangle \langle \text{mml:msub} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mn} \rangle 6 \langle \text{mml:mn} \rangle \langle \text{mml:msub} \rangle \langle \text{mml:math} \rangle$ epitaxial films: A high-temperature ferrimagnetic semiconductor. Physical Review B, 2012, 85, .	1.7	4
93	Critical current densities and n -values of MgB ₂ strands over a wide range of temperatures and fields. Superconductor Science and Technology, 2012, 25, 025001.	3.2	70
94	Drawing induced texture and the evolution of superconductive properties with heat treatment time in powder-in-tube in situ processed MgB ₂ strands. Superconductor Science and Technology, 2012, 25, 065002.	3.5	50
95	A model superconducting helical undulator fabricated using a small filament, tube-type, multifilamentary Nb ₃ Sn wire. Superconductor Science and Technology, 2012, 25, 115006.	3.5	47
96	On the Mechanism of Niobium Electropolishing. Journal of the Electrochemical Society, 2012, 159, C485-C491.	3.5	3
97	Influence of Strand Design, Boron Type, and Carbon Doping Method on the Transport Properties of Powder-in-Tube MgB_2 Strands. IEEE Transactions on Applied Superconductivity, 2012, 22, 6200110-6200110.	2.9	24
98	The Effect of Ta and Ti Additions on the Strain Sensitivity of Bulk Niobium-Tin. Physics Procedia, 2012, 36, 491-496.	1.7	6
99	Effects of cold high pressure densification on Cu sheathed Ba _{0.6} K _{0.4} Fe ₂ As ₂ superconducting wire. Physica C: Superconductivity and Its Applications, 2012, 483, 13-16.	1.2	6
100	The critical current density of advanced internal-Mg-diffusion-processed MgB ₂ wires. Superconductor Science and Technology, 2012, 25, 115023.	1.2	14
101	Interstrand Contact Resistance and Magnetization of Nb_3Sn Rutherford Cables With Cores of Different Materials and Widths. IEEE Transactions on Applied Superconductivity, 2012, 22, 6000904-6000904.	3.5	71
102	Critical current density and stability of Tube Type Nb ₃ Sn conductors. Cryogenics, 2012, 52, 91-99.	1.7	11
103	Effects of Heat Treatments on the Properties of $\text{SmFeAsO}_{1-x}\text{F}_x$ Oxypnictide Bulks Prepared via a Single-Step Route. IEEE Transactions on Applied Superconductivity, 2011, 21, 2853-2857.	1.7	13
104	Analysis of Bulk and Thin Film Model Samples Intended for Investigating the Strain Sensitivity of Niobium-Tin. IEEE Transactions on Applied Superconductivity, 2011, 21, 2550-2553.	1.7	1
105	Strain and Magnetization Properties of High Subelement Count Tube-Type $\text{m Nb}_3\text{m Sn}$ Strands. IEEE Transactions on Applied Superconductivity, 2011, 21, 2559-2562.	1.7	6
106	Transport, Magnetic, and SEM Characterization of a Novel Design Bi-2212 Strand. IEEE Transactions on Applied Superconductivity, 2011, 21, 2804-2807.	1.7	14
107	AC Magnetization Loss of a YBCO Coated Conductor Measured Using Three Different Techniques. IEEE Transactions on Applied Superconductivity, 2011, 21, 3293-3296.	1.7	5
108		1.7	8

#	ARTICLE	IF	CITATIONS
109	Carbon doping of MgB ₂ by toluene and malic-acid-in-toluene. Physica C: Superconductivity and Its Applications, 2011, 471, 108-111.	1.2	28
110	Design of Nb_3Sn -Based Short Period Model Superconducting Helical Undulator. IEEE Transactions on Applied Superconductivity, 2011, 21, 1713-1716.	1.7	1
111	Coupling Loss, Interstrand Contact Resistance, and Magnetization of Nb_3Sn Rutherford Cables With Cores of MgO Tape and S-Glass Ribbon. IEEE Transactions on Applied Superconductivity, 2011, 21, 2367-2371.	1.7	8
112	Density effect on critical current density and flux pinning properties of polycrystalline $\text{SmFeAsO}_{1-x}\text{F}_x$ superconductor. Superconductor Science and Technology, 2011, 24, 125012.	3.5	14
113	Enhanced critical fields and superconducting properties of pre-doped B powder-type MgB_2 strands. Superconductor Science and Technology, 2011, 24, 012001.	3.5	49
114	Doping effect and flux pinning mechanism of nano-SiC additions in MgB_2 strands. Superconductor Science and Technology, 2011, 24, 065015.	3.5	30
115	Anisotropic connectivity and its influence on critical current densities, irreversibility fields, and flux creep in <i>in situ</i> processed MgB_2 strands. Superconductor Science and Technology, 2010, 23, 045018.	3.5	26
116	Frequency dependence of magnetic ac loss in a Roebel cable made of YBCO on a $\text{Ni}\text{--}\text{W}$ substrate. Superconductor Science and Technology, 2010, 23, 085009.	3.5	23
117	Coupling- and Persistent-Current Magnetizations of Nb_3Sn Rutherford Cables. IEEE Transactions on Applied Superconductivity, 2010, 20, 1387-1390.	1.7	8
118	A Nb_3Sn -Based, Model Superconducting Helical Undulator Fabricated Using a Wind and React Process. IEEE Transactions on Applied Superconductivity, 2010, 20, 270-273.	1.7	3
119	COMPARISON OF A15 STOICHIOMETRY AND GRAIN MORPHOLOGY IN INTERNAL Sn AND TUBE TYPE STRANDS; INFLUENCE OF STRAND DESIGN, HTs AND ALLOYING. , 2010, , .		2
120	STABILITY IN Nb_3Sn CONDUCTORS; MAGNETIC AND SELF-FIELD INSTABILITY CONSIDERATIONS AT 4 K AND 2 K. , 2010, , .		2
121	PLASMA SYNTHESIZED BORON NANO-SIZED POWDER FOR MgB_2 WIRES. AIP Conference Proceedings, 2010, , .	0.4	18
122	COUPLING-CURRENT AND PERSISTENT-CURRENT MAGNETIZATIONS IN Nb_3Sn RUTHERFORD CABLES AND STRANDS. , 2010, , .		2
123	SECOND PHASE (BaGeO_3 , BaSiO_3) NANOCOLUMNS IN $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$ FILMS. , 2010, , .		0
124	Thermal diffusion and quench propagation in YBCO pancake coils wound with ZnO and Mylar insulations. Superconductor Science and Technology, 2010, 23, 075004.	3.5	20
125	Comparison of Critical Current Density in MgB_2 With Different Boron Sources and Nano-Particle Dopant Additions. IEEE Transactions on Applied Superconductivity, 2009, 19, 2756-2759.	1.7	13
126	Electrical resistivity, Debye temperature, and connectivity in heavily doped bulk MgB_2 superconductors. Journal of Applied Physics, 2009, 105, .	2.5	22

#	ARTICLE	IF	CITATIONS
127	A Model Superconducting Helical Undulator Wound Using a Wind and React MgB_2 Multifilamentary Wire. IEEE Transactions on Applied Superconductivity, 2009, 19, 1376-1379.	1.7	5
128	Temperature and Magnetic Field Dependence of Critical Current Density of YBCO With Varying Flux Pinning Additions. IEEE Transactions on Applied Superconductivity, 2009, 19, 3270-3274.	1.7	11
129	Transport AC Loss Reduction in Striated YBCO Coated Conductors by Magnetic Screening. IEEE Transactions on Applied Superconductivity, 2009, 19, 3352-3355.	1.7	8
130	Numerical Modeling of the AC Limiting Properties of Insulated, Conduction Cooled MgB_2 Strands. IEEE Transactions on Applied Superconductivity, 2009, 19, 1872-1875.	1.7	1
131	A MgB_2 12.5 kVA superconductor transformer. Superconductor Science and Technology, 2009, 22, 065002.	3.5	17
132	Effect of Cable Edge Deformation on RRR and Magnetization of Strands Extracted From Nb_3Sn Rutherford-Type Cables. IEEE Transactions on Applied Superconductivity, 2009, 19, 2481-2485.	1.7	4
133	Nb_3Sn Superconductors Made by an Economical Tubular Process. IEEE Transactions on Applied Superconductivity, 2009, 19, 2602-2605.	1.7	6
134	Investigation of the Effects of Low Temperature Heat Treatments on the Microstructure and Properties of Multifilamentary, Tube-Type Nb_3Sn Strands. IEEE Transactions on Applied Superconductivity, 2009, 19, 2588-2592.	1.7	8
135	AC Losses in MgB_2 Multifilamentary Strands With Magnetic and Non-Magnetic Sheath Materials. IEEE Transactions on Applied Superconductivity, 2009, 19, 3106-3109.	1.7	15
136	AC LOSSES IN YBCO COATED CONDUCTORS WITH DIFFERENT SUBSTRATES AND DIFFERENT STABILIZING LAYERS. AIP Conference Proceedings, 2008, , . Magnetization creep and decay in YBaCuO films with artificial nanostructure p. Physical Review B, 2008, 77, .	0.4	3
137	YBaCuO films with artificial nanostructure p. Physical Review B, 2008, 77, .	3.2	11
138	Niobium Tin Conductors for High Energy Physics, Fusion, MRI and NMR Applications Made by Different Techniques. IEEE Transactions on Applied Superconductivity, 2008, 18, 989-992.	1.7	6
139	Characterization of the A15 Layer Growth and Microstructure for Varying Heat Treatments in Nb_3Sn Tube Type Composites. IEEE Transactions on Applied Superconductivity, 2008, 18, 1005-1009.	1.7	7
140	Prospects for improving the intrinsic and extrinsic properties of magnesium diboride superconducting strands. Superconductor Science and Technology, 2008, 21, 103001.	3.5	158
141	Influence of a Stainless Steel Core on Coupling Loss, Interstrand Contact Resistance, and Magnetization of an Nb_3Sn Rutherford Cable. IEEE Transactions on Applied Superconductivity, 2008, 18, 1301-1304.	1.7	12
142	EFFECT OF REVERSE AUSTENITE ON THE CRYOGENIC TENSILE PROPERTIES OF 0Cr13Ni4Mo MARTENSITIC STEEL. AIP Conference Proceedings, 2008, , .	0.4	3
143	TESTS OF INSULATION SYSTEMS FOR Nb_3Sn WIND AND REACT COILS. AIP Conference Proceedings, 2008, , .	0.4	3
144	A TUBULAR PROCESS FOR MAKING Nb_3Sn CONDUCTORS. AIP Conference Proceedings, 2008, , .	0.4	8

#	ARTICLE	IF	CITATIONS
145	EFFECTS OF INITIAL Sn ⁺ -Cu RATIO AND HEAT TREATMENT ON THE MICROSTRUCTURE AND MICROCHEMISTRY OF Cu-Nb-Sn-Ta TUBE TYPE COMPOSITES. AIP Conference Proceedings, 2008, , .	0.4	7
146	EFFECTS OF SIMULTANEOUS TITANIUM AND TANTALUM ADDITIONS ON THE PROPERTIES OF INTERNAL TIN TYPE Nb ₃ Sn STRANDS. AIP Conference Proceedings, 2008, , .	0.4	2
147	HOT EXTRUSION OF EX-SITU MgB ₂ POWDER. AIP Conference Proceedings, 2008, , .	0.4	0
148	WIND AND REACT MgB ₂ ROTOR COILS. AIP Conference Proceedings, 2008, , .	0.4	4
149	ANGULAR MEASUREMENTS OF HTS CRITICAL CURRENT FOR HIGH FIELD SOLENOIDS. AIP Conference Proceedings, 2008, , .	0.4	13
150	INFLUENCE OF MICRO-DAMAGE ON RELIABILITY OF CRYOGENIC BELLOWS IN THE LHC INTERCONNECTIONS. AIP Conference Proceedings, 2008, , .	0.4	0
151	SOLDER-FILLING OF A CICC CABLE FOR THE EFDA DIPOLE MAGNET. AIP Conference Proceedings, 2008, , .	0.4	2
152	BI-AXIAL STRAIN RESPONSE OF STRUCTURAL MATERIALS AND SUPERCONDUCTING Nb ₃ Sn WIRES AT 295 K, 7 K, AND 4 K. AIP Conference Proceedings, 2008, , .	0.4	2
153	HYDROGEN EMBRITTLEMENT EVALUATION IN TENSILE PROPERTIES OF STAINLESS STEELS AT CRYOGENIC TEMPERATURES. AIP Conference Proceedings, 2008, , .	0.4	13
154	HIGH-CYCLE FATIGUE PROPERTIES AND FATIGUE CRACK INITIATION BEHAVIOR OF Ti-5%Al-2.5%Sn ELI ALLOY AT CRYOGENIC TEMPERATURES. AIP Conference Proceedings, 2008, , .	0.4	0
155	GAS EVOLUTION FROM INSULATING MATERIALS FOR SUPERCONDUCTING COIL OF ITER BY GAMMA RAY IRRADIATION AT LIQUID NITROGEN TEMPERATURE. AIP Conference Proceedings, 2008, , .	0.4	5
156	MEASUREMENTS OF RRR VARIATION IN STRANDS EXTRACTED FROM Nb ₃ Sn-TYPE RUTHERFORD CABLES. AIP Conference Proceedings, 2008, , .	0.4	5
157	MEASUREMENTS OF AC LOSS IN CORED Nb ₃ Sn RUTHERFORD CABLES: INTERSTRAND CONTACT RESISTANCE AS FUNCTION OF CORE WIDTH. AIP Conference Proceedings, 2008, , .	0.4	7
158	CHANGES IN MICROSTRUCTURE AND TRANSPORT PROPERTIES OF MAGNESIUM DIBORIDE STRANDS THROUGH HOT UNIAXIAL PRESSING. AIP Conference Proceedings, 2008, , .	0.4	4
159	AC TRANSPORT CURRENT AND APPLIED MAGNETIC FIELD LOSSES IN MgB ₂ MULTIFILAMENTARY STRANDS WITH NON-MAGNETIC SHEATH MATERIALS. AIP Conference Proceedings, 2008, , .	0.4	2
160	PROPERTIES OF SOME TOUGHENED, RADIATION STABLE EPOXY RESINS. AIP Conference Proceedings, 2008, , .	0.4	2
161	Effect of Core Width, Placement, and Condition on Calorimetrically Measured AC Loss and Interstrand Contact Resistance of Stainless-Steel-Cored Nb_3Sn Rutherford Cables. IEEE Transactions on Applied Superconductivity, 2008, 18, 1370-1373.	1.7	4
162	Excess Mg addition MgB ₂ /Fe wires with enhanced critical current density. Journal of Applied Physics, 2008, 103, 083911.	2.5	16

#	ARTICLE	IF	CITATIONS
163	Numerical modelling of ac limiting properties of a bare MgB ₂ wire in liquid neon bath. Journal of Physics: Conference Series, 2008, 97, 012226.	0.4	2
164	Experimental and Theoretical Investigation of the Diffusion of Sn in Internal-Tin Nb ₃ Sn. IEEE Transactions on Applied Superconductivity, 2007, 17, 2655-2659.	1.7	0
165	Enhancement and angular dependence of transport critical current density in pulsed laser deposited YBa ₂ Cu ₃ O _{7-x} +BaSnO ₃ films in applied magnetic fields. Journal of Applied Physics, 2007, 102, .	2.5	67
166	Thermal Analysis of MgB ₂ Formation. IEEE Transactions on Applied Superconductivity, 2007, 17, 2754-2756.	1.7	11
167	High Critical Current Density Multifilamentary MgB ₂ Strands. IEEE Transactions on Applied Superconductivity, 2007, 17, 2838-2841.	1.7	22
168	Interstrand Contact Resistance in Nb ₃ Sn Cables Under LARP-Type Preparation Conditions. IEEE Transactions on Applied Superconductivity, 2007, 17, 2494-2497.	1.7	11
169	Modeling of Transport AC Losses in Superconducting Arrays Carrying Anti-Parallel Currents. IEEE Transactions on Applied Superconductivity, 2007, 17, 1803-1806.	1.7	17
170	Modeling Current-Field Instabilities in High Performance Nb ₃ Sn Strands in Moderate Field. IEEE Transactions on Applied Superconductivity, 2007, 17, 2714-2717.	1.7	13
171	Some Factors Involved in the Development of a Tubular Process for Nb ₃ Sn Conductors. IEEE Transactions on Applied Superconductivity, 2007, 17, 2664-2667.	1.7	7
172	Fault Current Limiting Properties of MgB ₂ Superconducting Wires. IEEE Transactions on Applied Superconductivity, 2007, 17, 1764-1767.	1.7	7
173	Superconducting Properties of SiC Doped MgB ₂ ; Formed Below and Above Mg's Melting Point. IEEE Transactions on Applied Superconductivity, 2007, 17, 2750-2753.	1.7	10
174	Composition Profiles and Upper Critical Field Measurement of Internal-Sn and Tube-Type Conductors. IEEE Transactions on Applied Superconductivity, 2007, 17, 2668-2671.	1.7	10
175	Neutron Irradiation of SiC Doped and Magnesium Rich MgB ₂ Wires. IEEE Transactions on Applied Superconductivity, 2007, 17, 2814-2817.	1.7	9
176	Wind and React and React and Wind MgB ₂ Solenoid, Racetrack and Pancake Coils. IEEE Transactions on Applied Superconductivity, 2007, 17, 2286-2290.	1.7	17
177	Significant enhancement of H _{c2} and H _{irr} in MgB ₂ +C ₄ H ₆ O ₅ bulks at a low sintering temperature of 600°C. Superconductor Science and Technology, 2007, 20, L51-L54.	3.5	35
178	Transport AC losses in YBCO coated conductors. Superconductor Science and Technology, 2007, 20, S299-S304.	3.5	27
179	Development of magnesium diboride (MgB ₂) wires and magnets using in situ strand fabrication method. Physica C: Superconductivity and Its Applications, 2007, 456, 203-208.	1.2	130
180	Influence of Mg/B ratio and SiC doping on microstructure and high field transport J _c in MgB ₂ strands. Physica C: Superconductivity and Its Applications, 2007, 456, 180-187.	1.2	52

#	ARTICLE	IF	CITATIONS
181	Multifilamentary MgB ₂ -based solenoidal and racetrack coils. Physica C: Superconductivity and Its Applications, 2007, 458, 12-20.	1.2	18
182	AC loss in YBCO coated conductors exposed to external magnetic fields at 50–200Hz. Physica C: Superconductivity and Its Applications, 2007, 466, 29-36.	1.2	10
183	Overview of MgB ₂ Superconductor Applications. International Journal of Applied Ceramic Technology, 2007, 4, 250-259.	2.1	127
184	Magnetic Measurements of Interstrand Contact Resistance in Nb_3Sn Cables in Response to Variation of Pre-Heat-Treatment Condition. IEEE Transactions on Applied Superconductivity, 2006, 16, 1200-1203.	1.7	10
185	Titanium Diffusion and Phase Formation in Tube-Type Rod-In-Tube and Internal-Tin Nb ₃ Sn Strands. AIP Conference Proceedings, 2006, , .	0.4	11
186	Characterization of Ti and Ta Influence on Grain Shape and Size, as well as Transport Properties of Conductors Fabricated by the Internal-Sn Process. AIP Conference Proceedings, 2006, , .	0.4	5
187	Influence of Pre-Heat-Treatment Condition on Interstrand Contact Resistance in Nb ₃ Sn Rutherford Cables by Calorimetric AC-Loss Measurement. AIP Conference Proceedings, 2006, , .	0.4	12
188	Improving YBCO Coated Conductors for Applications. AIP Conference Proceedings, 2006, , .	0.4	0
189	Various Methods of Reducing AC Losses and Improving Stability of Internal-Tin Nb ₃ Sn Superconductors. AIP Conference Proceedings, 2006, , .	0.4	3
190	AC Loss (50–200 Hz) in YBCO Conductors with Filaments and Cu Stabilization. AIP Conference Proceedings, 2006, , .	0.4	1
191	Investigation of Bonding Generation during the Drawing of Multifilamentary Wires. AIP Conference Proceedings, 2006, , .	0.4	0
192	Transport properties of multifilamentary, in situ route, Cu-stabilized MgB ₂ strands: one metre segments and the $J_c(B,T)$ dependence of short samples. Superconductor Science and Technology, 2006, 19, 155-160.	3.5	51
193	The effect of doping level and sintering temperature on $J_c(H)$ performance in nano-SiC doped and pure MgB ₂ wires. Journal of Applied Physics, 2006, 99, 08M510.	2.5	19
194	Magnesium Diboride Superconducting Strand for Accelerator and Light Source Applications. IEEE Transactions on Applied Superconductivity, 2006, 16, 1445-1448.	1.7	8
195	A Round Table Discussion on MgB_2 Toward a Wide Market or a Niche Production? A Summary. IEEE Transactions on Applied Superconductivity, 2006, 16, 1457-1464.	1.7	88
196	Solenoid and Racetrack Coils Wound from MgB ₂ Strand. AIP Conference Proceedings, 2006, , .	0.4	1
197	Review of high power density superconducting generators: Present state and prospects for incorporating YBCO windings. Cryogenics, 2005, 45, 670-686.	1.7	165
198	Multifilamentary, in situ route, Cu-stabilized MgB ₂ strands. Superconductor Science and Technology, 2005, 18, 730-734.	3.5	47

#	ARTICLE	IF	CITATIONS
199	Transport and magnetic Jc of MgB2 strands and small helical coils. Applied Physics Letters, 2005, 86, 102501.	3.3	22
200	Microstructural Investigation of Internal-Tin Nb_3Sn Strands. IEEE Transactions on Applied Superconductivity, 2005, 15, 3422-3425.	1.7	4
201	Magnetization and J_c in Multifilamentary Nb_3Sn Strands. IEEE Transactions on Applied Superconductivity, 2005, 15, 3498-3501.	1.7	1
202	The Introduction of Titanium into Internal-Tin Nb_3Sn by a Variety of Procedures. IEEE Transactions on Applied Superconductivity, 2005, 15, 3478-3481.	1.7	9
203	Low AC Loss Structures in YBCO Coated Conductors With Filamentary Current Sharing. IEEE Transactions on Applied Superconductivity, 2005, 15, 2827-2830.	1.7	21
204	Finite Element Analysis of Drawing of Multifilamentary Wires. IEEE Transactions on Applied Superconductivity, 2005, 15, 3426-3429.	1.7	2
205	Increases in the irreversibility field and the upper critical field of bulk MgB2 by ZrB2 addition. Applied Physics Letters, 2005, 87, 042505.	3.3	35
206	Improvement of critical current density and thermally assisted individual vortex depinning in pulsed-laser-deposited $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$ thin films on SrTiO_3 (100) substrate with surface modification by Ag nanodots. Journal of Applied Physics, 2005, 97, 10B107.	2.5	8
207	Thermally assisted flux flow and individual vortex pinning in $\text{Bi}_2\text{Sr}_2\text{Ca}_2\text{Cu}_3\text{O}_{10}$ single crystals grown by the traveling solvent floating zone technique. Journal of Applied Physics, 2005, 97, 10B114.	2.5	35
208	Large upper critical field and irreversibility field in MgB2 wires with SiC additions. Applied Physics Letters, 2005, 86, 092507.	3.3	125
209	Flux Pinning in RHQT-Processed Nb_3Al After Various Transformation Heat Treatments. IEEE Transactions on Applied Superconductivity, 2005, 15, 3380-3384.	1.7	0
210	MgB_2/Cu Racetrack Coil Winding, Insulating, and Testing. IEEE Transactions on Applied Superconductivity, 2005, 15, 1457-1460.	1.7	18
211	Pinning Enhancement of $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$ Thin Films With Y_2BaCuO_5 Nanoparticulates. IEEE Transactions on Applied Superconductivity, 2005, 15, 3766-3769.	1.7	7
212	Effect of Various Additions on Upper Critical Field and Irreversibility Field of In-Situ MgB_2 Superconducting Bulk Material. IEEE Transactions on Applied Superconductivity, 2005, 15, 3204-3206.	1.7	24
213	Solenoidal coils made from monofilamentary and multifilamentary MgB2 strands. Superconductor Science and Technology, 2005, 18, 961-965.	3.5	33
214	AC loss in striped (filamentary) YBCO coated conductors leading to designs for high frequencies and field-sweep amplitudes. Superconductor Science and Technology, 2005, 18, 122-134.	3.5	81
215	High transport critical current density and large H_{c2} and H_{irr} nanoscale SiC doped MgB2 wires sintered at low temperature. Superconductor Science and Technology, 2005, 18, 658-666.	3.5	97
216	Ti and Sn Diffusion and Its Influence on Phase Formation in Internal-Tin Nb_3Sn Superconductor Strands. IEEE Transactions on Applied Superconductivity, 2005, 15, 3399-3402.	1.7	10

#	ARTICLE	IF	CITATIONS
217	Compact, lightweight, superconducting power generators. IEEE Transactions on Magnetics, 2005, 41, 268-273.	2.1	55
218	Irreversibility field and flux pinning in MgB ₂ with and without SiC additions. Superconductor Science and Technology, 2004, 17, 1180-1184.	3.5	54
219	Geometry dependence of magnetic and transport AC losses in Bi-2223/Ag tapes with different aspect ratios. Superconductor Science and Technology, 2004, 17, 1173-1179.	3.5	4
220	Finite Element Analysis of Extrusion of Multifilamentary Superconductor Precursor. AIP Conference Proceedings, 2004, , .	0.4	1
221	Magnetization and deff in HEP Relevant RIT Type Nb ₃ Sn Strandsâ€™Influence of Internal Barriers. AIP Conference Proceedings, 2004, , .	0.4	3
222	Attempts to Reduce A.C. Losses in High Current Density Internal-Tin Nb ₃ Sn. AIP Conference Proceedings, 2004, , .	0.4	4
223	Low loss striated YBa ₂ Cu ₃ O ₇ â€™d coated conductor with filamentary current sharing. Journal of Applied Physics, 2004, 96, 6550-6556.	2.5	16
224	Magnesium diboride superconducting RF resonant cavities for high energy particle acceleration. Superconductor Science and Technology, 2004, 17, S595-S601.	3.5	56
225	A Sol-Gel Approach to the Insulation of Rutherford Cables. AIP Conference Proceedings, 2004, , .	0.4	1
226	Nb ₃ Al Development for HEP Applications. AIP Conference Proceedings, 2004, , .	0.4	1
227	Critical Current Density and Bulk Pinning Force in RHQT-Processed Niobium-Aluminum Superconductors. AIP Conference Proceedings, 2004, , .	0.4	1
228	Characterization of MgB ₂ Conductors for Coil Development. AIP Conference Proceedings, 2004, , .	0.4	3
229	Magnetic, Calorimetric, and Transport Studies of Coupling and Interstrand Contact Resistance in Nb ₃ Sn Rutherford Cables with Bimetallic Cores of Stainless Steel Bonded to Copper. AIP Conference Proceedings, 2004, , .	0.4	13
230	FEM Modeling of AC Loss in Rutherford Cables with and without Resistive Cores. AIP Conference Proceedings, 2004, , .	0.4	0
231	Flux Jump Instability of Internal-Tin Strands and Cable Sections. AIP Conference Proceedings, 2004, , .	0.4	0
232	Addition of nanoparticle dispersions to enhance flux pinning of the YBa ₂ Cu ₃ O _{7-x} superconductor. Nature, 2004, 430, 867-870.	27.8	716
233	AC magnetic losses in Bi-2223/Ag tapes with different aspect ratios. Physica C: Superconductivity and Its Applications, 2004, 412-414, 1134-1138.	1.2	2
234	Influence of heat-treatment schedules on the transport current densities of long and short segments of superconducting MgB ₂ wire. Physica C: Superconductivity and Its Applications, 2004, 407, 153-159.	1.2	27

#	ARTICLE	IF	CITATIONS
235	Influence of heat-treatment schedules on magnetic critical current density and phase formation in bulk superconducting MgB ₂ . Physica C: Superconductivity and Its Applications, 2004, 415, 158-162.	1.2	5
236	Stability and instability in high performance (metastable) composite strands during I-V measurement. Physica C: Superconductivity and Its Applications, 2004, 401, 66-74.	1.2	5
237	Analysis of magnetization, AC loss, and deff for various internal-Sn based Nb ₃ Sn multifilamentary strands with and without subelement splitting. Cryogenics, 2004, 44, 711-725.	1.7	28
238	Continuous- and batch-processed MgB ₂ /Fe strands' transport and magnetic properties. Physica C: Superconductivity and Its Applications, 2003, 386, 555-559.	1.2	40
239	Phase stability at high temperatures in the Nb-Al system. IEEE Transactions on Applied Superconductivity, 2003, 13, 3462-3465.	1.7	12
240	Finite element modeling of hydrostatic extrusion for mono-core superconductor billets. IEEE Transactions on Applied Superconductivity, 2003, 13, 3434-3437.	1.7	6
241	Influence of transformation heat treatment on microstructure and defects in RHQT-processed Nb ₃ /Al. IEEE Transactions on Applied Superconductivity, 2003, 13, 3458-3461.	1.7	13
242	Nb ₃ /Al strand processing, transport properties, and cabling. IEEE Transactions on Applied Superconductivity, 2003, 13, 3466-3469.	1.7	3
243	Island growth of Y ₂ BaCuO ₅ nanoparticles in (211) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 YBa ₂ Cu ₃ O _{7-δ} films. Journal of Materials Research, 2003, 18, 2618-2623.	2.6	71
244	AC loss of Nb ₃ /Sn-based Rutherford cables with internally and externally added Cu. IEEE Transactions on Applied Superconductivity, 2003, 13, 2376-2379.	1.7	5
245	Temperature and field dependence of the effective matrix resistivity of Bi:2223/Ag composites. IEEE Transactions on Applied Superconductivity, 2003, 13, 3614-3617.	1.7	0
246	Nb ₃ /Sn wires synthesized by rapid-heating/quenching process of rod-in-tube wire precursors. IEEE Transactions on Applied Superconductivity, 2003, 13, 3430-3433.	1.7	0
247	Stability and flux jumping of internal-sn, Nb ₃ /Sn conductors (and a model system MgB ₂). IEEE Transactions on Applied Superconductivity, 2003, 13, 3394-3397.	1.7	7
248	Fabrication and properties of PIT Nb-Al and Nb-Sn based superconductors. IEEE Transactions on Applied Superconductivity, 2003, 13, 3486-3489.	1.7	8
249	Suppression of ac (hysteretic) loss by magnetic shielding of MgB ₂ /Fe superconductors: The pseudo-Meissner effect. AIP Conference Proceedings, 2002, , .	0.4	7
250	Development of multifilament jelly-roll NbAl precursor for melt-quench processing. AIP Conference Proceedings, 2002, , .	0.4	2
251	Processing-superconducting property correlation studies in RHQT-processed Niobium-Aluminum superconductors. AIP Conference Proceedings, 2002, , .	0.4	5
252	Fabrication and phase-transformation issues in CTFF-MA processed A15 superconductors. AIP Conference Proceedings, 2002, , .	0.4	4

#	ARTICLE	IF	CITATIONS
253	Hysteretic loss reduction in striated YBCO. Physica C: Superconductivity and Its Applications, 2002, 382, 52-56.	1.2	92
254	Real and apparent loss suppression in MgB2 superconducting composites. Physica C: Superconductivity and Its Applications, 2002, 382, 98-103.	1.2	8
255	Reduction and elimination of external-field AC loss in MgB2/Fe wire by in situ magnetic shielding. Physica C: Superconductivity and Its Applications, 2002, 378-381, 894-898.	1.2	22
256	Fabrication and critical current density in 16-filament stainless steel/Fe/MgB2 square wire. Solid State Communications, 2002, 124, 59-62.	1.9	15
257	Optimization studies for processing Nb/sub 3/Al by a rapid ohmic-heating and quenching method. IEEE Transactions on Applied Superconductivity, 2001, 11, 3980-3983.	1.7	17
258	Superconducting properties and rapid heating condition in transformed jelly-roll Nb/sub 3/Al multifilamentary wires as a function of maximum ohmic-heating temperature. IEEE Transactions on Applied Superconductivity, 2001, 11, 3611-3614.	1.7	4
259	Static and dynamic parasitic magnetizations and their control in superconducting accelerator dipoles. Physica C: Superconductivity and Its Applications, 2001, 354, 60-65.	1.2	3
260	Transverse resistivities in untwisted HTSC tapes at 4.2, 30, and 60 K. Physica C: Superconductivity and Its Applications, 2001, 357-360, 1153-1159.	1.2	3
261	High-transport critical current density above 30 K in pure Fe-clad MgB2 tape. Physica C: Superconductivity and Its Applications, 2001, 361, 84-90.	1.2	176
262	Flux jumping and a bulk-to-granular transition in the magnetization of a compacted and sintered MgB2 superconductor. Physica C: Superconductivity and Its Applications, 2001, 361, 79-83.	1.2	67
263	AC loss in cored, stabrite-coated, superconducting cables in response to external compaction and variation of core thickness and width. Cryogenics, 2001, 41, 733-744.	1.7	14
264	Analysis of eddy current AC loss for untwisted, multifilamentary superconducting composites with various aspect ratios. IEEE Transactions on Applied Superconductivity, 2001, 11, 2963-2966.	1.7	2
265	Coupling loss and contact resistance in cored stabrite cables-influences of compaction and variation of core width. IEEE Transactions on Applied Superconductivity, 2001, 11, 2571-2574.	1.7	7
266	Ac loss and interstrand contact resistance in bare and coated NbTi/Cu Rutherford cables with cores. Superconductor Science and Technology, 2001, 14, 888-897.	3.5	4
267	Magnetization as a critical defining parameter for strand in precision dipole applications implications for field error and F-J stability. IEEE Transactions on Applied Superconductivity, 2001, 11, 2567-2570.	1.7	13
268	Influence of filamentary and strand aspect ratios on AC loss in short, untwisted samples of HTSC and LTSC superconducting multifilamentary composites. Physica C: Superconductivity and Its Applications, 2000, 337, 187-194.	1.2	9
269	Extraction of matrix resistivity from short samples of superconducting multifilamentary composite tapes: influence of strand twist and internal structure. Physica C: Superconductivity and Its Applications, 2000, 335, 164-169.	1.2	8
270	AC loss and contact resistance in copper-stabilized Nb/sub 3/Al Rutherford cables with and without a stainless steel core. IEEE Transactions on Applied Superconductivity, 2000, 10, 1196-1199.	1.7	4

#	ARTICLE	IF	CITATIONS
271	Magnetic Measurements of AC Loss in Short Multifilamentary Tapes. , 2000, , 709-714.		1
272	Bi:2212/Ag-based Rutherford cables: production, processing and properties. Superconductor Science and Technology, 1999, 12, 87-96.	3.5	26
273	Process development and microstructures of Nb/sub 3/Al precursor strand for reel-to-reel production. IEEE Transactions on Applied Superconductivity, 1999, 9, 2692-2695.	1.7	8
274	AC losses in Nb/sub 3/Sn Rutherford cables with a stainless steel core. IEEE Transactions on Applied Superconductivity, 1999, 9, 731-734.	1.7	7
275	Low coupling loss core-strengthened Bi:2212/Ag Rutherford cables. IEEE Transactions on Applied Superconductivity, 1999, 9, 758-761.	1.7	6
276	Flux pinning in the weak layers of superconducting heterogeneous structures. Physica C: Superconductivity and Its Applications, 1999, 316, 129-151.	1.2	2
277	Core-suppressed AC loss and strand-moderated contact resistance in a Nb ₃ Sn Rutherford cable. Cryogenics, 1999, 39, 1-12.	1.7	36
278	Influence of strand surface condition on interstrand contact resistance and coupling loss in NbTi-wound Rutherford cables. Cryogenics, 1999, 39, 197-208.	1.7	20
279	Short-sample quenching of Nb/sub 3/Al precursor strand in support of reel-to-reel process development. IEEE Transactions on Applied Superconductivity, 1999, 9, 1433-1436.	1.7	16
280	Low field flux jumping in high performance multifilamentary Nb/sub 3/Al and Nb/sub 3/Sn composite strands. IEEE Transactions on Applied Superconductivity, 1999, 9, 1455-1458.	1.7	10
281	AC loss properties of some Bi:2212/Ag Rutherford cables and a comparison with those of cables wound with NbTi and Nb ₃ Sn. Cryogenics, 1998, 38, 1225-1232.	1.7	8
282	Modelling of Mâ€“H loop anomalies in synergistically pinned, heterogeneous, composite superconductors. Physica C: Superconductivity and Its Applications, 1998, 306, 300-308.	1.2	2
283	Coupling current control in Rutherford cables wound with NbTi, Nb ₃ Sn, and Bi:2212/Ag. Physica C: Superconductivity and Its Applications, 1998, 310, 291-295.	1.2	7
284	AC Loss and Contact Resistance in Nb ₃ Sn Rutherford Cables With and Without a Stainless Steel Core. , 1998, , 1077-1084.		10
285	Critical Currents and Superconducting Boundary Effects in S-N-S Multifilamentary Composites. , 1998, , 843-850.		0
286	Suppression and control of coupling currents in stabrite-coated Rutherford cable with cores of various materials and thicknesses. IEEE Transactions on Applied Superconductivity, 1997, 7, 962-966.	1.7	19
287	Analysis of optically and magnetically determined bridging in internal-tin process Nb/sub 3/Sn strands. IEEE Transactions on Applied Superconductivity, 1997, 7, 1368-1371.	1.7	6
288	Proximity effect current strengths in NbTi multifilamentary samples with and without Nb barriers and processed under various conditions. IEEE Transactions on Applied Superconductivity, 1997, 7, 1117-1121.	1.7	4

#	ARTICLE	IF	CITATIONS
289	Determination of the true (or potential) transport- J_c of a multifilamentary Bi:HTSC/Ag strand in the presence of bridging and generalized sausageing. <i>Physica C: Superconductivity and Its Applications</i> , 1997, 291, 267-273.	1.2	6
290	Second VAMAS a.c. loss measurement intercomparison: magnetization measurement of low-frequency (hysteretic) a.c. loss in NbTi multifilamentary strands. <i>Cryogenics</i> , 1997, 37, 49-60.	1.7	8
291	Anomalous magnetic properties and proximity effect coupling in VAMAS strands. <i>Cryogenics</i> , 1997, 37, 165-170.	1.7	6
292	A model for bridging and coupling in superconductors. <i>Physica C: Superconductivity and Its Applications</i> , 1996, 261, 245-258.	1.2	16
293	Calorimetric Measurements of the Effect of Nickel and Stabrite Coatings and Resistive Cores on AC Loss in Accelerator Cables under Fixed Pressure. , 1996, , 1303-1311.		8
294	Critical Current, Flux Pinning, and Hysteretic Loss in Round Multifilamentary Bi:2212/Ag Strands. , 1996, , 573-580.		5
295	Stability and AC losses in HTSC/Ag multifilamentary strands. <i>Applied Superconductivity</i> , 1995, 3, 551-557.	0.5	6
296	A comparison of ac loss, magnetization, H_r and U_0 for Bi:2212 wires, crystals and melt grown samples. <i>Applied Superconductivity</i> , 1995, 3, 521-533.	0.5	4
297	Contact resistance and cable loss measurements of coated strands and cables wound from them. <i>IEEE Transactions on Applied Superconductivity</i> , 1995, 5, 692-696.	1.7	22
298	Chromium diffusion into plated Nb/sub 3/Sn strands deduced from electrical resistivity measurement. <i>IEEE Transactions on Applied Superconductivity</i> , 1995, 5, 1925-1928.	1.7	4
299	Report on the second VAMAS AC loss round robin-magnetization measurement of low-frequency hysteretic loss. <i>IEEE Transactions on Applied Superconductivity</i> , 1995, 5, 540-543.	1.7	0
300	Materials selection for ferromagnetic compensation in accelerator magnets. <i>IEEE Transactions on Applied Superconductivity</i> , 1995, 5, 408-411.	1.7	0
301	The influence of filament size and atmosphere on the microstructure and J_c of round multifilament Bi/sub 2/Sr/sub 2/Ca/sub 1/Cu/sub 2/O/sub x/ wires. <i>IEEE Transactions on Applied Superconductivity</i> , 1995, 5, 1162-1166.	1.7	28
302	Flux Jump Stability During Magnetization of Bulk YBCO and Internal Mechanical Stresses in the Trapped Critical State. , 1995, , 605-608.		4
303	Creep in superconductive composites with anisotropic pinning potentials. <i>Journal of Applied Physics</i> , 1994, 76, 4766-4771.	2.5	1
304	Influence of Ni additions on the low-temperature magnetic properties of a Cu-1% Mn alloy. <i>Journal of Applied Physics</i> , 1994, 76, 7461-7467.	2.5	3
305	Influence of twist pitch and sample length on proximity effect coupling in multifilamentary composites described in terms of a field independent, two current region model. <i>Cryogenics</i> , 1994, 34, 491-505.	1.7	22
306	Calculation of the magnetization of anisotropic superconductors with cylindrical geometry in transverse fields. <i>Applied Superconductivity</i> , 1994, 2, 41-46.	0.5	20

#	ARTICLE	IF	CITATIONS
307	Influence of Cable and Twist Pitch Interactions on Eddy Currents In Multifilamentary Strands Calculated Using an Anisotropic Continuum Model. , 1994, , 579-587.		10
308	Field and Length Dependence of the Creep Rate in Proximity Effectuated Multifilamentary Strands. , 1994, , 799-806.		0
309	Lower Critical Field Studies of Melt-Textured and Melt-Grown YBa ₂ Cu ₃ O _{7-x} . , 1994, , 597-600.		0
310	Enhanced static magnetization and creep in fine-filamentary and SSC-prototype strands via helical cabling geometry enhanced proximity effects. IEEE Transactions on Applied Superconductivity, 1993, 3, 751-756.	1.7	9
311	Transverse and longitudinal resistivities in NbTi multifilamentary strands with Cu and CuMn matrices. IEEE Transactions on Applied Superconductivity, 1993, 3, 859-862.	1.7	14
312	Hysteretic method of lower critical field determination in high-T _c superconductors. Superconductor Science and Technology, 1992, 5, S248-S255.	3.5	6
313	Advanced strand design for precision DC-field and ramp-field magnets. IEEE Transactions on Magnetism, 1992, 28, 156-159.	2.1	3
314	Experiments to Improve Materials for SSC Magnets. , 1992, , 923-930.		5
315	Eddy-current effects in twisted and wound SSC strands. IEEE Transactions on Magnetism, 1991, 27, 1791-1795.	2.1	19
316	Hysteretic surface effects in multifilamentary NbTi wires exposed to transverse applied fields. IEEE Transactions on Magnetism, 1991, 27, 2166-2169.	2.1	4
317	Design, fabrication, and properties of magnetically compensated SSC strands. IEEE Transactions on Magnetism, 1991, 27, 1787-1790.	2.1	5
318	Position and amplitude of proximity effect peaks in the magnetization curves of NbTi/Cu and NbTi/CuMn multifilamentary strands. IEEE Transactions on Magnetism, 1991, 27, 1129-1132.	2.1	5
319	Magnetic Studies of Proximity-Effect Coupling in a Very Closely Spaced Fine-Filament NbTi/CuMn Composite Superconductor. , 1990, , 231-238.		9
320	Generators compact, lightweight, superconducting power. , 0, , .		5