

Young-Hoon Kim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4432917/publications.pdf>

Version: 2024-02-01

285
papers

18,195
citations

46918

47
h-index

14156

128
g-index

289
all docs

289
docs citations

289
times ranked

14585
citing authors

#	ARTICLE	IF	CITATIONS
1	Critical appraisal of technologies to assess electrical activity during atrial fibrillation: a position paper from the European Heart Rhythm Association and European Society of Cardiology Working Group on eCardiology in collaboration with the Heart Rhythm Society, Asia Pacific Heart Rhythm Society, Latin American Heart Rhythm Society and Computing in Cardiology. <i>Europace</i> , 2022, 24, 313-330.	0.7	33
2	Unipolar and bipolar electrogram characteristics of recurrent cases of idiopathic ventricular arrhythmias undergoing repeat catheter ablation. <i>Indian Pacing and Electrophysiology Journal</i> , 2022, 22, 12-16.	0.3	1
3	Association of Depression With Atrial Fibrillation in South Korean Adults. <i>JAMA Network Open</i> , 2022, 5, e2141772.	2.8	16
4	Therapeutic implications of galectin-3 in patients with atrial fibrillation. <i>Scientific Reports</i> , 2022, 12, 784.	1.6	6
5	Left Atrial Dysfunction, Fibrosis and the Risk of Thromboembolism in Patients With Paroxysmal and Persistent Atrial Fibrillation. <i>International Journal of Heart Failure</i> , 2022, 4, 42.	0.9	9
6	Genome-wide association study-based prediction of atrial fibrillation using artificial intelligence. <i>Open Heart</i> , 2022, 9, e001898.	0.9	14
7	Machine Learning-Predicted Progression to Permanent Atrial Fibrillation After Catheter Ablation. <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, 813914.	1.1	2
8	Comorbidities and Antithrombotic Treatment Pattern in Patients With Atrial Fibrillation. <i>Frontiers in Neurology</i> , 2022, 13, 761603.	1.1	1
9	Metabolic Syndrome, Gamma-Glutamyl Transferase, and Risk of Sudden Cardiac Death. <i>Journal of Clinical Medicine</i> , 2022, 11, 1781.	1.0	14
10	Combined epicardial and endocardial approach for redo radiofrequency catheter ablation in patients with persistent atrial fibrillation: a randomized clinical trial. <i>Europace</i> , 2022, 24, 1412-1419.	0.7	1
11	First-Line Catheter Ablation of Monomorphic Ventricular Tachycardia in Cardiomyopathy Concurrent With Defibrillator Implantation: The PAUSE-SCD Randomized Trial. <i>Circulation</i> , 2022, 145, 1839-1849.	1.6	61
12	Drug Utilization Pattern of Oral Anticoagulants in Patients with Atrial Fibrillation: A Nationwide Population-Based Study in Korea. <i>Advances in Therapy</i> , 2022, 39, 3112-3130.	1.3	2
13	Sex-Related Differences in Left Atrial Low-Voltage Areas According to CHA2DS2-VA Scores among Patients with Atrial Fibrillation. <i>Journal of Clinical Medicine</i> , 2022, 11, 3111.	1.0	2
14	A Watch-Type Electrocardiography Is a Reliable Tool for Detecting Paroxysmal Cardiac Arrhythmias. <i>Journal of Clinical Medicine</i> , 2022, 11, 3333.	1.0	0
15	Non-genetic risk factors for atrial fibrillation are equally important in both young and old age: A nationwide population-based study. <i>European Journal of Preventive Cardiology</i> , 2021, 28, 666-676.	0.8	35
16	Comparison of clinical outcomes between multiple antithrombotic therapy versus left atrial appendage occlusion with dual antiplatelet therapy in patients with atrial fibrillation undergoing drug-eluting stent implantation. <i>PLoS ONE</i> , 2021, 16, e0244723.	1.1	2
17	The 10-Year Trend of Out-of-hospital Cardiac Arrests: a Korean Nationwide Population-Based Study. <i>Korean Circulation Journal</i> , 2021, 51, 866.	0.7	17
18	Blood flow volume of left atrial appendage measured by magnetic resonance imaging is improved after radiofrequency catheter ablation of atrial fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2021, 32, 669-677.	0.8	3

#	ARTICLE	IF	CITATIONS
19	Premature ventricular contraction is associated with increased risk of atrial fibrillation: a nationwide population-based study. <i>Scientific Reports</i> , 2021, 11, 1601.	1.6	16
20	A novel predictive model for late recurrence after catheter ablation for atrial fibrillation using left appendage volume measured by cardiac computed tomography. <i>International Journal of Cardiovascular Imaging</i> , 2021, 37, 2063-2070.	0.7	5
21	Safety and Effectiveness of Edoxaban in Atrial Fibrillation Patients in Routine Clinical Practice: One-Year Follow-Up from the Global Noninterventional ETNA-AF Program. <i>Journal of Clinical Medicine</i> , 2021, 10, 573.	1.0	14
22	Impact of carotid atherosclerosis in CHA2DS2-VASc-based risk score on predicting ischemic stroke in patients with atrial fibrillation. <i>Korean Journal of Internal Medicine</i> , 2021, 36, 342-351.	0.7	7
23	Early Recurrence Is Reliable Predictor of Late Recurrence After Radiofrequency Catheter Ablation of Atrial Fibrillation. <i>JACC: Clinical Electrophysiology</i> , 2021, 7, 343-351.	1.3	39
24	Different Influence of Blood Pressure on New-Onset Atrial Fibrillation in Pre- and Postmenopausal Women. <i>Hypertension</i> , 2021, 77, 1500-1509.	1.3	14
25	Ethnic similarities in genetic polymorphisms associated with atrial fibrillation: Far East Asian vs European populations. <i>European Journal of Clinical Investigation</i> , 2021, 51, e13584.	1.7	2
26	The Impact of Personal Thoracic Impedance on Electrical Cardioversion in Patients with Atrial Arrhythmias. <i>Medicina (Lithuania)</i> , 2021, 57, 618.	0.8	5
27	Premature ventricular contraction increases the risk of heart failure and ventricular tachyarrhythmia. <i>Scientific Reports</i> , 2021, 11, 12698.	1.6	11
28	Left Atrial Wall Stress and the Long-Term Outcome of Catheter Ablation of Atrial Fibrillation: An Artificial Intelligence-Based Prediction of Atrial Wall Stress. <i>Frontiers in Physiology</i> , 2021, 12, 686507.	1.3	12
29	The mortality analysis of primary prevention patients receiving a cardiac resynchronization defibrillator (CRT-D) or implantable cardioverter-defibrillator (ICD) according to guideline indications in the improve SCA study. <i>Journal of Cardiovascular Electrophysiology</i> , 2021, 32, 2285-2294.	0.8	1
30	Impact of Reduced-Dose Nonvitamin K Antagonist Oral Anticoagulants on Outcomes Compared to Warfarin in Korean Patients with Atrial Fibrillation: A Nationwide Population-Based Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 3918.	1.0	1
31	Effectiveness and safety of non-vitamin K antagonist oral anticoagulants in patients with non-valvular atrial fibrillation: A nationwide, population-based study in Korea. <i>Journal of Arrhythmia</i> , 2021, 37, 1240-1249.	0.5	3
32	Treatment Pattern of Antithrombotic Therapy over Time after Percutaneous Coronary Intervention in Patients with Atrial Fibrillation in Real-World Practice in Korea. <i>Healthcare (Switzerland)</i> , 2021, 9, 1185.	1.0	0
33	Atrial fibrillation is associated with increased risk of lethal ventricular arrhythmias. <i>Scientific Reports</i> , 2021, 11, 18111.	1.6	8
34	Evaluation of Left Atrial Appendage Isolation Using Cardiac MRI after Catheter Ablation of Atrial Fibrillation: Paradox of Appendage Reservoir. <i>Korean Journal of Radiology</i> , 2021, 22, 525.	1.5	0
35	A Prospective, Observational Study of Rivaroxaban For Stroke Prevention In Atrial Fibrillation – The XANAP Korea. <i>Korean Journal of Internal Medicine</i> , 2021, 36, 906-913.	0.7	2
36	Malnutrition and Risk of Procedural Complications in Patients With Atrial Fibrillation Undergoing Catheter Ablation. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 736042.	1.1	5

#	ARTICLE	IF	CITATIONS
37	Clinical Events with Edoxaban in South Korean and Taiwanese Atrial Fibrillation Patients in Routine Clinical Practice. <i>Journal of Clinical Medicine</i> , 2021, 10, 5337.	1.0	2
38	Electrical Remodeling of Left Atrium Is a Better Predictor for Recurrence Than Structural Remodeling in Atrial Fibrillation Patients Undergoing Radiofrequency Catheter Ablation. <i>Korean Circulation Journal</i> , 2021, 52, .	0.7	4
39	Frequent drinking is a more important risk factor for new-onset atrial fibrillation than binge drinking: a nationwide population-based study. <i>Europace</i> , 2020, 22, 216-224.	0.7	49
40	Utilization of implantable cardioverter-defibrillators for the prevention of sudden cardiac death in emerging countries: Improve SCA clinical trial. <i>Heart Rhythm</i> , 2020, 17, 468-475.	0.3	22
41	Impact of age on thromboembolic events in patients with non-valvular atrial fibrillation. <i>Clinical Cardiology</i> , 2020, 43, 78-85.	0.7	13
42	“Real-world” observational studies in arrhythmia research: data sources, methodology, and interpretation. A position document from European Heart Rhythm Association (EHRA), endorsed by Heart Rhythm Society (HRS), Asia-Pacific HRS (APHRS), and Latin America HRS (LAHRS). <i>Europace</i> , 2020, 22, 831-832.	0.7	18
43	Atrial Substrate Underlies the Recurrence after Catheter Ablation in Patients with Atrial Fibrillation. <i>Journal of Clinical Medicine</i> , 2020, 9, 3164.	1.0	8
44	Association of left atrial pressure with late gadolinium enhancement extent in patient who underwent catheter ablation for atrial fibrillation. <i>Scientific Reports</i> , 2020, 10, 16486.	1.6	6
45	Electrical Posterior Box Isolation in Persistent Atrial Fibrillation Changed to Paroxysmal Atrial Fibrillation. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2020, 13, e008531.	2.1	22
46	Management of Atrio-esophageal Fistula Induced by Radiofrequency Catheter Ablation in Atrial Fibrillation Patients: a Case Series. <i>Scientific Reports</i> , 2020, 10, 8202.	1.6	12
47	2019 APHRS expert consensus statement on three-dimensional mapping systems for tachycardia developed in collaboration with HRS, EHRA, and LAHRS. <i>Journal of Arrhythmia</i> , 2020, 36, 215-270.	0.5	57
48	Effectiveness and Safety of Off-label Dosing of Non-vitamin K Antagonist Anticoagulant for Atrial Fibrillation in Asian Patients. <i>Scientific Reports</i> , 2020, 10, 1801.	1.6	33
49	The risk of stroke/systemic embolism and major bleeding in Asian patients with non-valvular atrial fibrillation treated with non-vitamin K oral anticoagulants compared to warfarin: Results from a real-world data analysis. <i>PLoS ONE</i> , 2020, 15, e0242922.	1.1	21
50	The Effects of Single Nucleotide Polymorphisms in Korean Patients with Early-onset Atrial Fibrillation after Catheter Ablation. <i>Journal of Korean Medical Science</i> , 2020, 35, e411.	1.1	1
51	Slit-based irrigation catheters can reduce procedure-related ischemic stroke in atrial fibrillation patients undergoing radiofrequency catheter ablation. <i>PLoS ONE</i> , 2020, 15, e0239339.	1.1	2
52	Incidence and etiology of sudden cardiac arrest in Koreans: A cohort from the national health insurance service database. <i>PLoS ONE</i> , 2020, 15, e0242799.	1.1	14
53	Molecular Signatures of Sinus Node Dysfunction Induce Structural Remodeling in the Right Atrial Tissue. <i>Molecules and Cells</i> , 2020, 43, 408-418.	1.0	2
54	Chromosome 4q25 variants and biomarkers of myocardial fibrosis in patients with atrial fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2019, 30, 1904-1913.	0.8	7

#	ARTICLE	IF	CITATIONS
55	Left Atrial Fibrosis Assessed with Cardiac MRI in Patients with Paroxysmal and Those with Persistent Atrial Fibrillation. <i>Radiology</i> , 2019, 292, 575-582.	3.6	21
56	Status of international normalized ratio control and treatment patterns in patients with nonvalvular atrial fibrillation taking vitamin K antagonist with or without antiplatelet therapy: Results from KORAFII registry. <i>Journal of Arrhythmia</i> , 2019, 35, 593-601.	0.5	3
57	The Electrical Isolation of the Left Atrial Posterior Wall in Catheter Ablation of Persistent Atrial Fibrillation. <i>JACC: Clinical Electrophysiology</i> , 2019, 5, 1253-1261.	1.3	108
58	Impact of persistent left superior vena cava on radiofrequency catheter ablation in patients with atrial fibrillation. <i>Europace</i> , 2019, 21, 1824-1832.	0.7	26
59	The global Edoxaban Treatment in routine clinical practice (ETNA) noninterventional study program: rationale and design. <i>Clinical Cardiology</i> , 2019, 42, 1147-1154.	0.7	16
60	Association between epicardial adipose tissue and embolic stroke after catheter ablation of atrial fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2019, 30, 2209-2216.	0.8	9
61	Impact of the Duration and Degree of Hypertension and Body Weight on New-Onset Atrial Fibrillation. <i>Hypertension</i> , 2019, 74, e45-e51.	1.3	49
62	The impact of body weight and diabetes on new-onset atrial fibrillation: a nationwide population based study. <i>Cardiovascular Diabetology</i> , 2019, 18, 128.	2.7	57
63	The New CHEST Guidelines on Antithrombotic Therapy for Atrial Fibrillation Should Consider Recent Data on Rivaroxaban. <i>Chest</i> , 2019, 155, 1309-1311.	0.4	0
64	Trends in the use of implantable cardioverter-defibrillators for prevention of sudden cardiac arrest: A South Korean nationwide population-based study. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2019, 42, 1086-1094.	0.5	13
65	Risk Factors for Ischemic Stroke in Atrial Fibrillation Patients Undergoing Radiofrequency Catheter Ablation. <i>Scientific Reports</i> , 2019, 9, 7051.	1.6	10
66	Use of Cardiac Computed Tomography and Magnetic Resonance Imaging in Case Management of Atrial Fibrillation with Catheter Ablation. <i>Korean Journal of Radiology</i> , 2019, 20, 695.	1.5	13
67	Clinical and Echocardiographic Risk Factors Predict Late Recurrence after Radiofrequency Catheter Ablation of Atrial Fibrillation. <i>Scientific Reports</i> , 2019, 9, 6890.	1.6	32
68	Unilateral versus Bilateral Groin Puncture for Atrial Fibrillation Ablation: Multi-Center Prospective Randomized Study. <i>Yonsei Medical Journal</i> , 2019, 60, 360.	0.9	2
69	Clinical characteristics and rhythm outcome of catheter ablation of hemodynamically corrected valvular atrial fibrillation. <i>Journal of Cardiology</i> , 2019, 73, 488-496.	0.8	9
70	Ablation of Nonpulmonary Vein Triggers. , 2019, , 244-256.e2.		0
71	Different influence of cardiac hemodynamics on thromboembolic events in patients with paroxysmal and non-paroxysmal atrial fibrillation. <i>PLoS ONE</i> , 2019, 14, e0214743.	1.1	4
72	Clinical Usefulness of Computational Modeling-Guided Persistent Atrial Fibrillation Ablation: Updated Outcome of Multicenter Randomized Study. <i>Frontiers in Physiology</i> , 2019, 10, 1512.	1.3	19

#	ARTICLE	IF	CITATIONS
73	The extent of complex fractionated atrial electrograms in the left atrium reflects age-related electrical remodeling in patients with persistent atrial fibrillation. <i>Journal of Arrhythmia</i> , 2019, 35, 805-812.	0.5	1
74	Comparison of Renal Function Estimation Formulae for Dosing Direct Oral Anticoagulants in Patients with Atrial Fibrillation. <i>Journal of Clinical Medicine</i> , 2019, 8, 2034.	1.0	11
75	When is it appropriate to stop non-vitamin K antagonist oral anticoagulants before catheter ablation of atrial fibrillation? A multicentre prospective randomized study. <i>European Heart Journal</i> , 2019, 40, 1531-1537.	1.0	28
76	Comparison between linear and focal ablation of complex fractionated atrial electrograms in patients with non-paroxysmal atrial fibrillation: a prospective randomized trial. <i>Europace</i> , 2019, 21, 598-606.	0.7	8
77	Efforts to prepare inter-Korea medical consolidation: compilation of a medical dictionary for all of Korea. <i>Journal of the Korean Medical Association</i> , 2019, 62, 506.	0.1	2
78	European Heart Rhythm Association (EHRA) consensus document on the management of supraventricular arrhythmias, endorsed by Heart Rhythm Society (HRS), Asia-Pacific Heart Rhythm Society (APHRS), and Sociedad Latinoamericana de Estimulación Cardíaca y Electrofisiología (SOLAECE). <i>European Heart Journal</i> , 2018, 39, ehw455.	1.0	28
79	2017 HRS/EHRA/ECAS/APHRS/SOLAECE expert consensus statement on catheter and surgical ablation of atrial fibrillation. <i>Europace</i> , 2018, 20, e1-e160.	0.7	767
80	Long-Term Clinical Comparison of Procedural End Points After Pulmonary Vein Isolation in Paroxysmal Atrial Fibrillation. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2018, 11, e005019.	2.1	38
81	2017 HRS/EHRA/ECAS/APHRS/SOLAECE expert consensus statement on catheter and surgical ablation of atrial fibrillation: Executive summary. <i>Europace</i> , 2018, 20, 157-208.	0.7	375
82	Treatment Strategies for Atrial Fibrillation With Left Ventricular Systolic Dysfunction: Meta-Analysis. <i>Circulation Journal</i> , 2018, 82, 1770-1777.	0.7	9
83	European Heart Rhythm Association (EHRA)/Heart Rhythm Society (HRS)/Asia Pacific Heart Rhythm Society (APHRS)/Latin American Heart Rhythm Society (LAHRS) expert consensus on arrhythmias and cognitive function: what is the best practice?. <i>Heart Rhythm</i> , 2018, 15, e37-e60.	0.3	21
84	European Heart Rhythm Association (EHRA)/Heart Rhythm Society (HRS)/Asia Pacific Heart Rhythm Society (APHRS)/Latin American Heart Rhythm Society (LAHRS) expert consensus on arrhythmias and cognitive function: what is the best practice?. <i>Europace</i> , 2018, 20, 1399-1421.	0.7	75
85	Electrical isolation of the left atrial appendage increases the risk of ischemic stroke and transient ischemic attack regardless of postisolation flow velocity. <i>Heart Rhythm</i> , 2018, 15, 1746-1753.	0.3	56
86	Quality of Anticoagulation and Treatment Satisfaction in Patients with Non-Valvular Atrial Fibrillation Treated with Vitamin K Antagonist: Result from the KOREan Atrial Fibrillation Investigation II. <i>Journal of Korean Medical Science</i> , 2018, 33, e323.	1.1	5
87	Meteorological Factors and Air Pollutants Contributing to Seasonal Variation of Acute Exacerbation of Atrial Fibrillation. <i>Journal of Occupational and Environmental Medicine</i> , 2018, 60, 1082-1086.	0.9	5
88	Improving the utilization of implantable cardioverter defibrillators for sudden cardiac arrest prevention (Improve SCA) in developing countries: Clinical characteristics and reasons for implantation refusal. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2018, 41, 1619-1626.	0.5	10
89	XANAP: A real-world, prospective, observational study of patients treated with rivaroxaban for stroke prevention in atrial fibrillation in Asia. <i>Journal of Arrhythmia</i> , 2018, 34, 418-427.	0.5	20
90	Feasibility of intracardiac echocardiography imaging from the left superior pulmonary vein for left atrial appendage occlusion. <i>International Journal of Cardiovascular Imaging</i> , 2018, 34, 1571-1579.	0.7	21

#	ARTICLE	IF	CITATIONS
91	Different Responses of Left Atrium and Left Atrial Appendage to Radiofrequency Catheter Ablation of Atrial Fibrillation: a Follow Up MRI study. <i>Scientific Reports</i> , 2018, 8, 7871.	1.6	18
92	Global Prospective Safety Analysis of Rivaroxaban. <i>Journal of the American College of Cardiology</i> , 2018, 72, 141-153.	1.2	48
93	Early Response after Catheter Ablation of the Epicardial Substrate in a Patient with Brugada Syndrome Can Be Predicted by High Precordial Leads. <i>Case Reports in Cardiology</i> , 2018, 2018, 1-5.	0.1	2
94	Electrophysiological features and radiofrequency catheter ablation of supraventricular tachycardia in patients with persistent left superior vena cava. <i>Heart Rhythm</i> , 2018, 15, 1634-1641.	0.3	14
95	Characteristics of atrial fibrillation patients suffering atrioesophageal fistula after radiofrequency catheter ablation. <i>Journal of Cardiovascular Electrophysiology</i> , 2018, 29, 1343-1351.	0.8	27
96	Gender-related Difference in Clinical Outcome of the Patient with Atrial Fibrillation after Radiofrequency Catheter Ablation. <i>Korean Circulation Journal</i> , 2018, 48, 605.	0.7	10
97	Long-term clinical outcomes of catheter ablation in patients with atrial fibrillation predisposing to tachycardia-bradycardia syndrome: a long pause predicts implantation of a permanent pacemaker. <i>BMC Cardiovascular Disorders</i> , 2018, 18, 106.	0.7	13
98	Ischemic stroke risk during long-term follow up in patients with successful catheter ablation for atrial fibrillation in Korea. <i>PLoS ONE</i> , 2018, 13, e0201061.	1.1	5
99	European Heart Rhythm Association (EHRA)/Heart Rhythm Society (HRS)/Asia Pacific Heart Rhythm Society (APHRS)/Latin American Heart Rhythm Society (LAHRS) expert consensus on arrhythmias and cognitive function: What is the best practice?. <i>Journal of Arrhythmia</i> , 2018, 34, 99-123.	0.5	41
100	Non-vitamin K antagonist oral anticoagulants versus warfarin for the prevention of spontaneous echo-contrast and thrombus in patients with atrial fibrillation or flutter undergoing cardioversion: A trans-esophageal echocardiography study. <i>PLoS ONE</i> , 2018, 13, e0191648.	1.1	14
101	2018 Korean Guidelines for Catheter Ablation of Atrial Fibrillation: Part I. <i>International Journal of Arrhythmia</i> , 2018, 19, 186-234.	0.3	3
102	EHRA/HRS/APHRS/SOLAECE expert consensus on atrial cardiomyopathies: Definition, characterization, and clinical implication. <i>Heart Rhythm</i> , 2017, 14, e3-e40.	0.3	442
103	Atrial Fibrillation: Relationship between Left Atrial Pressure and Left Atrial Appendage Emptying Determined with Velocity-encoded Cardiac MR Imaging. <i>Radiology</i> , 2017, 284, 381-389.	3.6	8
104	2017 HRS/EHRA/ECAS/APHRS/SOLAECE expert consensus statement on catheter and surgical ablation of atrial fibrillation. <i>Heart Rhythm</i> , 2017, 14, e275-e444.	0.3	1,671
105	Korean atrial fibrillation network genome-wide association study for early-onset atrial fibrillation identifies novel susceptibility loci. <i>European Heart Journal</i> , 2017, 38, 2586-2594.	1.0	59
106	Hypertension and cardiac arrhythmias: a consensus document from the European Heart Rhythm Association (EHRA) and ESC Council on Hypertension, endorsed by the Heart Rhythm Society (HRS), Asia-Pacific Heart Rhythm Society (APHRS) and Sociedad Latinoamericana de Estimulación Cardíaca y Electrofisiología (SOLEACE). <i>Europace</i> , 2017, 19, 891-911.	0.7	124
107	Pulmonary Vein Isolation Alone Versus Additional Linear Ablation in Patients With Persistent Atrial Fibrillation Converted to Paroxysmal Type With Antiarrhythmic Drug Therapy. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2017, 10, .	2.1	36
108	Variants of Brugada Syndrome and Early Repolarization Syndrome: An Expanded Concept of J-wave Syndrome. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2017, 40, 162-174.	0.5	3

#	ARTICLE	IF	CITATIONS
109	2017 HRS/EHRA/ECAS/APHRS/SOLAECE expert consensus statement on catheter and surgical ablation of atrial fibrillation: Executive summary. <i>Journal of Arrhythmia</i> , 2017, 33, 369-409.	0.5	348
110	Value of adenosine test to reveal dormant conduction or adenosine-induced atrial fibrillation after pulmonary vein isolation. <i>Journal of Arrhythmia</i> , 2017, 33, 602-607.	0.5	2
111	2017 HRS/EHRA/ECAS/APHRS/SOLAECE expert consensus statement on catheter and surgical ablation of atrial fibrillation: executive summary. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2017, 50, 1-55.	0.6	83
112	2017 HRS/EHRA/ECAS/APHRS/SOLAECE expert consensus statement on catheter and surgical ablation of atrial fibrillation: Executive summary. <i>Heart Rhythm</i> , 2017, 14, e445-e494.	0.3	135
113	Torsades de Pointes associated with QT prolongation after catheter ablation of paroxysmal atrial fibrillation. <i>Indian Pacing and Electrophysiology Journal</i> , 2017, 17, 146-149.	0.3	6
114	Influence of Sex on the Association Between Epicardial Adipose Tissue and Left Atrial Transport Function in Patients With Atrial Fibrillation: A Multislice Computed Tomography Study. <i>Journal of the American Heart Association</i> , 2017, 6, .	1.6	16
115	STABLE-SR (Electrophysiological Substrate Ablation in the Left Atrium During Sinus Rhythm) for the Treatment of Nonparoxysmal Atrial Fibrillation. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2017, 10, .	2.1	119
116	European Heart Rhythm Association (EHRA) consensus document on the management of supraventricular arrhythmias, endorsed by Heart Rhythm Society (HRS), Asia-Pacific Heart Rhythm Society (APHRS), and Sociedad Latinoamericana de Estimulaci3n Cardiac y Electrofisiologia (SOLAECE). <i>Europace</i> , 2017, 19, 465-511.	0.7	118
117	Changes in Left Atrial Transport Function in Patients Who Maintained Sinus Rhythm After Successful Radiofrequency Catheter Ablation for Atrial Fibrillation: A 1-Year Follow-Up Multislice Computed Tomography Study. <i>Journal of Cardiovascular Electrophysiology</i> , 2017, 28, 167-176.	0.8	11
118	Termination of persistent atrial fibrillation during pulmonary vein isolation: insight from the MAGIC-AF trial. <i>Europace</i> , 2017, 19, 1657-1663.	0.7	7
119	Virtual In-Silico Modeling Guided Catheter Ablation Predicts Effective Linear Ablation Lesion Set for Longstanding Persistent Atrial Fibrillation: Multicenter Prospective Randomized Study. <i>Frontiers in Physiology</i> , 2017, 8, 792.	1.3	30
120	Right Ventricular Compression Mimicking Brugada-Like Electrocardiogram in a Patient with Recurrent Pectus Excavatum. <i>Case Reports in Cardiology</i> , 2017, 2017, 1-4.	0.1	2
121	The Role of Intravenous Dopamine on Hemodynamic Support during Radiofrequency Catheter Ablation of Poorly Tolerated Idiopathic Ventricular Tachycardia. <i>Korean Circulation Journal</i> , 2017, 47, 65.	0.7	0
122	Effectiveness of beta-blockers depending on the genotype of congenital long-QT syndrome: A meta-analysis. <i>PLoS ONE</i> , 2017, 12, e0185680.	1.1	49
123	Does Type D Personality Impact on the Prognosis of Patients Who Underwent Catheter Ablation for Atrial Fibrillation? A 1-Year Follow-Up Study. <i>Psychiatry Investigation</i> , 2017, 14, 281.	0.7	7
124	Preexcitation Syndrome with a Mahaim-type Accessory Pathway. <i>International Journal of Arrhythmia</i> , 2017, 18, 151-154.	0.3	2
125	Paradoxical Response of Giant Left Atrial Appendage Aneurysm after Catheter Ablation of Atrial Fibrillation. <i>Investigative Magnetic Resonance Imaging</i> , 2016, 20, 132.	0.2	0
126	Radiofrequency Catheter Ablation Improves the Quality of Life Measured with a Short Form-36 Questionnaire in Atrial Fibrillation Patients: A Systematic Review and Meta-Analysis. <i>PLoS ONE</i> , 2016, 11, e0163755.	1.1	30

#	ARTICLE	IF	CITATIONS
127	Effects of Angiotensin-II Receptor Blocker on Inhibition of Thrombogenicity in a Canine Atrial Fibrillation Model. Korean Circulation Journal, 2016, 46, 335.	0.7	6
128	Long-term Outcome of Catheter Ablation for Atrial Fibrillation in Patients With Apical Hypertrophic Cardiomyopathy. Journal of Cardiovascular Electrophysiology, 2016, 27, 788-795.	0.8	14
129	EHRA/HRS/APHRS/SOLAECE expert consensus on atrial cardiomyopathies: definition, characterization, and clinical implication. Europace, 2016, 18, 1455-1490.	0.7	471
130	A peek into the Galapagos of the medical research field. Lancet, The, 2016, 388, 2989-2990.	6.3	8
131	Effect of flecainide on suppression of ventricular fibrillation in a patient with early repolarization syndrome. Heart Rhythm, 2016, 13, 1724-1728.	0.3	7
132	Relationship between left atrial appendage emptying and left atrial function using cardiac magnetic resonance in patients with atrial fibrillation: comparison with transesophageal echocardiography. International Journal of Cardiovascular Imaging, 2016, 32, 163-171.	0.7	8
133	EHRA/HRS/APHRS/SOLAECE expert consensus on Atrial cardiomyopathies: Definition, characterisation, and clinical implication. Journal of Arrhythmia, 2016, 32, 247-278.	0.5	92
134	Reply to the Editor's Effect of Flecainide on Suppression of Ventricular Fibrillation in a Patient With Early Repolarization Syndrome. Heart Rhythm, 2016, 13, e291.	0.3	0
135	Persistent Atrial Fibrillation Ablation in Females: Insight from the MAGICAF Trial. Journal of Cardiovascular Electrophysiology, 2016, 27, 1259-1263.	0.8	10
136	The clinical efficacy of left atrial appendage isolation caused by extensive left atrial anterior wall ablation in patients with atrial fibrillation. Journal of Interventional Cardiac Electrophysiology, 2016, 46, 287-297.	0.6	26
137	The modified stepwise ablation guided by low-dose ibutilide in chronic atrial fibrillation trial (The Tj ETQq1 1 0.784314 rgBT /Overlock 16	1.0	16
138	The Mechanism of and Preventive Therapy for Stroke in Patients with Atrial Fibrillation. Journal of Stroke, 2016, 18, 129-137.	1.4	22
139	Radiofrequency catheter ablation of atrial tachyarrhythmias after an atrial switch operation in a patient with univentricular heart combined with transposition of the great arteries. Cardiology in the Young, 2015, 25, 1224-1227.	0.4	0
140	Comments from the President of APHRS. Journal of Arrhythmia, 2015, 31, 70.	0.5	0
141	Swallowing-Induced Atrial Tachyarrhythmias Successfully Ablated at the Left Posterior Interatrial Septum in Patient with Wolff-Parkinson-White Syndrome. Korean Circulation Journal, 2015, 45, 253.	0.7	1
142	Ethanol Infusion in the Vein of Marshall in a Patient with Persistent Atrial Fibrillation. Korean Circulation Journal, 2015, 45, 424.	0.7	1
143	Evaluation of quantification methods for left atrial late gadolinium enhancement based on different references in patients with atrial fibrillation. International Journal of Cardiovascular Imaging, 2015, 31, 91-101.	0.7	24
144	Atrial fibrillation cycle length as a predictor for the extent of substrate ablation. Europace, 2015, 17, 1391-1401.	0.7	9

#	ARTICLE	IF	CITATIONS
145	Improve the prevention of sudden cardiac arrest in emerging countries: the Improve SCA clinical study design. <i>Europace</i> , 2015, 17, 1720-6.	0.7	17
146	Feasibility and accuracy of a new mobile electrocardiography device, ER-2000 ^Å ®, in the diagnosis of arrhythmia. <i>Journal of Arrhythmia</i> , 2015, 31, 201-209.	0.5	2
147	Benefit of implantable cardioverter-defibrillator therapy after generator replacement in patients with Brugada syndrome. <i>International Journal of Cardiology</i> , 2015, 187, 340-344.	0.8	7
148	Interatrial septal thickness is associated with the extent of left atrial complex fractionated atrial electrograms and acute procedural outcome in patients with persistent atrial fibrillation. <i>Europace</i> , 2015, 17, 1700-7.	0.7	13
149	Relation between left atrial wall composition by late gadolinium enhancement and complex fractionated atrial electrograms in patients with persistent atrial fibrillation: influence of non-fibrotic substrate in the left atrium. <i>International Journal of Cardiovascular Imaging</i> , 2015, 31, 1191-1199.	0.7	12
150	Prognosis after Implantation of Cardioverter-Defibrillators in Korean Patients with Brugada Syndrome. <i>Yonsei Medical Journal</i> , 2014, 55, 37.	0.9	11
151	The Difference of Predictors for Recurrence After Catheter Ablation of Non-Paroxysmal Atrial Fibrillation According to Follow-Up Period. <i>International Heart Journal</i> , 2014, 55, 312-318.	0.5	27
152	Relationship Between Complex Fractionated Atrial Electrograms During Atrial Fibrillation and the Critical Site of Atrial Tachycardia That Develops After Catheter Ablation for Atrial Fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2014, 25, 146-153.	0.8	13
153	Left atrial functional reservoir: predictive value for outcome of catheter ablation in paroxysmal atrial fibrillation. <i>International Journal of Cardiovascular Imaging</i> , 2014, 30, 1423-1434.	0.7	4
154	Early repolarization is associated with atrial and ventricular tachyarrhythmias in patients with acute ST elevation myocardial infarction undergoing primary percutaneous coronary intervention. <i>International Journal of Cardiology</i> , 2014, 176, 327-332.	0.8	12
155	Idiopathic ventricular arrhythmia originating from the para ^Å Hisian area: Prevalence, electrocardiographic and electrophysiological characteristics. <i>Journal of Arrhythmia</i> , 2014, 30, 48-54.	0.5	17
156	Worldwide Epidemiology of Atrial Fibrillation. <i>Circulation</i> , 2014, 129, 837-847.	1.6	3,553
157	Are the Site and Mode of Termination Matters of Prime Importance in Catheter Ablation of Persistent Atrial Fibrillation?. <i>Circulation Journal</i> , 2014, 78, 57-58.	0.7	0
158	Are the site and mode of termination matters of prime importance in catheter ablation of persistent atrial fibrillation?. <i>Circulation Journal</i> , 2014, 78, 57-8.	0.7	0
159	Left atrial appendage: morphology and function in patients with paroxysmal and persistent atrial fibrillation. <i>International Journal of Cardiovascular Imaging</i> , 2013, 29, 935-944.	0.7	41
160	Impaired mobilization of bone marrow derived CD34 positive mononuclear cells is related to the recurrence of atrial fibrillation after radiofrequency catheter ablation. <i>International Journal of Cardiology</i> , 2013, 162, 179-183.	0.8	6
161	Prevalence, risk, and benefits of radiofrequency catheter ablation at the aortic cusp for the treatment of mid to anteroseptal supra-ventricular tachyarrhythmias. <i>International Journal of Cardiology</i> , 2013, 167, 981-986.	0.8	28
162	Intra-procedural imaging of the left atrium and pulmonary veins with rotational angiography: a comparison of anatomy obtained by pre-procedural cardiac computed tomography and trans-thoracic echocardiography. <i>International Journal of Cardiovascular Imaging</i> , 2013, 29, 1423-1432.	0.7	3

#	ARTICLE	IF	CITATIONS
163	Electrocardiographic and electrophysiological characteristics of premature ventricular complexes associated with left ventricular dysfunction in patients without structural heart disease. <i>Europace</i> , 2013, 15, 735-741.	0.7	116
164	Effects of Iatrogenic Myocardial Injury on Coronary Microvascular Function in Patients Undergoing Radiofrequency Catheter Ablation of Atrial Fibrillation. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2013, 6, 318-326.	2.1	17
165	The Spatial Distribution of Atrial Fibrillation Termination Sites in the Right Atrium During Complex Fractionated Atrial Electrograms-Guided Ablation in Patients with Persistent Atrial Fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2013, 24, 949-957.	0.8	19
166	PVC-induced cardiomyopathy: the cut-off value for the premature ventricular complex burden. <i>Europace</i> , 2013, 15, 1063-1064.	0.7	4
167	Characteristics and Outcomes of Atrial Tachycardia Originating from the Sinus Venosus during Catheter Ablation of Atrial Fibrillation. <i>Korean Circulation Journal</i> , 2013, 43, 29.	0.7	2
168	Inadvertently Developed Ventricular Fibrillation during Electrophysiologic Study and Catheter Ablation: Incidence, Cause, and Prognosis. <i>Korean Circulation Journal</i> , 2013, 43, 474.	0.7	4
169	Risk Factors between Patients with Lone and Non-Lone Atrial Fibrillation. <i>Journal of Korean Medical Science</i> , 2013, 28, 1174.	1.1	14
170	Unusual Polymorphic Ventricular Tachycardia Originating from the Pulmonary Artery. <i>Korean Circulation Journal</i> , 2013, 43, 119.	0.7	5
171	Electrophysiological Characteristics Related to Outcome after Catheter Ablation of Idiopathic Ventricular Arrhythmia Originating from the Papillary Muscle in the Left Ventricle. <i>Korean Circulation Journal</i> , 2013, 43, 811.	0.7	31
172	Catheter Ablation of Longstanding Persistent Atrial Fibrillation. <i>Circulation Journal</i> , 2012, 76, 1299-1306.	0.7	20
173	Prediction of Long-Term Outcomes of Catheter Ablation of Persistent Atrial Fibrillation by Parameters of Preablation DC Cardioversion. <i>Journal of Cardiovascular Electrophysiology</i> , 2012, 23, 1165-1170.	0.8	27
174	Is Pursuit of Termination of Atrial Fibrillation During Catheter Ablation of Great Value in Patients with Longstanding Persistent Atrial Fibrillation?. <i>Journal of Cardiovascular Electrophysiology</i> , 2012, 23, 1051-1058.	0.8	43
175	Clinical Significance of Induced Atrial Tachycardia After Termination of Longstanding Persistent Atrial Fibrillation Using a Stepwise Approach. <i>Journal of Cardiovascular Electrophysiology</i> , 2012, 23, 1171-1178.	0.8	12
176	2012 HRS/EHRA/ECAS Expert Consensus Statement on Catheter and Surgical Ablation of Atrial Fibrillation: Recommendations for Patient Selection, Procedural Techniques, Patient Management and Follow-up, Definitions, Endpoints, and Research Trial Design: A report of the Heart Rhythm Society (HRS) Task Force on Catheter and Surgical Ablation of Atrial Fibrillation. Developed in partnership with the European Heart Rhythm Association (EHRA), a registered branch of the European Society of Cardiology (ESC) and the E. <i>Europace</i> , 2012, 14, 528-606.	0.7	1,497
177	Ethanol infusion in the vein of Marshall facilitates mitral isthmus ablation. <i>Heart Rhythm</i> , 2012, 9, 1207-1215.	0.3	108
178	2012 HRS/EHRA/ECAS Expert Consensus Statement on Catheter and Surgical Ablation of Atrial Fibrillation: Recommendations for Patient Selection, Procedural Techniques, Patient Management and Follow-up, Definitions, Endpoints, and Research Trial Design. <i>Heart Rhythm</i> , 2012, 9, 632-696.e21.	0.3	1,541
179	Electroanatomical Characteristics of Idiopathic Left Ventricular Tachycardia and Optimal Ablation Target during Sinus Rhythm: Significance of Preferential Conduction through Purkinje Fibers. <i>Yonsei Medical Journal</i> , 2012, 53, 279.	0.9	5
180	Early Experience Using a Left Atrial Appendage Occlusion Device in Patients with Atrial Fibrillation. <i>Yonsei Medical Journal</i> , 2012, 53, 83.	0.9	7

#	ARTICLE	IF	CITATIONS
181	A simplified method to determine left atrial volume and transport function using multi-slice computed tomography in patients with atrial fibrillation: comparison with transthoracic echocardiography. <i>International Journal of Cardiovascular Imaging</i> , 2012, 28, 1205-1216.	0.7	8
182	2012 HRS/EHRA/ECAS expert consensus statement on catheter and surgical ablation of atrial fibrillation: recommendations for patient selection, procedural techniques, patient management and follow-up, definitions, endpoints, and research trial design. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2012, 33, 171-257.	0.6	1,167
183	The Modified Ablation Guided by Ibutilide Use in Chronic Atrial Fibrillation (MAGICâ€™AF) Study: Clinical Background and Study Design. <i>Journal of Cardiovascular Electrophysiology</i> , 2012, 23, 352-358.	0.8	16
184	Circadian and Seasonal Variations of Ventricular Tachyarrhythmias in Patients with Early Repolarization Syndrome and Brugada Syndrome: Analysis of Patients with Implantable Cardioverter Defibrillator. <i>Journal of Cardiovascular Electrophysiology</i> , 2012, 23, 757-763.	0.8	38
185	Comparison of voltage map-guided left atrial anterior wall ablation versus left lateral mitral isthmus ablation in patients with persistent atrial fibrillation. <i>Heart Rhythm</i> , 2011, 8, 199-206.	0.3	94
186	Ventricular Arrhythmias Originating from Parahisian Area. <i>Journal of Arrhythmia</i> , 2011, 27, OP63_2.	0.5	0
187	High Plasma Concentrations of Transforming Growth Factor- β 1 and Tissue Inhibitor of Metalloproteinase-1 - Potential Non-Invasive Predictors for Electroanatomical Remodeling of Atrium in Patients With Non-Valvular Atrial Fibrillation -. <i>Circulation Journal</i> , 2011, 75, 557-564.	0.7	55
188	High Plasma Concentrations of Transforming Growth Factor- β 2 and Tissue Inhibitor of Metalloproteinase-1. <i>Circulation Journal</i> , 2011, 75, 1013.	0.7	0
189	Improved Endothelial Function in Patients with Atrial Fibrillation through Maintenance of Sinus Rhythm by Successful Catheter Ablation. <i>Journal of Cardiovascular Electrophysiology</i> , 2011, 22, 376-382.	0.8	52
190	Total and Interatrial Epicardial Adipose Tissues Are Independently Associated With Left Atrial Remodeling in Patients With Atrial Fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2011, 22, 647-655.	0.8	111
191	Does Less Atrial Fibrillation During the Blanking Period Lead to Better Long-Term Outcomes? The Effect of Rapid Cardioversion. <i>Journal of Cardiovascular Electrophysiology</i> , 2011, 22, 767-769.	0.8	0
192	Impaired Transport Function of the Left Atrium in Patients with Lone Paroxysmal Atrial Fibrillation. <i>Echocardiography</i> , 2011, 28, 44-51.	0.3	9
193	Unusual Complications of Percutaneous Epicardial Access and Epicardial Mapping and Ablation of Cardiac Arrhythmias. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2011, 4, 882-888.	2.1	90
194	Catheter Ablation of Atrial Fibrillation in Patients With Chronic Lung Disease. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2011, 4, 815-822.	2.1	39
195	Impaired transport function of the left atrium and left atrial appendage in cryptogenic stroke patients with atrial septal aneurysm and without patent foramen ovale. <i>European Journal of Echocardiography</i> , 2011, 12, 140-147.	2.3	16
196	Can Complex Fractionated Atrial Electrogram Recur at the Same Site in Patients with Redo Catheter Ablation of Atrial Fibrillation?. <i>Journal of Arrhythmia</i> , 2011, 27, OP40_5.	0.5	0
197	The Long-Term Safety of Anticoagulation Strategy after Radiofrequency Catheter Ablation of Atrial Fibrillation. <i>Journal of Arrhythmia</i> , 2011, 27, PE4_024.	0.5	0
198	Unconscious Sedation with Propofol Versus Conscious Sedation with Pentothal for Catheter Ablation of Atrial Fibrillation. <i>Journal of Arrhythmia</i> , 2011, 27, OP57_1.	0.5	0

#	ARTICLE	IF	CITATIONS
199	Long Term Outcome of Atrioventricular Node Ablation with Pacemaker in Patients with Atrial Fibrillation. Journal of Arrhythmia, 2011, 27, PE3_036.	0.5	0
200	Percutaneous Catheter Ablation of Atrial Fibrillation in Patients with Post-Atrial Septal Defect Device Closure & Operation. Journal of Arrhythmia, 2011, 27, PE4_104.	0.5	0
201	Incidence of Thromboembolism in Patients Who Discontinued Warfarin within 2 Months after Atrial Fibrillation Ablation. Journal of Arrhythmia, 2011, 27, OP21_2.	0.5	0
202	Insight from Redo Ablation in Patients with Atrial Fibrillation. Journal of Arrhythmia, 2011, 27, OP30_1.	0.5	0
203	Remodeling Disparity between Left Atrium and Appendage Relates to Recurrence after Atrial Fibrillation Ablation. Journal of Arrhythmia, 2011, 27, OP33_4.	0.5	0
204	Sudden Cardiac Death in Asian Prospects. Journal of Arrhythmia, 2011, 27, AHJS_1.	0.5	0
205	Left Atrial Spontaneous Echo Contrast Is Clinical Predictor for the Recurrence of Atrial Fibrillation after Catheter Ablation?. Journal of Arrhythmia, 2011, 27, PE4_032.	0.5	0
206	Characteristics of Unsuccessful Catheter Ablation of Ventricular Arrhythmia. Journal of Arrhythmia, 2011, 27, PE4_115.	0.5	0
207	Mapping of Atrial Tachycardia Post-AF Ablation Using Multi-Electrodes at Right Atrium and Coronary Sinus. Journal of Arrhythmia, 2011, 27, OP40_2.	0.5	0
208	MDCT Evaluation of Left Atrium and Pulmonary Vein in the Patients with Atrial Fibrillation: Comparison with the Non-Atrial Fibrillation Group. Journal of the Korean Society of Radiology, 2011, 64, 123.	0.1	1
209	Right Atrial Continuous Fractionated Electrograms in Patients with Long-Standing Persistent Atrial Fibrillation. Journal of Arrhythmia, 2011, 27, OP55_5.	0.5	0
210	Clinical Significance of Inducibility Test of Atrial Fibrillation after Termination of Chronic, Persistent Atrial Fibrillation during Stepwise Approach. Journal of Arrhythmia, 2011, 27, OP30_2.	0.5	0
211	Obstructive Sleep Apnea in Patients with Persistent Atrial Fibrillation Is Independent Predictor for Failure of Biatrial Ablation. Journal of Arrhythmia, 2011, 27, OP21_6.	0.5	0
212	Anatomical Characteristics of Left Atrium and Left Atrial Appendage in Patients with Stroke/Transient Ischemic Attack. Journal of Arrhythmia, 2011, 27, PE2_026.	0.5	0
213	Interatrial Septal Thickness as a Marker of Structural Remodeling of the Left Atrium in Patients with Atrial Fibrillation. Journal of Arrhythmia, 2011, 27, AJS_1.	0.5	0
214	Safety and Convenience of Continuous Warfarin Strategy During the Peri-procedural Period in Patients Who Underwent Catheter Ablation of Atrial Fibrillation. Journal of Cardiovascular Electrophysiology, 2010, 21, 620-625.	0.8	64
215	Characteristics of Complex Fractionated Atrial Electrogram in the Electroanatomically Remodeled Left Atrium of Patients With Atrial Fibrillation. Circulation Journal, 2010, 74, 1557-1563.	0.7	28
216	Role of Residual Potentials Inside Circumferential Pulmonary Veins Ablation Lines in the Recurrence of Paroxysmal Atrial Fibrillation. Journal of Cardiovascular Electrophysiology, 2010, 21, 959-965.	0.8	5

#	ARTICLE	IF	CITATIONS
217	Cryoballoon Approach for Atrial Fibrillation Ablation: Free from Complications?. Journal of Cardiovascular Electrophysiology, 2010, 21, 875-876.	0.8	0
218	Clinical Significance of Early Recurrences of Atrial Tachycardia After Atrial Fibrillation Ablation. Journal of Cardiovascular Electrophysiology, 2010, 21, 1331-1337.	0.8	62
219	Serological Predictors for the Recurrence of Atrial Fibrillation After Electrical Cardioversion. Korean Circulation Journal, 2010, 40, 185.	0.7	6
220	Coexisting Sustained Tachyarrhythmia in Patients With Atrial Fibrillation Undergoing Catheter Ablation. Korean Circulation Journal, 2010, 40, 235.	0.7	4
221	Cardiac cell therapy with mesenchymal stem cell induces cardiac nerve sprouting, angiogenesis, and reduced connexin43-positive gap junctions, but concomitant electrical pacing increases connexin43-positive gap junctions in canine heart. Cardiology in the Young, 2010, 20, 308-317.	0.4	20
222	Atrial activation time and pattern of linear triple-site vs. single-site atrial pacing after cardioversion in patients with atrial fibrillation. Europace, 2010, 12, 508-516.	0.7	10
223	Left Atrial Electromechanical Conduction Time Can Predict Six-Month Maintenance of Sinus Rhythm After Electrical Cardioversion in Persistent Atrial Fibrillation by Doppler Tissue Echocardiography. Journal of the American Society of Echocardiography, 2010, 23, 309-314.	1.2	51
224	The Effect and Safety of the Antithrombotic Therapies in Patients with Atrial Fibrillation and CHADS ₂ Score 1. Journal of Cardiovascular Electrophysiology, 2010, 21, 501-507.	0.8	44
225	Chronic Frequent Premature Ventricular Complexes Originating From Right and Non-Right Ventricular Outflow Tracts Change in Left Ventricular Function After Radiofrequency Catheter Ablation. International Heart Journal, 2010, 51, 388-393.	0.5	13
226	Clinical and serological predictors for the recurrence of atrial fibrillation after electrical cardioversion. Europace, 2009, 11, 1632-1638.	0.7	41
227	Non-ischæmic titrated cardiac injury caused by radiofrequency catheter ablation of atrial fibrillation mobilizes CD34-positive mononuclear cells by non-stromal cell-derived factor-1 α mechanism. Europace, 2009, 11, 1024-1031.	0.7	9
228	Electrophysiologic Characteristics of Complex Fractionated Atrial Electrograms in Patients with Atrial Fibrillation. Journal of Cardiovascular Electrophysiology, 2009, 20, 266-272.	0.8	66
229	Coexisting Idiopathic Left Ventricular Tachycardia and Atrioventricular Reentrant Tachycardia in a Patient with Wolff-Parkinson-White Syndrome. PACE - Pacing and Clinical Electrophysiology, 2009, 32, 265-268.	0.5	4
230	Clinical Significance of Complete Conduction Block of the Left Lateral Isthmus and Its Relationship with Anatomical Variation of the Vein of Marshall in Patients with Nonparoxysmal Atrial Fibrillation. Journal of Cardiovascular Electrophysiology, 2009, 20, 616-622.	0.8	25
231	The Relationship Between Endocardial Voltage and Regional Volume in Electroanatomical Remodeled Left Atria in Patients with Atrial Fibrillation: Comparison of Three-Dimensional Computed Tomographic Images and Voltage Mapping. Journal of Cardiovascular Electrophysiology, 2009, 20, 1349-1356.	0.8	53
232	Catheter ablation of atrial fibrillation via superior approach in patients with interruption of the inferior vena cava. Heart Rhythm, 2009, 6, 174-179.	0.3	53
233	Impact of Obstructive Sleep Apnea on the Atrial Electromechanical Activation Time. Circulation Journal, 2009, 73, 249-255.	0.7	15
234	T Wave Alternans Detected in Defibrillator Electrograms: Reply. Circulation Journal, 2009, 73, 594.	0.7	0

#	ARTICLE	IF	CITATIONS
235	Hybrid Epicardial and Endocardial Catheter Ablation in a Patient With Atrial Fibrillation and Suspicious Left Atrial Thrombus. <i>Circulation Journal</i> , 2009, 73, 384-387.	0.7	6
236	Defibrillator Electrogram T Wave Alternans as a Predictor of Spontaneous Ventricular Tachyarrhythmias in Defibrillator Recipients. <i>Circulation Journal</i> , 2009, 73, 55-62.	0.7	38
237	Brugada-Like ST-Segment Abnormalities Associated with Myocardial Involvement of Hematologic Diseases. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2008, 31, 761-764.	0.5	5
238	Is Empirical Four Pulmonary Vein Isolation Necessary for Focally Triggered Paroxysmal Atrial Fibrillation? Comparison of Selective Pulmonary Vein Isolation Versus Empirical Four Pulmonary Vein Isolation. <i>Journal of Cardiovascular Electrophysiology</i> , 2008, 19, 473-479.	0.8	19
239	Left Atrial Volume Is a Predictor of Atrial Fibrillation Recurrence After Catheter Ablation. <i>Journal of the American Society of Echocardiography</i> , 2008, 21, 697-702.	1.2	138
240	Mechanisms responsible for the initiation and maintenance of atrial fibrillation assessed by non-contact mapping system. <i>International Journal of Cardiology</i> , 2008, 124, 218-226.	0.8	26
241	Changes in Left Atrial Structure and Function After Catheter Ablation and Electrical Cardioversion for Atrial Fibrillation. <i>Circulation Journal</i> , 2008, 72, 2051-2057.	0.7	42
242	Both Purkinje Cells and Left Ventricular Posteroseptal Reentry Contribute to the Maintenance of Ventricular Fibrillation in Open-Chest Dogs and Swine Effects of Catheter Ablation and the Ventricular Cut-and-Sew Operation. <i>Circulation Journal</i> , 2008, 72, 1185-1192.	0.7	36
243	Recurrent Syncope 20 Years After Mediastinal Radiation Therapy in a Patient With Breast Cancer. <i>Circulation Journal</i> , 2008, 72, 1550-1552.	0.7	3
244	Percutaneous Pulmonary Vein Angioplasty for the Pulmonary Vein Stenosis After Catheter Ablation of Atrial Fibrillation. <i>Korean Circulation Journal</i> , 2008, 38, 170.	0.7	0
245	Drug Therapy and Catheter Ablation for Atrial Fibrillation. <i>Journal of the Korean Medical Association</i> , 2008, 51, 317.	0.1	0
246	Epicardial Conduction Properties and Electrocardiographic Characteristics of Premature Ventricular Complexes or Ventricular Tachycardias That Originate at the Aortic Cusp. <i>Korean Circulation Journal</i> , 2007, 37, 616.	0.7	1
247	Hybrid Epicardial and Endocardial Ablation of Persistent or Permanent Atrial Fibrillation: A New Approach for Difficult Cases. <i>Journal of Cardiovascular Electrophysiology</i> , 2007, 18, 917-923.	0.8	88
248	Collagen plug device-related femoral artery complication visualized by femoral angiography. <i>International Journal of Cardiology</i> , 2006, 106, 128-129.	0.8	0
249	Acute myocarditis associated with cardiac amyloidosis manifesting as transient complete atrioventricular block and slow ventricular tachycardia. <i>International Journal of Cardiology</i> , 2006, 109, 395-397.	0.8	9
250	Catheter Ablation of Atrial Fibrillation. <i>Taehan Uihak Hyophoe Chi the Journal of the Korean Medical Association</i> , 2006, 49, 837.	0.1	0
251	Epicardial Ablation of Ventricular Tachycardia Associated with Isolated Ventricular Noncompaction. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2006, 29, 797-799.	0.5	27
252	Electrocardiographic Manifestations of Cardiac Metastasis in Lung Cancer. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2006, 29, 1019-1021.	0.5	3

#	ARTICLE	IF	CITATIONS
253	Role of the Posterior Papillary Muscle and Purkinje Potentials in the Mechanism of Ventricular Fibrillation in Open Chest Dogs and Swine: Effects of Catheter Ablation. <i>Journal of Cardiovascular Electrophysiology</i> , 2006, 17, 777-783.	0.8	74
254	Use of Three-Dimensional Mapping Systems in the Catheter Ablation of Atrial Fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2006, 17, S16-S22.	0.8	13
255	Effects of Smoking on Coronary Blood Flow Velocity and Coronary Flow Reserve Assessed by Transthoracic Doppler Echocardiography. <i>Echocardiography</i> , 2006, 23, 465-470.	0.3	23
256	Electroanatomic Characteristics of Atrial Premature Beats Triggering Atrial Fibrillation in Patients with Persistent Versus Paroxysmal Atrial Fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2006, 17, 818-824.	0.8	41
257	Twin atrioventricular node associated with interruption of the inferior vena cava and atrioventricular nodal reentrant tachycardia. <i>Journal of Electrocardiology</i> , 2006, 39, 400-403.	0.4	10
258	Torsade de pointes induced by short-term oral amiodarone therapy. <i>Europace</i> , 2006, 8, 1051-1053.	0.7	22
259	Differentiation, engraftment and functional effects of pre-treated mesenchymal stem cells in a rat myocardial infarct model. <i>Acta Cardiologica</i> , 2005, 60, 277-284.	0.3	75
260	Percutaneous coronary intervention with drug-eluting stent implantation vs. minimally invasive direct coronary artery bypass (MIDCAB) in patients with left anterior descending coronary artery stenosis. <i>Catheterization and Cardiovascular Interventions</i> , 2005, 64, 75-81.	0.7	80
261	Chest stab wound-related coronary artery pseudoaneurysm sealed with a polytetrafluoroethylene-covered stent. <i>Heart and Vessels</i> , 2005, 20, 233-235.	0.5	5
262	A Case of Pacemaker Implantation after Balloon Venoplasty on Innominate Vein Stenosis. <i>Korean Circulation Journal</i> , 2005, 35, 558.	0.7	1
263	Atrial tachycardia originating from the coronary sinus ostium dissociated with fibrillatory activity inside persistent left superior vena cava. <i>Heart Rhythm</i> , 2005, 2, 333.	0.3	2
264	Spatial Dispersion of Action Potential Duration Restitution Kinetics Is Associated with Induction of Ventricular Tachycardia/Fibrillation in Humans. <i>Journal of Cardiovascular Electrophysiology</i> , 2004, 15, 1357-1363.	0.8	98
265	On the mechanism of the probabilistic nature of ventricular defibrillation threshold. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2003, 284, H249-H255.	1.5	21
266	The Role of Approximate Entropy in Predicting Ventricular Defibrillation Threshold. <i>Journal of Cardiovascular Pharmacology and Therapeutics</i> , 2002, 7, 45-52.	1.0	5
267	Action potential duration restitution kinetics in human atrial fibrillation. <i>Journal of the American College of Cardiology</i> , 2002, 39, 1329-1336.	1.2	114
268	Relationship between T-wave normalization on exercise ECG and myocardial functional recovery in patients with acute myocardial infarction. <i>Korean Journal of Internal Medicine</i> , 2002, 17, 122-130.	0.7	3
269	Papillary muscle hypothesis of idiopathic left ventricular tachycardia. <i>Journal of the American College of Cardiology</i> , 2001, 37, 1475-1476.	1.2	14
270	Progressive action potential duration shortening and the conversion from atrial flutter to atrial fibrillation in the isolated canine right atrium. <i>Journal of the American College of Cardiology</i> , 2001, 38, 1757-1765.	1.2	31

#	ARTICLE	IF	CITATIONS
271	Influence of Wavefront Dynamics on Transmembrane Potential Characteristics During Atrial Fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2000, 11, 913-921.	0.8	0
272	Nicotine increases ventricular vulnerability to fibrillation in hearts with healed myocardial infarction. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2000, 278, H2124-H2133.	1.5	29
273	Obstacle-induced transition from ventricular fibrillation to tachycardia in isolated swine right ventricles. <i>Journal of the American College of Cardiology</i> , 2000, 36, 2000-2008.	1.2	42
274	Mechanism of Procainamide-Induced Prevention of Spontaneous Wave Break During Ventricular Fibrillation. <i>Circulation</i> , 1999, 100, 666-674.	1.6	44
275	Relation Between Ligament of Marshall and Adrenergic Atrial Tachyarrhythmia. <i>Circulation</i> , 1999, 100, 876-883.	1.6	155
276	Spatiotemporal Heterogeneity in the Induction of Ventricular Fibrillation by Rapid Pacing. <i>Circulation Research</i> , 1999, 84, 1318-1331.	2.0	212
277	Role of Papillary Muscle in the Generation and Maintenance of Reentry During Ventricular Tachycardia and Fibrillation in Isolated Swine Right Ventricle. <i>Circulation</i> , 1999, 100, 1450-1459.	1.6	146
278	Relation Between Cellular Repolarization Characteristics and Critical Mass for Human Ventricular Fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 1999, 10, 1077-1086.	0.8	32
279	Nicotine Increases Spatiotemporal Complexity of Ventricular Fibrillation Wavefront on the Epicardial Border Zone of Healed Canine Infarcts. <i>Journal of Cardiovascular Pharmacology and Therapeutics</i> , 1999, 4, 121-127.	1.0	4
280	Transmembrane Potential Properties at the Core of Functional Reentrant Wave Fronts in Isolated Canine Right Atria. <i>Circulation</i> , 1998, 98, 1556-1567.	1.6	40
281	Role of Pectinate Muscle Bundles in the Generation and Maintenance of Intra-atrial Reentry. <i>Circulation Research</i> , 1998, 83, 448-462.	2.0	123
282	Patterns of spiral tip motion in cardiac tissues. <i>Chaos</i> , 1998, 8, 137-148.	1.0	30
283	Microvascular integrity as a predictor of left ventricular remodeling after acute anterior wall myocardial infarction. <i>Journal of Korean Medical Science</i> , 1998, 13, 466.	1.1	3
284	Relation between Perfusion of Infarcted Myocardium and Exercise-induced ST Shift in Acute Myocardial Infarction. <i>Sunhwan'gi</i> , 1998, 28, 715.	0.3	0
285	Clinical Usefulness of Virtual Ablation Guided Catheter Ablation of Atrial Fibrillation Targeting Restitution Parameter-Guided Catheter Ablation: CUVIA-REGAB Prospective Randomized Study. <i>Korean Circulation Journal</i> , 0, 52, .	0.7	2