

Masaya Notomi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4433325/publications.pdf>

Version: 2024-02-01

90
papers

6,567
citations

109321

35
h-index

76900

74
g-index

90
all docs

90
docs citations

90
times ranked

4577
citing authors

#	ARTICLE	IF	CITATIONS
1	Imaginary couplings in non-Hermitian coupled-mode theory: Effects on exceptional points of optical resonators. <i>Physical Review A</i> , 2022, 105, .	2.5	14
2	Far-field optical imaging of topological edge states in zigzag plasmonic chains. <i>Nanophotonics</i> , 2022, 11, 2183-2189.	6.0	8
3	Energy efficient OEO conversion and its applications to photonic integrated systems. , 2022, , .		0
4	Probing the Ginzburg-Landau Potential for Lasers Using Higher-order Photon Correlations. <i>Journal of the Physical Society of Japan</i> , 2022, 91, .	1.6	0
5	Experimental observation of bound states in the continuum generated by spatial symmetry breaking. , 2021, , .		0
6	A Synthesis Method Based on Multi-Stage Optimization for Power-Efficient Integrated Optical Logic Circuits. <i>IEICE Transactions on Fundamentals of Electronics, Communications and Computer Sciences</i> , 2021, E104.A, 1546-1554.	0.3	1
7	Low- and high- \hat{I}^2 lasers in the class-A limit: photon statistics, linewidth, and the laser-phase transition analogy. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2021, 38, 699.	2.1	11
8	Observing exceptional point degeneracy of radiation with electrically pumped photonic crystal coupled-nanocavity lasers. <i>Optica</i> , 2021, 8, 184.	9.3	22
9	Excitonic nonlinear shifts in photonic crystal nanocavities with buried multiple quantum wells. <i>Applied Physics Letters</i> , 2021, 118, 111101.	3.3	0
10	Emulating the local Kuramoto model with an injection-locked photonic crystal laser array. <i>Scientific Reports</i> , 2021, 11, 8587.	3.3	5
11	Thermal effect of InP/InAs nanowire lasers integrated on different optical platforms. <i>OSA Continuum</i> , 2021, 4, 1838.	1.8	7
12	Neural Network Calculations at the Speed of Light Using Optical Vector-Matrix Multiplication and Optoelectronic Activation. <i>IEICE Transactions on Fundamentals of Electronics, Communications and Computer Sciences</i> , 2021, E104.A, .	0.3	0
13	All-optical switching with graphene-loaded plasmonic waveguides in the femtojoule and femtosecond range. , 2021, , .		0
14	Tamper-Resistant Optical Logic Circuits Based on Integrated Nanophotonics. , 2021, , .		1
15	Non-Hermitian Temporal Coupled-Mode Theory: Effects of Imaginary Couplings on Exceptional Points. , 2021, , .		0
16	Ultrafast and energy-efficient all-optical switching with graphene-loaded deep-subwavelength plasmonic waveguides. <i>Nature Photonics</i> , 2020, 14, 37-43.	31.4	258
17	Hybrid Nanowire Photodetector Integrated in a Silicon Photonic Crystal. <i>ACS Photonics</i> , 2020, 7, 3467-3473.	6.6	15
18	A Synthesis Method for Power-Efficient Integrated Optical Logic Circuits Towards Light Speed Processing. , 2020, , .		4

#	ARTICLE	IF	CITATIONS
19	Generation and Annihilation of Topologically Protected Bound States in the Continuum and Circularly Polarized States by Symmetry Breaking. <i>Physical Review Letters</i> , 2020, 125, 053902.	7.8	93
20	Topology in momentum space becomes real. <i>Nature Photonics</i> , 2020, 14, 595-596.	31.4	4
21	Lasing up to 380 K in a sublimated GaN nanowire. <i>Applied Physics Letters</i> , 2020, 116, .	3.3	13
22	All-Optical InAsP/InP Nanowire Switches Integrated in a Si Photonic Crystal. <i>ACS Photonics</i> , 2020, 7, 1016-1021.	6.6	42
23	Low-Threshold Lasing up to 360 K in All-Dielectric Subwavelength-Nanowire Nanocavities. <i>ACS Photonics</i> , 2020, 7, 1104-1110.	6.6	5
24	Photon-correlation measurements of stochastic limit cycles emerging from high-Q nonlinear silicon photonic crystal microcavities. <i>Physical Review A</i> , 2020, 102, .	2.5	4
25	Designs toward synchronization of optical limit cycles with coupled silicon photonic crystal microcavities. <i>Optics Express</i> , 2020, 28, 27657.	3.4	7
26	Nanowire photonics toward wide wavelength range and subwavelength confinement [Invited]. <i>Optical Materials Express</i> , 2020, 10, 2560.	3.0	10
27	Active topological photonics. <i>Nanophotonics</i> , 2020, 9, 547-567.	6.0	170
28	Femto-farad nanophotonic devices for fJ/bit signal conversion. , 2020, , .		0
29	Efficient Automated Nanocavity Optimization by Direct Use of Finite Element Method Computation. , 2020, , .		1
30	Mid-Infrared Lasing of Single Wurtzite InAs Nanowire. <i>Nano Letters</i> , 2019, 19, 8059-8065.	9.1	22
31	Novel frontier of photonics for data processing—Photonic accelerator. <i>APL Photonics</i> , 2019, 4, 090901.	5.7	127
32	Lasing thresholds and photon statistics in high-Q buried multiple quantum well photonic crystal nanocavity lasers. <i>Physical Review A</i> , 2019, 99, .	2.5	17
33	Femtofarad optoelectronic integration demonstrating energy-saving signal conversion and nonlinear functions. <i>Nature Photonics</i> , 2019, 13, 454-459.	31.4	84
34	ZnO-Nanowire-Induced Nanocavities in Photonic Crystal Disks. <i>ACS Photonics</i> , 2019, 6, 1132-1138.	6.6	11
35	Telecom-band lasing in single InP/InAs heterostructure nanowires at room temperature. <i>Science Advances</i> , 2019, 5, eaat8896.	10.3	68
36	An Optical Neural Network Architecture based on Highly Parallelized WDM-Multiplier-Accumulator. , 2019, , .		6

#	ARTICLE	IF	CITATIONS
37	High signal-to-noise ratio for high-impedance-loaded nano-photodetector toward attojoule optical reception. Applied Physics Letters, 2019, 115, 251107.	3.3	0
38	All-Optical Switching using a III-V Nanowire Integrated Si Photonic Crystal Nanocavity. , 2019, , .		4
39	Subliming GaN into Ordered Nanowire Arrays for Ultraviolet and Visible Nanophotonics. ACS Photonics, 2019, 6, 3321-3330.	6.6	17
40	Forward-biased nanophotonic detector for ultralow-energy dissipation receiver. APL Photonics, 2018, 3, .	5.7	9
41	Amplifier-Free Bias-Free Receiver Based on Low-Capacitance Nanophotodetector. IEEE Journal of Selected Topics in Quantum Electronics, 2018, 24, 1-11.	2.9	13
42	Photonic Topological Insulating Phase Induced Solely by Gain and Loss. Physical Review Letters, 2018, 121, 213902.	7.8	202
43	Direct modulation of a single InP/InAs nanowire light-emitting diode. Applied Physics Letters, 2018, 112, .	3.3	21
44	An Integrated Nanophotonic Parallel Adder. ACM Journal on Emerging Technologies in Computing Systems, 2018, 14, 1-20.	2.3	17
45	Ultracompact O-E-O converter based on fF-capacitance nanophotonic integration. , 2018, , .		4
46	Room temperature continuous-wave nanolaser diode utilized by ultrahigh-Q few-cell photonic crystal nanocavities. Optics Express, 2018, 26, 26598.	3.4	10
47	Subwavelength Nanowire Lasers on a Silicon Photonic Crystal Operating at Telecom Wavelengths. ACS Photonics, 2017, 4, 355-362.	6.6	35
48	Nanomanipulating and Tuning Ultraviolet ZnO-Nanowire-Induced Photonic Crystal Nanocavities. ACS Photonics, 2017, 4, 1040-1047.	6.6	30
49	Ultralow-energy electro-absorption modulator consisting of InGaAsP-embedded photonic-crystal waveguide. APL Photonics, 2017, 2, .	5.7	25
50	Continuous-wave operation and 10-Gb/s direct modulation of InAsP/InP sub-wavelength nanowire laser on silicon photonic crystal. APL Photonics, 2017, 2, .	5.7	60
51	Chain mail reverses the Hall effect. Nature, 2017, 544, 44-45.	27.8	1
52	$P < T$ -Symmetric Coupled-Resonator Waveguide Based on Buried Heterostructure Nanocavities. Physical Review Applied, 2017, 7, .	3.8	20
53	Design of nanowire-induced nanocavities in photonic crystal disks. Optics Letters, 2017, 42, 5121.	3.3	3
54	Design of nanowire-induced nanocavities in grooved 1D and 2D SiN photonic crystals for the ultra-violet and visible ranges. Optics Express, 2016, 24, 26792.	3.4	16

#	ARTICLE	IF	CITATIONS
55	Deep-subwavelength plasmonic mode converter with large size reduction for Si-wire waveguide. Optica, 2016, 3, 999.	9.3	61
56	Systematic study of thresholdless oscillation in high- \hat{r}^2 buried multiple-quantum-well photonic crystal nanocavity lasers. Optics Express, 2016, 24, 3441.	3.4	39
57	Nanowire-nanoantenna coupled system fabricated by nanomanipulation. Optics Express, 2016, 24, 8647.	3.4	12
58	Photonic-crystal nano-photodetector with ultras-small capacitance for on-chip light-to-voltage conversion without an amplifier. Optica, 2016, 3, 483.	9.3	65
59	Connecting deep sub-wavelength plasmonic waveguide to Si photonics waveguides. , 2015, , .		0
60	Ultralow bias power all-optical photonic crystal memory realized with systematically tuned L3 nanocavity. Applied Physics Letters, 2015, 107, .	3.3	11
61	Photonic Crystal Lasers for Chip-to-Chip and On-Chip Optical Interconnects. IEEE Journal of Selected Topics in Quantum Electronics, 2015, 21, 728-737.	2.9	30
62	All-optical switching for 10-Gb/s packet data by using an ultralow-power optical bistability of photonic-crystal nanocavities. Optics Express, 2015, 23, 30379.	3.4	21
63	Controlled 1.1-1.6 μ m luminescence in gold-free multi-stacked InAs/InP heterostructure nanowires. Nanotechnology, 2015, 26, 115704.	2.6	16
64	Systematic hole-shifting of L-type nanocavity with an ultrahigh Q factor. Optics Letters, 2014, 39, 5780.	3.3	31
65	Toward fJ/bit optical communication in a chip. Optics Communications, 2014, 314, 3-17.	2.1	58
66	Movable high-Q nanoresonators realized by semiconductor nanowires on a Si photonic crystal platform. Nature Materials, 2014, 13, 279-285.	27.5	94
67	Large-scale integration of wavelength-addressable all-optical memories on a photonic crystal chip. Nature Photonics, 2014, 8, 474-481.	31.4	270
68	Enhanced and suppressed spontaneous emission from a buried heterostructure photonic crystal cavity. Applied Physics Letters, 2013, 103, .	3.3	16
69	InGaAs nano-photodetectors based on photonic crystal waveguide including ultracompact buried heterostructure. Optics Express, 2013, 21, 19022.	3.4	26
70	Ultralow Operating Energy Electrically Driven Photonic Crystal Lasers. IEEE Journal of Selected Topics in Quantum Electronics, 2013, 19, 4900311-4900311.	2.9	68
71	Few-fJ/bit data transmissions using directly modulated lambda-scale embedded active region photonic-crystal lasers. Nature Photonics, 2013, 7, 569-575.	31.4	206
72	Design for ultrahigh-Q position-controlled nanocavities of single semiconductor nanowires in two-dimensional photonic crystals. Journal of Applied Physics, 2012, 112, .	2.5	19

#	ARTICLE	IF	CITATIONS
73	Ultralow-power all-optical RAM based on nanocavities. <i>Nature Photonics</i> , 2012, 6, 248-252.	31.4	243
74	Slow light enhanced optical nonlinearity in a silicon photonic crystal coupled-resonator optical waveguide. <i>Optics Express</i> , 2011, 19, 19861.	3.4	60
75	Manipulating light with strongly modulated photonic crystals. <i>Reports on Progress in Physics</i> , 2010, 73, 096501.	20.1	325
76	High-speed ultracompact buried heterostructure photonic-crystal laser with 13ÂfJ of energy consumed per bit transmitted. <i>Nature Photonics</i> , 2010, 4, 648-654.	31.4	300
77	Sub-femtojoule all-optical switching using a photonic-crystal nanocavity. <i>Nature Photonics</i> , 2010, 4, 477-483.	31.4	595
78	Extremely low power optical bistability in silicon demonstrated using 1D photonic crystal nanocavity. <i>Optics Express</i> , 2009, 17, 21108.	3.4	104
79	Low power and fast electro-optic silicon modulator with lateral p-i-n embedded photonic crystal nanocavity. <i>Optics Express</i> , 2009, 17, 22505.	3.4	108
80	Carrier Diffusion and Recombination in Photonic Crystal Nanocavity Optical Switches. <i>Journal of Lightwave Technology</i> , 2008, 26, 1396-1403.	4.6	68
81	Quality factor control and lasing characteristics of InAs/InGaAs quantum dots embedded in photonic-crystal nanocavities. <i>Optics Express</i> , 2008, 16, 5199.	3.4	14
82	On-demand ultrahigh-Q cavity formation and photon pinning via dynamic waveguide tuning. <i>Optics Express</i> , 2008, 16, 18657.	3.4	57
83	All-optical on-chip bit memory based on ultra high Q InGaAsP photonic crystal. <i>Optics Express</i> , 2008, 16, 19382.	3.4	69
84	Single point defect photonic crystal nanocavity with ultrahigh quality factor achieved by using hexapole mode. <i>Applied Physics Letters</i> , 2007, 91, 021110.	3.3	43
85	Fast all-optical switching using ion-implanted silicon photonic crystal nanocavities. <i>Applied Physics Letters</i> , 2007, 90, 031115.	3.3	155
86	Trapping and delaying photons for one nanosecond in an ultrasmall high-Q photonic-crystal nanocavity. <i>Nature Photonics</i> , 2007, 1, 49-52.	31.4	360
87	Ultrahigh-Q photonic crystal nanocavities realized by the local width modulation of a line defect. <i>Applied Physics Letters</i> , 2006, 88, 041112.	3.3	419
88	Optical bistable switching action of Si high-Q photonic-crystal nanocavities. <i>Optics Express</i> , 2005, 13, 2678.	3.4	449
89	Fast bistable all-optical switch and memory on a silicon photonic crystal on-chip. <i>Optics Letters</i> , 2005, 30, 2575.	3.3	286
90	All-optical switches on a silicon chip realized using photonic crystal nanocavities. <i>Applied Physics Letters</i> , 2005, 87, 151112.	3.3	352