

# Oleksandr Holovachov

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4447314/publications.pdf>

Version: 2024-02-01

77

papers

2,074

citations

687363

13

h-index

254184

43

g-index

80

all docs

80

docs citations

80

times ranked

1551

citing authors

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | Phylogenomic Analysis of the Phylum Nematoda: Conflicts and Congruences With Morphology, 18S rRNA, and Mitogenomes. <i>Frontiers in Ecology and Evolution</i> , 2022, 9, .                          | 2.2  | 28        |
| 2  | Biodiversity of macrobenthic nematodes in the intertidal and shallow subtidal zones in the Eastern Canadian Arctic. <i>Polar Biology</i> , 2022, 45, 225-242.                                       | 1.2  | 2         |
| 3  | Gammarinema scyllae sp. n. and Monhystrium mangrovi sp. n. (Nematoda: Monhysteridae) from land crabs from New Caledonia. <i>Systematic Parasitology</i> , 2022, 99, 83-101.                         | 1.1  | 2         |
| 4  | Microbiomes of microscopic marine invertebrates do not reveal signatures of phyllosymbiosis. <i>Nature Microbiology</i> , 2022, 7, 810-819.   | 13.3 | 26        |
| 5  | A draft transcriptome of a parasite <i>Neocamacolaimus parasiticus</i> (Camacolaimidae, Plectida). <i>Journal of Nematology</i> , 2021, 53, 1-4.  | 0.9  | 4         |
| 6  | Aborjinia corallicola sp. n., a new nematode species (Nematoda: Marimermithidae) associated with the bamboo coral Acanella arbuscula (Johnson). <i>Systematic Parasitology</i> , 2021, 98, 559-579. | 1.1  | 7         |
| 7  | A microsensor-based method for measuring respiration of individual nematodes. <i>Methods in Ecology and Evolution</i> , 2021, 12, 1841-1847.  | 5.2  | 4         |
| 8  | Twenty Years after De Ley and Blaxterâ€”How Far Did We Progress in Understanding the Phylogeny of the Phylum Nematoda?. <i>Animals</i> , 2021, 11, 3479.  | 2.3  | 12        |
| 9  | Description of a new marine predatory nematode <i>Latronema dyngi</i> sp. nov. (Nematoda, Chromadorida, Tj ETQql 1 0.784314 rgBT /Cove Biodiversity, 2020, 50, 1.                                   | 1.0  | 5         |
| 10 | Phylogenetic relationships of <i>Leptolaimus</i> de Man, 1876 (Plectida: Leptolaimidae) with description of two new species from the Persian Gulf, Iran. <i>Nematology</i> , 2020, 23, 153-169.     | 0.6  | 3         |
| 11 | Uncovering diversity and metabolic spectrum of animals in dead zone sediments. <i>Communications Biology</i> , 2020, 3, 106.  | 4.4  | 16        |
| 12 | Revision of the genus <i>Cobbionema</i> Filipjev, 1922 (Nematoda, Chromadorida, Selachinematidae). <i>European Journal of Taxonomy</i> , 2020, , ,  | 0.6  | 3         |
| 13 | Improved phylogenomic sampling of free-living nematodes enhances resolution of higher-level nematode phylogeny. <i>BMC Evolutionary Biology</i> , 2019, 19, 121.                                    | 3.2  | 78        |
| 14 | New and known species of the genus <i>Campylaimus</i> Cobb, 1920 (Nematoda: Araeolaimida: Diplopeltidae) from North European marine habitats. <i>Biodiversity Data Journal</i> , 2019, 7, e46545.   | 0.8  | 2         |
| 15 | <i>Campydoroides manautei</i> gen. et sp. nov. from New Caledonia and a reappraisal of the suborder <i>Campydorina</i> (Nematoda). <i>European Journal of Taxonomy</i> , 2019, , ,                  | 0.6  | 2         |
| 16 | Description of <i>Driococephalobus moldavicus</i> Lisetskaya, 1968 (Rhabditida: Osstellidae) from Kelso Dunes, Mojave National Preserve, California, USA. <i>Zootaxa</i> , 2018, 4514, 438.         | 0.5  | 0         |
| 17 | Neodiplopeltula gen. nov. from the west coast of Sweden and reappraisal of the genus <i>Diplopeltula</i> Gerlach, 1950 (Nematoda, Diplopeltidae). <i>European Journal of Taxonomy</i> , 2018, , ,   | 0.6  | 2         |
| 18 | The Swedish marine nematologist Carl AllgÅn (1886â€“1960): a bio-bibliography and his collection. <i>Zootaxa</i> , 2017, 4232, 451.   | 0.5  | 0         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Taxonomy assignment approach determines the efficiency of identification of OTUs in marine nematodes. Royal Society Open Science, 2017, 4, 170315.   | 2.4 | 36        |
| 20 | Alloionema californicum NermuÅ¥, PÅ-Å¾a, MrÅ¡ek & Lewis, 2016 is a junior synonym of Alloionema similis Holovachov, BostrÅ¶m, Tandingan De Ley, Mc Donnell, Alvarado, Paine & De Ley, 2016 (Nematoda: Tj ETQq0 0.6 rgBT /Overlock 10   |     |           |
| 21 | NGS-based biodiversity and community structure analysis of meiofaunal eukaryotes in shell sand from HÄ¶llÄ¶ island, SmÃ¶gen, and soft mud from Gullmarn Fjord, Sweden. Biodiversity Data Journal, 2017, 5, e12731.   | 0.8 | 29        |
| 22 | Three new and five known species of Diplopeltoides Gerlach, 1962 (Nematoda, Diplopeltoididae) from Sweden, and a revision of the genus. European Journal of Taxonomy, 2017, ,.   | 0.6 | 0         |
| 23 | Belgopeltula belgica (Vincx & Gourbault, 1992) gen. et comb. nov. and Mudwiggulus micramphidium sp. nov. from the west coast of Sweden, and reappraisal of the genus Pseudaraeolaimus Chitwood, 1951 (Nematoda: Araeolaimida: Diplopeltidae). European Journal of Taxonomy, 2017, ,. | 0.6 | 0         |
| 24 | Alloionema similis n. sp., a genetically divergent sibling species of A. appendiculatum Schneider, 1859 (Rhabditida: Alloionematidae) from invasive slugs in California, USA. Systematic Parasitology, 2016, 93, 877-898.  | 1.1 | 6         |
| 25 | Description of Phasmarhabditis californica n. sp. and first report of Papillosa (Nematoda: Rhabditidae) from invasive slugs in the USA. Nematology, 2016, 18, 175-193.   | 0.6 | 53        |
| 26 | Metabarcoding of marine nematodes – evaluation of reference datasets used in tree-based taxonomy assignment approach. Biodiversity Data Journal, 2016, 4, e10021.  | 0.8 | 10        |
| 27 | Metabarcoding of marine nematodes – evaluation of similarity scores used in alignment-based taxonomy assignment approach. Biodiversity Data Journal, 2016, 4, e10647.  | 0.8 | 8         |
| 28 | Swedish Plectida (Nematoda). Part 8. The genus Onchium Cobb, 1920. Zootaxa, 2015, 3911, 521-46.  | 0.5 | 5         |
| 29 | Swedish Plectida (Nematoda). Part 10. The genus Deontolaimus de Man, 1880. Zootaxa, 2015, 4034, 1-44.  | 0.5 | 3         |
| 30 | <strong>Swedish Plectida (Nematoda). Part 9. The genus <em>Leptolaimoides</em> Vitiello, 1971</strong>. Zootaxa, 2015, 3955, 83.   | 0.5 | 1         |
| 31 | Unseen beauty of flowers – hidden signals or spectacular by-product?. Green Letters, 2015, 19, 329-331.  | 0.6 | 2         |
| 32 | Description of a new species of Paracrobeles Heyns, 1968 (Nematoda, Rhabditida, Cephalobidae) from Kelso Dunes, Mojave National Preserve, California, USA. European Journal of Taxonomy, 2015, ,.  | 0.6 | 2         |
| 33 | Sensitivity of Ribosomal RNA Character Sampling in the Phylogeny of Rhabditida. Journal of Nematology, 2015, 47, 337-55.   | 0.9 | 11        |
| 34 | Swedish Plectida (Nematoda). Part 5. Rhadinema timmi (Vitiello, 1971) comb. n.. Zootaxa, 2014, 3779, 477-86.   | 0.5 | 1         |
| 35 | <strong>Swedish Plectida (Nematoda). Part 6. <em>Neocamacolaimus</em> <em>parasiticus</em> gen. n., sp. n.</strong>. Zootaxa, 2014, 3821, 538.   | 0.5 | 5         |
| 36 | Descriptions of species of Stegelleta Thorne, 1938 (Nematoda, Rhabditida, Cephalobidae) from California, New Zealand and Senegal, and a revision of the genus. European Journal of Taxonomy, 2014, ,.  | 0.6 | 2         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Yeatesinia barbata gen. n., sp. n. (Nematoda: Plectida: Plectidae), a most remarkable nematode from New Zealand. <i>Nematology</i> , 2014, 16, 953-962.   | 0.6 | 1         |
| 38 | Swedish Plectida (Nematoda). Part 7. <i>Setostephanolaimus tchesunovi</i> sp. n. from the west coast of Sweden. <i>Zootaxa</i> , 2014, 3847, 576-82.  | 0.5 | 1         |
| 39 | Nematodes from terrestrial and freshwater habitats in the Arctic. <i>Biodiversity Data Journal</i> , 2014, 2, e1165.  | 0.8 | 13        |
| 40 | Whole-Drawer Imaging of Entomological Collections: Benefits, Limitations and Alternative Applications. <i>Journal of Conservation &amp; Museum Studies</i> , 2014, 12, .  | 0.8 | 14        |
| 41 | Study of the genus <i>Plectus</i> Bastian, 1865 (Nematoda: Plectidae) from Iran. <i>Biologia (Poland)</i> , 2013, 68, 1142-1154.  | 1.5 | 2         |
| 42 | Morphology, molecular characterisation and systematic position of the genus <i>Cynura</i> Cobb, 1920 (Nematoda: Plectida). <i>Nematology</i> , 2013, 15, 611-627.   | 0.6 | 8         |
| 43 | 7.4 Order <i>Triplonchida</i> Cobb, 1919. , 2013, , 251-276.  | 0   |           |
| 44 | 7.16 Order <i>Plectida</i> Gadea, 1973. , 2013, , 487-536.  | 4   |           |
| 45 | 7.7 Order <i>Isolaimida</i> Cobb, 1920. , 2013, , 313-316.  | 0   |           |
| 46 | <strong>Swedish Plectida (Nematoda). Part 4. The genus <em>Leptolaimus</em> de Man, 1876</strong>. <i>Zootaxa</i> , 2013, 3739, 1.  | 0.5 | 8         |
| 47 | Revision and phylogeny of <i>Tarvaia</i> AllgÅn, 1934 (Nematoda: Tarvaiidae). <i>Nematology</i> , 2012, 14, 677-708.  | 0.6 | 4         |
| 48 | Nematodes associated with the invasive quagga mussel ( <i>Dreissena rostriformis bugensis</i> ) in the Colorado River Aqueduct Reservoirs, southern California, USA. <i>Nematology</i> , 2012, 14, 827-837.   | 0.6 | 5         |
| 49 | Swedish Plectida (Nematoda). Part 1. <i>Domorganus suecicus</i> sp. n. from Skagerrak. <i>Zootaxa</i> , 2012, 3263, 63.   | 0.5 | 5         |
| 50 | Swedish Plectida (Nematoda). Part 3. The genus <i>Loveninema</i> gen. n.. <i>Zootaxa</i> , 2012, 3505, 26.  | 0.5 | 3         |
| 51 | <i>Endeolophos skeneae</i> sp. nov. (Chromadoridae) – a free-living marine nematode epibiotically associated with deep-sea gastropod <i>Skenea profunda</i> (Skeneidae). <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2011, 91, 387-394. | 0.8 | 9         |
| 52 | Description of <i>Scottnema lindsayae</i> Timm, 1971 (Rhabditida: Cephalobidae) from Taylor Valley, Antarctica and its phylogenetic relationship. <i>Polar Biology</i> , 2011, 34, 1-12.  | 1.2 | 19        |
| 53 | Redescription of <i>Placodira lobata</i> Thorne, 1937 (Rhabditida: Cephalobidae) with a discussion of the systematic position of the genus. <i>Nematology</i> , 2011, 13, 103-114.  | 0.6 | 3         |
| 54 | The role of habitat heterogeneity in structuring the community of intertidal free-living marine nematodes. <i>Marine Biology</i> , 2010, 157, 1741-1753.  | 1.5 | 52        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Linking DNA sequences to morphology: cryptic diversity and population genetic structure in the marine nematode <i>Thoracostoma trachygaster</i> (Nematoda, Leptosomatidae). <i>Zoologica Scripta</i> , 2010, 39, 276-289.   | 1.7 | 69        |
| 56 | Morphology, molecular characterisation and systematic position of <i>Hemiplectus muscorum</i> Zell, 1991 (Nematoda: Plectida). <i>Nematology</i> , 2009, 11, 719-737.   | 0.6 | 4         |
| 57 | A phylogenetic tree of nematodes based on about 1200 full-length small subunit ribosomal DNA sequences. <i>Nematology</i> , 2009, 11, 927-950.  | 0.6 | 442       |
| 58 | Small subunit ribosomal DNA-based phylogeny of basal Chromadoria (Nematoda) suggests that transitions from marine to terrestrial habitats (and vice versa) require relatively simple adaptations. <i>Molecular Phylogenetics and Evolution</i> , 2008, 48, 758-763. | 2.7 | 54        |
| 59 | Nematodes from the Gulf of California. Part 2. <i>Ceramonema nasobema</i> sp. n. (Nematoda:) Tj ETQq1 1 0.784314 rgBT/Overlock 10 Tf 50   | 0.6 | 50        |
| 60 | Nematodes from the Gulf of California. Part 1. The genera <i>Ceramonema</i> Cobb, 1920, <i>Pselionema</i> Cobb in Cobb, 1933 and <i>Pterygonema</i> Gerlach, 1954 (Nematoda: Ceramonematidae). <i>Nematology</i> , 2008, 10, 347-373.                               | 0.6 | 4         |
| 61 | Description of <i>Aulolaimus multipapillatus</i> sp. n. and <i>A. nannocephalus</i> AndrÄjssy, 1972 with notes on taxonomy and phylogeny of the genus (Nematoda: Aulolaimidae). <i>Nematology</i> , 2007, 9, 201-214.   | 0.6 | 4         |
| 62 | Phylum-Wide Analysis of SSU rDNA Reveals Deep Phylogenetic Relationships among Nematodes and Accelerated Evolution toward Crown Clades. <i>Molecular Biology and Evolution</i> , 2006, 23, 1792-1800.   | 8.9 | 867       |
| 63 | Phylogeny of Cephalobina (Nematoda): Molecular evidence for recurrent evolution of probolae and incongruence with traditional classifications. <i>Molecular Phylogenetics and Evolution</i> , 2006, 40, 696-711.  | 2.7 | 84        |
| 64 | Studies on the genus <i>Aphanolaimus</i> de Man, 1880 (Nematoda: Aphanolaimidae) with description of two new species. <i>Nematology</i> , 2006, 8, 235-254.   | 0.6 | 0         |
| 65 | Description of <i>Deleyia</i> gen. n. with a discussion of its phylogenetic relationships to the genera <i>Daubaylia</i> Chitwood & Chitwood, 1934 and <i>Myolaimus</i> Cobb, 1920 (Nematoda: Rhabditida). <i>Nematology</i> , 2006, 8, 223-233.                    | 0.6 | 3         |
| 66 | Panagrolobus vanmegena, a new genus and species from The Netherlands and Ukraine, with taxonomic revision and two new species of the genus <i>Teratolobus</i> AndrÄjssy, 1968 (Nematoda:) Tj ETQq0 0 0 rgBTd@Overlock 10 Tf 50                                      | 2   | 2         |
| 67 | Order Mermithida and families incertae sedis (Bastianidae and Rhabdolaimidae)..., 2006, , 722-735.  | 1   |           |
| 68 | Order Plectida.. , 2006,, 611-647.  | 3   |           |
| 69 | The genus <i>Deficephalobus</i> De Ley & Coomans, 1990 (Cephalobina: Osstellidae) from nature reserves in Costa Rica. <i>Nematology</i> , 2005, 7, 469-477.   | 0.6 | 0         |
| 70 | Two new species of the genus <i>Aphanonchus</i> Coomans & Raski, 1991 (Nematoda: Aphanolaimidae) and a revised taxonomy of the genus. <i>Nematology</i> , 2004, 6, 357-373.   | 0.6 | 0         |
| 71 | Nematodes of the order Rhabditida from AndalucÃa Oriental, Spain. The genus <i>Cervidellus</i> Thorne, 1937 (Cephalobidae) with additional data on <i>C. hamatus</i> Thorne, 1937. <i>Nematology</i> , 2003, 5, 753-776.  | 0.6 | 3         |
| 72 | Free-living nematodes from nature reserves in Costa Rica. 5. Bunonematoidea (Rhabditida). <i>Nematology</i> , 2003, 5, 665-676.   | 0.6 | 3         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Free-living nematodes from nature reserves in Costa Rica. 4. Cephalobina. <i>Nematology</i> , 2003, 5, 1-15.   | 0.6 | 4         |
| 74 | Studies on the genus <i>Paraphanolaimus</i> Micoletzky, 1923 (Nematoda: Aphanolaimidae) with description of <i>P. paraguayensis</i> sp. n.. <i>Nematology</i> , 2003, 5, 793-807.                      | 0.6 | 0         |
| 75 | Morphology and systematics of the genus <i>Anonchus</i> Cobb, 1913 (Nematoda: Leptolaimina) and reappraisal of the family Aphanolaimidae Chitwood, 1936 n. rank. <i>Nematology</i> , 2002, 4, 725-757. | 0.6 | 1         |
| 76 | Dintheria tenuissima De Man, 1921 and Stenonchulus troglodytes Schneider, 1940 (Nematoda:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 6<br>Fragmenta Faunistica, 2001, 44, 169-177.                          | 0.0 | 0         |
| 77 | Description of two species of <i>Chiloplectus</i> AndrĂ;ssy, 1984 (Nematoda: Plectidae) from Ukraine and a revised taxonomy of the genus. <i>Nematology</i> , 2000, 2, 381-394.                        | 0.6 | 1         |