

Peter Lamprecht

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/445008/publications.pdf>

Version: 2024-02-01

95
papers

3,752
citations

147801

31
h-index

138484

58
g-index

107
all docs

107
docs citations

107
times ranked

4169
citing authors

#	ARTICLE	IF	CITATIONS
1	Mechanisms of Autoantibody-Induced Pathology. <i>Frontiers in Immunology</i> , 2017, 8, 603.	4.8	377
2	Peripheral Blood and Granuloma CD4+CD28 ^{hi} T Cells Are a Major Source of Interferon- γ and Tumor Necrosis Factor- α in Wegener's Granulomatosis. <i>American Journal of Pathology</i> , 2002, 160, 1717-1724.	3.8	215
3	Nomenclature of Cutaneous Vasculitis. <i>Arthritis and Rheumatology</i> , 2018, 70, 171-184.	5.6	200
4	The impact of 18F-FDG PET on the management of patients with suspected large vessel vasculitis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2012, 39, 344-353.	6.4	182
5	Open-label, multicentre, dose-escalating phase II clinical trial on the safety and efficacy of tadeking alfa (IL-18BP) in adult-onset Still's disease. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, annrheumdis-2017-212608.	0.9	181
6	Subacute bacterial endocarditis with positive cytoplasmic antineutrophil cytoplasmic antibodies and anti-proteinase 3 antibodies. <i>Arthritis and Rheumatism</i> , 2000, 43, 226-231.	6.7	165
7	Genome-wide association study of eosinophilic granulomatosis with polyangiitis reveals genomic loci stratified by ANCA status. <i>Nature Communications</i> , 2019, 10, 5120.	12.8	160
8	GPCR-specific autoantibody signatures are associated with physiological and pathological immune homeostasis. <i>Nature Communications</i> , 2018, 9, 5224.	12.8	116
9	Proteinase 3 on apoptotic cells disrupts immune silencing in autoimmune vasculitis. <i>Journal of Clinical Investigation</i> , 2015, 125, 4107-4121.	8.2	101
10	Wegener autoantigen induces maturation of dendritic cells and licenses them for Th1 priming via the protease-activated receptor-2 pathway. <i>Blood</i> , 2006, 107, 4440-4448.	1.4	100
11	The Diagnosis and Treatment of Giant Cell Arteritis. <i>Deutsches Arzteblatt International</i> , 2013, 110, 376-85; quiz 386.	0.9	100
12	International diagnostic guidelines for patients with HCV-related extrahepatic manifestations. A multidisciplinary expert statement. <i>Autoimmunity Reviews</i> , 2016, 15, 1145-1160.	5.8	87
13	International therapeutic guidelines for patients with HCV-related extrahepatic disorders. A multidisciplinary expert statement. <i>Autoimmunity Reviews</i> , 2017, 16, 523-541.	5.8	87
14	Wegener's Granulomatosis. <i>Herz</i> , 2004, 29, 47-56.	1.1	79
15	Pathogenetic and Clinical Aspects of Anti-Neutrophil Cytoplasmic Autoantibody-Associated Vasculitides. <i>Frontiers in Immunology</i> , 2018, 9, 680.	4.8	76
16	Low-Dose IL-2 Therapy in Autoimmune and Rheumatic Diseases. <i>Frontiers in Immunology</i> , 2021, 12, 648408.	4.8	76
17	Evidence-based recommendations on the management of extrahepatic manifestations of chronic hepatitis C virus infection. <i>Journal of Hepatology</i> , 2017, 66, 1282-1299.	3.7	73
18	Clinical and immunological features of drug-induced and infection-induced proteinase 3-antineutrophil cytoplasmic antibodies and myeloperoxidase-antineutrophil cytoplasmic antibodies and vasculitis. <i>Current Opinion in Rheumatology</i> , 2010, 22, 43-48.	4.3	69

#	ARTICLE	IF	CITATIONS
19	Genetic predisposition (NLRP3 V198M mutation) for IL-1 α -mediated inflammation in a patient with Schnitzler syndrome. <i>Journal of Allergy and Clinical Immunology</i> , 2010, 125, 500-502.	2.9	64
20	Differences in CCR5 expression on peripheral blood CD4 ⁺ CD28 ^{hi} T-cells and in granulomatous lesions between localized and generalized Wegener's granulomatosis. <i>Clinical Immunology</i> , 2003, 108, 1-7.	3.2	63
21	Expansion of circulating NKG2D ⁺ effector memory T-cells and expression of NKG2D-ligand MIC in granulomatous lesions in Wegener's granulomatosis. <i>Clinical Immunology</i> , 2008, 127, 144-150.	3.2	63
22	T-helper cells as new players in ANCA-associated vasculitides. <i>Arthritis Research and Therapy</i> , 2011, 13, 236.	3.5	59
23	Nasal carriage of <i>Staphylococcus aureus</i> and endonasal activity in Wegener's granulomatosis as compared to rheumatoid arthritis and chronic Rhinosinusitis with nasal polyps. <i>Clinical and Experimental Rheumatology</i> , 2010, 28, 51-5.	0.8	54
24	Advances in the therapy of Wegener's granulomatosis. <i>Current Opinion in Rheumatology</i> , 2006, 18, 25-32.	4.3	50
25	Diagnostic significance of ANCA in vasculitis. <i>Nature Clinical Practice Rheumatology</i> , 2006, 2, 174-175.	3.2	48
26	Changes in the composition of the upper respiratory tract microbial community in granulomatosis with polyangiitis. <i>Journal of Autoimmunity</i> , 2019, 97, 29-39.	6.5	41
27	Heterogeneity of CD4 and CD8 ⁺ memory T cells in localized and generalized Wegener's granulomatosis. <i>Arthritis Research</i> , 2003, 5, R25.	2.0	36
28	Frequency of proteinase 3 (PR3)-specific autoreactive T cells determined by cytokine flow cytometry in Wegener's granulomatosis. <i>Journal of Autoimmunity</i> , 2004, 22, 79-85.	6.5	36
29	Wegener's Granulomatosis: The Current View. <i>Clinical Reviews in Allergy and Immunology</i> , 2008, 35, 19-21.	6.5	36
30	Environmental factor and inflammation-driven alteration of the total peripheral T-cell compartment in granulomatosis with polyangiitis. <i>Journal of Autoimmunity</i> , 2017, 78, 79-91.	6.5	34
31	Co-occurrence of autoantibodies in healthy blood donors. <i>Experimental Dermatology</i> , 2014, 23, 519-521.	2.9	32
32	Granuloma formation in ANCA-associated vasculitides. <i>Apmis</i> , 2009, 117, 32-36.	2.0	31
33	Efficacy and safety of secukinumab in patients with giant cell arteritis: study protocol for a randomized, parallel group, double-blind, placebo-controlled phase II trial. <i>Trials</i> , 2021, 22, 543.	1.6	31
34	Cartilage Destruction in Granulomatosis with Polyangiitis (Wegener's Granulomatosis) Is Mediated by Human Fibroblasts after Transplantation into Immunodeficient Mice. <i>American Journal of Pathology</i> , 2012, 180, 2144-2155.	3.8	30
35	TNF- α inhibitors in systemic vasculitides and connective tissue diseases. <i>Autoimmunity Reviews</i> , 2005, 4, 28-34.	5.8	26
36	Longitudinal analysis of frequency and reactivity of Epstein-Barr virus-specific T lymphocytes and their association with intermittent viral reactivation. <i>Journal of Medical Virology</i> , 2012, 84, 119-131.	5.0	24

#	ARTICLE	IF	CITATIONS
37	New insights into the epidemiology of ANCA-associated vasculitides in Germany: results from a claims data study. <i>Rheumatology</i> , 2021, 60, 4868-4873.	1.9	23
38	Granulomatous Inflammation in ANCA-Associated Vasculitis. <i>International Journal of Molecular Sciences</i> , 2021, 22, 6474.	4.1	23
39	Update on Clinical, Pathophysiological and Therapeutic Aspects in ANCA-Associated Vasculitides. <i>Current Drug Discovery Technologies</i> , 2009, 6, 241-251.	1.2	20
40	Cyclophosphamide treatment-induced leukopenia rates in ANCA-associated vasculitis are influenced by variant CYP450 2C9 genotypes. <i>Pharmacogenomics</i> , 2016, 17, 367-374.	1.3	19
41	In situ detection of PR3-ANCA+ B cells and alterations in the variable region of immunoglobulin genes support a role of inflamed tissue in the emergence of auto-reactivity in granulomatosis with polyangiitis. <i>Journal of Autoimmunity</i> , 2018, 93, 89-103.	6.5	19
42	Nomenclature of cutaneous vasculitides – German translation of the dermatologic addendum to the 2012 Revised International Chapel Hill Consensus Conference Nomenclature of Vasculitides. <i>JDDG - Journal of the German Society of Dermatology</i> , 2018, 16, 1425-1432.	0.8	18
43	Transfer of PBMC From SSc Patients Induces Autoantibodies and Systemic Inflammation in Rag2-/-/IL2rg-/- Mice. <i>Frontiers in Immunology</i> , 2021, 12, 677970.	4.8	17
44	T cell alterations and lymphoid neogenesis favoring autoimmunity in Wegener's granulomatosis. <i>Arthritis and Rheumatism</i> , 2007, 56, 1725-1727.	6.7	16
45	Refractory Central Nervous System Vasculitis and Gastrocnemius Myalgia Syndrome in Crohn's Disease Successfully Treated with Anti-Tumor Necrosis Factor- α Antibody. <i>Seminars in Arthritis and Rheumatism</i> , 2009, 38, 337-347.	3.4	16
46	Lower numbers of FoxP3 and CCR4 co-expressing cells in an elevated subpopulation of CD4+CD25high regulatory T cells from Wegener's granulomatosis. <i>Clinical and Experimental Rheumatology</i> , 2010, 28, 72-80.	0.8	16
47	Aberrant cytokine pattern of the nasal mucosa in granulomatosis with polyangiitis. <i>Arthritis Research and Therapy</i> , 2012, 14, R203.	3.5	15
48	Nomenklatur der kutanen Vaskulitiden – deutschsprachige Definitionen des Dermatologischen Anhangs zur Chapel Hill Consensus Conference. <i>JDDG - Journal of the German Society of Dermatology</i> , 2018, 16, 1425-1433.	0.8	15
49	Alterations in the phenotype of CMV-specific and total CD8+ T-cell populations in Wegener's granulomatosis. <i>Cellular Immunology</i> , 2003, 224, 1-7.	3.0	14
50	A brief history of Wegener's granulomatosis: On limited, localized, and generalized forms of the disease: comment on the article by the Wegener's granulomatosis Etanercept Trial Research Group. <i>Arthritis and Rheumatism</i> , 2004, 50, 334-335.	6.7	14
51	Current State of Biologicals in the Management of Systemic Vasculitis. <i>Annals of the New York Academy of Sciences</i> , 2007, 1110, 261-270.	3.8	14
52	CD28- T cells display features of effector memory T cells in Wegener's granulomatosis. <i>Kidney International</i> , 2004, 65, 1113.	5.2	13
53	The low-penetrance R92Q mutation of the tumour necrosis factor superfamily 1A gene is neither a major risk factor for Wegener's granulomatosis nor multiple sclerosis. <i>Annals of the Rheumatic Diseases</i> , 2007, 66, 1266-1267.	0.9	12
54	Biological therapies: new treatment options for ANCA-associated vasculitis?. <i>Expert Opinion on Biological Therapy</i> , 2007, 7, 521-533.	3.1	12

#	ARTICLE	IF	CITATIONS
55	Intra- and inter-rater reliability of endonasal activity estimation in granulomatosis with polyangiitis (Wegener's). <i>Clinical and Experimental Rheumatology</i> , 2012, 30, S22-8.	0.8	12
56	Methotrexate plus leflunomide for the treatment of relapsing Wegener's granulomatosis. A retrospective uncontrolled study. <i>Clinical and Experimental Rheumatology</i> , 2010, 28, 67-71.	0.8	11
57	Distinct proteinase 3-induced cytokine patterns in Wegener's granulomatosis, Churg-Strauss syndrome, and healthy controls. <i>Clinical and Experimental Rheumatology</i> , 2011, 29, S57-62.	0.8	11
58	Antineutrophil cytoplasmic antibody-associated vasculitis: autoinflammation, autodestruction and autoimmunity – key to new therapies. <i>Trends in Immunology</i> , 2008, 29, 587-588.	6.8	10
59	Antimicrobial peptides in nasal secretion and mucosa with respect to <i>S. aureus</i> colonisation in Wegener's granulomatosis. <i>Clinical and Experimental Rheumatology</i> , 2011, 29, S49-56.	0.8	10
60	Rituximab in Refractory Wegener's Granulomatosis: Favorable or Not?. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2006, 173, 815a-816.	5.6	9
61	Increased frequency of CCR4+ and CCR6+ memory T-cells including CCR7+CD45RA ^{med} very early memory cells in granulomatosis with polyangiitis (Wegener's). <i>Arthritis Research and Therapy</i> , 2012, 14, R73.	3.5	8
62	V β 2 T cell deficiency in granulomatosis with polyangiitis (Wegener's granulomatosis). <i>Clinical Immunology</i> , 2013, 149, 65-72.	3.2	8
63	A little help from our friends: what an epidemiologic study teaches us about autoinflammation, granuloma and proteinase-3-specific antineutrophil cytoplasmic autoantibodies. <i>Nephrology Dialysis Transplantation</i> , 2008, 23, 3743-3745.	0.7	6
64	Acute Inflammatory Syndrome with Elevated Procalcitonin Induced by Mycophenolate Sodium: Figure 1.. <i>Journal of Rheumatology</i> , 2012, 39, 658-659.	2.0	6
65	Flow cytometric characterization of "early" and "late differentiated" T cells including PR3-specific cells in granulomatosis with polyangiitis (Wegener's). <i>Cytometry Part B - Clinical Cytometry</i> , 2012, 82B, 173-175.	1.5	6
66	The Joint Vasculitis Registry in German-speaking countries (GeVas) – a prospective, multicenter registry for the follow-up of long-term outcomes in vasculitis. <i>BMC Rheumatology</i> , 2021, 5, 40.	1.6	6
67	Local Expression of C-Reactive Protein Is Associated with Deteriorating Graft Function in Acute and Chronic Failure of Kidney Transplants. <i>Nephron Clinical Practice</i> , 2011, 117, 390-397.	2.3	5
68	Decreased endothelin receptor A autoantibody levels are associated with early ischaemic events in patients with giant-cell arteritis. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 1443-1444.	0.9	5
69	Clinical images: Saddle nose deformity caused by destructive granulomatous inflammation in Wegener's granulomatosis. <i>Arthritis and Rheumatism</i> , 2008, 58, 834-834.	6.7	4
70	Comment on: Subclassifying ANCA-associated vasculitis: a unifying view of disease spectrum. <i>Rheumatology</i> , 2020, 59, 1185-1187.	1.9	4
71	Anti-Citrullinated Protein-Peptide Antibodies in Rheumatoid Arthritis. <i>Deutsches Arzteblatt International</i> , 2009, 106, 157-8.	0.9	4
72	Diagnosis of deficiency of adenosine deaminase 2 with early onset polyarteritis nodosa in an adult patient with a novel compound heterozygous CECR1 mutation. <i>Clinical and Experimental Rheumatology</i> , 2018, 36 Suppl 111, 177.	0.8	4

#	ARTICLE	IF	CITATIONS
73	TNF-Inhibitors in Wegener's Granulomatosis. <i>Kidney and Blood Pressure Research</i> , 2005, 28, 62-62.	2.0	3
74	L20. Memory T-cells in vasculitis. <i>Presse Medicale</i> , 2013, 42, 560-563.	1.9	3
75	Extracorporeal membrane oxygenation in ANCA-associated vasculitis. <i>Autoimmunity Reviews</i> , 2021, 20, 102702.	5.8	3
76	GPA-Induced Granulomatous Endocarditis Mimicking a Thrombotic Mitral Valve Stenosis. <i>JACC: Case Reports</i> , 2020, 2, 2151-2155.	0.6	2
77	FC 039RENAL OUTCOME AFTER RITUXIMAB IN ADULT-ONSET IGA VASCULITIS AND CRESCENTIC IGA NEPHROPATHY: A MULTICENTRE STUDY. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, .	0.7	2
78	Granulomatosis with Polyangiitis (Wegener's Granulomatosis). , 2014, , 385-400.		2
79	Unclassified vasculitis. <i>Clinical and Experimental Rheumatology</i> , 2011, 29, S81-5.	0.8	2
80	Immunological changes and prevention of disease progression through elotuzumab therapy in refractory IgG4-related sclerosing mesenteritis. <i>Rheumatology</i> , 0, , .	1.9	2
81	Comment on: The nose is an organ too. <i>Rheumatology</i> , 2020, 59, e112-e113.	1.9	1
82	Increased frequency of IL-7 and IL-15 receptor alpha chain (CD127, CD215) co-expressing CD4(+) T cells in granulomatosis with polyangiitis (Wegener's). <i>Clinical and Experimental Rheumatology</i> , 2012, 30, S171.	0.8	1
83	Detection of anti-neutrophil cytoplasmic and antinuclear autoantibodies favouring misdiagnoses in 5 cases of Erdheim-Chester disease. <i>Clinical and Experimental Rheumatology</i> , 2018, 36 Suppl 111, 176.	0.8	1
84	Circulating CD4+CD8+ double-positive T-cells display features of innate and adaptive immune function in granulomatosis with polyangiitis. <i>Clinical and Experimental Rheumatology</i> , 2018, 36 Suppl 111, 93-98.	0.8	1
85	Wegener's Granulomatosis: A Pulmonary Perspective. <i>Handbook of Systemic Autoimmune Diseases</i> , 2004, 2, 63-94.	0.1	0
86	Small Vessel Vasculitides. , 2005, , 349-365.		0
87	THU0316...PROTEINASE-3 REGULATING MICRO-RNA IN GRANULOMATOSIS WITH POLYANGIITIS. , 2019, , .		0
88	SP0183...DIAGNOSIS AND TREATMENT OF HCV RELATED VASCULITIS. , 2019, , .		0
89	SAT0021...ELEVATED NUMBERS OF C-TYPE LECTIN CD161 POSITIVE PR3-SPECIFIC T-CELLS IN GPA. , 2019, , .		0
90	AB0207...RECEPTOR EXPRESSION OF ANGIOTENSIN TYPE-1 AND 2 ARE DECREASED IN PATIENTS WITH SYSTEMIC SCLEROSIS AND PULMONARY ARTERIAL HYPERTENSION(PAH) AND CORRELATED WITH SEROLOGICAL LEVELS OF NT-PROBNP. , 2019, , .		0

#	ARTICLE	IF	CITATIONS
91	A patient with acute-onset hemorrhagic necroses and bullae of the legs. <i>Rheumatology</i> , 2021, 60, 5476-5477.	1.9	0
92	Small Vessel Vasculitides. , 2001, , 319-335.		0
93	Small Vessel Vasculitides. , 2011, , 389-403.		0
94	Expansion of CD161 expressing CD8+ single-positive and CD4+CD8+ double-positive PR3-specific T-cells in granulomatosis with polyangiitis. <i>Clinical and Experimental Rheumatology</i> , 2021, 39 Suppl 129, 182-183.	0.8	0
95	Expansion of CD161 expressing CD8+ single-positive and CD4+CD8+ double-positive PR3-specific T-cells in granulomatosis with polyangiitis. <i>Clinical and Experimental Rheumatology</i> , 2021, 39, 182-183.	0.8	0