
Graeme McLeod

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/445616/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	A cadaver study comparing spread of dye and nerve involvement after three different quadratus lumborum blocks. British Journal of Anaesthesia, 2016, 117, 387-394.	3.4	180
2	Standardizing nomenclature in regional anesthesia: an ASRA-ESRA Delphi consensus study of abdominal wall, paraspinal, and chest wall blocks. Regional Anesthesia and Pain Medicine, 2021, 46, 571-580.	2.3	131
3	Levobupivacaine. Anaesthesia, 2001, 56, 331-341.	3.8	122
4	Intermittent vs continuous administration of epidural ropivacaine with fentanyl for analgesia during labour â€. British Journal of Anaesthesia, 2006, 97, 359-364.	3.4	116
5	Postoperative pain relief using thoracic epidural analgesia: outstanding success and disappointing failures. Anaesthesia, 2001, 56, 75-81.	3.8	102
6	Density of spinal anaesthetic solutions of bupivacaine, levobupivacaine, and ropivacaine with and without dextrose. British Journal of Anaesthesia, 2004, 92, 547-551.	3.4	82
7	Basic pharmacology of local anaesthetics. BJA Education, 2020, 20, 34-41.	1.4	78
8	A double-blind randomised controlled trial of paracetamol, diclofenac or the combination for pain relief after caesarean section. International Journal of Obstetric Anesthesia, 2008, 17, 9-14.	0.4	73
9	Vasoactive characteristics of bupivacaine and levobupivacaine with and without adjuvant epinephrine in peripheral human skin. British Journal of Anaesthesia, 2005, 94, 662-667.	3.4	67
10	Mechanisms influencing the vasoactive effects of lidocaine in human skin. Anaesthesia, 2007, 62, 146-150.	3.8	59
11	Echogenic Regional Anaesthesia Needles: A Comparison Study in Thiel Cadavers. Ultrasound in Medicine and Biology, 2012, 38, 702-707.	1.5	44
12	A randomised controlled trial of oxytocin 5IU and placebo infusion versus oxytocin 5IU and 30IU infusion for the control of blood loss at elective caesarean section—Pilot study. ISRCTN 40302163. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2009, 142, 30-33.	1.1	43
13	Local infiltration analgesia for total knee arthroplasty. British Journal of Anaesthesia, 2011, 107, 487-489.	3.4	43
14	A comparison of the ease of tracheal intubation using a McGrath <scp>MAC</scp> [®] laryngoscope and a standard Macintosh laryngoscope. Anaesthesia, 2015, 70, 1281-1285.	3.8	43
15	Comparison of 0.25% S(-)-bupivacaine with 0.25% RS-bupivacaine for epidural analgesia in labour. British Journal of Anaesthesia, 1999, 83, 750-755.	3.4	37
16	Skin blood flow changes in response to intradermal injection of bupivacaine and levobupivacaine, assessed by laser Doppler imaging. Regional Anesthesia and Pain Medicine, 2000, 25, 626-631.	2.3	35
17	Physical properties and functional alignment of soft-embalmed Thiel human cadaver when used as a simulator for ultrasound-guided regional anaesthesia. British Journal of Anaesthesia, 2016, 116, 699-707.	3.4	34
18	Determination of the EC50 of levobupivacaine for femoral and sciatic perineural infusion after total knee arthroplasty. British Journal of Anaesthesia, 2009, 102, 528-533.	3.4	31

GRAEME MCLEOD

#	Article	IF	CITATIONS
19	An evaluation of Thiel-embalmed cadavers for ultrasound-based regional anaesthesia training and research. Ultrasound, 2010, 18, 125-129.	0.7	31
20	The use of artificial intelligence and robotics in regional anaesthesia. Anaesthesia, 2021, 76, 171-181.	3.8	28
21	Quantitative assessment of Thiel soft-embalmed human cadavers using shear wave elastography. Annals of Anatomy, 2015, 202, 52-56.	1.9	27
22	Measuring the quality of continuous epidural block for abdominal surgery. British Journal of Anaesthesia, 2006, 96, 633-639.	3.4	25
23	Spinal anaesthesia for Caesarean section with bupivacaine 5 mg ml–1 in glucose 8 or 80 mg ml–1. British Journal of Anaesthesia, 2001, 86, 805-807.	3.4	24
24	Maternal haemodynamics at elective caesarean section: a randomised comparison of oxytocin 5-unit bolus and placebo infusion with oxytocin 5-unit bolus and 30-unit infusion. International Journal of Obstetric Anesthesia, 2010, 19, 155-160.	0.4	24
25	Liver displacement during ventilation in Thiel embalmed human cadavers – a possible model for research and training in minimally invasive therapies. Minimally Invasive Therapy and Allied Technologies, 2013, 22, 291-296.	1.2	24
26	The inhibitory effects of local anaesthetics on the vascular flare responses to bradykinin and substance $\hat{a} \in fP$ in human skin [*] . Anaesthesia, 2008, 63, 151-155.	3.8	21
27	Translation of sonoelastography from Thiel cadaver to patients for peripheral nerve blocks*. Anaesthesia, 2012, 67, 721-728.	3.8	20
28	An isobolographic analysis of diamorphine and levobupivacaine for epidural analgesia in early labour. British Journal of Anaesthesia, 2007, 98, 497-502.	3.4	15
29	Trainee anaesthetist diagnosis of intraneural injection—a study comparing B-mode ultrasound with the fusion of B-mode and elastography in the soft embalmed Thiel cadaver model. British Journal of Anaesthesia, 2016, 117, 792-800.	3.4	14
30	Validity and reliability of metrics for translation of regional anaesthesia performance from cadavers to patients. British Journal of Anaesthesia, 2019, 123, 368-377.	3.4	13
31	Mechanisms contributing to the vaso-active effects of prilocaine in human skin. Anaesthesia, 2003, 58, 6-10.	3.8	12
32	Is the clinical efficacy of epidural diamorphine concentration-dependent when used as analgesia for labour? â€. British Journal of Anaesthesia, 2005, 94, 229-233.	3.4	12
33	The feasibility of microâ€ultrasound as a tool to image peripheral nerves. Anaesthesia, 2017, 72, 190-196.	3.8	11
34	Shear Wave Elastography. Anesthesiology, 2013, 119, 698-698.	2.5	10
35	A randomised, singleâ€blind technical study comparing the ultrasonic visibility of smoothâ€surfaced and textured needles in a soft embalmed cadaver model. Anaesthesia, 2015, 70, 537-542.	3.8	9
36	An initial evaluation of the effect of a novel regional block needle with tipâ€ŧracking technology on the novice performance of cadaveric ultrasoundâ€guided sciatic nerve block. Anaesthesia, 2020, 75, 80-88.	3.8	8

GRAEME MCLEOD

#	Article	IF	CITATIONS
37	The effect of an ultrasoundâ€activated needle tip tracker needle on the performance of sciatic nerve block on a soft embalmed Thiel cadaver. Anaesthesia, 2021, 76, 209-217.	3.8	8
38	Moles, weights and potencies: freedom of expression!. British Journal of Anaesthesia, 2005, 95, 110-111.	3.4	7
39	â€~Stratified' approach to individualized anaesthetic care. British Journal of Anaesthesia, 2015, 114, 543-545.	3.4	7
40	Arterial Anatomy of the Anterior Abdominal Wall: Evidenceâ€Based Safe Sites for Instrumentation Based on Radiological Analysis of 100 Patients. Clinical Anatomy, 2020, 33, 350-354.	2.7	7
41	â€~CONCORDE NOSE' IN WHITACRE SPINAL NEEDLES. British Journal of Anaesthesia, 1993, 70, 593.	3.4	6
42	Effect of intradermal anaesthesia on success rate and pain of intravenous cannulation: a randomized non-blind crossover study. Scottish Medical Journal, 2011, 56, 210-213.	1.3	6
43	Localization Accuracy of Ultrasound-Actuated Needle with Color Doppler Imaging. Diagnostics, 2020, 10, 1020.	2.6	6
44	Real-time visualisation of peripheral nerve trauma during subepineural injection in pig brachial plexus using micro-ultrasound. British Journal of Anaesthesia, 2021, 127, 153-163.	3.4	6
45	Novel approaches to needle tracking and visualisation. Anaesthesia, 2021, 76, 160-170.	3.8	6
46	Application of sonoelastography to regional anaesthesia: a descriptive study with the Thiel embalmed cadaver model. Ultrasound, 2012, 20, 41-48.	0.7	5
47	Novel Applications in Ultrasound Technology for Regional Anesthesia. Current Anesthesiology Reports, 2013, 3, 230-235.	2.0	5
48	Validation of the soft-embalmed Thiel cadaver as a high-fidelity simulator of pressure during targeted nerve injection. Regional Anesthesia and Pain Medicine, 2021, 46, 540-548.	2.3	5
49	Ultrasound detection of iatrogenic injury during peribulbar eye block: a cadaveric study. Regional Anesthesia and Pain Medicine, 2020, 45, 740-743.	2.3	4
50	Needle insertion forces and fluid injection pressures during targeting of nerves in a soft embalmed cadaver model. Journal of Clinical Monitoring and Computing, 2022, 36, 511-519.	1.6	4
51	Randomized trial comparing the spread of erector spinae block with the combination of erector spinae block and retrolaminar block in soft embalmed Thiel cadavers. Regional Anesthesia and Pain Medicine, 2021, 46, 1061-1066.	2.3	4
52	Patterns of Skills Acquisition in Anesthesiologists During Simulated Interscalene Block Training on a Soft Embalmed Thiel Cadaver: Cohort Study. JMIR Medical Education, 2022, 8, e32840.	2.6	4
53	Ultrasound-guided femoral and sciatic nerve blocks. Continuing Education in Anaesthesia, Critical Care & Pain, 2013, 13, 136-140.	0.6	3
54	In Vivo Microultrasound Visualisation of Nerve Trauma Due to Regional Anaesthesia Needle Insertion and Injection. , 2018, , .		3

4

#	Article	IF	CITATIONS
55	Pilot Project for a Web-Based Dynamic Nomogram to Predict Survival 1 Year After Hip Fracture Surgery: Retrospective Observational Study. Interactive Journal of Medical Research, 2022, 11, e34096.	1.4	3

Response to: Safe and Sound (a letter regarding "Ultrasound detection of iatrogenic injury during) Tj ETQq0 0 0.rgBT /Overlock 10 The second secon

57	Randomized trial comparing the spread of retrolaminar block with the combination of erector spinae block and retrolaminar block in soft embalmed Thiel cadavers. Regional Anesthesia and Pain Medicine, 2022, 47, 424-425.	2.3	2
58	Peripheral nerve catheter techniques. Anaesthesia and Intensive Care Medicine, 2013, 14, 161-162.	0.2	1
59	Investigation into the visual perceptive ability of anaesthetists during ultrasound-guided interscalene and femoral blocks conducted on soft embalmed cadavers: a randomised single-blind study. British Journal of Anaesthesia, 2018, 120, 854-859.	3.4	1
60	Peripheral nerve catheter techniques. Anaesthesia and Intensive Care Medicine, 2010, 11, 109-110.	0.2	0
61	Peripheral nerve catheter techniques. Anaesthesia and Intensive Care Medicine, 2016, 17, 194-195.	0.2	0
62	Study of peripheral nerve trauma from subepineural injection of the brachial plexus in pigs. Response to Br J Anaesth 2021. British Journal of Anaesthesia, 2021, 127, e196-e197.	3.4	0
63	Future Ultrasound Technologies for the Perioperative Physician. , 2016, , 325-344.		0
64	A paired comparison of nerve dimensions using B-Mode ultrasound and shear wave elastography during regional anaesthesia. Ultrasound, 0, , 1742271X2210917.	0.7	0
65	Design and testing of the safety of the SARUS-CPR hood for novice resuscitators. Scottish Medical Journal, 0, , 003693302211121.	1.3	0