

Chuan-Ming Hao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4457931/publications.pdf>

Version: 2024-02-01

42
papers

1,212
citations

516710

16
h-index

377865

34
g-index

43
all docs

43
docs citations

43
times ranked

1745
citing authors

#	ARTICLE	IF	CITATIONS
1	The Association between Baseline Serum Lipids and Mortality in Peritoneal Dialysis Patients. <i>Blood Purification</i> , 2022, 51, 101-110.	1.8	2
2	Cyclooxygenase-2 contributes to diabetic nephropathy through glomerular EP4 receptor. Prostaglandins and Other Lipid Mediators, 2022, 159, 106621.	1.9	7
3	Mesangial cell-derived tenascin-C contributes to mesangial cell proliferation and matrix protein production in IgA nephropathy. <i>Nephrology</i> , 2022, 27, 458-466.	1.6	1
4	The hypoxia-inducible factor prolyl hydroxylase inhibitor FG4592 promotes natriuresis through upregulation of COX2 in the renal medulla. <i>Hypertension Research</i> , 2022, 45, 814-823.	2.7	1
5	Disruption of mitochondrial complex III in cap mesenchyme but not in ureteric progenitors results in defective nephrogenesis associated with amino acid deficiency. <i>Kidney International</i> , 2022, , .	5.2	0
6	Effects of hypoxia-inducible factor prolyl hydroxylase inhibitors on iron regulation in non-dialysis-dependent chronic kidney disease patients with anemia: A systematic review and meta-analysis. <i>Pharmacological Research</i> , 2021, 163, 105256.	7.1	11
7	Recommendations by the Asian Pacific society of nephrology (APSN) on the appropriate use of HIF inhibitors. <i>Nephrology</i> , 2021, 26, 105-118.	1.6	60
8	Effect of -55C/T Polymorphism of Uncoupling Protein 3 Gene on Risk for New-Onset Diabetes in Chinese Peritoneal Dialysis Patients: A Prospective Cohort Study. <i>Blood Purification</i> , 2021, 50, 857-864.	1.8	1
9	Mechanisms of Scarring in Focal Segmental Glomerulosclerosis. <i>Kidney Diseases (Basel, Switzerland)</i> , 2021, 7, 350-358.	2.5	5
10	Understanding Patient Perspectives and Awareness of the Impact and Treatment of Anemia with Chronic Kidney Disease: A Patient Survey in China. <i>International Journal of Nephrology and Renovascular Disease</i> , 2021, Volume 14, 53-64.	1.8	1
11	Diabetes mellitus is a risk factor of acute kidney injury in liver transplantation patients. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2021, 20, 215-221.	1.3	8
12	Elevated Serum Tenascin-C Predicts Mortality in Critically Ill Patients With Multiple Organ Dysfunction. <i>Frontiers in Medicine</i> , 2021, 8, 759273.	2.6	4
13	ASIAN PACIFIC SOCIETY OF NEPHROLOGY CLINICAL PRACTICE GUIDELINE ON DIABETIC KIDNEY DISEASE. <i>Nephrology</i> , 2020, 25, 12-45.	1.6	17
14	ASIAN PACIFIC SOCIETY OF NEPHROLOGY CLINICAL PRACTICE GUIDELINE ON DIABETIC KIDNEY DISEASE – EXECUTIVE SUMMARY. <i>Nephrology</i> , 2020, 25, 3-11.	1.6	9
15	Asian Pacific Society of Nephrology Clinical Practice Guideline on Diabetic Kidney Disease – An Executive Summary. <i>Nephrology</i> , 2020, 25, 809-817.	1.6	12
16	Association between NAFLD and risk of prevalent chronic kidney disease: why there is a difference between east and west?. <i>BMC Gastroenterology</i> , 2020, 20, 139.	2.0	23
17	Renomedullary Interstitial Cell Endothelin A Receptors Regulate BP and Renal Function. <i>Journal of the American Society of Nephrology: JASN</i> , 2020, 31, 1555-1568.	6.1	3
18	New Criterion to Evaluate Acute-on-Chronic Kidney Injury Based on the Creatinine Reference Change. <i>American Journal of Nephrology</i> , 2020, 51, 453-462.	3.1	4

#	ARTICLE	IF	CITATIONS
19	Association of Ambulatory Blood Pressure with All-Cause Mortality and Cardiovascular Outcomes in Peritoneal Dialysis Patients. <i>Kidney and Blood Pressure Research</i> , 2020, 45, 890-899.	2.0	2
20	2017 Kidney Disease: Improving Global Outcomes (KDIGO) Chronic Kidney Disease“Mineral and Bone Disorder (CKD-MBD) Guideline Update Implementation: Asia Summit Conference Report. <i>Kidney International Reports</i> , 2019, 4, 1523-1537.	0.8	29
21	Nonselective Cyclooxygenase Inhibition Retards Cyst Progression in a Murine Model of Autosomal Dominant Polycystic Kidney Disease. <i>International Journal of Medical Sciences</i> , 2019, 16, 180-188.	2.5	9
22	Fibroblast-specific plasminogen activator inhibitor-1 depletion ameliorates renal interstitial fibrosis after unilateral ureteral obstruction. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 2042-2050.	0.7	20
23	Endothelial prostacyclin protects the kidney from ischemia-reperfusion injury. <i>Pflugers Archiv European Journal of Physiology</i> , 2019, 471, 543-555.	2.8	9
24	Prevalence and risk factors for vascular calcification in Chinese patients receiving dialysis: baseline results from a prospective cohort study. <i>Current Medical Research and Opinion</i> , 2018, 34, 1491-1500.	1.9	39
25	Nicotinamide Mononucleotide, an NAD+ Precursor, Rescues Age-Associated Susceptibility to AKI in a Sirtuin 1“Dependent Manner. <i>Journal of the American Society of Nephrology: JASN</i> , 2017, 28, 2337-2352.	6.1	161
26	Renal Phospholipase A2 Receptor and the Clinical Features of Idiopathic Membranous Nephropathy. <i>Chinese Medical Journal</i> , 2017, 130, 892-898.	2.3	11
27	Hyperphosphatemia and hs-CRP Initiate the Coronary Artery Calcification in Peritoneal Dialysis Patients. <i>BioMed Research International</i> , 2017, 2017, 1-7.	1.9	10
28	Response to immunosuppressive therapy in PLA2R- associated and non-PLA2R- associated idiopathic membranous nephropathy: a retrospective, multicenter cohort study. <i>BMC Nephrology</i> , 2017, 18, 227.	1.8	16
29	Coronary Artery Calcification Score as a Predictor of All-Cause Mortality and Cardiovascular Outcome in Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2016, 36, 163-170.	2.3	20
30	The Association of Individual and Regional Socioeconomic Status on Initial Peritonitis and Outcomes in Peritoneal Dialysis Patients: A Propensity Score-Matched Cohort Study. <i>Peritoneal Dialysis International</i> , 2016, 36, 395-401.	2.3	13
31	SIRT1 and Kidney Function. <i>Kidney Diseases (Basel, Switzerland)</i> , 2015, 1, 258-265.	2.5	36
32	The GSTA1 polymorphism and cyclophosphamide therapy outcomes in lupus nephritis patients. <i>Clinical Immunology</i> , 2015, 160, 342-348.	3.2	12
33	Hyperphosphatemia as an independent risk factor for coronary artery calcification progression in peritoneal dialysis patients. <i>BMC Nephrology</i> , 2015, 16, 107.	1.8	44
34	ACEI/ARB Underused in Patients with Type 2 Diabetes in Chinese Population (CCMR-3B Study). <i>PLoS ONE</i> , 2015, 10, e0116970.	2.5	8
35	The Associations of Uric Acid, Cardiovascular and All-Cause Mortality in Peritoneal Dialysis Patients. <i>PLoS ONE</i> , 2014, 9, e82342.	2.5	35
36	The Associations between the Family Education and Mortality of Patients on Peritoneal Dialysis. <i>PLoS ONE</i> , 2014, 9, e95894.	2.5	10

#	ARTICLE	IF	CITATIONS
37	Increased dietary sodium induces COX2 expression by activating NF κ B in renal medullary interstitial cells. <i>Pflügers Archiv European Journal of Physiology</i> , 2014, 466, 357-367.	2.8	16
38	Physiological Regulation of Prostaglandins in the Kidney. <i>Annual Review of Physiology</i> , 2008, 70, 357-377.	13.1	242
39	Markers of glycemic control in the mouse: comparisons of 6-h- and overnight-fasted blood glucoses to Hb A _{1c} . <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2008, 295, E981-E986.	3.5	63
40	Overexpression of Cyclooxygenase-2 Predisposes to Podocyte Injury. <i>Journal of the American Society of Nephrology: JASN</i> , 2007, 18, 551-559.	6.1	73
41	Roles of Lipid Mediators in Kidney Injury. <i>Seminars in Nephrology</i> , 2007, 27, 338-351.	1.6	36
42	Dehydration activates an NF κ B-driven, COX2-dependent survival mechanism in renal medullary interstitial cells. <i>Journal of Clinical Investigation</i> , 2000, 106, 973-982.	8.2	129