

Fabrice Lihoreau

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4467666/publications.pdf>

Version: 2024-02-01

53
papers

2,631
citations

331670

21
h-index

197818

49
g-index

57
all docs

57
docs citations

57
times ranked

1817
citing authors

#	ARTICLE	IF	CITATIONS
1	The <i>Libyosaurus</i> (Hippopotamoidea, Artiodactyla) intercontinental dispersal event at the early late Miocene revealed by new fossil remains from Kasserine area, Tunisia. <i>Historical Biology</i> , 2021, 33, 146-158.	1.4	5
2	Paleoecological Inferences from Long Bone Microanatomical Specializations in Hippopotamoidea (Mammalia, Artiodactyla). <i>Journal of Mammalian Evolution</i> , 2021, 28, 847-870.	1.8	9
3	3D model related to the publication: A fossil terrestrial fauna from TobÃ©ne (Senegal) provides a unique early Pliocene window in western Africa. <i>MorphoMuseum</i> , 2021, 7, e102.	0.2	1
4	A reassessment of the Oligocene hyracoid mammals from Malembo, Cabinda, Angola. <i>Geobios</i> , 2021, 66-67, 207-215.	1.4	1
5	A fossil terrestrial fauna from TobÃ©ne (Senegal) provides a unique early Pliocene window in western Africa. <i>Gondwana Research</i> , 2021, 99, 21-35.	6.0	4
6	From limb to fin: an Eocene protocetid forelimb from Senegal sheds new light on the early locomotor evolution of cetaceans. <i>Palaeontology</i> , 2020, 63, 51-66.	2.2	6
7	Filling a gap in the proboscidean fossil record: a new genus from the Lutetian of Senegal. <i>Journal of Paleontology</i> , 2020, 94, 580-588.	0.8	3
8	Revision of the Eocene artiodactyls (Mammalia, Placentalia) from Aumelas and Saint-Martin-de-Londres (Montpellier limestones, HÃ©rault, France) questions the early European artiodactyl radiation. <i>Journal of Systematic Palaeontology</i> , 2020, 18, 1631-1656.	1.5	6
9	Characters from the deciduous dentition and its interest for phylogenetic reconstruction in Hippopotamoidea (Cetartiodactyla: Mammalia). <i>Zoological Journal of the Linnean Society</i> , 2020, , .	2.3	2
10	Contribution to the reappraisal of the mid Paleogene ichthyofauna of Western Africa with three new enigmatical elasmobranchs from ThanetianâLutetian of Senegal. <i>Annales De Paleontologie</i> , 2020, 106, 102400.	0.5	2
11	New remains of <i>Lophiaspis maurettei</i> (Mammalia, Perissodactyla) from the early Eocene of France and the implications for the origin of the Lophiodontidae. <i>Journal of Vertebrate Paleontology</i> , 2020, 40, e1878200.	1.0	2
12	The hyaenodonts (Mammalia) from the French locality of Aumelas (HÃ©rault), with possible new representatives from the late Ypresian. <i>Geodiversitas</i> , 2020, 42, 185.	0.8	5
13	Unexpected evolutionary patterns of dental ontogenetic traits in cetartiodactyl mammals. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2019, 286, 20182417.	2.6	5
14	Intraspecific variation of <i>Eolophiodon labriense</i> , a basal Lophiodontidae (Mammalia, Perissodactyla) from the early Eocene of Southern France. <i>Geobios</i> , 2019, 53, 51-63.	1.4	6
15	Relationships Between Enamel Prism Decussation and Organization of the Ameloblast Layer in Rodent Incisors. <i>Anatomical Record</i> , 2019, 302, 1195-1209.	1.4	4
16	The Palaeotheriidae (Equoidea, Perissodactyla, Mammalia) from the Eocene fauna of Aumelas (HÃ©rault) Tj ETQq0 0.0 rgBT /Overlock 10	0.8	6
17	To split or not to split <i>Anthracotherium</i> ? A phylogeny of Anthracotheriinae (Cetartiodactyla): Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf Society, 2018, , .	2.3	2
18	Linking 2D Observations to 3D Modeling of Enamel Microstructure â a New Integrative Framework Applied to Hippopotamoidea Evolutionary History. <i>Journal of Mammalian Evolution</i> , 2017, 24, 221-231.	1.8	7

#	ARTICLE	IF	CITATIONS
19	Middle Miocene <i>Kenyapotamus</i> (Cetartiodactyla, Hippopotamidae) from Napudet, Turkana Basin, Kenya. <i>Journal of Vertebrate Paleontology</i> , 2017, 37, e1272055.	1.0	6
20	The petrosal and bony labyrinth of <i>Diplobune minor</i> , an enigmatic Artiodactyla from the Oligocene of Western Europe. <i>Journal of Morphology</i> , 2017, 278, 1168-1184.	1.2	12
21	Basal hippopotamines from the upper Miocene of Chorora, Ethiopia. <i>Journal of Vertebrate Paleontology</i> , 2017, 37, e1297718.	1.0	13
22	A glimpse at the ectotherms of the earliest fauna from the East African Rift (Lokone, late Oligocene of) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	1.0	2
23	Enamel microstructure defines a major Paleogene hippopotamoid clade: the Merycopotamini (Cetartiodactyla, Hippopotamoidea). <i>Historical Biology</i> , 2017, 29, 947-957.	1.4	9
24	A new genus of Lophiodontidae (Perissodactyla, Mammalia) from the early Eocene of La Borie (Southern France) and the origin of the genus Lophiodon Cuvier, 1822. <i>Geobios</i> , 2015, 48, 25-38.	1.4	13
25	Hippos stem from the longest sequence of terrestrial cetartiodactyl evolution in Africa. <i>Nature Communications</i> , 2015, 6, 6264.	12.8	42
26	Intraspecific Variation of Endocranial Structures in Extant Equus: A Prelude to Endocranial Studies in Fossil Equoids. <i>Journal of Mammalian Evolution</i> , 2015, 22, 561-582.	1.8	19
27	Enamel microstructure evolution in anthracotheres (Mammalia, Cetartiodactyla) and new insights on hippopotamoid phylogeny. <i>Zoological Journal of the Linnean Society</i> , 2014, 171, 668-695.	2.3	24
28	First record of the family Protocetidae in the Lutetian of Senegal (West Africa). <i>Palaeovertebrata</i> , 2014, 38, .	0.8	12
29	A new Eocene locality in southern France sheds light on the basal radiation of Palaeotheriidae (Mammalia, Perissodactyla, Equoidea). <i>Journal of Vertebrate Paleontology</i> , 2013, 33, 195-215.	1.0	36
30	A new basal phiomorph (Rodentia, Hystricognathi) from the late Oligocene of Lokone (Turkana Basin,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	1.0	19
31	First prorastomid sirenian from Senegal (Western Africa) and the Old World origin of sea cows. <i>Journal of Vertebrate Paleontology</i> , 2012, 32, 1218-1222.	1.0	25
32	Evolving between land and water: key questions on the emergence and history of the Hippopotamidae (Hippopotamoidea, Cetancodonta, Cetartiodactyla). <i>Biological Reviews</i> , 2011, 86, 601-625.	10.4	76
33	First record of a parapithecoid primate from the Oligocene of Kenya. <i>Journal of Human Evolution</i> , 2011, 61, 327-331.	2.6	53
34	New Oligocene vertebrate localities from Northern Kenya (Turkana basin). <i>Journal of Vertebrate Paleontology</i> , 2010, 30, 293-299.	1.0	34
35	Early Miocene hippopotamids (Cetartiodactyla) constrain the phylogenetic and spatiotemporal settings of hippopotamid origin. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 11871-11876.	7.1	56
36	Morphology and phylogenetic relationships of the earliest known hippopotamids (Cetartiodactyla,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	2.3	65

#	ARTICLE	IF	CITATIONS
37	Application of the authigenic $^{10}\text{Be}/^{9}\text{Be}$ dating method to continental sediments: Reconstruction of the Mio-Pleistocene sedimentary sequence in the early hominid fossiliferous areas of the northern Chad Basin. <i>Earth and Planetary Science Letters</i> , 2010, 297, 57-70.	4.4	58
38	<i>Anthracotheriidae</i> . , 2010, , 843-852.		28
39	First complete skulls of <i>Elomeryx crispus</i> (Gervais, 1849) and of <i>Protaceratherium albigenense</i> (Roman, 1912) from a new Oligocene locality near Moissac (SW France). <i>Journal of Vertebrate Paleontology</i> , 2009, 29, 242-253.	1.0	28
40	New material of <i>Anancus kenyensis</i> (proboscidea, mammalia) from Toros-Menalla (Late Miocene, Chad): Contribution to the systematics of African anancines. <i>Journal of African Earth Sciences</i> , 2009, 53, 171-176.	2.0	18
41	Can fossil bones and teeth be dated using fission track analysis?. <i>Chemical Geology</i> , 2008, 247, 81-99.	3.3	10
42	Cosmogenic nuclide dating of <i>Sahelanthropus tchadensis</i> and <i>Australopithecus bahrelghazali</i> : Mio-Pliocene hominids from Chad. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 3226-3231.	7.1	175
43	ANATOMICAL REVISION OF THE GENUS <i>MERYCOPOTAMUS</i> (ARTIODACTYLA; ANTHRACOTHERIIDAE): ITS SIGNIFICANCE FOR LATE MIOCENE MAMMAL DISPERSAL IN ASIA. <i>Palaeontology</i> , 2007, 50, 503-524.	2.2	29
44	Emergence of <i>Hippopotamidae</i> : new scenarios. <i>Comptes Rendus - Palevol</i> , 2006, 5, 749-756.	0.2	19
45	The occurrence of bothriodontines (Artiodactyla, Mammalia) in the Paleogene of Asia with special reference to <i>Elomeryx</i> : Paleobiogeographical implications. <i>Journal of Asian Earth Sciences</i> , 2006, 27, 885-891.	2.3	25
46	<i>Anthracothere</i> dental anatomy reveals a late Miocene Chado-Libyan bioprovince. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 8763-8767.	7.1	53
47	The position of <i>Hippopotamidae</i> within <i>Cetartiodactyla</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 1537-1541.	7.1	106
48	Origins of <i>Hippopotamidae</i> (Mammalia, <i>Cetartiodactyla</i>): towards resolution. <i>Zoologica Scripta</i> , 2005, 34, 119-143.	1.7	32
49	A new species of the genus <i>Microbunodon</i> (<i>Anthracotheriidae</i> , <i>Artiodactyla</i>) from the Miocene of Pakistan: genus revision, phylogenetic relationships and palaeobiogeography. <i>Zoologica Scripta</i> , 2004, 33, 97-115.	1.7	32
50	A new species of <i>Anthracotheriidae</i> , <i>Merycopotamus medioximus</i> nov. sp. from the Late Miocene of the Potwar Plateau, Pakistan. <i>Comptes Rendus - Palevol</i> , 2004, 3, 653-662.	0.2	18
51	A new hominid from the Upper Miocene of Chad, Central Africa. <i>Nature</i> , 2002, 418, 145-151.	27.8	937
52	Geology and palaeontology of the Upper Miocene Toros-Menalla hominid locality, Chad. <i>Nature</i> , 2002, 418, 152-155.	27.8	426
53	Enamel microstructure evolution in <i>anthracotheres</i> (Mammalia, <i>Cetartiodactyla</i>) and new insights on hippopotamoid phylogeny. <i>Zoological Journal of the Linnean Society</i> , 0, , .	2.3	0