

Jin-Ming Yu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/446936/publications.pdf>

Version: 2024-02-01

233
papers

4,988
citations

101543

36
h-index

155660

55
g-index

236
all docs

236
docs citations

236
times ranked

7302
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Challenges and potential of PD-1/PD-L1 checkpoint blockade immunotherapy for glioblastoma. <i>Journal of Experimental and Clinical Cancer Research</i> , 2019, 38, 87. | 8.6 | 213 |
| 2 | Progress and challenges of predictive biomarkers of anti PD-1/PD-L1 immunotherapy: A systematic review. <i>Cancer Letters</i> , 2018, 414, 166-173. | 7.2 | 207 |
| 3 | Redox homeostasis maintained by GPX4 facilitates STING activation. <i>Nature Immunology</i> , 2020, 21, 727-735. | 14.5 | 188 |
| 4 | Blocking the PD-1/PD-L1 pathway in glioma: a potential new treatment strategy. <i>Journal of Hematology and Oncology</i> , 2017, 10, 81. | 17.0 | 114 |
| 5 | Tumor-infiltrating lymphocytes, forkhead box P3, programmed death ligand-1, and cytotoxic T lymphocyte-associated antigen-4 expressions before and after neoadjuvant chemoradiation in rectal cancer. <i>Translational Research</i> , 2015, 166, 721-732.e1. | 5.0 | 95 |
| 6 | The potential mechanism, recognition and clinical significance of tumor pseudoprogression after immunotherapy. <i>Cancer Biology and Medicine</i> , 2019, 16, 655-670. | 3.0 | 95 |
| 7 | PD-1/PD-L1 checkpoint blockades in non-small cell lung cancer: New development and challenges. <i>Cancer Letters</i> , 2017, 405, 29-37. | 7.2 | 93 |
| 8 | The landscape of bispecific T cell engager in cancer treatment. <i>Biomarker Research</i> , 2021, 9, 38. | 6.8 | 90 |
| 9 | Radiotherapy combined with immune checkpoint blockade immunotherapy: Achievements and challenges. <i>Cancer Letters</i> , 2015, 365, 23-29. | 7.2 | 84 |
| 10 | Additional value of PET/CT over PET in assessment of locoregional lymph nodes in thoracic esophageal squamous cell cancer. <i>Journal of Nuclear Medicine</i> , 2006, 47, 1255-9. | 5.0 | 83 |
| 11 | ZBP1-MLKL necroptotic signaling potentiates radiation-induced antitumor immunity via intratumoral STING pathway activation. <i>Science Advances</i> , 2021, 7, eabf6290. | 10.3 | 79 |
| 12 | The prognostic significance of PD-L1 expression in patients with glioma: A meta-analysis. <i>Scientific Reports</i> , 2017, 7, 4231. | 3.3 | 67 |
| 13 | A good start of immunotherapy in esophageal cancer. <i>Cancer Medicine</i> , 2019, 8, 4519-4526. | 2.8 | 67 |
| 14 | The prognosis analysis of different metastasis pattern in patients with different breast cancer subtypes: a SEER based study. <i>Oncotarget</i> , 2017, 8, 26368-26379. | 1.8 | 64 |
| 15 | HMGB1 correlates with angiogenesis and poor prognosis of perihilar cholangiocarcinoma via elevating VEGFR2 of vessel endothelium. <i>Oncogene</i> , 2019, 38, 868-880. | 5.9 | 62 |
| 16 | Interactions between EGFR and PD-1/PD-L1 pathway: Implications for treatment of NSCLC. <i>Cancer Letters</i> , 2018, 418, 1-9. | 7.2 | 61 |
| 17 | Proton beam therapy for cancer in the era of precision medicine. <i>Journal of Hematology and Oncology</i> , 2018, 11, 136. | 17.0 | 61 |
| 18 | Looking for the Optimal PD-1/PD-L1 Inhibitor in Cancer Treatment: A Comparison in Basic Structure, Function, and Clinical Practice. <i>Frontiers in Immunology</i> , 2020, 11, 1088. | 4.8 | 61 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Tumor infiltrating lymphocytes (TILs) before and after neoadjuvant chemoradiotherapy and its clinical utility for rectal cancer. <i>American Journal of Cancer Research</i> , 2015, 5, 2064-74. | 1.4 | 60 |
| 20 | MiR-216a-3p inhibits colorectal cancer cell proliferation through direct targeting COX2 and ALOX5. <i>Journal of Cellular Biochemistry</i> , 2018, 119, 1755-1766. | 2.6 | 59 |
| 21 | miR-375 inhibits cancer stem cell phenotype and tamoxifen resistance by degrading HOXB3 in human ER-positive breast cancer. <i>Oncology Reports</i> , 2017, 37, 1093-1099. | 2.6 | 57 |
| 22 | Boschniakia Rossica Polysaccharide Triggers Laryngeal Carcinoma Cell Apoptosis by Regulating Expression of Bcl-2, Caspase-3, and P53. <i>Medical Science Monitor</i> , 2017, 23, 2059-2064. | 1.1 | 54 |
| 23 | Potential immune escape mechanisms underlying the distinct clinical outcome of immune checkpoint blockades in small cell lung cancer. <i>Journal of Hematology and Oncology</i> , 2019, 12, 67. | 17.0 | 54 |
| 24 | Early Change in Metabolic Tumor Heterogeneity during Chemoradiotherapy and Its Prognostic Value for Patients with Locally Advanced Non-Small Cell Lung Cancer. <i>PLoS ONE</i> , 2016, 11, e0157836. | 2.5 | 53 |
| 25 | Integrative nomogram of CT imaging, clinical, and hematological features for survival prediction of patients with locally advanced non-small cell lung cancer. <i>European Radiology</i> , 2019, 29, 2958-2967. | 4.5 | 52 |
| 26 | Feasibility of Involved-Field Conformal Radiotherapy for Cervical and Upper-Thoracic Esophageal Cancer. <i>Onkologie</i> , 2011, 34, 599-604. | 0.8 | 49 |
| 27 | The postoperative neutrophil-to-lymphocyte ratio and changes in this ratio predict survival after the complete resection of stage I non-small cell lung cancer. <i>OncoTargets and Therapy</i> , 2016, Volume 9, 6529-6537. | 2.0 | 49 |
| 28 | Attenuated LKB1-SIK1 signaling promotes epithelial-mesenchymal transition and radioresistance of non-small cell lung cancer cells. <i>Chinese Journal of Cancer</i> , 2016, 35, 50. | 4.9 | 48 |
| 29 | Silencing METTL3 inhibits the proliferation and invasion of osteosarcoma by regulating ATAD2. <i>Biomedicine and Pharmacotherapy</i> , 2020, 125, 109964. | 5.6 | 46 |
| 30 | Epigallocatechin-3-gallate ameliorates radiation-induced acute skin damage in breast cancer patients undergoing adjuvant radiotherapy. <i>Oncotarget</i> , 2016, 7, 48607-48613. | 1.8 | 45 |
| 31 | Prognostic significance of the lymphocyte-to-monocyte ratio and the tumor-infiltrating lymphocyte to tumor-associated macrophage ratio in patients with stage T3N0M0 esophageal squamous cell carcinoma. <i>Cancer Immunology, Immunotherapy</i> , 2017, 66, 343-354. | 4.2 | 42 |
| 32 | CD8+/FOXP3+ ratio and PD-L1 expression associated with survival in pT3N0M0 stage esophageal squamous cell cancer. <i>Oncotarget</i> , 2016, 7, 71455-71465. | 1.8 | 42 |
| 33 | Incidence and prognosis of brain metastases in cutaneous melanoma patients: a population-based study. <i>Melanoma Research</i> , 2019, 29, 77-84. | 1.2 | 41 |
| 34 | Can an ¹⁸ F-ALF-NOTA-PRGD2 PET/CT Scan Predict Treatment Sensitivity to Concurrent Chemoradiotherapy in Patients with Newly Diagnosed Glioblastoma?. <i>Journal of Nuclear Medicine</i> , 2016, 57, 524-529. | 5.0 | 40 |
| 35 | Expressions of CD8+TILs, PD-L1 and Foxp3+TILs in stage I NSCLC guiding adjuvant chemotherapy decisions. <i>Oncotarget</i> , 2016, 7, 64318-64329. | 1.8 | 40 |
| 36 | Clinical outcome of tyrosine kinase inhibitors alone or combined with radiotherapy for brain metastases from epidermal growth factor receptor (EGFR) mutant non small cell lung cancer (NSCLC). <i>Oncotarget</i> , 2017, 8, 13304-13311. | 1.8 | 40 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Efficacy and Safety of Anti-PD-1 Plus Anlotinib in Patients With Advanced Non-Small-Cell Lung Cancer After Previous Systemic Treatment Failure—A Retrospective Study. <i>Frontiers in Oncology</i> , 2021, 11, 628124. | 2.8 | 39 |
| 38 | Involved-field irradiation in definitive chemoradiotherapy for locally advanced esophageal squamous cell carcinoma. <i>Radiation Oncology</i> , 2014, 9, 64. | 2.7 | 38 |
| 39 | Significant efficacy and well safety of apatinib in an advanced liver cancer patient: a case report and literature review. <i>Oncotarget</i> , 2017, 8, 20510-20515. | 1.8 | 37 |
| 40 | Preoperative to postoperative change in neutrophil-to-lymphocyte ratio predict survival in colorectal cancer patients. <i>Future Oncology</i> , 2018, 14, 1187-1196. | 2.4 | 37 |
| 41 | The prognostic analysis of different metastatic patterns in extensive-stage small-cell lung cancer patients: a large population-based study. <i>Future Oncology</i> , 2018, 14, 1397-1407. | 2.4 | 36 |
| 42 | Involved-field radiotherapy for esophageal squamous cell carcinoma: theory and practice. <i>Radiation Oncology</i> , 2016, 11, 18. | 2.7 | 34 |
| 43 | Prognostic value of dynamic albumin-to-alkaline phosphatase ratio in limited stage small-cell lung cancer. <i>Future Oncology</i> , 2019, 15, 995-1006. | 2.4 | 33 |
| 44 | Combined treatment of non-small cell lung cancer using radiotherapy and immunotherapy: challenges and updates. <i>Cancer Communications</i> , 2021, 41, 1086-1099. | 9.2 | 33 |
| 45 | ¹⁸ F-alfatide PET/CT may predict short-term outcome of concurrent chemoradiotherapy in patients with advanced non-small cell lung cancer. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2016, 43, 2336-2342. | 6.4 | 32 |
| 46 | mRNA and methylation profiling of radioresistant esophageal cancer cells: the involvement of Sall2 in acquired aggressive phenotypes. <i>Journal of Cancer</i> , 2017, 8, 646-656. | 2.5 | 32 |
| 47 | PET/CT imaging-guided dose painting in radiation therapy. <i>Cancer Letters</i> , 2014, 355, 169-175. | 7.2 | 31 |
| 48 | Primary results from TAIL: a global single-arm safety study of atezolizumab monotherapy in a diverse population of patients with previously treated advanced non-small cell lung cancer. , 2021, 9, e001865. | | 31 |
| 49 | Changes in Functional Lung Regions During the Course of Radiation Therapy and Their Potential Impact on Lung Dosimetry for Non-Small Cell Lung Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014, 89, 145-151. | 0.8 | 30 |
| 50 | Sprouty2 suppresses progression and correlates to favourable prognosis of intrahepatic cholangiocarcinoma via antagonizing <sc>FGFR</sc>2 signalling. <i>Journal of Cellular and Molecular Medicine</i> , 2018, 22, 5596-5606. | 3.6 | 30 |
| 51 | Prognostic value of systemic immune-inflammation index in patients with advanced non-small-cell lung cancer. <i>Future Oncology</i> , 2018, 14, 2643-2650. | 2.4 | 30 |
| 52 | miR-608 and miR-4513 significantly contribute to the prognosis of lung adenocarcinoma treated with EGFR-TKIs. <i>Laboratory Investigation</i> , 2019, 99, 568-576. | 3.7 | 30 |
| 53 | Anti-EPD&L1/TGF&R fusion protein (SHR&1701) overcomes disrupted lymphocyte recovery&induced resistance to PD&1/PD&L1 inhibitors in lung cancer. <i>Cancer Communications</i> , 2022, 42, 17-36. | 9.2 | 30 |
| 54 | An especially high rate of radiation pneumonitis observed in patients treated with thoracic radiotherapy and simultaneous osimertinib. <i>Radiotherapy and Oncology</i> , 2020, 152, 96-100. | 0.6 | 29 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Computed Tomography-Based Delta-Radiomics Analysis for Discriminating Radiation Pneumonitis in Patients With Esophageal Cancer After Radiation Therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2021, 111, 443-455. | 0.8 | 29 |
| 56 | Nrf2 and Keap1 abnormalities in esophageal squamous cell carcinoma and association with the effect of chemoradiotherapy. <i>Thoracic Cancer</i> , 2018, 9, 726-735. | 1.9 | 28 |
| 57 | Prognostic value of delta inflammatory biomarker-based nomograms in patients with inoperable locally advanced NSCLC. <i>International Immunopharmacology</i> , 2019, 72, 395-401. | 3.8 | 28 |
| 58 | A review of radiation-induced lymphopenia in patients with esophageal cancer: an immunological perspective for radiotherapy. <i>Therapeutic Advances in Medical Oncology</i> , 2020, 12, 175883592092682. | 3.2 | 28 |
| 59 | Clinical outcomes of immune checkpoint blockades and the underlying immune escape mechanisms in squamous and adenocarcinoma NSCLC. <i>Cancer Medicine</i> , 2021, 10, 3-14. | 2.8 | 28 |
| 60 | [18F]AIF-NOTA-FAPI-04 PET/CT uptake in metastatic lesions on PET/CT imaging might distinguish different pathological types of lung cancer. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2022, 49, 1671-1681. | 6.4 | 28 |
| 61 | Cetuximab in combination with chemoradiotherapy in Chinese patients with non-resectable, locally advanced esophageal squamous cell carcinoma: A prospective, multicenter phase II trial. <i>Radiotherapy and Oncology</i> , 2013, 109, 275-280. | 0.6 | 27 |
| 62 | Fucoidan Promotes Apoptosis and Inhibits EMT of Breast Cancer Cells. <i>Biological and Pharmaceutical Bulletin</i> , 2019, 42, 442-447. | 1.4 | 27 |
| 63 | [18F]AIF-NOTA-FAPI-04: FAP-targeting specificity, biodistribution, and PET/CT imaging of various cancers. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2022, 49, 2761-2773. | 6.4 | 26 |
| 64 | The prognostic role of circulating CD8+ T cell proliferation in patients with untreated extensive stage small cell lung cancer. <i>Journal of Translational Medicine</i> , 2019, 17, 402. | 4.4 | 25 |
| 65 | Prognostic value of ^3H -Deoxy- ^3H -18F-Fluorothymidine ([18F] FLT PET) in patients with recurrent malignant gliomas. <i>Nuclear Medicine and Biology</i> , 2014, 41, 710-715. | 0.6 | 24 |
| 66 | Intra-tumour ^{18}F -FDG uptake heterogeneity decreases the reliability on target volume definition with positron emission tomography/computed tomography imaging. <i>Journal of Medical Imaging and Radiation Oncology</i> , 2015, 59, 338-345. | 1.8 | 24 |
| 67 | <p>Increased systemic immune-inflammation index independently predicts poor survival for hormone receptor-negative, HER2-positive breast cancer patients<p>. <i>Cancer Management and Research</i> , 2019, Volume 11, 3153-3162. | 1.9 | 24 |
| 68 | Radiotherapy for esophageal carcinoma: dose, response and survival. <i>Cancer Management and Research</i> , 2018, Volume 10, 13-21. | 1.9 | 23 |
| 69 | The Role of Radiation Oncology in Immuno-Oncology. <i>Oncologist</i> , 2019, 24, S42-S52. | 3.7 | 23 |
| 70 | Pretreatment PET/CT imaging of angiogenesis based on 18F-RGD tracer uptake may predict antiangiogenic response. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019, 46, 940-947. | 6.4 | 23 |
| 71 | Current landscape and future directions of biomarkers for predicting responses to immune checkpoint inhibitors. <i>Cancer Management and Research</i> , 2018, Volume 10, 2475-2488. | 1.9 | 22 |
| 72 | The clinical characteristic and prognostic factors of leptomeningeal metastasis in patients with non-small cell lung cancer—a retrospective study from one single cancer institute. <i>Cancer Medicine</i> , 2019, 8, 2769-2776. | 2.8 | 22 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Calcium channel TRPV6 promotes breast cancer metastasis by NFATC2IP. <i>Cancer Letters</i> , 2021, 519, 150-160. | 7.2 | 22 |
| 74 | Value of ¹⁸ F-FDG PET-CT in surveillance of postoperative colorectal cancer patients with various carcinoembryonic antigen concentrations. <i>World Journal of Gastroenterology</i> , 2014, 20, 6608. | 3.3 | 22 |
| 75 | A Pilot Study of 18F-Alfatide PET/CT Imaging for Detecting Lymph Node Metastases in Patients with Non-Small Cell Lung Cancer. <i>Scientific Reports</i> , 2017, 7, 2877. | 3.3 | 21 |
| 76 | A Quantitative CT Imaging Signature Predicts Survival and Complements Established Prognosticators in Stage I Non-Small Cell Lung Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2018, 102, 1098-1106. | 0.8 | 20 |
| 77 | Radiation Recall Pneumonitis Induced by Anti-PD-1 Blockade: A Case Report and Review of the Literature. <i>Frontiers in Oncology</i> , 2020, 10, 561. | 2.8 | 20 |
| 78 | Risk factors of brain metastasis during the course of EGFR-TKIs therapy for patients with EGFR-mutated advanced lung adenocarcinoma. <i>Oncotarget</i> , 2016, 7, 81906-81917. | 1.8 | 20 |
| 79 | A Comparative Study of Noninvasive Hypoxia Imaging with 18F-Fluoroerythronitroimidazole and 18F-Fluoromisonidazole PET/CT in Patients with Lung Cancer. <i>PLoS ONE</i> , 2016, 11, e0157606. | 2.5 | 19 |
| 80 | The role of metabolic tumor volume (MTV) measured by [18F] FDG PET/CT in predicting EGFR gene mutation status in non-small cell lung cancer. <i>Oncotarget</i> , 2017, 8, 33736-33744. | 1.8 | 19 |
| 81 | A Novel Nomogram and Risk Classification System Predicting Radiation Pneumonitis in Patients With Esophageal Cancer Receiving Radiation Therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2019, 105, 1074-1085. | 0.8 | 19 |
| 82 | Delineating the pattern of treatment for elderly locally advanced NSCLC and predicting outcomes by a validated model: A SEER based analysis. <i>Cancer Medicine</i> , 2019, 8, 2587-2598. | 2.8 | 19 |
| 83 | The efficacy and possible mechanisms of immune checkpoint inhibitors in treating non-small cell lung cancer patients with epidermal growth factor receptor mutation. <i>Cancer Communications</i> , 2021, 41, 1314-1330. | 9.2 | 19 |
| 84 | C-Met as a Molecular Marker for Esophageal Squamous Cell Carcinoma and Its Association with Clinical Outcome. <i>Journal of Cancer</i> , 2016, 7, 587-594. | 2.5 | 18 |
| 85 | Preoperative radiation may improve the outcomes of resectable IIIA/N2 non-small cell lung cancer patients: A propensity score matching-based analysis from surveillance, epidemiology, and end results database. <i>Cancer Medicine</i> , 2018, 7, 4354-4360. | 2.8 | 18 |
| 86 | Association of Twice-Daily Radiotherapy With Subsequent Brain Metastases in Adults With Small Cell Lung Cancer. <i>JAMA Network Open</i> , 2019, 2, e190103. | 5.9 | 18 |
| 87 | A Nomogram to Predict Distant Metastasis for Patients with Esophageal Cancer. <i>Oncology Research and Treatment</i> , 2020, 43, 2-9. | 1.2 | 18 |
| 88 | Osimertinib (AZD9291) increases radio-sensitivity in EGFR T790M non-small cell lung cancer. <i>Oncology Reports</i> , 2019, 41, 77-86. | 2.6 | 17 |
| 89 | Systemic Immune Activation and Responses of Irradiation to Different Metastatic Sites Combined With Immunotherapy in Advanced Non-Small Cell Lung Cancer. <i>Frontiers in Immunology</i> , 2021, 12, 803247. | 4.8 | 17 |
| 90 | Slight advantages of nimotuzumab versus cetuximab plus concurrent chemoradiotherapy in locally advanced esophageal squamous cell carcinoma. <i>Cancer Biology and Therapy</i> , 2019, 20, 1121-1126. | 3.4 | 16 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Neutrophil-to-lymphocyte ratio is superior to platelet-to-lymphocyte ratio as a prognostic predictor in advanced non-small-cell lung cancer treated with first-line platinum-based chemotherapy. <i>Future Oncology</i> , 2019, 15, 625-635. | 2.4 | 16 |
| 92 | Anti-PD-(L)1 immunotherapy for brain metastases in non-small cell lung cancer: Mechanisms, advances, and challenges. <i>Cancer Letters</i> , 2021, 502, 166-179. | 7.2 | 16 |
| 93 | Evaluation of factors associated with platinum-sensitivity status and survival in limited-stage small cell lung cancer patients treated with chemoradiotherapy. <i>Oncotarget</i> , 2017, 8, 81405-81418. | 1.8 | 16 |
| 94 | Validation study for the hypothesis of internal mammary sentinel lymph node lymphatic drainage in breast cancer. <i>Oncotarget</i> , 0, 7, 41996-42006. | 1.8 | 16 |
| 95 | Incorporation of circulating tumor cells and whole-body metabolic tumor volume of 18F-FDG PET/CT improves prediction of outcome in IIIB stage small-cell lung cancer. <i>Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research</i> , 2018, 30, 596-604. | 2.2 | 16 |
| 96 | The Value of CBCT-based Tumor Density and Volume Variations in Prediction of Early Response to Chemoradiation Therapy in Advanced NSCLC. <i>Scientific Reports</i> , 2017, 7, 14650. | 3.3 | 15 |
| 97 | FDG-PET Predicts Pain Response and Local Control in Palliative Radiotherapy With or Without Systemic Treatment in Patients With Bone Metastasis From Non-small-cell Lung Cancer. <i>Clinical Lung Cancer</i> , 2015, 16, e111-e119. | 2.6 | 14 |
| 98 | Postoperative radiation in esophageal squamous cell carcinoma and target volume delineation. <i>OncoTargets and Therapy</i> , 2016, Volume 9, 4187-4196. | 2.0 | 14 |
| 99 | The expression of p62 and nuclear Nrf2 in esophageal squamous cell carcinoma and association with radioresistance. <i>Thoracic Cancer</i> , 2020, 11, 130-139. | 1.9 | 14 |
| 100 | Clinical implications of germline BCL2L1 deletion polymorphism in pretreated advanced NSCLC patients with osimertinib therapy. <i>Lung Cancer</i> , 2021, 151, 39-43. | 2.0 | 14 |
| 101 | GINS2 attenuates the development of lung cancer by inhibiting the STAT signaling pathway. <i>Journal of Cancer</i> , 2021, 12, 99-110. | 2.5 | 14 |
| 102 | Overlap time is an independent risk factor of radiation pneumonitis for patients treated with simultaneous EGFR-TKI and thoracic radiotherapy. <i>Radiation Oncology</i> , 2021, 16, 41. | 2.7 | 14 |
| 103 | Intrapericardial bevacizumab safely and effectively treats malignant pericardial effusion in advanced cancer patients. <i>Oncotarget</i> , 2016, 7, 52436-52441. | 1.8 | 13 |
| 104 | Extended field intensity-modulated radiotherapy plus concurrent nedaplatin treatment in cervical cancer. <i>Oncology Letters</i> , 2016, 11, 3421-3427. | 1.8 | 13 |
| 105 | Risk factors for brain metastases after prophylactic cranial irradiation in small cell lung cancer. <i>Scientific Reports</i> , 2017, 7, 42743. | 3.3 | 13 |
| 106 | Real-World Data on Apatinib Efficacy - Results of a Retrospective Study in Metastatic Breast Cancer Patients Pretreated With Multiline Treatment. <i>Frontiers in Oncology</i> , 2021, 11, 643654. | 2.8 | 13 |
| 107 | Greater efficacy of intracavitary infusion of bevacizumab compared to traditional local treatments for patients with malignant cavity serous effusion. <i>Oncotarget</i> , 2017, 8, 35262-35271. | 1.8 | 13 |
| 108 | The impact of intratumoral metabolic heterogeneity on postoperative recurrence and survival in resectable esophageal squamous cell carcinoma. <i>Oncotarget</i> , 2017, 8, 14969-14977. | 1.8 | 13 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | False-positive diagnosis of disease progression by magnetic resonance imaging for response assessment in prostate cancer with bone metastases: A case report and review of the pitfalls of images in the literature. <i>Oncology Letters</i> , 2015, 10, 3585-3590. | 1.8 | 12 |
| 110 | A functional BRCA1 coding sequence genetic variant contributes to prognosis of triple-negative breast cancer, especially after radiotherapy. <i>Breast Cancer Research and Treatment</i> , 2017, 166, 109-116. | 2.5 | 12 |
| 111 | Comparison of predictive powers of functional and anatomic dosimetric parameters for radiation-induced lung toxicity in locally advanced non-small cell lung cancer. <i>Radiotherapy and Oncology</i> , 2018, 129, 242-248. | 0.6 | 12 |
| 112 | Dosimetric and Radiobiological Comparison of External Beam Radiotherapy Using Simultaneous Integrated Boost Technique for Esophageal Cancer in Different Location. <i>Frontiers in Oncology</i> , 2019, 9, 674. | 2.8 | 12 |
| 113 | <p>Primary tumor location is an important predictor of survival in pulmonary adenocarcinoma</p>. <i>Cancer Management and Research</i> , 2019, Volume 11, 2269-2280. | 1.9 | 12 |
| 114 | A_{2A}R Antagonism with DZD2269 Augments Antitumor Efficacy of Irradiation in Murine Model. <i>Journal of Cancer</i> , 2020, 11, 3685-3692. | 2.5 | 12 |
| 115 | Taxifolin Targets PI3K and mTOR and Inhibits Glioblastoma Multiforme. <i>Journal of Oncology</i> , 2021, 2021, 1-12. | 1.3 | 12 |
| 116 | Correlation of CD146 expression and clinicopathological characteristics in esophageal squamous cell carcinoma. <i>Oncology Letters</i> , 2014, 8, 859-863. | 1.8 | 11 |
| 117 | Circulating Tumor Cells Correlate with Recurrence in Stage III Small-cell Lung Cancer after Systemic Chemoradiotherapy and Prophylactic Cranial Irradiation. <i>Japanese Journal of Clinical Oncology</i> , 2014, 44, 948-955. | 1.3 | 11 |
| 118 | Association between serum tumor markers and metabolic tumor volume or total lesion glycolysis in patients with recurrent small cell lung cancer. <i>Oncology Letters</i> , 2015, 10, 3123-3128. | 1.8 | 11 |
| 119 | Positive Effect of Higher Adult Body Mass Index on Overall Survival of Digestive System Cancers Except Pancreatic Cancer: A Systematic Review and Meta-Analysis. <i>BioMed Research International</i> , 2017, 2017, 1-15. | 1.9 | 11 |
| 120 | Correlation of cancer stem cell markers and immune cell markers in resected non-small cell lung cancer. <i>Journal of Cancer</i> , 2017, 8, 3190-3197. | 2.5 | 11 |
| 121 | Enhanced efficacy of AZD3759 and radiation on brain metastasis from EGFR mutant non&small cell lung cancer. <i>International Journal of Cancer</i> , 2018, 143, 212-224. | 5.1 | 11 |
| 122 | Prognostic Value of Metabolic Parameters of Metastatic Lymph Nodes on 18F-FDG PET/CT in Patients With Limited-stage Small-cell Lung Cancer With Lymph Node Involvement. <i>Clinical Lung Cancer</i> , 2018, 19, e101-e108. | 2.6 | 11 |
| 123 | Male patients with resected IIIA-N2 non-small-cell lung cancer may benefit from postoperative radiotherapy: a population-based survival analysis. <i>Future Oncology</i> , 2018, 14, 2371-2381. | 2.4 | 11 |
| 124 | Clinical and radiological characteristics of central pulmonary adenocarcinoma: a comparison with central squamous cell carcinoma and small cell lung cancer and the impact on treatment response. <i>OncoTargets and Therapy</i> , 2018, Volume 11, 2509-2517. | 2.0 | 11 |
| 125 | Risk Factors Associated with Precancerous Lesions of Esophageal Squamous Cell Carcinoma: a Screening Study in a High Risk Chinese Population. <i>Journal of Cancer</i> , 2019, 10, 3284-3290. | 2.5 | 11 |
| 126 | The value of magnetic resonance imaging in esophageal carcinoma: Tool or toy?. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2019, 15, 101-107. | 1.1 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | A nomogram to predict outcomes of lung cancer patients after pneumonectomy based on 47 indicators. <i>Cancer Medicine</i> , 2020, 9, 1430-1440. | 2.8 | 11 |
| 128 | Lymphocyte-monocyte ratio as a predictive marker for pathological complete response to neoadjuvant therapy in esophageal squamous cell carcinoma. <i>Translational Cancer Research</i> , 2020, 9, 3842-3853. | 1.0 | 11 |
| 129 | Three models that predict the efficacy of immunotherapy in Chinese patients with advanced non-small cell lung cancer. <i>Cancer Medicine</i> , 2021, 10, 6291-6303. | 2.8 | 11 |
| 130 | Late-Course Adaptive Adjustment Based on Metabolic Tumor Volume Changes during Radiotherapy May Reduce Radiation Toxicity in Patients with Non-Small Cell Lung Cancer. <i>PLoS ONE</i> , 2017, 12, e0170901. | 2.5 | 11 |
| 131 | Efficacy of single-site radiotherapy plus PD-1 inhibitors vs PD-1 inhibitors for oligometastatic non-small cell lung cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2022, 148, 1253-1261. | 2.5 | 11 |
| 132 | Efficacy of Immune Checkpoint Inhibitors in Patients With EGFR Mutated NSCLC and Potential Risk Factors Associated With Prognosis: A Single Institution Experience. <i>Frontiers in Immunology</i> , 2022, 13, 832419. | 4.8 | 11 |
| 133 | ERCC1 expression and tumor regression predict survival in esophageal squamous cell carcinoma patients receiving combined trimodality therapy. <i>Pathology Research and Practice</i> , 2014, 210, 656-661. | 2.3 | 10 |
| 134 | To Explore a Representative Hypoxic Parameter to Predict the Treatment Response and Prognosis Obtained by [18F]FMISO-PET in Patients with Non-small Cell Lung Cancer. <i>Molecular Imaging and Biology</i> , 2018, 20, 1061-1067. | 2.6 | 10 |
| 135 | Diagnostic and Predictive Value of Using RGD PET/CT in Patients with Cancer: A Systematic Review and Meta-Analysis. <i>BioMed Research International</i> , 2019, 2019, 1-15. | 1.9 | 10 |
| 136 | How breast cancer chemotherapy increases the risk of leukemia: Thoughts about a case of diffuse large B-cell lymphoma and leukemia after breast cancer chemotherapy. <i>Cancer Biology and Therapy</i> , 2016, 17, 125-128. | 3.4 | 9 |
| 137 | Ovarian metastasis from lung adenocarcinoma with ALK-positive rearrangement detected by next generation sequencing: A case report and literatures review. <i>Cancer Biology and Therapy</i> , 2017, 18, 279-284. | 3.4 | 9 |
| 138 | Clinical value of carcinoembryonic antigen for predicting the incidence of brain metastases and survival in small cell lung cancer patients treated with prophylactic cranial irradiation. <i>Cancer Management and Research</i> , 2018, Volume 10, 3199-3205. | 1.9 | 9 |
| 139 | End-of-life chemotherapy is associated with poor survival and aggressive care in patients with small cell lung cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2018, 144, 1591-1599. | 2.5 | 9 |
| 140 | A prospective study on neoadjuvant chemoradiotherapy plus anti-EGFR monoclonal antibody followed by surgery for locally advanced cervical cancer. <i>OncoTargets and Therapy</i> , 2018, Volume 11, 3785-3792. | 2.0 | 9 |
| 141 | Bevacizumab in Combination with Pemetrexed and Platinum Significantly Improved the Clinical Outcome of Patients with Advanced Adenocarcinoma NSCLC and Brain Metastases. <i>Cancer Management and Research</i> , 2019, Volume 11, 10083-10092. | 1.9 | 9 |
| 142 | Spatial Concordance of Tumor Proliferation and Accelerated Repopulation from Pathologic Images to [18F]Fluoro-3-Deoxythymidine PET Images: a Basic Study Guided for PET-Based Radiotherapy Dose Painting. <i>Molecular Imaging and Biology</i> , 2019, 21, 713-721. | 2.6 | 9 |
| 143 | What Is the Appropriate Clinical Target Volume for Esophageal Squamous Cell Carcinoma? Debate and Consensus Based on Pathological and Clinical Outcomes. <i>Journal of Cancer</i> , 2016, 7, 200-206. | 2.5 | 8 |
| 144 | Prognostic value of the standardized uptake value maximum change calculated by dual-time-point 18F-fluorodeoxyglucose positron emission tomography imaging in patients with advanced non-small-cell lung cancer. <i>OncoTargets and Therapy</i> , 2016, 9, 2993. | 2.0 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Out of the darkness and into the light: New strategies for improving treatments for locally advanced non-small cell lung cancer. <i>Cancer Letters</i> , 2018, 421, 59-62. | 7.2 | 8 |
| 146 | Magnetic resonance imaging evaluation of treatment efficacy and prognosis for brain metastases in lung cancer patients after radiotherapy: A preliminary study. <i>Thoracic Cancer</i> , 2018, 9, 865-873. | 1.9 | 8 |
| 147 | Potential of Gd-EOB-DTPA as an imaging biomarker for liver injury estimation after radiation therapy. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2019, 18, 354-359. | 1.3 | 8 |
| 148 | Proposed revision of N categories to the 8th edition of the AJCC $\hat{\text{e}}\text{T}$ NM staging system for non $\hat{\text{e}}\text{s}$ urgical esophageal squamous cell cancer. <i>Cancer Science</i> , 2019, 110, 717-725. | 3.9 | 8 |
| 149 | Preparation study of indocyanine green-rituximab: A new receptor-targeted tracer for sentinel lymph node in breast cancer. <i>Oncotarget</i> , 2016, 7, 47526-47535. | 1.8 | 8 |
| 150 | ^{18}F -deoxyglucose positron emission tomography/computed tomography to predict local failure in esophageal squamous cell carcinoma. <i>Oncotarget</i> , 2017, 8, 34498-34506. | 1.8 | 8 |
| 151 | Increased hippocampal TrkA expression ameliorates cranial radiation $\hat{\text{e}}\text{s}$ induced neurogenesis impairment and cognitive deficit via PI3K/AKT signaling. <i>Oncology Reports</i> , 2020, 44, 2527-2536. | 2.6 | 8 |
| 152 | Comprehensive Next-Generation Sequencing Reveals Novel Predictive Biomarkers of Recurrence and Thoracic Toxicity Risks After Chemoradiation Therapy in Limited Stage Small Cell Lung Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2022, 112, 1165-1176. | 0.8 | 8 |
| 153 | Optimizing intrapleural bevacizumab dosing in non-small-cell lung cancer-mediated malignant pleural effusion: less is more. <i>Future Oncology</i> , 2018, 14, 2131-2138. | 2.4 | 7 |
| 154 | Prognostic value of monocarboxylate transporter 4 in patients with esophageal squamous cell carcinoma. <i>Oncology Reports</i> , 2018, 40, 2906-2915. | 2.6 | 7 |
| 155 | $\hat{\text{e}}\text{t}$ Concurrent apatinib and docetaxel vs apatinib monotherapy as third- or subsequent-line therapy for advanced gastric adenocarcinoma: a retrospective study $\hat{\text{e}}\text{t}$. <i>OncoTargets and Therapy</i> , 2019, Volume 12, 1681-1689. | 2.0 | 7 |
| 156 | Combination therapy. <i>Medicine (United States)</i> , 2019, 98, e18030. | 1.0 | 7 |
| 157 | Hyper-progressive disease in a patient with advanced non-small cell lung cancer on immune checkpoint inhibitor therapy: A case report and literature review. <i>Lung Cancer</i> , 2020, 139, 18-21. | 2.0 | 7 |
| 158 | Nanoparticle albumin $\hat{\text{e}}\text{s}$ bound paclitaxel in elder patients with advanced squamous non $\hat{\text{e}}\text{s}$ mall $\hat{\text{e}}\text{s}$ cell lung cancer: A retrospective study. <i>Cancer Medicine</i> , 2020, 9, 1365-1373. | 2.8 | 7 |
| 159 | Should all breast cancer patients with four or more positive lymph nodes who underwent modified radical mastectomy be treated with postoperative radiotherapy? A population-based study. <i>Oncotarget</i> , 2016, 7, 75492-75502. | 1.8 | 7 |
| 160 | Sarcopenia is associated with prognosis in patients with esophageal squamous cell cancer after radiotherapy or chemoradiotherapy. <i>BMC Gastroenterology</i> , 2022, 22, 211. | 2.0 | 7 |
| 161 | The role of multi-omics in the diagnosis of COVID-19 and the prediction of new therapeutic targets. <i>Virulence</i> , 2022, 13, 1101-1110. | 4.4 | 7 |
| 162 | Anatomic distribution of supraclavicular lymph node in patients with esophageal cancer. <i>OncoTargets and Therapy</i> , 2016, Volume 9, 5803-5808. | 2.0 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | Efficacy of cisplatin/pemetrexed with bevacizumab to treat advanced lung adenocarcinoma with different drive genes: case report and literature review. <i>OncoTargets and Therapy</i> , 2016, Volume 9, 4639-4644. | 2.0 | 6 |
| 164 | ¹⁸ F- α alfatide positron emission tomography may predict anti-angiogenic responses. <i>Oncology Reports</i> , 2018, 40, 2896-2905. | 2.6 | 6 |
| 165 | Previous Radiotherapy Increases the Efficacy of IL-2 in Malignant Pleural Effusion: Potential Evidence of a Radio-Memory Effect?. <i>Frontiers in Immunology</i> , 2018, 9, 2916. | 4.8 | 6 |
| 166 | Effectiveness of temozolomide combined with whole brain radiotherapy for non-small cell lung cancer brain metastases. <i>Thoracic Cancer</i> , 2018, 9, 1121-1128. | 1.9 | 6 |
| 167 | Local therapy combined with chemotherapy versus chemotherapy for postoperative oligometastatic non-small-cell lung cancer. <i>Future Oncology</i> , 2019, 15, 1593-1603. | 2.4 | 6 |
| 168 | Case Report: Transformation From Cold to Hot Tumor in a Case of NSCLC Neoadjuvant Immunochemotherapy Pseudoprogression. <i>Frontiers in Immunology</i> , 2021, 12, 633534. | 4.8 | 6 |
| 169 | Long non-coding RNA transcribed from pseudogene PPIAP43 is associated with radiation sensitivity of small cell lung cancer cells. <i>Oncology Letters</i> , 2019, 18, 4583-4592. | 1.8 | 6 |
| 170 | An in silico mechanistic insight into HDAC8 activation facilitates the discovery of new small-molecule activators. <i>Bioorganic and Medicinal Chemistry</i> , 2020, 28, 115607. | 3.0 | 5 |
| 171 | Enhanced radiosensitizing by sodium glycididazole in a recurrent esophageal carcinoma tumor model. <i>Oncotarget</i> , 2017, 8, 63871-63880. | 1.8 | 5 |
| 172 | High expression level of peptidylprolyl isomerase A is correlated with poor prognosis of liver hepatocellular carcinoma. <i>Oncology Letters</i> , 2019, 18, 4691-4702. | 1.8 | 5 |
| 173 | Genomic Correlates of Unfavorable Outcome in Locally Advanced Cervical Cancer Treated with Neoadjuvant Chemoradiation. <i>Cancer Research and Treatment</i> , 2022, 54, 1209-1218. | 3.0 | 5 |
| 174 | Risk of brain metastasis reduced after erlotinib treatment in advanced pulmonary adenocarcinoma patients with sensitive EGFR mutation. <i>OncoTargets and Therapy</i> , 2016, 9, 671. | 2.0 | 4 |
| 175 | Orbital metastasis as the initial presentation of lung adenocarcinoma: a case report. <i>OncoTargets and Therapy</i> , 2016, 9, 2743. | 2.0 | 4 |
| 176 | Stereotactic Comparison Study of ¹⁸ F-Alfatide and ¹⁸ F-FDG PET Imaging in an LLC Tumor-Bearing C57BL/6 Mouse Model. <i>Scientific Reports</i> , 2016, 6, 28757. | 3.3 | 4 |
| 177 | Current progress and outcomes of clinical trials on using epidermal growth factor receptor tyrosine kinase inhibitor therapy in non-small cell lung cancer patients with brain metastases. <i>Chronic Diseases and Translational Medicine</i> , 2017, 3, 221-229. | 1.2 | 4 |
| 178 | Efficacy of EGFR tyrosine kinase inhibitors in non-small cell lung cancer patients harboring different types of EGFR mutations: A retrospective analysis. <i>Current Medical Science</i> , 2017, 37, 864-872. | 1.8 | 4 |
| 179 | Surgery of primary tumor improves the survival of newly diagnosed metastatic melanoma: a population-based, propensity-matched study. <i>Cancer Management and Research</i> , 2018, Volume 11, 339-346. | 1.9 | 4 |
| 180 | Great efficacy of bevacizumab plus erlotinib for leptomeningeal metastases from non-small cell lung cancer with initially positive EGFR mutation: a case report. <i>Cancer Biology and Therapy</i> , 2018, 19, 1073-1077. | 3.4 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 181 | ¹⁸ 18</sup>F-fluorodeoxyglucose positron emission tomography predicts lymph node responses to definitive chemoradiotherapy in esophageal squamous cell carcinoma patients. <i>OncoTargets and Therapy</i> , 2018, Volume 11, 4345-4353. | 2.0 | 4 |
| 182 | A nomogram for the predicting of survival in patients with esophageal squamous cell carcinoma undergoing definitive chemoradiotherapy. <i>Annals of Translational Medicine</i> , 2021, 9, 233-233. | 1.7 | 4 |
| 183 | Identification of risk factors and the pattern of lower cervical lymph node metastasis in esophageal cancer: implications for radiotherapy target delineation. <i>Oncotarget</i> , 2017, 8, 43389-43396. | 1.8 | 4 |
| 184 | A missense variant in EZH2 is associated with colorectal cancer risk in a Chinese population. <i>Oncotarget</i> , 2017, 8, 94738-94742. | 1.8 | 4 |
| 185 | Survival prediction models for patients with anal carcinoma receiving definitive chemoradiation: A populationâ€based study. <i>Oncology Letters</i> , 2020, 19, 1443-1451. | 1.8 | 4 |
| 186 | The effect of TKI therapy and chemotherapy treatment delivery sequence on total progressionâ€free survival in patients with advanced EGFRâ€mutated NSCLC. <i>Oncology Letters</i> , 2020, 20, 391-400. | 1.8 | 4 |
| 187 | IDH1 Mutation Induces HIF-1 α and Confers Angiogenic Properties in Chondrosarcoma JJ012 Cells. <i>Disease Markers</i> , 2022, 2022, 1-11. | 1.3 | 4 |
| 188 | Mapping patterns of nodal metastases in esophageal carcinoma: rethinking the clinical target volume for supraclavicular nodal irradiation. <i>Journal of Thoracic Disease</i> , 2016, 8, 3132-3138. | 1.4 | 3 |
| 189 | SRS versus WBRT for resected brain metastases. <i>Lancet Oncology</i> , The, 2017, 18, e559. | 10.7 | 3 |
| 190 | Local ablative therapy with or without chemotherapy for non-small-cell lung cancer patients with postoperative oligometastases. <i>Cancer Management and Research</i> , 2018, Volume 10, 6421-6429. | 1.9 | 3 |
| 191 | <p>Axillary management still needed for patients with sentinel node micrometastases</p>. <i>Cancer Management and Research</i> , 2019, Volume 11, 2097-2100. | 1.9 | 3 |
| 192 | Safety of thoracic radiotherapy after PDâ€(L)1 inhibitor treatment in patients with lung cancer. <i>Cancer Medicine</i> , 2021, 10, 8518-8529. | 2.8 | 3 |
| 193 | Inhibition of janus kinase 2 by compound AG490 suppresses the proliferation of MDA-MB-231 cells via up-regulating SARI (suppressor of AP-1, regulated by IFN). <i>Iranian Journal of Basic Medical Sciences</i> , 2015, 18, 599-603. | 1.0 | 3 |
| 194 | High level of programmed death ligand 1 (PD-L1) predicts longer survival in patients with resectable small cell lung cancer. <i>International Journal of Clinical and Experimental Pathology</i> , 2018, 11, 2675-2682. | 0.5 | 3 |
| 195 | Tumor angiogenesis at baseline identified by 18F-Alfatide II PET/CT may predict survival among patients with locally advanced non-small cell lung cancer treated with concurrent chemoradiotherapy. <i>Journal of Translational Medicine</i> , 2022, 20, 63. | 4.4 | 3 |
| 196 | Concurrent Chemoradiotherapy Increases the Levels of Soluble Immune Checkpoint Proteins in Patients with Locally Advanced Cervical Cancer. <i>Journal of Immunology Research</i> , 2022, 2022, 1-8. | 2.2 | 3 |
| 197 | High-dose OxyContin to treat pain associated with bone metastasis in patients with small-cell lung cancer: a case study report. <i>Drug Design, Development and Therapy</i> , 2016, 10, 383. | 4.3 | 2 |
| 198 | To Find a Better Dosimetric Parameter in the Predicting of Radiation-Induced Lung Toxicity Individually: Ventilation, Perfusion or CT based. <i>Scientific Reports</i> , 2017, 7, 44646. | 3.3 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 199 | Internal mammary sentinel lymph node biopsy: An effective way to search benefit patients and guide internal mammary chain irradiation. <i>Breast</i> , 2017, 33, 204-205. | 2.2 | 2 |
| 200 | Is it time to convert the frequency of radiotherapy in small-cell lung cancer?. <i>Lancet Oncology</i> , The, 2017, 18, e553. | 10.7 | 2 |
| 201 | Effects of respiratory motion on volumetric and positional difference of GTV in lung cancer based on 3DCT and 4DCT scanning. <i>Oncology Letters</i> , 2019, 17, 2388-2392. | 1.8 | 2 |
| 202 | The flow-metabolism ratio might predict treatment response and survival in patients with locally advanced esophageal squamous cell carcinoma. <i>EJNMMI Research</i> , 2020, 10, 57. | 2.5 | 2 |
| 203 | Safety and efficacy of SHR-1316 combined with chemotherapy and sequential chest radiotherapy as first-line therapy for extensive-stage small cell lung cancer (ES-SCLC): The results from a phase II single-arm trial.. <i>Journal of Clinical Oncology</i> , 2022, 40, 8563-8563. | 1.6 | 2 |
| 204 | Reversion of erlotinib-acquired resistance twice by chemotherapy. <i>Cancer Biology and Therapy</i> , 2014, 15, 172-177. | 3.4 | 1 |
| 205 | Postoperative radiation therapy of pT2-3N0M0 esophageal carcinoma—a review. <i>Tumor Biology</i> , 2016, 37, 14443-14450. | 1.8 | 1 |
| 206 | Unusual delayed presentation of diaphragmatic hernia complicated by transverse colon and total small-bowel obstruction after postoperative chemotherapy of esophageal cancer. <i>Therapeutics and Clinical Risk Management</i> , 2017, Volume 13, 691-695. | 2.0 | 1 |
| 207 | Subclinical Lesions of the Primary Clinical Target Volume Margin in Esophageal Squamous Cell Carcinoma and Association With FDG PET/CT. <i>Frontiers in Oncology</i> , 2019, 9, 336. | 2.8 | 1 |
| 208 | A 4-month-old boy with gastrointestinal stromal tumor of mesocolon. <i>Cancer Biology and Therapy</i> , 2019, 20, 8-14. | 3.4 | 1 |
| 209 | Left Ventricular Systolic Dysfunction Is a Possible Independent Risk Factor of Radiation Pneumonitis in Locally Advanced Lung Cancer Patients. <i>Frontiers in Oncology</i> , 2019, 9, 1511. | 2.8 | 1 |
| 210 | Prediction of the effects of radiation therapy in esophageal cancer using diffusion and perfusion MRI. <i>Cancer Science</i> , 2021, 112, 5046-5054. | 3.9 | 1 |
| 211 | Comparison of different width detector on the gross tumor volume delineation of the solitary pulmonary lesion. <i>Journal of Cancer Research and Therapeutics</i> , 2017, 13, 693. | 0.9 | 1 |
| 212 | Kinetic change of serum carcinoembryonic antigen can early predict progression in patients with metastatic non-small cell lung cancer during maintenance therapy with bevacizumab plus pemetrexed. <i>Oncotarget</i> , 2017, 8, 74910-74916. | 1.8 | 1 |
| 213 | Precision regimen for personalized pancreatic cancer therapy. <i>Precision Radiation Oncology</i> , 2017, 1, 44-45. | 1.1 | 0 |
| 214 | The feasibility of non-contrast enhanced plus contrast-enhanced computed tomography in discriminating invasive pure ground-glass opacity from pre-invasive pure ground-glass opacity. <i>Journal of Cardiothoracic Surgery</i> , 2020, 15, 162. | 1.1 | 0 |
| 215 | Elevated serum carcinoembryonic antigen and prediction of poor survival of patients with small cell lung cancer.. <i>Journal of Clinical Oncology</i> , 2015, 33, e18561-e18561. | 1.6 | 0 |
| 216 | Stereotactic comparison study of 18F-Alfatide and 18F-FDG PET imaging in LLC tumor-bearing C57BL/6 mice model.. <i>Journal of Clinical Oncology</i> , 2016, 34, e20070-e20070. | 1.6 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 217 | Inhibition of hypoxia-inducible factor-1 α by PX-478 as a potential targeted therapy in ESCC.. Journal of Clinical Oncology, 2017, 35, e14083-e14083. | 1.6 | 0 |
| 218 | Prognostic significance of the lymphocyte-to-monocyte ratio and the tumor-infiltrating lymphocyte to tumor-associated macrophage ratio in patients with stage T3N0M0 esophageal squamous cell carcinoma.. Journal of Clinical Oncology, 2017, 35, e15602-e15602. | 1.6 | 0 |
| 219 | Spatial concordance of tumor proliferation and accelerated repopulation from pathologic images to 18F-FLT PET images.. Journal of Clinical Oncology, 2017, 35, e23100-e23100. | 1.6 | 0 |
| 220 | Association of CD8+/FOXP3+ ratio and PD-L1 expression with survival in pT3N0M0 stage esophageal squamous cell cancer.. Journal of Clinical Oncology, 2017, 35, e15517-e15517. | 1.6 | 0 |
| 221 | A prospective study on neoadjuvant chemoradiotherapy plus nimotuzumab followed by surgery for patients with advanced cervical cancer.. Journal of Clinical Oncology, 2017, 35, e17000-e17000. | 1.6 | 0 |
| 222 | A prognostic score model to determine which breast cancer patients with 1-3 positive lymph nodes after modified radical mastectomy should receive radiotherapy. Oncotarget, 2018, 9, 385-393. | 1.8 | 0 |
| 223 | Association between heart dosimetric parameters, cardiac events and overall survival for patients with stage III esophageal cancer treated with definitive radiotherapy.. Journal of Clinical Oncology, 2019, 37, e15561-e15561. | 1.6 | 0 |
| 224 | Apatinib in the treatment of non-operable or advanced gastric cancer: Evidence of efficacy and safety in a real-world study.. Journal of Clinical Oncology, 2019, 37, e15515-e15515. | 1.6 | 0 |
| 225 | Interleukin-2 boosts local and abscopal antitumor effect of radiotherapy combined with anti-PD-1: A translational research from clinical radio-memory effect.. Journal of Clinical Oncology, 2019, 37, e14244-e14244. | 1.6 | 0 |
| 226 | Primary tumor location as an important predictor for survival in pulmonary adenocarcinoma.. Journal of Clinical Oncology, 2019, 37, e20000-e20000. | 1.6 | 0 |
| 227 | Dosimetric and radiobiological comparison of external beam radiotherapy using simultaneous integrated boost technique for esophageal cancer in different location.. Journal of Clinical Oncology, 2019, 37, e15505-e15505. | 1.6 | 0 |
| 228 | Derived neutrophil-to-lymphocyte ratio and platelet to lymphocyte ratio as a prognostic marker for patients with esophageal squamous cell carcinoma treated with definitive chemoradiotherapy.. Journal of Clinical Oncology, 2019, 37, e15575-e15575. | 1.6 | 0 |
| 229 | Safety and efficacy of atezolizumab (atezo) in patients (pts) with autoimmune disease (AID): Subgroup analysis of the TAIL study.. Journal of Clinical Oncology, 2020, 38, e21628-e21628. | 1.6 | 0 |
| 230 | Prognostic biomarker candidates of neoadjuvant chemotherapy for luminal B-positive locally advanced breast cancer.. Journal of Clinical Oncology, 2020, 38, e12638-e12638. | 1.6 | 0 |
| 231 | Screening of potential genes and transcription factors involved in post-radiation cognitive dysfunction in mice via bioinformatics. Translational Cancer Research, 2020, 9, 6383-6391. | 1.0 | 0 |
| 232 | Progress of radiation oncology: known and unknown. Chinese Medical Journal, 2014, 127, 2173-9. | 2.3 | 0 |
| 233 | Abstract 6114: Prognostic value of the tumor-infiltrating lymphocytes in Miller-Payne grade 4 triple-negative breast cancer following neoadjuvant chemotherapy. Cancer Research, 2022, 82, 6114-6114. | 0.9 | 0 |