

Suzanne Polinder

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4469503/publications.pdf>

Version: 2024-02-01

165
papers

8,127
citations

76326

40
h-index

54911

84
g-index

168
all docs

168
docs citations

168
times ranked

12189
citing authors

#	ARTICLE	IF	CITATIONS
1	Global, regional, and national levels and causes of maternal mortality during 1990â€“2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2014, 384, 980-1004.	13.7	1,230
2	Disability weights for the Global Burden of Disease 2013 study. <i>The Lancet Global Health</i> , 2015, 3, e712-e723.	6.3	783
3	Epidemiology of traumatic brain injury in Europe. <i>Acta Neurochirurgica</i> , 2015, 157, 1683-1696.	1.7	541
4	Global and National Burden of Diseases and Injuries Among Children and Adolescents Between 1990 and 2013. <i>JAMA Pediatrics</i> , 2016, 170, 267.	6.2	479
5	A mild treatment strategy for in-vitro fertilisation: a randomised non-inferiority trial. <i>Lancet, The</i> , 2007, 369, 743-749.	13.7	324
6	A Multidimensional Approach to Post-concussion Symptoms in Mild Traumatic Brain Injury. <i>Frontiers in Neurology</i> , 2018, 9, 1113.	2.4	244
7	Prevalence of and Risk Factors for Anxiety and Depressive Disorders after Traumatic Brain Injury: A Systematic Review. <i>Journal of Neurotrauma</i> , 2016, 33, 1969-1994.	3.4	194
8	Global Mortality From Firearms, 1990-2016. <i>JAMA - Journal of the American Medical Association</i> , 2018, 320, 792.	7.4	189
9	Health-related quality of life after TBI: a systematic review of study design, instruments, measurement properties, and outcome. <i>Population Health Metrics</i> , 2015, 13, 4.	2.7	144
10	Assessing disability weights based on the responses of 30,660 people from four European countries. <i>Population Health Metrics</i> , 2015, 13, 10.	2.7	133
11	Impact of Depression and Post-Traumatic Stress Disorder on Functional Outcome and Health-Related Quality of Life of Patients with Mild Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2015, 32, 853-862.	3.4	127
12	Cost Estimation of Injury-Related Hospital Admissions in 10 European Countries. <i>Journal of Trauma</i> , 2005, 59, 1283-1291.	2.3	118
13	The burden of unintentional drowning: global, regional and national estimates of mortality from the Global Burden of Disease 2017 Study. <i>Injury Prevention</i> , 2020, 26, i83-i95.	2.4	109
14	A systematic review of studies measuring health-related quality of life of general injury populations. <i>BMC Public Health</i> , 2010, 10, 783.	2.9	107
15	Assessing the burden of injury in six European countries. <i>Bulletin of the World Health Organization</i> , 2007, 85, 27-34.	3.3	106
16	The economic burden of injury: Health care and productivity costs of injuries in the Netherlands. <i>Accident Analysis and Prevention</i> , 2016, 93, 92-100.	5.7	102
17	Epidemiology of injuries from fire, heat and hot substances: global, regional and national morbidity and mortality estimates from the Global Burden of Disease 2017 study. <i>Injury Prevention</i> , 2020, 26, i36-i45.	2.4	93
18	Years of life lost due to traumatic brain injury in Europe: A cross-sectional analysis of 16 countries. <i>PLoS Medicine</i> , 2017, 14, e1002331.	8.4	93

#	ARTICLE	IF	CITATIONS
19	Prediction of Persistent Post-Concussion Symptoms after Mild Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2018, 35, 2691-2698.	3.4	90
20	Health related quality of life in adults after burn injuries: A systematic review. <i>PLoS ONE</i> , 2018, 13, e0197507.	2.5	90
21	Variation in monitoring and treatment policies for intracranial hypertension in traumatic brain injury: a survey in 66 neurotrauma centers participating in the CENTER-TBI study. <i>Critical Care</i> , 2017, 21, 233.	5.8	88
22	Traumatic Brain Injury in the Netherlands: Incidence, Costs and Disability-Adjusted Life Years. <i>PLoS ONE</i> , 2014, 9, e110905.	2.5	82
23	Review of disability weight studies: comparison of methodological choices and values. <i>Population Health Metrics</i> , 2014, 12, 20.	2.7	79
24	Mortality prediction models in the general trauma population: A systematic review. <i>Injury</i> , 2017, 48, 221-229.	1.7	72
25	Advance care planning in patients with advanced cancer: A 6-country, cluster-randomised clinical trial. <i>PLoS Medicine</i> , 2020, 17, e1003422.	8.4	68
26	Epidemiology of facial fractures: incidence, prevalence and years lived with disability estimates from the Global Burden of Disease 2017 study. <i>Injury Prevention</i> , 2020, 26, i27-i35.	2.4	67
27	Predictors of health-related quality of life after burn injuries: a systematic review. <i>Critical Care</i> , 2018, 22, 160.	5.8	66
28	Falls in older aged adults in 22 European countries: incidence, mortality and burden of disease from 1990 to 2017. <i>Injury Prevention</i> , 2020, 26, i67-i74.	2.4	65
29	Trends in incidence and costs of injuries to the shoulder, arm and wrist in The Netherlands between 1986 and 2008. <i>BMC Public Health</i> , 2013, 13, 531.	2.9	62
30	Post-Concussion Symptoms in Complicated vs. Uncomplicated Mild Traumatic Brain Injury Patients at Three and Six Months Post-Injury: Results from the CENTER-TBI Study. <i>Journal of Clinical Medicine</i> , 2019, 8, 1921.	2.4	62
31	Post-Traumatic Stress Disorder after Civilian Traumatic Brain Injury: A Systematic Review and Meta-Analysis of Prevalence Rates. <i>Journal of Neurotrauma</i> , 2019, 36, 3220-3232.	3.4	61
32	Systematic review of general burden of disease studies using disability-adjusted life years. <i>Population Health Metrics</i> , 2012, 10, 21.	2.7	58
33	Adherence to Guidelines in Adult Patients with Traumatic Brain Injury: A Living Systematic Review. <i>Journal of Neurotrauma</i> , 2021, 38, 1072-1085.	3.4	58
34	Predictors of Major Depression and Posttraumatic Stress Disorder Following Traumatic Brain Injury: A Systematic Review and Meta-Analysis. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2017, 29, 206-224.	1.8	57
35	Assessment of pre-injury health-related quality of life: a systematic review. <i>Population Health Metrics</i> , 2017, 15, 10.	2.7	52
36	Incidence and costs of bicycle-related traumatic brain injuries in the Netherlands. <i>Accident Analysis and Prevention</i> , 2015, 81, 51-60.	5.7	51

#	ARTICLE	IF	CITATIONS
37	Variation in Structure and Process of Care in Traumatic Brain Injury: Provider Profiles of European Neurotrauma Centers Participating in the CENTER-TBI Study. <i>PLoS ONE</i> , 2016, 11, e0161367.	2.5	50
38	Management of Mild Traumatic Brain Injury at the Emergency Department and Hospital Admission in Europe: A Survey of 71 Neurotrauma Centers Participating in the CENTER-TBI Study. <i>Journal of Neurotrauma</i> , 2017, 34, 2529-2535.	3.4	50
39	Prevalence of post-concussion-like symptoms in the general population in Italy, The Netherlands and the United Kingdom. <i>Brain Injury</i> , 2019, 33, 1078-1086.	1.2	46
40	Burden of injury along the development spectrum: associations between the Socio-demographic Index and disability-adjusted life year estimates from the Global Burden of Disease Study 2017. <i>Injury Prevention</i> , 2020, 26, i12-i26.	2.4	44
41	Advance care planning â€œ a multi-centre cluster randomised clinical trial: the research protocol of the ACTION study. <i>BMC Cancer</i> , 2016, 16, 264.	2.6	43
42	Patientâ€™reported scar quality of adults after burn injuries: A fiveâ€™year multicenter followâ€™up study. <i>Wound Repair and Regeneration</i> , 2019, 27, 406-414.	3.0	43
43	Variation in neurosurgical management of traumatic brain injury: a survey in 68 centers participating in the CENTER-TBI study. <i>Acta Neurochirurgica</i> , 2019, 161, 435-449.	1.7	43
44	Advance Care Planning in Frail Older Adults: A Cluster Randomized Controlled Trial. <i>Journal of the American Geriatrics Society</i> , 2018, 66, 1089-1095.	2.6	42
45	Burden of road traffic injuries: Disability-adjusted life years in relation to hospitalization and the maximum abbreviated injury scale. <i>Accident Analysis and Prevention</i> , 2015, 80, 193-200.	5.7	40
46	In-hospital costs after severe traumatic brain injury: A systematic review and quality assessment. <i>PLoS ONE</i> , 2019, 14, e0216743.	2.5	37
47	Factorial Structure and Validity of Depression (PHQ-9) and Anxiety (GAD-7) Scales after Traumatic Brain Injury. <i>Journal of Clinical Medicine</i> , 2020, 9, 873.	2.4	37
48	Evaluation of Quality of Life After Nonoperative or Operative Management of Proximal Femoral Fractures in Frail Institutionalized Patients. <i>JAMA Surgery</i> , 2022, 157, 424.	4.3	35
49	In-hospital costs of diabetic foot disease treated by a multidisciplinary foot team. <i>Diabetes Research and Clinical Practice</i> , 2017, 132, 68-78.	2.8	34
50	Health related quality of life 5â€™7 years after minor and severe burn injuries: a multicentre cross-sectional study. <i>Burns</i> , 2019, 45, 1291-1299.	1.9	34
51	Anxiety and depression in diabetes care: longitudinal associations with health-related quality of life. <i>Scientific Reports</i> , 2020, 10, 8307.	3.3	34
52	Burden of injury in childhood and adolescence in 8 European countries. <i>BMC Public Health</i> , 2010, 10, 45.	2.9	32
53	Early fixation versus conservative therapy of multiple, simple rib fractures (FixCon): protocol for a multicenter randomized controlled trial. <i>World Journal of Emergency Surgery</i> , 2019, 14, 38.	5.0	31
54	The added value of the EQ-5D with a cognition dimension in injury patients with and without traumatic brain injury. <i>Quality of Life Research</i> , 2019, 28, 1931-1939.	3.1	31

#	ARTICLE	IF	CITATIONS
55	Outcomes after Complicated and Uncomplicated Mild Traumatic Brain Injury at Three-and Six-Months Post-Injury: Results from the CENTER-TBI Study. <i>Journal of Clinical Medicine</i> , 2020, 9, 1525.	2.4	30
56	Economic burden of burn injuries in the Netherlands: A 3 months follow-up study. <i>Injury</i> , 2016, 47, 203-210.	1.7	29
57	Disability weights based on patient-reported data from a multinational injury cohort. <i>Bulletin of the World Health Organization</i> , 2016, 94, 806-816C.	3.3	29
58	Recovery of health-related quality of life after burn injuries: An individual participant data meta-analysis. <i>PLoS ONE</i> , 2020, 15, e0226653.	2.5	26
59	Trends in incidence rate, health care consumption, and costs for patients admitted with a humeral fracture in The Netherlands between 1986 and 2012. <i>Injury</i> , 2015, 46, 1930-1937.	1.7	25
60	Prevalence of post-traumatic stress disorder, acute stress disorder and depression following violence related injury treated at the emergency department: a systematic review. <i>BMC Psychiatry</i> , 2018, 18, 311.	2.6	25
61	Association between the Number of Injuries Sustained and 12-Month Disability Outcomes: Evidence from the Injury-VIBES Study. <i>PLoS ONE</i> , 2014, 9, e113467.	2.5	24
62	Variation in Guideline Implementation and Adherence Regarding Severe Traumatic Brain Injury Treatment: A CENTER-TBI Survey Study in Europe. <i>World Neurosurgery</i> , 2019, 125, e515-e520.	1.3	24
63	Evaluation of a clinical decision rule to guide antibiotic prescription in children with suspected lower respiratory tract infection in The Netherlands: A stepped-wedge cluster randomised trial. <i>PLoS Medicine</i> , 2020, 17, e1003034.	8.4	24
64	International variation in clinical injury incidence: Exploring the performance of indicators based on health care, anatomical and outcome criteria. <i>Accident Analysis and Prevention</i> , 2008, 40, 182-191.	5.7	23
65	Systematic review and quality assessment of economic evaluation studies of injury prevention. <i>Accident Analysis and Prevention</i> , 2012, 45, 211-221.	5.7	23
66	Aerosolised liposomal amphotericin B to prevent aspergillosis in acute myeloid leukaemia: Efficacy and cost effectiveness in real-life. <i>International Journal of Antimicrobial Agents</i> , 2015, 46, 82-87.	2.5	23
67	Cost-effectiveness study of early versus late parenteral nutrition in critically ill children (PEPaNIC): preplanned secondary analysis of a multicentre randomised controlled trial. <i>Critical Care</i> , 2018, 22, 4.	5.8	22
68	Methods Used to Identify, Test, and Assess Impact on Preferences of Bolt-Ons: A Systematic Review. <i>Value in Health</i> , 2021, 24, 901-916.	0.3	21
69	A cluster randomized controlled trial on the effects and costs of advance care planning in elderly care: study protocol. <i>BMC Geriatrics</i> , 2015, 15, 87.	2.7	20
70	Implementation of clinical decision support in young children with acute gastroenteritis: a randomized controlled trial at the emergency department. <i>European Journal of Pediatrics</i> , 2017, 176, 173-181.	2.7	20
71	Comparing health-related quality of life of Dutch and Chinese patients with traumatic brain injury: do cultural differences play a role?. <i>Health and Quality of Life Outcomes</i> , 2017, 15, 72.	2.4	19
72	The value of nonoperative versus operative treatment of frail institutionalized elderly patients with a proximal femoral fracture in the shade of life (FRAIL-HIP); protocol for a multicenter observational cohort study. <i>BMC Geriatrics</i> , 2019, 19, 301.	2.7	19

#	ARTICLE	IF	CITATIONS
73	Cost-utility of medication withdrawal in older fallers: results from the improving medication prescribing to reduce risk of FALLs (IMPROveFALL) trial. <i>BMC Geriatrics</i> , 2016, 16, 179.	2.7	18
74	Emergency department overcrowding: a survey among European neurotrauma centres. <i>Emergency Medicine Journal</i> , 2018, 35, 447-448.	1.0	18
75	Influence of Sociodemographic, Premorbid, and Injury-Related Factors on Post-Concussion Symptoms after Traumatic Brain Injury. <i>Journal of Clinical Medicine</i> , 2020, 9, 1931.	2.4	18
76	Longitudinal Analyses of the Reciprocity of Depression and Anxiety after Traumatic Brain Injury and Its Clinical Implications. <i>Journal of Clinical Medicine</i> , 2021, 10, 5597.	2.4	18
77	Cost study of dermal substitutes and topical negative pressure in the surgical treatment of burns. <i>Burns</i> , 2014, 40, 388-396.	1.9	17
78	Intensive care admission criteria for traumatic brain injury patients across Europe. <i>Journal of Critical Care</i> , 2019, 49, 158-161.	2.2	17
79	Psychometric Characteristics of the Patient-Reported Outcome Measures Applied in the CENTER-TBI Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 2396.	2.4	17
80	Level of agreement between patient-reported EQ-5D responses and EQ-5D responses mapped from the SF-12 in an injury population. <i>Population Health Metrics</i> , 2015, 13, 14.	2.7	16
81	Improved and standardized method for assessing years lived with disability after burns and its application to estimate the non-fatal burden of disease of burn injuries in Australia, New Zealand and the Netherlands. <i>BMC Public Health</i> , 2020, 20, 121.	2.9	16
82	Translation and Linguistic Validation of Outcome Instruments for Traumatic Brain Injury Research and Clinical Practice: A Step-by-Step Approach within the Observational CENTER-TBI Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 2863.	2.4	16
83	Effect of antithrombotic stewardship on the efficacy and safety of antithrombotic therapy during and after hospitalization. <i>PLoS ONE</i> , 2020, 15, e0235048.	2.5	15
84	Prevalence of Post-Concussion-Like Symptoms in the General Injury Population and the Association with Health-Related Quality of Life, Health Care Use, and Return to Work. <i>Journal of Clinical Medicine</i> , 2021, 10, 806.	2.4	15
85	Medical and productivity costs after trauma. <i>PLoS ONE</i> , 2019, 14, e0227131.	2.5	14
86	Epidemiologic trends for isolated tibia shaft fracture admissions in The Netherlands between 1991 and 2012. <i>European Journal of Trauma and Emergency Surgery</i> , 2020, 46, 1115-1122.	1.7	14
87	Epidemiology, treatment, costs, and long-term outcomes of patients with fireworks-related injuries (ROCKET); a multicenter prospective observational case series. <i>PLoS ONE</i> , 2020, 15, e0230382.	2.5	14
88	Validating and Improving Injury Burden Estimates Study: the Injury-VIBES study protocol. <i>Injury Prevention</i> , 2014, 20, e4-e4.	2.4	13
89	A systematic review of studies measuring health-related quality of life of general injury populations: update 2010-2018. <i>Health and Quality of Life Outcomes</i> , 2020, 18, 160.	2.4	13
90	Test-retest reliability of the EQ-5D-5L and the reworded QOLIBRI-OS in the general population of Italy, the Netherlands, and the United Kingdom. <i>Quality of Life Research</i> , 2021, 30, 2961-2971.	3.1	13

#	ARTICLE	IF	CITATIONS
91	Mobile Health Coaching on Nutrition and Lifestyle Behaviors for Subfertile Couples Using the Smarter Pregnancy Program: Model-Based Cost-Effectiveness Analysis. <i>JMIR MHealth and UHealth</i> , 2019, 7, e13935.	3.7	13
92	The relation between EQ-5D and fatigue in a Dutch general population sample: an explorative study. <i>Health and Quality of Life Outcomes</i> , 2021, 19, 135.	2.4	12
93	Agreement between retrospectively assessed health-related quality of life collected 1 week and 12 months post-injury: an observational follow-up study. <i>Health and Quality of Life Outcomes</i> , 2019, 17, 70.	2.4	11
94	Prehospital Trauma Care among 68 European Neurotrauma Centers: Results of the CENTER-TBI Provider Profiling Questionnaires. <i>Journal of Neurotrauma</i> , 2019, 36, 176-181.	3.4	11
95	Prevalence and Prognostic Factors for Psychological Distress After Trauma. <i>Archives of Physical Medicine and Rehabilitation</i> , 2020, 101, 877-884.	0.9	11
96	Health Care and Productivity Costs of Non-Fatal Traffic Injuries: A Comparison of Road User Types. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 2217.	2.6	11
97	The Association of Post-Concussion and Post-Traumatic Stress Disorder Symptoms with Health-Related Quality of Life, Health Care Use and Return-to-Work after Mild Traumatic Brain Injury. <i>Journal of Clinical Medicine</i> , 2021, 10, 2473.	2.4	11
98	Performance of the modified TRISS for evaluating trauma care in subpopulations: A cohort study. <i>Injury</i> , 2018, 49, 1648-1653.	1.7	10
99	Functional and patient-reported outcome versus in-hospital costs after traumatic acute subdural hematoma (t-ASDH): a neurosurgical paradox?. <i>Acta Neurochirurgica</i> , 2019, 161, 875-884.	1.7	10
100	Advance Care Planning for frail older adults: Findings on costs in a cluster randomised controlled trial. <i>Palliative Medicine</i> , 2019, 33, 291-300.	3.1	10
101	Reference Values of the QOLIBRI from General Population Samples in the United Kingdom and The Netherlands. <i>Journal of Clinical Medicine</i> , 2020, 9, 2100.	2.4	10
102	Long-term impact of a Q-fever outbreak: An evaluation of health symptoms, health-related quality of life, participation and health care satisfaction after ten years. <i>Journal of Psychosomatic Research</i> , 2020, 139, 110258.	2.6	10
103	Personal preferences of participation in fall prevention programmes: a descriptive study. <i>BMC Geriatrics</i> , 2020, 20, 185.	2.7	10
104	Health Inequality Analysis in Europe: Exploring the Potential of the EQ-5D as Outcome. <i>Frontiers in Public Health</i> , 2021, 9, 744405.	2.7	10
105	Adding a fatigue item to the EQ-5D-5L improves its psychometric performance in the general population. <i>Journal of Patient-Reported Outcomes</i> , 2022, 6, 1.	1.9	10
106	Evaluation of Implementing a Home-Based Fall Prevention Program among Community-Dwelling Older Adults. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 1079.	2.6	9
107	Early mobilization versus plaster immobilization of simple elbow dislocations: a cost analysis of the FuncSiE multicenter randomized clinical trial. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2020, 140, 877-886.	2.4	9
108	Health care costs of injury in the older population: a prospective multicentre cohort study in the Netherlands. <i>BMC Geriatrics</i> , 2020, 20, 417.	2.7	9

#	ARTICLE	IF	CITATIONS
109	The burden of injury in Central, Eastern, and Western European sub-region: a systematic analysis from the Global Burden of Disease 2019 Study. <i>Archives of Public Health</i> , 2022, 80, 142.	2.4	9
110	Fall-related healthcare use and mortality among older adults in the Netherlands, 1997–2016. <i>Experimental Gerontology</i> , 2019, 120, 95-100.	2.8	8
111	Health-related quality of life in injury patients: the added value of extending the EQ-5D-3L with a cognitive dimension. <i>Quality of Life Research</i> , 2019, 28, 1941-1949.	3.1	8
112	Barriers and Facilitators for Screening Older Adults on Fall Risk in a Hospital Setting: Perspectives from Patients and Healthcare Professionals. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 1461.	2.6	8
113	Does the EQ-5D-5L benefit from extension with a cognitive domain: Testing a multi-criteria psychometric strategy in trauma patients. <i>Quality of Life Research</i> , 2020, 29, 2541-2551.	3.1	8
114	Prognostic factors for recovery of health status after injury: a prospective multicentre cohort study. <i>BMJ Open</i> , 2021, 11, e038707.	1.9	8
115	Palliative care consultation services in hospitals in the Netherlands: the design of the COMPASS study. <i>BMC Palliative Care</i> , 2015, 14, 68.	1.8	7
116	Antithrombotic stewardship: a multidisciplinary team approach towards improving antithrombotic therapy outcomes during and after hospitalisation: a study protocol. <i>BMJ Open</i> , 2016, 6, e011537.	1.9	7
117	Increased care demand and medical costs after falls in nursing homes: A Delphi study. <i>Journal of Clinical Nursing</i> , 2018, 27, 2896-2903.	3.0	7
118	Epidemiology of injuries, treatment (costs) and outcome in burn patients admitted to a hospital with or without dedicated burn centre (Burn-Pro): protocol for a multicentre prospective observational study. <i>BMJ Open</i> , 2018, 8, e023709.	1.9	7
119	Long-term medical and productivity costs of severe trauma: Results from a prospective cohort study. <i>PLoS ONE</i> , 2021, 16, e0252673.	2.5	7
120	Reference Values and Psychometric Properties of the Quality of Life After Traumatic Brain Injury-Overall Scale in Italy, The Netherlands, and the United Kingdom. <i>Value in Health</i> , 2021, 24, 1319-1327.	0.3	7
121	Burden of Traumatic Brain Injuries in Children and Adolescents in Europe: Hospital Discharges, Deaths and Years of Life Lost. <i>Children</i> , 2022, 9, 105.	1.5	7
122	Improvement of the performance of survival prediction in the ageing blunt trauma population: A cohort study. <i>PLoS ONE</i> , 2018, 13, e0209099.	2.5	6
123	The association between palliative care team consultation and hospital costs for patients with advanced cancer: An observational study in 12 Dutch hospitals. <i>European Journal of Cancer Care</i> , 2020, 29, e13198.	1.5	6
124	The Impact of Palliative Care Team Consultation on Quality of Life of Patients with Advanced Cancer in Dutch Hospitals: An Observational Study. <i>Oncology Research and Treatment</i> , 2020, 43, 405-413.	1.2	6
125	Discrepancy between disability and reported well-being after traumatic brain injury. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2022, 93, 785-796.	1.9	6
126	The effectiveness of antibacterial therapeutic clothing based on silver or chitosan as compared with non-antibacterial therapeutic clothing in patients with moderate to severe atopic dermatitis (ABC) Tj ETQq0 0 0 rgBTd/Overlook 10 Tf 50		

#	ARTICLE	IF	CITATIONS
127	A randomized controlled trial studying the effectiveness of group medical appointments on self-efficacy and adherence in sickle cell disease (TEAM study): study protocol. BMC Hematology, 2016, 16, 21.	2.6	4
128	Factors Associated with Participation of Community-Dwelling Older Adults in a Home-Based Falls Prevention Program. International Journal of Environmental Research and Public Health, 2019, 16, 1087.	2.6	4
129	The COMPASS study: A descriptive study on the characteristics of palliative care team consultation for cancer patients in hospitals. European Journal of Cancer Care, 2020, 29, e13172.	1.5	4
130	Health-related quality of life after traumatic brain injury: deriving value sets for the QOLIBRI-OS for Italy, The Netherlands and The United Kingdom. Quality of Life Research, 2020, 29, 3095-3107.	3.1	4
131	Anxiety, depression and post-traumatic stress symptoms among injury patients and the association with outcome after injury. HÅgare Utbildning, 2022, 13, 2023422.	3.0	4
132	A multimodal intervention to improve hand hygiene compliance via social cognitive influences among kindergarten teachers in China. PLoS ONE, 2019, 14, e0215824.	2.5	3
133	Comparison of three different methods to estimate the burden of disease of burn injuries in Western Australia in 2011-2018. Burns, 2020, 46, 1424-1431.	1.9	3
134	Health Care Costs of Target Attainment for Beta-Lactam Antibiotics in Critically Ill Patients. Therapeutic Drug Monitoring, 2021, Publish Ahead of Print, .	2.0	3
135	Health care utilization and health-related quality of life of injury patients: comparison of educational groups. BMC Health Services Research, 2021, 21, 988.	2.2	3
136	Socio-economic determinants of healthcare costs in early life: a register-based study in the Netherlands. International Journal for Equity in Health, 2022, 21, 5.	3.5	3
137	National survey on the current practice and attitudes toward the management of chronic subdural hematoma. Brain and Behavior, 2022, 12, e2463.	2.2	3
138	How well do principal diagnosis classifications predict disability 12 months postinjury?. Injury Prevention, 2015, 21, e120-e126.	2.4	2
139	Assessing screening instruments and thresholds to detect risk of depression in diabetes patients, a brief report. Primary Care Diabetes, 2019, 13, 380-383.	1.8	2
140	Cost Study of a Cluster Randomized Trial on a Clinical Decision Rule Guiding Antibiotic Treatment in Children With Suspected Lower Respiratory Tract Infections in the Emergency Department. Pediatric Infectious Disease Journal, 2020, 39, 1026-1031.	2.0	2
141	The CAST study protocol: a cluster randomized trial assessing the effect of circumferential casting versus plaster splinting on fracture redisplacement in reduced distal radius fractures in adults. BMC Musculoskeletal Disorders, 2021, 22, 370.	1.9	2
142	Cost impact of procalcitonin-guided decision making on duration of antibiotic therapy for suspected early-onset sepsis in neonates. Critical Care, 2021, 25, 367.	5.8	2
143	Sensitivity of the EQ-5D-5L for fatigue and cognitive problems and their added value in Q-fever patients. Quality of Life Research, 2022, , 1.	3.1	2
144	47â€¦Disability weights from the injury vibes collaboration. Injury Prevention, 2016, 22, A18.3-A19.	2.4	1

#	ARTICLE	IF	CITATIONS
145	Can Fall Risk Screening and Fall Prevention Advice in Hospital Settings Motivate Older Adult Patients to Take Action to Reduce Fall Risk?. <i>Journal of Applied Gerontology</i> , 2021, 40, 1492-1501.	2.0	1
146	Value of information analysis of an early intervention for subthreshold panic disorder: Healthcare versus societal perspective. <i>PLoS ONE</i> , 2018, 13, e0205876.	2.5	0
147	No Change in Fireworks-Related Burn Center Admissions: A 10-Year Analysis of the Admission Rates, Treatment, and Costs. <i>European Journal of Burn Care</i> , 2021, 2, 31-40.	0.8	0
148	Title is missing!. , 2020, 17, e1003422.		0
149	Title is missing!. , 2020, 17, e1003422.		0
150	Title is missing!. , 2020, 17, e1003422.		0
151	Title is missing!. , 2020, 17, e1003422.		0
152	Title is missing!. , 2020, 17, e1003422.		0
153	Title is missing!. , 2020, 17, e1003422.		0
154	Title is missing!. , 2020, 17, e1003422.		0
155	Title is missing!. , 2020, 17, e1003034.		0
156	Title is missing!. , 2020, 17, e1003034.		0
157	Title is missing!. , 2020, 17, e1003034.		0
158	Title is missing!. , 2020, 17, e1003034.		0
159	Title is missing!. , 2020, 17, e1003034.		0
160	Title is missing!. , 2020, 15, e0235048.		0
161	Title is missing!. , 2020, 15, e0235048.		0
162	Title is missing!. , 2020, 15, e0235048.		0

#	ARTICLE	IF	CITATIONS
163	Title is missing!. , 2020, 15, e0235048.		0
164	Title is missing!. , 2020, 15, e0235048.		0
165	Title is missing!. , 2020, 15, e0235048.		0