

Laura Louise Laslett

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4471807/publications.pdf>

Version: 2024-02-01

80
papers

17,963
citations

218677

26
h-index

76900

74
g-index

83
all docs

83
docs citations

83
times ranked

29802
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Intravenous bisphosphonates do not improve knee pain or bone marrow lesions in people with knee osteoarthritis: a meta-analysis. <i>Rheumatology</i> , 2022, 61, 2235-2242. | 1.9 | 5 |
| 2 | The association between change in bone marrow lesion size and change in tibiofemoral cartilage volume and knee symptoms. <i>Rheumatology</i> , 2021, 60, 2791-2800. | 1.9 | 9 |
| 3 | Bone Microarchitecture, Volumetric or Areal Bone Mineral Density for Discrimination of Vertebral Deformity in Adults: A Cross-sectional Study. <i>Journal of Clinical Densitometry</i> , 2021, 24, 190-199. | 1.2 | 1 |
| 4 | Hand Examination, Ultrasound, and the Association With Hand Pain and Function in Community-Based Older Adults. <i>Arthritis Care and Research</i> , 2021, 73, 347-354. | 3.4 | 5 |
| 5 | Efficacy and Safety of Turmeric Extracts for the Treatment of Knee Osteoarthritis: a Systematic Review and Meta-analysis of Randomised Controlled Trials. <i>Current Rheumatology Reports</i> , 2021, 23, 11. | 4.7 | 22 |
| 6 | The association between incident vertebral deformities, health-related quality of life and functional impairment: a 10.7-year cohort study. <i>Osteoporosis International</i> , 2021, 32, 2247-2255. | 3.1 | 3 |
| 7 | Association between diet quality in adolescence and adulthood and knee symptoms in adulthood: a 25-year cohort study. <i>British Journal of Nutrition</i> , 2021, , 1-25. | 2.3 | 1 |
| 8 | Predictors of total hip replacement in community based older adults: a cohort study. <i>Osteoarthritis and Cartilage</i> , 2021, 29, 1130-1137. | 1.3 | 2 |
| 9 | Clinical relevance of MRI knee abnormalities in Australian rules football players: a longitudinal study. <i>BMJ Open Sport and Exercise Medicine</i> , 2021, 7, e001097. | 2.9 | 0 |
| 10 | Understanding the management of osteoarthritis: A qualitative study of GPs and orthopaedic surgeons in Tasmania, Australia. <i>Osteoarthritis and Cartilage Open</i> , 2021, 3, 100218. | 2.0 | 5 |
| 11 | Association of body composition, physical activity and physical performance with knee cartilage thickness and bone area in young adults. <i>Rheumatology</i> , 2020, 59, 1607-1616. | 1.9 | 4 |
| 12 | H19 Increases IL-17A/IL-23 Releases via Regulating VDR by Interacting with miR675-5p/miR22-5p in Ankylosing Spondylitis. <i>Molecular Therapy - Nucleic Acids</i> , 2020, 19, 393-404. | 5.1 | 27 |
| 13 | Association of glucose homeostasis and metabolic syndrome with knee cartilage defects and cartilage volume in young adults. <i>Seminars in Arthritis and Rheumatism</i> , 2020, 50, 192-197. | 3.4 | 3 |
| 14 | Effectiveness of <i>Curcuma longa</i> Extract for the Treatment of Symptoms and Effusion of Knee Osteoarthritis. <i>Annals of Internal Medicine</i> , 2020, 173, 861-869. | 3.9 | 68 |
| 15 | Comparison of radiographic and MRI osteoarthritis definitions and their combination for prediction of tibial cartilage loss, knee symptoms and total knee replacement: a longitudinal study. <i>Osteoarthritis and Cartilage</i> , 2020, 28, 1062-1070. | 1.3 | 5 |
| 16 | Distal radius bone microarchitecture: what are the differences between age 25 and old age?. <i>Archives of Osteoporosis</i> , 2020, 15, 16. | 2.4 | 1 |
| 17 | KARAOKE: Krill oil versus placebo in the treatment of knee osteoarthritis: protocol for a randomised controlled trial. <i>Trials</i> , 2020, 21, 79. | 1.6 | 8 |
| 18 | Effect of Intravenous Zoledronic Acid on Tibiofemoral Cartilage Volume Among Patients With Knee Osteoarthritis With Bone Marrow Lesions. <i>JAMA - Journal of the American Medical Association</i> , 2020, 323, 1456. | 7.4 | 59 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Zoledronic acid plus methylprednisolone <i>versus</i> zoledronic acid or placebo in symptomatic knee osteoarthritis: a randomized controlled trial. <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2019, 11, 1759720X1988005. | 2.7 | 9 |
| 20 | FRI0681...ASSOCIATION OF BODY COMPOSITION, PHYSICAL ACTIVITY AND PHYSICAL PERFORMANCE WITH KNEE CARTILAGE THICKNESS AND SUBCHONDRAL BONE AREA IN YOUNG ADULTS. , 2019, , . | | 0 |
| 21 | THU0675...ASSOCIATION OF GLUCOSE HOMEOSTASIS MEASURES AND METABOLIC SYNDROME WITH KNEE CARTILAGE DEFECTS AND CARTILAGE VOLUME IN YOUNG ADULTS. , 2019, , . | | 0 |
| 22 | Patellar tendon enthesis abnormalities and their association with knee pain and structural abnormalities in older adults. <i>Osteoarthritis and Cartilage</i> , 2019, 27, 449-458. | 1.3 | 5 |
| 23 | The Cost of Osteoporosis, Osteopenia, and Associated Fractures in Australia in 2017. <i>Journal of Bone and Mineral Research</i> , 2019, 34, 616-625. | 2.8 | 80 |
| 24 | Association of adiposity measures in childhood and adulthood with knee cartilage thickness, volume and bone area in young adults. <i>International Journal of Obesity</i> , 2019, 43, 1411-1421. | 3.4 | 7 |
| 25 | A randomised double-blind placebo-controlled crossover trial of HUMira (adalimumab) for erosive hand Osteoarthritis – the HUMOR trial. <i>Osteoarthritis and Cartilage</i> , 2018, 26, 880-887. | 1.3 | 104 |
| 26 | How Do MRI-Detected Subchondral Bone Marrow Lesions (BMLs) on Two Different MRI Sequences Correlate with Clinically Important Outcomes?. <i>Calcified Tissue International</i> , 2018, 103, 131-143. | 3.1 | 3 |
| 27 | Individualized Fracture Risk Feedback and Long-term Benefits After 10 Years. <i>American Journal of Preventive Medicine</i> , 2018, 54, 266-274. | 3.0 | 6 |
| 28 | Effect of Zoledronic Acid and Denosumab in Patients With Low Back Pain and Modic Change: A Proof-of-Principle Trial. <i>Journal of Bone and Mineral Research</i> , 2018, 33, 773-782. | 2.8 | 28 |
| 29 | Factors associated with prevalent and incident foot pain: data from the Tasmanian Older Adult Cohort Study. <i>Maturitas</i> , 2018, 118, 38-43. | 2.4 | 6 |
| 30 | Association of childhood adiposity measures with adulthood knee cartilage defects and bone marrow lesions: a 25-year cohort study. <i>Osteoarthritis and Cartilage</i> , 2018, 26, 1055-1062. | 1.3 | 8 |
| 31 | A protocol for a multicentre, randomised, double-blind, placebo-controlled trial to compare the effect of annual infusions of zoledronic acid to placebo on knee structural change and knee pain over 24 months in knee osteoarthritis patients – ZAP2. <i>BMC Musculoskeletal Disorders</i> , 2018, 19, 217. | 1.9 | 22 |
| 32 | Moderate-to-Vigorous Physical Activity But Not Sedentary Time Is Associated With Musculoskeletal Health Outcomes in a Cohort of Australian Middle-Aged Women. <i>Journal of Bone and Mineral Research</i> , 2017, 32, 708-715. | 2.8 | 38 |
| 33 | Association between MRI-detected osteophytes and changes in knee structures and pain in older adults: a cohort study. <i>Osteoarthritis and Cartilage</i> , 2017, 25, 1084-1092. | 1.3 | 22 |
| 34 | Pain in knee osteoarthritis is associated with variation in the neurokinin 1/substance P receptor (<i>TACR1</i>) gene. <i>European Journal of Pain</i> , 2017, 21, 1277-1284. | 2.8 | 21 |
| 35 | Both Baseline and Change in Lower Limb Muscle Strength in Younger Women Are Independent Predictors of Balance in Middle Age: A 12-Year Population-Based Prospective Study. <i>Journal of Bone and Mineral Research</i> , 2017, 32, 1201-1208. | 2.8 | 12 |
| 36 | Associations of dietary patterns with bone mass, muscle strength and balance in a cohort of Australian middle-aged women. <i>British Journal of Nutrition</i> , 2017, 118, 598-606. | 2.3 | 27 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Associations between MRI-detected early osteophytes and knee structure in older adults: a population-based cohort study. <i>Osteoarthritis and Cartilage</i> , 2017, 25, 2055-2062. | 1.3 | 11 |
| 38 | Cross-sectional and longitudinal associations between serum inflammatory cytokines and knee bone marrow lesions in patients with knee osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2017, 25, 499-505. | 1.3 | 28 |
| 39 | Associations Between Fat Mass and Multisite Pain: A Five-Year Longitudinal Study. <i>Arthritis Care and Research</i> , 2017, 69, 509-516. | 3.4 | 33 |
| 40 | Association Between Pain at Sites Outside the Knee and Knee Cartilage Volume Loss in Elderly People Without Knee Osteoarthritis: A Prospective Study. <i>Arthritis Care and Research</i> , 2017, 69, 659-666. | 3.4 | 8 |
| 41 | Cut-points for associations between vitamin D status and multiple musculoskeletal outcomes in middle-aged women. <i>Osteoporosis International</i> , 2017, 28, 505-515. | 3.1 | 14 |
| 42 | Cross-Sectional and Longitudinal Associations Between Serum Levels of High-Sensitivity C-Reactive Protein, Knee Bone Marrow Lesions, and Knee Pain in Patients With Knee Osteoarthritis. <i>Arthritis Care and Research</i> , 2016, 68, 1471-1477. | 3.4 | 15 |
| 43 | Measuring Disease Progression in Osteoarthritis. <i>Current Treatment Options in Rheumatology</i> , 2016, 2, 97-110. | 1.4 | 10 |
| 44 | Associations of Sarcopenic Obesity and Dynapenic Obesity with Bone Mineral Density and Incident Fractures Over 5-10 Years in Community-Dwelling Older Adults. <i>Calcified Tissue International</i> , 2016, 99, 30-42. | 3.1 | 103 |
| 45 | Knee Pain Predicts Subsequent Shoulder Pain and the Association Is Mediated by Leg Weakness: Longitudinal Observational Data from the Osteoarthritis Initiative. <i>Journal of Rheumatology</i> , 2016, 43, 2049-2055. | 2.0 | 8 |
| 46 | Change in knee structure and change in tibiofemoral joint space width: a five year longitudinal population-based study. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 25. | 1.9 | 9 |
| 47 | Patellofemoral Bone Marrow Lesions: Natural History and Associations With Pain and Structure. <i>Arthritis Care and Research</i> , 2016, 68, 1647-1654. | 3.4 | 9 |
| 48 | Lower limb muscle strength is associated with poor balance in middle-aged women: linear and nonlinear analyses. <i>Osteoporosis International</i> , 2016, 27, 2241-2248. | 3.1 | 16 |
| 49 | Longitudinal associations between adiposity and change in knee pain: Tasmanian older adult cohort study. <i>Seminars in Arthritis and Rheumatism</i> , 2016, 45, 564-569. | 3.4 | 13 |
| 50 | Changes in quality of life associated with fragility fractures: Australian arm of the International Cost and Utility Related to Osteoporotic Fractures Study (AusICUIROS). <i>Osteoporosis International</i> , 2015, 26, 1781-1790. | 3.1 | 80 |
| 51 | Threshold Effects of Vitamin D Status on Bone Health in Chinese Adolescents With Low Calcium Intake. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 4481-4489. | 3.6 | 12 |
| 52 | Association Between Infrapatellar Fat Pad Volume and Knee Structural Changes in Patients with Knee Osteoarthritis. <i>Journal of Rheumatology</i> , 2015, 42, 1878-1884. | 2.0 | 69 |
| 53 | Capsaicin for Osteoarthritis Pain. , 2014, 68, 277-291. | | 53 |
| 54 | The effect of <i>FTO</i> variation on increased osteoarthritis risk is mediated through body mass index: a mendelian randomisation study. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 2082-2086. | 0.9 | 66 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Lifestyle modifications to improve musculoskeletal and bone health and reduce disability – A life-course approach. <i>Best Practice and Research in Clinical Rheumatology</i> , 2014, 28, 461-478. | 3.3 | 10 |
| 56 | Effects of Individualized Bone Density Feedback and Educational Interventions on Osteoporosis Knowledge and Self-Efficacy: A 12-Yr Prospective Study. <i>Journal of Clinical Densitometry</i> , 2014, 17, 466-472. | 1.2 | 19 |
| 57 | Moderate vitamin D deficiency is associated with changes in knee and hip pain in older adults: a 5-year longitudinal study. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 697-703. | 0.9 | 72 |
| 58 | Contribution of the COMT Val158Met variant to symptomatic knee osteoarthritis. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 315-317. | 0.9 | 18 |
| 59 | Effect of bisphosphonate use in patients with symptomatic and radiographic knee osteoarthritis: data from the Osteoarthritis Initiative. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 824-830. | 0.9 | 55 |
| 60 | Lack of Association Between TESP1 Gene Polymorphisms (rs1801876, rs2171497, rs4758994, and rs997173) and Ankylosing Spondylitis in a Chinese Population. <i>Inflammation</i> , 2014, 37, 2040-2046. | 3.8 | 2 |
| 61 | The global burden of hip and knee osteoarthritis: estimates from the Global Burden of Disease 2010 study. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 1323-1330. | 0.9 | 2,433 |
| 62 | Zoledronic acid reduces knee pain and bone marrow lesions over 1 year: a randomised controlled trial. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, 1322-1328. | 0.9 | 234 |
| 63 | Disability-adjusted life years (DALYs) for 291 diseases and injuries in 21 regions, 1990–2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet</i> , The, 2012, 380, 2197-2223. | 13.7 | 7,061 |
| 64 | Years lived with disability (YLDs) for 1160 sequelae of 289 diseases and injuries 1990–2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet</i> , The, 2012, 380, 2163-2196. | 13.7 | 6,376 |
| 65 | Deteriorating tactile sensation in patients with hand syndromes associated with diabetes: A two-year observational study. <i>Journal of Diabetes and Its Complications</i> , 2012, 26, 313-318. | 2.3 | 15 |
| 66 | A prospective study of the impact of musculoskeletal pain and radiographic osteoarthritis on health related quality of life in community dwelling older people. <i>BMC Musculoskeletal Disorders</i> , 2012, 13, 168. | 1.9 | 60 |
| 67 | Treatment with 4Jointz reduces knee pain over 12 weeks of treatment in patients with clinical knee osteoarthritis: a randomised controlled trial. <i>Osteoarthritis and Cartilage</i> , 2012, 20, 1209-1216. | 1.3 | 22 |
| 68 | Declining incidence of osteoporotic hip fracture in Australia. <i>Archives of Osteoporosis</i> , 2012, 7, 179-185. | 2.4 | 45 |
| 69 | Excess body fat is associated with higher risk of vertebral deformities in older women but not in men: a cross-sectional study. <i>Osteoporosis International</i> , 2012, 23, 67-74. | 3.1 | 64 |
| 70 | The association between oral contraceptive use, bone mineral density and fractures in women aged 50–80 years. <i>Contraception</i> , 2011, 84, 357-362. | 1.5 | 13 |
| 71 | Osteoporosis education improves osteoporosis knowledge and dietary calcium: comparison of a 4 week and a one-session education course. <i>International Journal of Rheumatic Diseases</i> , 2011, 14, 239-247. | 1.9 | 32 |
| 72 | Oral Contraceptive Use and Bone. <i>Current Osteoporosis Reports</i> , 2011, 9, 6-11. | 3.6 | 17 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | The Ile585Val TRPV1 variant is involved in risk of painful knee osteoarthritis. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 1556-1561. | 0.9 | 111 |
| 74 | Hand Syndromes Associated with Diabetes: Impairments and Obesity Predict Disability. <i>Journal of Rheumatology</i> , 2009, 36, 2766-2771. | 2.0 | 35 |
| 75 | Predictors of shoulder pain and shoulder disability after one year in diabetic outpatients. <i>Rheumatology</i> , 2008, 47, 1583-1586. | 1.9 | 29 |
| 76 | Improving diagnosis and treatment of osteoporosis: evaluation of a clinical pathway for low trauma fractures. <i>Archives of Osteoporosis</i> , 2007, 2, 1-6. | 2.4 | 11 |
| 77 | Osteoporosis screening in people with airways disease. <i>Chronic Respiratory Disease</i> , 2005, 2, 5-12. | 2.4 | 2 |
| 78 | Randomized controlled trial of alendronate in airways disease and low bone mineral density. <i>Chronic Respiratory Disease</i> , 2004, 1, 131-137. | 2.4 | 32 |
| 79 | Patient education—the forgotten link in managing osteoporosis. <i>Australian Family Physician</i> , 2004, 33, 121-4. | 0.5 | 11 |
| 80 | Efficacy and safety of plant-derived products for the treatment of osteoarthritis. <i>Botanics: Targets and Therapy</i> , 0, , 1. | 0.3 | 1 |