

Jenny Nyberg

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4472004/publications.pdf>

Version: 2024-02-01

18
papers

817
citations

840776

11
h-index

839539

18
g-index

19
all docs

19
docs citations

19
times ranked

1340
citing authors

#	ARTICLE	IF	CITATIONS
1	Glucose-Dependent Insulinotropic Polypeptide Is Expressed in Adult Hippocampus and Induces Progenitor Cell Proliferation. <i>Journal of Neuroscience</i> , 2005, 25, 1816-1825.	3.6	151
2	Global Prevalence of Young-Onset Dementia. <i>JAMA Neurology</i> , 2021, 78, 1080.	9.0	124
3	Cardiovascular and cognitive fitness at age 18 and risk of early-onset dementia. <i>Brain</i> , 2014, 137, 1514-1523.	7.6	97
4	Immunohistochemical distribution of glucose-dependent insulinotropic polypeptide in the adult rat brain. <i>Journal of Neuroscience Research</i> , 2007, 85, 2099-2119.	2.9	89
5	Cardiovascular fitness in males at age 18 and risk of serious depression in adulthood: Swedish prospective population-based study. <i>British Journal of Psychiatry</i> , 2012, 201, 352-359.	2.8	84
6	Gender and Strain Influence on Neurogenesis in Dentate Gyrus of Young Rats. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2001, 21, 211-217.	4.3	76
7	Influence of Cardiovascular Fitness and Muscle Strength in Early Adulthood on Long-Term Risk of Stroke in Swedish Men. <i>Stroke</i> , 2015, 46, 1769-1776.	2.0	46
8	Effects of exercise on symptoms of anxiety in primary care patients: A randomized controlled trial. <i>Journal of Affective Disorders</i> , 2022, 297, 26-34.	4.1	37
9	Cardiovascular fitness and later risk of epilepsy. <i>Neurology</i> , 2013, 81, 1051-1057.	1.1	29
10	Fitness, strength and severity of COVID-19: a prospective register study of 1 559 187 Swedish conscripts. <i>BMJ Open</i> , 2021, 11, e051316.	1.9	29
11	Risk factors in Swedish young men for amyotrophic lateral sclerosis in adulthood. <i>Journal of Neurology</i> , 2018, 265, 460-470.	3.6	17
12	Nonpsychotic Mental Disorders in Teenage Males and Risk of Early Stroke. <i>Stroke</i> , 2016, 47, 814-821.	2.0	7
13	Anxiety severity and cognitive function in primary care patients with anxiety disorder: a cross-sectional study. <i>BMC Psychiatry</i> , 2021, 21, 617.	2.6	7
14	Cause-specific mortality in Swedish males diagnosed with non-psychotic mental disorders in late adolescence: a prospective population-based study. <i>Journal of Epidemiology and Community Health</i> , 2018, 72, 582-588.	3.7	6
15	Cardiovascular fitness and risk of migraine: a large, prospective population-based study of Swedish young adult men. <i>BMJ Open</i> , 2019, 9, e029147.	1.9	6
16	Late-adolescent risk factors for suicide and self-harm in middle-aged men: explorative prospective population-based study. <i>British Journal of Psychiatry</i> , 2020, 217, 370-376.	2.8	6
17	Effects of exercise on symptoms of anxiety, cognitive ability and sick leave in patients with anxiety disorders in primary care: study protocol for PHYSBI, a randomized controlled trial. <i>BMC Psychiatry</i> , 2019, 19, 172.	2.6	5
18	Do P2Y12 receptor inhibitors prescribed poststroke modify the risk of cognitive disorder or dementia? Protocol for a target trial using multiple national Swedish registries. <i>BMJ Open</i> , 2022, 12, e058244.	1.9	1