

Mario Luciano

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4472828/publications.pdf>

Version: 2024-02-01

120
papers

3,126
citations

201674

27
h-index

189892

50
g-index

138
all docs

138
docs citations

138
times ranked

4090
citing authors

#	ARTICLE	IF	CITATIONS
1	The impact of Covid-19 on unemployment across Italy: Consequences for those affected by psychiatric conditions. <i>Journal of Affective Disorders</i> , 2022, 296, 59-66.	4.1	31
2	COVID-19-Related Social Isolation Predispose to Problematic Internet and Online Video Gaming Use in Italy. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 1539.	2.6	31
3	Medium and long-term efficacy of psychoeducational family intervention for bipolar I disorder: Results from a real-world, multicentric study. <i>Bipolar Disorders</i> , 2022, , .	1.9	4
4	Delirium and Psychiatric Sequelae Associated to SARS-CoV-2 in Asymptomatic Patients With Psychiatric History and Mild Cognitive Impairment as Risk Factors: Three Case Reports. <i>Frontiers in Psychiatry</i> , 2022, 13, 868286.	2.6	1
5	Anti-stigma training and positive changes in mental illness stigma outcomes in medical students in ten countries: a mediation analysis on pathways via empathy development and anxiety reduction. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 1861-1873.	3.1	10
6	Catatonia Spectrum: Validation of a Questionnaire Investigating Catatonia Spectrum. <i>Frontiers in Psychiatry</i> , 2022, 13, .	2.6	15
7	Impact of clinical decision-making participation and satisfaction on outcomes in mental health practice: results from the CEDAR European longitudinal study. <i>International Review of Psychiatry</i> , 2022, 34, 848-860.	2.8	5
8	Were anxiety, depression and psychological distress associated with local mortality rates during COVID-19 outbreak in Italy? Findings from the COMET study. <i>Journal of Psychiatric Research</i> , 2022, 152, 242-249.	3.1	11
9	First-episode Psychosis and Migration in Italy: Results from a Study in the Italian Mental Health Services (Pep-Ita Study). <i>Journal of Immigrant and Minority Health</i> , 2021, 23, 519-527.	1.6	3
10	Duration of untreated illness predicts 3-year outcome in patients with obsessive-compulsive disorder: A real-world, naturalistic, follow-up study. <i>Psychiatry Research</i> , 2021, 299, 113872.	3.3	20
11	Community Mental Health Services in Italy. <i>Consortium Psychiatricum</i> , 2021, 2, 86-92.	0.7	1
12	What Is the Role of Resilience and Coping Strategies on the Mental Health of the General Population during the COVID-19 Pandemic? Results from the Italian Multicentric COMET Study. <i>Brain Sciences</i> , 2021, 11, 1231.	2.3	41
13	The impact of clinical and social factors on the physical health of people with severe mental illness: Results from an Italian multicentre study. <i>Psychiatry Research</i> , 2021, 303, 114073.	3.3	12
14	Affective Temperaments and Illness Severity in Patients with Bipolar Disorder. <i>Medicina (Lithuania)</i> , 2021, 57, 54.	2.0	15
15	Dissociative Symptoms in Bipolar Disorder: Impact on Clinical Course and Treatment Response. <i>Frontiers in Psychiatry</i> , 2021, 12, 732843.	2.6	6
16	Access to Mental Health Care during the First Wave of the COVID-19 Pandemic in Italy: Results from the COMET Multicentric Study. <i>Brain Sciences</i> , 2021, 11, 1413.	2.3	18
17	Factors influencing lithium versus valproate prescription preference in the maintenance treatment of bipolar patients: a report from the Italian Early Career Psychiatrists (SOPSI-GG). <i>International Journal of Psychiatry in Clinical Practice</i> , 2021, 25, 82-89.	2.4	6
18	Mental Health Disturbances and Related Problems in Italian University Medical Students from 2000 to 2020: An Integrative Review of Qualitative and Quantitative Studies. <i>Medicina (Lithuania)</i> , 2021, 57, 11.	2.0	8

#	ARTICLE	IF	CITATIONS
19	The Transition From Maternity Blues to Full-Blown Perinatal Depression: Results From a Longitudinal Study. <i>Frontiers in Psychiatry</i> , 2021, 12, 703180.	2.6	10
20	Delirium and Cognitive Impairment as Predisposing Factors of COVID-19 Infection in Neuropsychiatric Patients: A Narrative Review. <i>Medicina (Lithuania)</i> , 2021, 57, 1244.	2.0	8
21	How to improve the physical health of people with severe mental illness? A multicentric randomized controlled trial on the efficacy of a lifestyle group intervention. <i>European Psychiatry</i> , 2021, 64, e72.	0.2	11
22	Loneliness in Young Adults During the First Wave of COVID-19 Lockdown: Results From the Multicentric COMET Study. <i>Frontiers in Psychiatry</i> , 2021, 12, 788139.	2.6	25
23	When does shared decision making is adopted in psychiatric clinical practice? Results from a European multicentric study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 645-653.	3.2	8
24	Validation of the brief TEMPS-M temperament questionnaire in a clinical Italian sample of bipolar and cyclothymic patients. <i>Journal of Affective Disorders</i> , 2020, 260, 458-462.	4.1	29
25	Diagnosis, Clinical Features, and Therapeutic Implications of Agitated Depression. <i>Psychiatric Clinics of North America</i> , 2020, 43, 47-57.	1.3	12
26	Clinical Picture, Temperament, and Personality of Patients with Mixed States. <i>Psychiatric Clinics of North America</i> , 2020, 43, 15-26.	1.3	5
27	Effects of the lockdown on the mental health of the general population during the COVID-19 pandemic in Italy: Results from the COMET collaborative network. <i>European Psychiatry</i> , 2020, 63, e87.	0.2	252
28	The Impact of Quarantine and Physical Distancing Following COVID-19 on Mental Health: Study Protocol of a Multicentric Italian Population Trial. <i>Frontiers in Psychiatry</i> , 2020, 11, 533.	2.6	171
29	Efficacy of the interpersonal and social rhythm therapy (IPSRT) in patients with bipolar disorder: results from a real-world, controlled trial. <i>Annals of General Psychiatry</i> , 2020, 19, 15.	2.7	22
30	Clinical Severity and Calcium Metabolism in Patients with Bipolar Disorder. <i>Brain Sciences</i> , 2020, 10, 417.	2.3	18
31	The Italian ICD-11 field trial: clinical utility of diagnostic guidelines for schizophrenia and related disorders. <i>International Journal of Mental Health Systems</i> , 2020, 14, 4.	2.7	5
32	The de ClÃ©rambault syndrome: more than just a delusional disorder?. <i>International Review of Psychiatry</i> , 2020, 32, 385-390.	2.8	5
33	From dysthymia to treatment-resistant depression: evolution of a psychopathological construct. <i>International Review of Psychiatry</i> , 2020, 32, 471-476.	2.8	16
34	Unmet Needs in Modern Psychiatric Practice. , 2020, , 1-13.		0
35	CHARACTERISTICS OF INTERNET USE AMONGST ITALIAN UNIVERSITY STUDENTS. <i>Psichiatria Danubina</i> , 2020, 32, 411-419.	0.4	3
36	Affective Temperaments and Clinical Course of Bipolar Disorder: An Exploratory Study of Differences among Patients with and without a History of Violent Suicide Attempts. <i>Medicina (Lithuania)</i> , 2019, 55, 390.	2.0	12

#	ARTICLE	IF	CITATIONS
37	Perceived Coercion Among Patients Admitted in Psychiatric Wards: Italian Results of the EUNOMIA Study. <i>Frontiers in Psychiatry</i> , 2019, 10, 316.	2.6	16
38	Thrombocytosis in bipolar disorder: A case report. <i>Bipolar Disorders</i> , 2019, 21, 800-802.	1.9	0
39	How to Measure Knowledge About Mental Disorders? Validation of the Italian Version of the MAKES. <i>Community Mental Health Journal</i> , 2019, 55, 1354-1361.	2.0	9
40	Comorbidity of Obsessive-Compulsive Disorder and Schizotypal Personality Disorder: Clinical Response and Treatment Resistance to Pharmacotherapy in a 3-Year Follow-Up Naturalistic Study. <i>Frontiers in Psychiatry</i> , 2019, 10, 386.	2.6	18
41	Editorial: Reducing the Mortality Gap in People With Severe Mental Disorders: The Role of Lifestyle Psychosocial Interventions. <i>Frontiers in Psychiatry</i> , 2019, 10, 434.	2.6	16
42	Mood symptoms and suicidality across the autism spectrum. <i>Comprehensive Psychiatry</i> , 2019, 91, 34-38.	3.1	67
43	Psychoeducational Intervention for Perinatal Depression: Study Protocol of a Randomized Controlled Trial. <i>Frontiers in Psychiatry</i> , 2019, 10, 55.	2.6	11
44	Maternal stress, prenatal medical illnesses and obstetric complications: Risk factors for schizophrenia spectrum disorder, bipolar disorder and major depressive disorder. <i>Psychiatry Research</i> , 2019, 271, 23-30.	3.3	46
45	Social versus biological psychiatry: It's time for integration!. <i>International Journal of Social Psychiatry</i> , 2018, 64, 617-621.	3.1	11
46	Being influential or being misleading? Citation bias in psychiatric research and practice. <i>Epidemiology and Psychiatric Sciences</i> , 2018, 27, 242-243.	3.9	2
47	Subthreshold autism spectrum disorder in patients with eating disorders. <i>Comprehensive Psychiatry</i> , 2018, 81, 66-72.	3.1	83
48	How the use of the term "schizo*" has changed in an Italian newspaper from 2001 to 2015: Findings from a descriptive analysis. <i>Psychiatry Research</i> , 2018, 270, 792-800.	3.3	7
49	Clinical utility of ICD-11 diagnostic guidelines for high-burden mental disorders: results from mental health settings in 13 countries. <i>World Psychiatry</i> , 2018, 17, 306-315.	10.4	62
50	The ICD-11 developmental field study of reliability of diagnoses of high-burden mental disorders: results among adult patients in mental health settings of 13 countries. <i>World Psychiatry</i> , 2018, 17, 174-186.	10.4	89
51	The effects of psychoeducational family intervention on coping strategies of relatives of patients with bipolar I disorder: results from a controlled, real-world, multicentric study. <i>Neuropsychiatric Disease and Treatment</i> , 2018, Volume 14, 977-989.	2.2	15
52	A Randomized Controlled Trial on the Efficacy of a Psychosocial Behavioral Intervention to Improve the Lifestyle of Patients With Severe Mental Disorders: Study Protocol. <i>Frontiers in Psychiatry</i> , 2018, 9, 235.	2.6	23
53	How to improve clinical practice on forced medication in psychiatric practice: Suggestions from the EUNOMIA European multicentre study. <i>European Psychiatry</i> , 2018, 54, 35-40.	0.2	20
54	The contribution of the WPA to the production of the ICD-11 chapter on mental, behavioural or neurodevelopmental disorders. <i>World Psychiatry</i> , 2018, 17, 239-240.	10.4	1

#	ARTICLE	IF	CITATIONS
55	Unmet Needs in Schizophrenia. <i>CNS and Neurological Disorders - Drug Targets</i> , 2018, 16, 870-884.	1.4	16
56	Clinical Decision Making and Mental Health Service Use Among Persons With Severe Mental Illness Across Europe. <i>Psychiatric Services</i> , 2017, 68, 970-974.	2.0	11
57	Improving physical health of patients with severe mental disorders: a critical review of lifestyle psychosocial interventions. <i>Expert Review of Neurotherapeutics</i> , 2017, 17, 667-681.	2.8	51
58	How do relatives cope with eating disorders? Results from an Italian multicentre study. <i>International Journal of Eating Disorders</i> , 2017, 50, 587-592.	4.0	4
59	Autistic Traits in Patients with Anorexia Nervosa, Bulimia Nervosa or Binge Eating Disorder: A Pilot Study. <i>European Psychiatry</i> , 2017, 41, S100-S100.	0.2	10
60	Are coping strategies really different among family members of patients with eating disorders?. <i>European Psychiatry</i> , 2017, 41, S559-S559.	0.2	0
61	Effectiveness of Psychoeducational Family Intervention on Coping Strategies of Relatives of Patients with Bipolar I Disorder. <i>European Psychiatry</i> , 2017, 41, S78-S78.	0.2	0
62	Psychoeducational Family Intervention: Benefits and Obstacles Reported by Mental Health Professionals. <i>European Psychiatry</i> , 2017, 41, S88-S88.	0.2	0
63	Psychoeducational family intervention for people with eating disorders: Rationale and development. <i>European Psychiatry</i> , 2017, 41, S382-S382.	0.2	0
64	Are Social Networks Useful to Challenge Stigma Attached to Mental Disorders? Findings from the Time to Change Social Marketing Campaign 2009-2014. <i>European Psychiatry</i> , 2017, 41, S89-S89.	0.2	2
65	Recovery and decision-making involvement in people with severe mental illness from six countries: a prospective observational study. <i>BMC Psychiatry</i> , 2017, 17, 38.	2.6	21
66	Adult Autism Subthreshold Spectrum (AdAS Spectrum): Validation of a questionnaire investigating subthreshold autism spectrum. <i>Comprehensive Psychiatry</i> , 2017, 73, 61-83.	3.1	79
67	What mental health services should be available after the postnatal period?. <i>European Psychiatry</i> , 2017, 41, 911-911.	0.2	0
68	Suicide Prevention in Schizophrenia: Do Long-Acting Injectable Antipsychotics (LAIs) have a Role?. <i>CNS and Neurological Disorders - Drug Targets</i> , 2017, 16, 454-462.	1.4	27
69	THE ICD-11 CHAPTER ON MENTAL DISORDERS: AN UPDATE FOR WPA COMPONENTS. <i>Turk Psikiyatri Dergisi</i> , 2017, , .	0.2	0
70	Preliminary versions of the chapter on mental disorders of the ICD-11. <i>Actas Espanolas De Psiquiatria</i> , 2017, 45, 79-88.	0.1	3
71	First World War and Mental Health: a retrospective comparative study of veterans admitted to a psychiatric hospital between 1915 and 1918. <i>Rivista Di Psichiatria</i> , 2017, 52, 120-125.	0.6	1
72	Psychometric validation of the Italian version of the Reported and Intended Behaviour Scale (RIBS). <i>Epidemiology and Psychiatric Sciences</i> , 2016, 25, 485-492.	3.9	30

#	ARTICLE	IF	CITATIONS
73	Does the use of coercion improve the outcome of patients with severe mental disorders?. European Psychiatry, 2016, 33, S22-S22.	0.2	0
74	Pathways to care and duration of untreated psychosis in patients with a first episode of psychosis in Italy. International Journal of Culture and Mental Health, 2016, 9, 293-302.	0.6	0
75	Education in Psychopathology in Europe: Results from a Survey in 32 Countries. Academic Psychiatry, 2016, 40, 242-248.	0.9	11
76	Perceived insecurity, mental health and urbanization: Results from a multicentric study. International Journal of Social Psychiatry, 2016, 62, 252-261.	3.1	18
77	Feasibility of a psychoeducational family intervention for people with bipolar I disorder and their relatives: Results from an Italian real-world multicentre study. Journal of Affective Disorders, 2016, 190, 657-662.	4.1	20
78	Dealing with aggressive and violent behaviours in psychiatric settings. , 2016, , 325-340.		0
79	Providing Psychoeducational Family Intervention for Bipolar I Patients in the Real-world Study: Difficulties and Benefits for Mental Health Professionals.. European Psychiatry, 2015, 30, 416.	0.2	0
80	The ICDâ€11 beta draft is available online. World Psychiatry, 2015, 14, 375-376.	10.4	26
81	University studentsâ€™ identification of stigmatizing schizophrenia in Italian newspapers.. American Journal of Orthopsychiatry, 2015, 85, 139-144.	1.5	7
82	Including family members in psychoeducation for bipolar disorder: is it worth it?. Bipolar Disorders, 2015, 17, 458-459.	1.9	5
83	Bridging the gap between education and appropriate use of benzodiazepines in psychiatric clinical practice. Neuropsychiatric Disease and Treatment, 2015, 11, 1885.	2.2	47
84	Research priorities for public mental health in Europe: recommendations of the ROAMER project. European Journal of Public Health, 2015, 25, 249-254.	0.3	113
85	Training in Psychopathology in Europe: Results From a Survey. European Psychiatry, 2015, 30, 676.	0.2	2
86	Development and validation of the family coping questionnaire for eating disorders. International Journal of Eating Disorders, 2015, 48, 298-304.	4.0	10
87	The role of relatives in pathways to care of patients with a first episode of psychosis. International Journal of Social Psychiatry, 2015, 61, 631-637.	3.1	42
88	Mental health research priorities for Europe. Lancet Psychiatry,the, 2015, 2, 1036-1042.	7.4	158
89	The Brief Negative Symptom Scale (BNSS): Independent validation in a large sample of Italian patients with schizophrenia. European Psychiatry, 2015, 30, 641-647.	0.2	114
90	What is the current status of training and practice of early intervention in psychiatry? Results from a survey in 35 countries. Microbial Biotechnology, 2015, 9, 70-75.	1.7	10

#	ARTICLE	IF	CITATIONS
91	Efficacy of psychoeducational family intervention for bipolar I disorder: A controlled, multicentric, real-world study. <i>Journal of Affective Disorders</i> , 2015, 172, 291-299.	4.1	61
92	The crisis in psychiatry: A public health perspective. <i>International Review of Psychiatry</i> , 2014, 26, 530-534.	2.8	15
93	Risk of burnout among early career mental health professionals. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2014, 21, 774-781.	2.1	70
94	This is why there is hope for psychiatry. <i>World Psychiatry</i> , 2014, 13, 98-99.	10.4	11
95	Proposals for ICD-11: a report for WPA membership. <i>World Psychiatry</i> , 2014, 13, 206-208.	10.4	5
96	ROAMER: roadmap for mental health research in Europe. <i>International Journal of Methods in Psychiatric Research</i> , 2014, 23, 1-14.	2.1	109
97	Use of coercive measures in mental health practice and its impact on outcome: a critical review. <i>Expert Review of Neurotherapeutics</i> , 2014, 14, 131-141.	2.8	95
98	Pathways to mental health care in Italy: Results from a multicenter study. <i>International Journal of Social Psychiatry</i> , 2014, 60, 508-513.	3.1	28
99	First-episode psychosis and migration in Italy (PEP-Ita migration): a study in the Italian mental health services. <i>BMC Psychiatry</i> , 2014, 14, 186.	2.6	13
100	The development and evaluation of a five-language multi-perspective standardised measure: clinical decision-making involvement and satisfaction (CDIS). <i>BMC Health Services Research</i> , 2014, 14, 323.	2.2	24
101	Desire for information of people with severe mental illness. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 1883-1891.	3.1	17
102	The state of the art in European research on reducing social exclusion and stigma related to mental health: A systematic mapping of the literature. <i>European Psychiatry</i> , 2014, 29, 381-389.	0.2	110
103	Response from the author. <i>International Journal of Social Psychiatry</i> , 2013, 59, 621-622.	3.1	0
104	Who cares for it? How to provide psychosocial interventions in the community. <i>International Journal of Social Psychiatry</i> , 2013, 59, 701-705.	3.1	29
105	Challenges for trainees in psychiatry and early career psychiatrists. <i>International Review of Psychiatry</i> , 2013, 25, 431-437.	2.8	39
106	Priorities for mental health research in Europe: A survey among national stakeholders' associations within the ROAMER project. <i>World Psychiatry</i> , 2013, 12, 165-170.	10.4	66
107	The family in Italy: Cultural changes and implications for treatment. <i>International Review of Psychiatry</i> , 2012, 24, 149-156.	2.8	54
108	Caregivers' appraisals of patients' involuntary hospital treatment: European multicentre study. <i>British Journal of Psychiatry</i> , 2012, 201, 486-491.	2.8	26

#	ARTICLE	IF	CITATIONS
109	The new impact factor and immediacy index of World Psychiatry. World Psychiatry, 2012, 11, 207-208.	10.4	4
110	A "family affair"? The impact of family psychoeducational interventions on depression. Expert Review of Neurotherapeutics, 2012, 12, 83-92.	2.8	34
111	Patient characteristics and symptoms associated with perceived coercion during hospital treatment. Acta Psychiatrica Scandinavica, 2012, 125, 460-467.	4.5	58
112	Training and practice of psychotherapy in Europe: results of a survey. World Psychiatry, 2011, 10, 238-238.	10.4	29
113	P01-227-Implementing family psychoeducational intervention in bipolar i disorder: a randomized controlled trial. European Psychiatry, 2011, 26, 228-228.	0.2	0
114	Coercive measures in italian inpatient units: results from eunomia study. European Psychiatry, 2011, 26, 527-527.	0.2	1
115	Views of general public, mental health professionals and patients' relatives about schizophrenia: An Italian multi-centric survey. European Psychiatry, 2011, 26, 532-532.	0.2	1
116	Family burden in major depression: a multicentric survey in 30 italian mental health centres. European Psychiatry, 2011, 26, 625-625.	0.2	5
117	The effect of family psychoeducational interventions on patients with depression. European Psychiatry, 2011, 26, 2209-2209.	0.2	5
118	Pathways to Care, Duration of Untreated Psychosis and Treatments Received by Patients with First-Episode Psychosis. European Psychiatry, 2011, 26, 1394-1394.	0.2	0
119	The psychiatrist of the new millennium: training needs, clinical skills, professional risks. International Psychiatry: Bulletin of the Board of International Affairs of the Royal College of Psychiatrists, 2011, 8, 24-25.	0.1	0
120	The Complex Interplay Between Physical Activity and Recovery Styles in Patients With Severe Mental Disorders in a Real-World Multicentric Study. Frontiers in Psychiatry, 0, 13, .	2.6	1