

# Hanjiang Fu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4479521/publications.pdf>

Version: 2024-02-01

32  
papers

3,699  
citations

361413

20  
h-index

414414

32  
g-index

32  
all docs

32  
docs citations

32  
times ranked

6232  
citing authors

#	ARTICLE	IF	CITATIONS
1	Identification of Combinations of Plasma lncRNAs and mRNAs as Potential Biomarkers for Precursor Lesions and Early Gastric Cancer. <i>Journal of Oncology</i> , 2022, 2022, 1-13.	1.3	5
2	Genome-wide analysis of lncRNA stability in human. <i>PLoS Computational Biology</i> , 2021, 17, e1008918.	3.2	19
3	Identification of plasma RGS18 and PPBP mRNAs as potential biomarkers for gastric cancer using transcriptome arrays. <i>Oncology Letters</i> , 2019, 17, 247-255.	1.8	8
4	Transcriptional activation of miR-320a by ATF2, ELK1 and YY1 induces cancer cell apoptosis under ionizing radiation conditions. <i>International Journal of Oncology</i> , 2018, 53, 1691-1702.	3.3	21
5	Nuclear retention of the lncRNA SNHG1 by doxorubicin attenuates hnRNPA2B1-p53 protein interactions. <i>EMBO Reports</i> , 2017, 18, 536-548.	4.5	86
6	A long non-coding RNA lncRNA-PE promotes invasion and epithelial-mesenchymal transition in hepatocellular carcinoma through the miR-200a/b-ZEB1 pathway. <i>Tumor Biology</i> , 2017, 39, 101042831770575.	1.8	9
7	Detecting RNA-RNA interactions in <i>E. coli</i> using a modified CLASH method. <i>BMC Genomics</i> , 2017, 18, 343.	2.8	18
8	The combination of circulating long noncoding RNAs AK001058, INHBA-AS1, MIR4435-2HG, and CEBPA-AS1 fragments in plasma serve as diagnostic markers for gastric cancer. <i>Oncotarget</i> , 2017, 8, 21516-21525.	1.8	72
9	Circulating plasma microRNAs as potential markers to identify EGFR mutation status and to monitor epidermal growth factor receptor-tyrosine kinase inhibitor treatment in patients with advanced non-small cell lung cancer. <i>Oncotarget</i> , 2017, 8, 45807-45824.	1.8	13
10	Identification of lncRNA MEG3 Binding Protein Using MS2-Tagged RNA Affinity Purification and Mass Spectrometry. <i>Applied Biochemistry and Biotechnology</i> , 2015, 176, 1834-1845.	2.9	18
11	Long Noncoding RNA MEG3 Interacts with p53 Protein and Regulates Partial p53 Target Genes in Hepatoma Cells. <i>PLoS ONE</i> , 2015, 10, e0139790.	2.5	132
12	Clinical and pathological features of miR-10b and RHOC gene expression in hepatocellular carcinoma. <i>Science Bulletin</i> , 2014, 59, 2249-2253.	1.7	3
13	MicroRNA-451 regulates activating transcription factor 2 expression and inhibits liver cancer cell migration. <i>Oncology Reports</i> , 2014, 32, 1021-1028.	2.6	54
14	The Long Noncoding RNA Expression Profile of Hepatocellular Carcinoma Identified by Microarray Analysis. <i>PLoS ONE</i> , 2014, 9, e101707.	2.5	59
15	Function of lncRNAs and approaches to lncRNA-protein interactions. <i>Science China Life Sciences</i> , 2013, 56, 876-885.	4.9	290
16	Correlation of microRNAs responding to high dose $\gamma$ -irradiation with predicted target mRNAs in HeLa cells using microarray analyses. <i>Science Bulletin</i> , 2013, 58, 4622-4629.	1.7	2
17	Hepatitis B virus X protein represses miRNA-148a to enhance tumorigenesis. <i>Journal of Clinical Investigation</i> , 2013, 123, 630-45.	8.2	202
18	Hepato-specific microRNA-122 facilitates accumulation of newly synthesized miRNA through regulating PRKRA. <i>Nucleic Acids Research</i> , 2012, 40, 884-891.	14.5	31

#	ARTICLE	IF	CITATIONS
19	miR-513a-3p sensitizes human lung adenocarcinoma cells to chemotherapy by targeting GSTP1. <i>Lung Cancer</i> , 2012, 77, 488-494.	2.0	76
20	VCP/p97, Down-Regulated by microRNA-129-5p, Could Regulate the Progression of Hepatocellular Carcinoma. <i>PLoS ONE</i> , 2012, 7, e35800.	2.5	74
21	A novel method for ionizing radiation-induced RNA damage detection by poly(A)-tailing RT-PCR. <i>Science Bulletin</i> , 2011, 56, 3172.	1.7	1
22	Generate gene expression profile from high-throughput sequencing data. <i>Frontiers of Mathematics in China</i> , 2011, 6, 1131-1145.	0.7	1
23	miR-183 inhibits TGF- $\beta$ 1-induced apoptosis by downregulation of PDCD4 expression in human hepatocellular carcinoma cells. <i>BMC Cancer</i> , 2010, 10, 354.	2.6	135
24	An estrogen receptor $\beta$ suppressor, microRNA-22, is downregulated in estrogen receptor $\beta$ -positive human breast cancer cell lines and clinical samples. <i>FEBS Journal</i> , 2010, 277, 1684-1694.	4.7	148
25	MicroRNA-193b regulates proliferation, migration and invasion in human hepatocellular carcinoma cells. <i>European Journal of Cancer</i> , 2010, 46, 2828-2836.	2.8	134
26	Stress induces tRNA cleavage by angiogenin in mammalian cells. <i>FEBS Letters</i> , 2009, 583, 437-442.	2.8	462
27	MicroRNA-101 regulates expression of the v-fos FBJ murine osteosarcoma viral oncogene homolog (FOS) oncogene in human hepatocellular carcinoma. <i>Hepatology</i> , 2009, 49, 1194-1202.	7.3	155
28	Circulating miRNA and cancer diagnosis. <i>Science in China Series C: Life Sciences</i> , 2009, 52, 1117-1122.	1.3	31
29	miR-34a inhibits migration and invasion by down-regulation of c-Met expression in human hepatocellular carcinoma cells. <i>Cancer Letters</i> , 2009, 275, 44-53.	7.2	395
30	Downregulation of CCND1 and CDK6 by miR-34a induces cell cycle arrest. <i>FEBS Letters</i> , 2008, 582, 1564-1568.	2.8	439
31	miR-16 family induces cell cycle arrest by regulating multiple cell cycle genes. <i>Nucleic Acids Research</i> , 2008, 36, 5391-5404.	14.5	431
32	Identification of human fetal liver miRNAs by a novel method. <i>FEBS Letters</i> , 2005, 579, 3849-3854.	2.8	175