

M N Agaras

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4481192/publications.pdf>

Version: 2024-02-01

346
papers

9,210
citations

50276
46
h-index

88630
70
g-index

361
all docs

361
docs citations

361
times ranked

8013
citing authors

#	ARTICLE	IF	CITATIONS
1	Measurement of the energy response of the ATLAS calorimeter to charged pions from $\pi^+ \pi^-$ events in Run2 data. European Physical Journal C, 2022, 82, 1.	4.1	7
2	Emulating the impact of additional proton-proton interactions in the ATLAS simulation by presampling sets of inelastic Monte Carlo events. Computing and Software for Big Science, 2022, 6, 1.	2.9	5
3	Performance of the ATLAS Level-1 topological trigger in Run2. European Physical Journal C, 2022, 82, 1.	3.9	6
4	Measurement of the c-jet mistagging efficiency in $t\bar{t}$ events using pp collision data at $\sqrt{s} = 13$ TeV collected with the ATLAS detector. European Physical Journal C, 2022, 82, .	3.9	14
5	Operation and performance of the ATLAS semiconductor tracker in LHC Run2. Journal of Instrumentation, 2022, 17, P01013.	1.2	1
6	Search for exotic decays of the Higgs boson into $b\bar{b}$ and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2022, 2022, 1.	4.7	2
7	Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at 13 TeV with the ATLAS detector. European Physical Journal C, 2022, 82, 1.	3.9	8
8	Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with 139 fb^{-1} of pp collision data at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	10
9	AtFast3: The Next Generation of Fast Simulation in ATLAS. Computing and Software for Big Science, 2022, 6, 1.	2.9	23
10	Measurement of the energy response of the ATLAS calorimeter to charged pions from $\pi^+ \pi^-$ events in Run2 data. European Physical Journal C, 2022, 82, 1.	3.9	4
11	The ATLAS inner detector trigger performance in pp collisions at 13 TeV during LHC Run 2. European Physical Journal C, 2022, 82, 1.	3.9	5
12	Search for associated production of a Z boson with an invisibly decaying Higgs boson or dark matter candidates at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2022, 829, 137066.	4.1	8
13	Measurement of the nuclear modification factor for muons from charm and bottom hadrons in Pb+Pb collisions at 5.02 TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2022, 829, 137077.	4.1	9
14	Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2022, 82, .	3.9	7
15	A search for an unexpected asymmetry in the production of $e^+ e^-$ and $\mu^+ \mu^-$ pairs in proton-proton collisions recorded by the ATLAS detector at $\sqrt{s} = 13$ TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2022, 830, 137106.	4.1	1
16	Measurement of the energy asymmetry in $t\bar{t}$ production at $\sqrt{s} = 13$ TeV with the ATLAS experiment and interpretation in the SMEFT framework. European Physical Journal C, 2022, 82, .	3.9	2
17	Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\sqrt{s} = 7$, 8 and 13 TeV. European Physical Journal C, 2022, 82, 1.	3.9	12
18	Measurements of azimuthal anisotropies of jet production in $p_T > 10$ GeV collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review C, 2022, 105, .	2.9	6

#	ARTICLE	IF	CITATIONS
19	Search for long-lived charginos based on a disappearing-track signature using 136 fb $^{-1}$ of pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2022, 82, .	3.9	13
20	Two-particle Bose-Einstein correlations in pp collisions at $\sqrt{s} = 13\text{TeV}$ measured with the ATLAS detector at the LHC. European Physical Journal C, 2022, 82, .	3.9	3
21	Measurement of hadronic event shapes in high-pT multijet final states at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
22	A search for the dimuon decay of the Standard Model Higgs boson with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2021, 812, 135980.	4.1	61
23	Medium-Induced Modification of Z -Tagged Charged Particle Yields in $\sqrt{s} = 13\text{TeV}$ ATLAS Data. Physics Letters B, 2021, 135, 073201.	7.8	7
24	Search for squarks and gluinos in final states with jets and missing transverse momentum using 139 fb $^{-1}$ of $\sqrt{s} = 13\text{TeV}$ pp collision data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	37
25	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton-proton collisions at ATLAS. European Physical Journal C, 2021, 81, 1.	3.9	12
26	Measurements of WH and ZH production in the $H \rightarrow b\bar{b}$ decay channel in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	38
27	Search for dark matter in association with an energetic photon in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	18
28	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	17
29	Measurement of light-by-light scattering and search for axion-like particles with 2.2 nb $^{-1}$ of Pb+Pb data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	19
30	Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1, ed in Association with a Dark Higgs Boson Decaying into W or Z in Fully Hadronic Final States Longitudinal Flow Décorrelations in $\sqrt{s} = 13\text{TeV}$ ATLAS Data. Physics Letters B, 2021, 122301.	4.7	6
31	Collisions at $\sqrt{s} = 13\text{TeV}$ in Fully Hadronic Final States Longitudinal Flow Décorrelations in $\sqrt{s} = 13\text{TeV}$ ATLAS Data. Physics Letters B, 2021, 122301.	7.8	6
32	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	14
33	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	22
34	Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	18
35	Measurement of the CP-violating phase ϕ_s in $B_s^0 \rightarrow J/\psi \phi$ decays in ATLAS at 13 TeV. European Physical Journal C, 2021, 81, .	3.9	13

#	ARTICLE	IF	CITATIONS
37	Optimisation of large-radius jet reconstruction for the ATLAS detector in 13 TeV proton+proton collisions. European Physical Journal C, 2021, 81, 1.	3.9	15
38	Search for heavy resonances decaying into a pair of Z bosons in the $\ell^+\ell^-\ell^+\ell^-$ and $\ell^+\ell^-\ell^-\ell^+$ final states using 139 fb^{-1} of proton+proton collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	40
39	Search for new phenomena in final states with b-jets and missing transverse momentum in $\sqrt{s} = 13\text{TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, Measurement of the associated production of a Higgs boson decaying into b-quarks with a vector boson at high transverse momentum in pp collisions at $\sqrt{s} = 13\text{TeV}$. xmlns:mml="http://www.w3.org/1998/Math/MathML"	4.7	18
40	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $\ell^+\ell^-\ell^+\ell^-$ and $\ell^+\ell^-\ell^-\ell^+$ final states in pp collisions at $\sqrt{s}=13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1. Observation of photon-induced $W+W^-$ production in pp collisions at $\sqrt{s} = 13\text{TeV}$. xmlns:mml="http://www.w3.org/1998/Math/MathML"	4.1	17
41	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $\ell^+\ell^-\ell^+\ell^-$ and $\ell^+\ell^-\ell^-\ell^+$ final states in pp collisions at $\sqrt{s}=13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1. Observation of photon-induced $W+W^-$ production in pp collisions at $\sqrt{s} = 13\text{TeV}$. xmlns:mml="http://www.w3.org/1998/Math/MathML"	3.9	26
42	Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13\text{TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2021, 816, 136190.	4.1	6
43	Measurements of $W+W^-$ production cross-sections in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	23
44	Search for charged Higgs bosons decaying into a top quark and a bottom quark at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	8
45	Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at $\sqrt{s}=13\text{TeV}$. European Physical Journal C, 2021, 81, 1.	4.7	46
46	Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a $\tilde{\tau}_l$ -lepton in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	3.9	14
47	Search for charged-lepton-flavour violation in Z-boson decays with the ATLAS detector. Nature Physics, 2021, 17, 819-825.	4.7	27
48	Search for Displaced Leptons in $\ell^+\ell^-\ell^+\ell^-$ and $\ell^+\ell^-\ell^-\ell^+$ final states with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	16.7	8
49	Search for supersymmetry in events with four or more charged leptons in 139 fb^{-1} of $\sqrt{s} = 13\text{TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	7.8	17
50	Test of the universality of $\tilde{\tau}_l$, and $\tilde{\tau}_l$ lepton couplings in W-boson decays with the ATLAS detector. Nature Physics, 2021, 17, 813-818.	16.7	15
51	Two-particle azimuthal correlations in photonuclear ultraperipheral $\text{Pb} + \text{Pb}$ collisions at 5.02 TeV with ATLAS. Physical Review C, 2021, 104, 1.	4.7	12
52	Search for supersymmetry in events with four or more charged leptons in 139 fb^{-1} of $\sqrt{s} = 13\text{TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	12
53	Determination of the parton distribution functions of the proton from ATLAS measurements of differential $W\tilde{\tau}_l$ and Z boson production in association with jets. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10
54	Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	8

#	ARTICLE	IF	CITATIONS
55	A search for the decays of stopped long-lived particles at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	5
56	Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s}=13 \text{ TeV}$. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	82
57	Performance of the ATLAS RPC detector and Level-1 muon barrel trigger at $\sqrt{s}=13 \text{ TeV}$. <i>Journal of Instrumentation</i> , 2021, 16, P07029.	1.2	6
58	Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	13
59	The ATLAS Fast TracKer system. <i>Journal of Instrumentation</i> , 2021, 16, P07006.	1.2	5
60	Measurement of single top-quark production in association with a W boson in the single-lepton channel at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	3
61	Jet energy scale and resolution measured in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1. Evidence for Higgs boson decays to a low-mass dilepton system and a photon in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021, 819, 136412.	3.9	64
62	Measurements of sensor radiation damage in the ATLAS inner detector using leakage currents. <i>Journal of Instrumentation</i> , 2021, 16, P08025.	4.1	8
63	Measurements of the inclusive and differential production cross sections of a top-quark-antiquark pair in association with a Z boson at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	12
64	Exclusive dimuon production in ultraperipheral Pb-Pb collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>Physical Review C</i> , 2021, 104, 014901.	2.9	11
65	Search for New Phenomena in Final States with Two Leptons and One or No b -Tagged Jets at $s=13 \text{ TeV}$ Using the ATLAS Detector. <i>Physical Review Letters</i> , 2021, 127, 141801.	7.8	14
66	Search for dark matter produced in association with a single top quark in $\sqrt{s}=13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	9
67	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	14
68	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	5
69	Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	12
70	Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using $\sqrt{s} = 13 \text{ TeV}$ proton-proton collision data. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	7
71	Measurement of the $t\bar{t}$ production cross section in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	10

#	ARTICLE	IF	CITATIONS
73	Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10
74	Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
75	Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using displaced vertices in the ATLAS inner detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
76	Search for chargino-neutralino pair production in final states with three leptons and missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	28
77	Configuration and performance of the ATLAS b-jet triggers in Run 2. European Physical Journal C, 2021, 81, 1.	3.9	7
78	Search for Lepton-Flavor Violation in $Z \rightarrow l^+ l^-$ Boson Decays with Leptons with the ATLAS Detector. Physical Review Letters, 2021, 127, 271801.	7.8	8
79	Measurement of b-quark fragmentation properties in jets using the decay $B \rightarrow J/\psi K$ in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	3
80	Observation of nuclear modifications in $W \pm$ boson production in pPb collisions at $s_{NN}=8.16\text{TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 800, 135048.	4.1	18
81	Search for displaced vertices in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 801, 135145.	4.1	14
82	Search for non-resonant Higgs boson pair production in the $t\bar{t}$, $t\bar{t}$ final state with the ATLAS detector in pp collisions at $\sqrt{s} = 13 \text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 801, 135145.	4.1	13
83	Searches for lepton-flavour-violating decays of the Higgs boson in $s=13 \text{ TeV}$ pp collisions with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 801, 135149.	4.1	31
84	Measurement of the single top quark and antiquark production cross sections in the t channel and their ratio in proton-proton collisions at $s=13 \text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 800, 135042.	4.1	12
85	Searches for flavour-changing neutral currents in processes with one top quark and a photon using 81 fb^{-1} of pp collisions at $s=13 \text{ TeV}$ with the ATLAS experiment. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 800, 135082.	4.1	30
86	A search for the $Z \rightarrow l^+ l^-$ decay mode of the Higgs boson in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 800, 135103.	4.1	10
87	Measurement of azimuthal anisotropy of muons from charm and bottom hadrons in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 800, 135103.	4.1	53
88	Measurement of azimuthal anisotropy of muons from charm and bottom hadrons in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 800, 135103.	4.1	28
89	Measurement of azimuthal anisotropy of muons from charm and bottom hadrons in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 800, 135103.	4.1	67
90	Measurement of azimuthal anisotropy of muons from charm and bottom hadrons in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 800, 135103.	4.1	17

#	ARTICLE	IF	CITATIONS
91	Measurements of inclusive and differential cross-sections of combined $t\bar{t}$ and tW^3 production in the $e\ell^{1/4}$ channel at 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	3
92	Strange hadron production in $\langle \text{mml:math} \rangle$ xmlns:mml="http://www.w3.org/1998/Math/MathML" $\langle \text{mml:mi} \rangle pp \langle / \text{mml:mi} \rangle$ and $\langle \text{mml:math} \rangle$ xmlns:mml="http://www.w3.org/1998/Math/MathML" $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle$ $\langle \text{mml:mi} \rangle Pb \langle / \text{mml:mi} \rangle$ $\langle / \text{mml:math} \rangle$ collisions at $\langle \text{mml:math} \rangle$ xmlns:mml="http://www.w3.org/1998/Math/MathML" $\langle \text{mml:mrow} \rangle$ $\langle \text{mml:msqrt} \rangle$ $\langle \text{mml:msub} \rangle$ $\langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle$ $\langle \text{mml:mrow} \rangle$ $\langle / \text{mml:math} \rangle$ TeV. <i>Physical Review C</i> , 2020, 101, .	2.9	10
93	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	17
94	Bose-Einstein correlations of charged hadrons in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	11
95	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	24
96	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the $t\bar{t}H$ decay channel at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2020, 80, 1. <small>Measurement of the Higgs boson inclusive and differential fiducial cross sections in the $t\bar{t}H$ decay channel at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i>, 2020, 80, 1.</small>	3.9	32
97	Measurement of differential cross sections for single diffractive dissociation in $\sqrt{s} = 8$ TeV pp collisions using the ATLAS ALFA spectrometer. <i>Journal of High Energy Physics</i> , 2020, 2020, 1. <small>Measurement of differential cross sections for single diffractive dissociation in $\sqrt{s} = 8$ TeV pp collisions using the ATLAS ALFA spectrometer. <i>Journal of High Energy Physics</i>, 2020, 2020, 1.</small>	4.1	12
98	Fluctuations of anisotropic flow in Pb+Pb collisions at $\sqrt{s} = 5.02$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	28
99	Performance of the ATLAS muon triggers in Run 2. <i>Journal of Instrumentation</i> , 2020, 15, P09015-P09015.	1.2	62
100	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	34
101	Measurement of isolated-photon plus two-jet production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1. <small>Measurement of isolated-photon plus two-jet production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i>, 2020, 2020, 1.</small>	4.7	8
102	Properties of Higgs Boson Interactions with Top Quarks in the $t\bar{t}H$ decay channel at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2020, 80, 1. <small>Properties of Higgs Boson Interactions with Top Quarks in the $t\bar{t}H$ decay channel at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i>, 2020, 80, 1.</small>	4.7	3
103	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1. <small>Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i>, 2020, 2020, 1.</small>	7.8	40
104	Search for the $HH \rightarrow b\bar{b}$ process via vector-boson fusion production using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	11
105	Observation of the associated production of a top quark and a Z boson in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	17
106	Measurement of the transverse momentum distribution of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1. <small>Search for Heavy Higgs Bosons Decaying into Two Tau Leptons with the ATLAS Detector Using Drell-Yan Lepton Pairs in Proton-Proton Collisions at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i>, 2020, 80, 1.</small>	3.9	28
107	Collisions at $\sqrt{s} = 13$ TeV. <i>Physical Review Letters</i> , 2020, 125, 051801. <small>Collisions at $\sqrt{s} = 13$ TeV. <i>Physical Review Letters</i>, 2020, 125, 051801.</small>	7.8	97

#	ARTICLE	IF	CITATIONS
109	Search for electroweak production of supersymmetric particles with compressed mass spectra in $\sqrt{s} = 13\text{TeV}$ pp collisions with the ATLAS detector. Physical Review Letters, 2020, 124, 221802.	4.7	80
110	Measurement of the azimuthal anisotropy of charged-particle production in $\sqrt{s} = 13\text{TeV}$ pp collisions with the ATLAS detector. Physical Review Letters, 2020, 124, 221803.	2.9	29
111	Search for direct $t\bar{t}$ production in $\sqrt{s} = 13\text{TeV}$ pp collisions with the ATLAS detector. Physical Review Letters, 2020, 124, 221804.	4.7	33
112	Search for long-lived neutral particles produced in $\sqrt{s} = 13\text{TeV}$ pp collisions at the ATLAS detector. Physical Review Letters, 2020, 124, 221805.	4.7	20
113	Measurement of soft-drop jet observables in $\sqrt{s} = 13\text{TeV}$ pp collisions at the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	4
114	Search for direct production of electroweakinos in final states with missing transverse momentum and a Higgs boson decaying into photons in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	21
115	Measurements of top-quark pair spin correlations in the emu channel at $\sqrt{s} = 13\text{TeV}$ using pp collisions in the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	22
116	Studies of Charm Quark Diffusion inside Jets Using Pb-Pb and $\sqrt{s} = 13\text{TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	7.8	9
117	Performance of the upgraded PreProcessor of the ATLAS Level-1 Calorimeter Trigger. Journal of Instrumentation, 2020, 15, P11016-P11016.	1.2	4
118	Search for Higgs Boson Decays into a Z Boson and a Light Hadronically Decaying Resonance Using $\sqrt{s} = 13\text{TeV}$ pp Collision Data from the ATLAS Detector. Physical Review Letters, 2020, 125, 221802.	7.8	20
119	Higgs boson production cross-section measurements and their EFT interpretation in the 4ell decay channel at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	41
120	Combination of the W boson polarization measurements in top quark decays using ATLAS and CMS data at $\sqrt{s} = 8\text{TeV}$. Journal of High Energy Physics, 2020, 2020, 1.	4.7	9
121	Search for heavy neutral Higgs bosons produced in association with long-lived, massive particles in events with a displaced vertex and a muon with large impact parameter in $\sqrt{s} = 13\text{TeV}$ pp collisions at the ATLAS detector. Physical Review Letters, 2020, 125, 102001.	4.7	22
122	Search for scalar leptoquarks decaying into quarks and electrons or muons in $\sqrt{s} = 13\text{TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	22
123	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in $\sqrt{s} = 13\text{TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	36
124	Search for chargino-neutralino production with mass splittings near the electroweak scale in three-lepton final states in $\sqrt{s} = 13\text{TeV}$ pp collisions with the ATLAS detector. Physical Review D, 2020, 102, 1.	4.7	28
125	ATLAS data quality operations and performance for 2015–2018 data-taking. Journal of Instrumentation, 2020, 15, P04003-P04003.	1.2	68
126	Measurement of the Lund Jet Plane Using Charged Particles in $\sqrt{s} = 13\text{TeV}$ Proton-Proton Collisions with the ATLAS Detector. Physical Review Letters, 2020, 124, 222002.	7.8	28

#	ARTICLE	IF	CITATIONS
127	<p>Invariance in vector-boson fusion production of the Higgs boson in the $H\gamma\gamma$ channel in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Physical Review Letters</i>, 2020, 125, 241801.</p>	4.1	22
128	<p>Measurement of the azimuthal anisotropy of muons from charm and bottom hadrons in γp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Physical Review Letters</i>, 2020, 125, 241802.</p>	7.8	17
129	<p>Multiparticle correlation studies in γp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Physical Review Letters</i>, 2020, 124, 082301.</p>	2.9	9
130	<p>Measurement of the $t\bar{t}$ production cross-section and lepton differential distributions in dilepton events from $p\bar{p}$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i>, 2020, 80, .</p>	3.9	26
131	<p>Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fb^{-1} of data collected with the ATLAS detector. <i>Journal of High Energy Physics</i>, 2020, 2020, 1.</p>	4.7	19
132	<p>Search for dijet resonances in events with an isolated charged lepton using $\sqrt{s} = 13$ TeV proton-proton collision data collected by the ATLAS detector. <i>Journal of High Energy Physics</i>, 2020, 2020, 1. <i>Production in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV measured by the ATLAS experiment</i>.</p>	4.7	7
133	<p>Search for Magnetic Monopoles and Stable High-Electric-Charge Objects in 13 TeV Proton-Proton Collisions with the ATLAS Detector. <i>Physical Review Letters</i>, 2020, 124, 031802.</p>	4.1	11
134	<p>Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. <i>European Physical Journal C</i>, 2020, 80, 4.</p>	3.9	198
135	<p>Measurement of the $Z(\rightarrow \ell^+\ell^-)$ production cross-section in $p\bar{p}$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i>, 2020, 2020, 1.</p>	4.7	9
136	<p>Transverse momentum and process dependent azimuthal anisotropies in $\sqrt{s_{NN}} = 8.16$ TeV $p+p$ collisions with the ATLAS detector. <i>European Physical Journal C</i>, 2020, 80, 1.</p>	3.9	12
137	<p>Search for new resonances in mass distributions of jet pairs using 139 fb^{-1} of $p\bar{p}$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i>, 2020, 2020, 1.</p>	4.7	68
138	<p>Search for $t\bar{t}$ resonances in fully hadronic final states in $p\bar{p}$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i>, 2020, 2020, 1.</p>	4.7	14
139	<p>Reconstruction and identification of boosted di-lepton systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. <i>Journal of High Energy Physics</i>, 2020, 2020, 1. <i>Evidence for electroweak production of two jets in association with a Z boson in pp collisions at 13 TeV</i>.</p>	4.7	8
140	<p>Search for resonances decaying into a weak vector boson and a Higgs boson in the fully hadronic final state produced in $p\bar{p}$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Physical Review D</i>, 2020, 102, .</p>	4.1	9
141	<p>Search for Heavy Resonances Decaying into a Photon and a Hadronically Decaying Higgs Boson in $p\bar{p}$ Collisions at $s=13$ TeV with the ATLAS Detector. <i>Physical Review Letters</i>, 2020, 125, 251802.</p>	4.7	14
142	<p>Observation and Measurement of Forward Proton Scattering in Association with Lepton Pairs Produced via the Photon Fusion Mechanism at ATLAS. <i>Physical Review Letters</i>, 2020, 125, 261801.</p>	7.8	22

#	ARTICLE	IF	CITATIONS
145	Performance of electron and photon triggers in ATLAS during LHC Run 2. European Physical Journal C, 2020, 80, 1.	3.9	93
146	Search for electroweak production of charginos and sleptons decaying into final states with two leptons and missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions using the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	124
147	Search for top squarks in events with a Higgs or Z boson using 139 fb^{-1} of pp collision data at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	4
148	Evidence for $t\bar{t}$ production in the multilepton final state in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	30
149	Search for heavy diboson resonances in semileptonic final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	29
150	Measurement of single-diffractive dijet production in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the CMS and TOTEM experiments. European Physical Journal C, 2020, 80, 1164.	3.9	5
151	Search for light long-lived neutral particles produced in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ and decaying into collimated leptons or light hadrons with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	21
152	Search for a scalar partner of the top quark in the all-hadronic $t\bar{t}$ plus missing transverse momentum final state at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	36
153	Alignment of the ATLAS Inner Detector in Run 2. European Physical Journal C, 2020, 80, 1.	3.9	12
154	Search for heavy neutrinos and third-generation leptoquarks in hadronic states of two \tilde{l} , leptons and two jets in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2019, 2019, 1.	4.7	33
155	Search for a W^{\pm} boson decaying to a vector-like quark and a top or bottom quark in the all-jets final state. Journal of High Energy Physics, 2019, 2019, 1.	4.7	5
156	Search for top quark partners with charge 5/3 in the same-sign dilepton and single-lepton final states in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2019, 2019, 1.	4.7	13
157	Constraints on mediator-based dark matter and scalar dark energy models using $\sqrt{s} = 13 \text{ TeV}$ pp collision data collected by the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	49
158	Inclusive search for supersymmetry in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using razor variables and boosted object identification in zero and one lepton final states. Journal of High Energy Physics, 2019, 2019, 1.	4.7	3
159	Search for dark matter produced in association with a single top quark or a top quark pair in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2019, 2019, 1.	4.7	17
160	Search for excited leptons in $\tau^+ \tau^-$ final states in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2019, 2019, 1.	4.7	3
161	Search for new particles decaying to a jet and an emerging jet. Journal of High Energy Physics, 2019, 2019, 1.	4.7	24
162	Search for high-mass dilepton resonances using 139 fb^{-1} of pp collision data collected at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 796, 68-87.	4.1	196

#	ARTICLE	IF	CITATIONS
163	Search for long-lived neutral particles in pp collisions at $\sqrt{s} = 13\text{ TeV}$ that decay into displaced hadronic jets in the ATLAS calorimeter. European Physical Journal C, 2019, 79, 1.	3.9	28
164	Centrality and pseudorapidity dependence of the transverse energy density in Pb-Pb collisions at $\sqrt{s} = 13\text{ TeV}$. Physical Review C, 2019, 100, .	2.9	6
165	Search for associated production of a Higgs boson and a single top quark in proton-proton collisions at $s = 13\text{ TeV}$. Physical Review D, 2019, 99, .	4.7	20
166	Search for a heavy resonance decaying to a top quark and a vector-like top quark in the lepton + jets final state in pp collisions at $\sqrt{s} = 13\text{ TeV}$. European Physical Journal C, 2019, 79, 1.	3.9	9
167	Observation of Light-by-Light Scattering in Ultraperipheral Pb-Pb Collisions with the ATLAS Detector. Physical Review Letters, 2019, 123, 052001.	7.8	75
168	Search for pair production of first-generation scalar leptoquarks at $s = 13\text{ TeV}$. Physical Review D, 2019, 99, .	4.7	31
169	Measurement of exclusive $\Lambda_c^0 \rightarrow \Lambda \pi^+ \eta$ photoproduction in ultraperipheral pPb collisions at $\sqrt{s_{\text{NN}}} = 5.02\text{ TeV}$. European Physical Journal C, 2019, 79, 702.	3.9	33
170	Search for dark matter in events with a leptoquark and missing transverse momentum in proton-proton collisions at 13 TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 795, 76-99.	4.1	6
171	Measurement of exclusive $\Upsilon(1S) \rightarrow \pi^+ \pi^- \eta$ photoproduction from protons in pPb collisions at $\sqrt{s_{\text{NN}}} = 5.02\text{ TeV}$. European Physical Journal C, 2019, 79, 277.	3.9	35
172	Search for a heavy pseudoscalar boson decaying to a Z and a Higgs boson at $\sqrt{s} = 13\text{ TeV}$. European Physical Journal C, 2019, 79, 564.	3.9	50
173	Search for an exotic decay of the Higgs boson to a pair of light pseudoscalars in the final state with two muons and two b quarks in pp collisions at 13 TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 795, 398-423.	4.1	41
174	Combination of Searches for Invisible Higgs Boson Decays with the ATLAS Experiment. Physical Review Letters, 2019, 122, 231801.	7.8	133
175	Searches for third-generation scalar leptoquarks in pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1. Search for low-mass resonances decaying into two jets and produced in association with a photon using pp collisions at $\sqrt{s} = 13\text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 795, 56-75.	4.7	30
176	Measurement of the top quark mass in the all-jets final state at $\sqrt{s} = 13\text{ TeV}$ and combination with the lepton+jets channel. European Physical Journal C, 2019, 79, 313. Measurement of the production cross section for a Higgs boson in association with a vector boson in the $H\rightarrow\text{W}\bar{\nu}+\text{Z}\rightarrow\ell^+\ell^-$ channel in pp collisions at $\sqrt{s} = 13\text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 795, 56-75.	4.1	22
177	Measurement of the top quark mass in the all-jets final state at $\sqrt{s} = 13\text{ TeV}$ and combination with the lepton+jets channel. European Physical Journal C, 2019, 79, 313. Measurement of the production cross section for a Higgs boson in association with a vector boson in the $H\rightarrow\text{W}\bar{\nu}+\text{Z}\rightarrow\ell^+\ell^-$ channel in pp collisions at $\sqrt{s} = 13\text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 795, 56-75.	3.9	40
178	Measurement of the top quark mass in the all-jets final state at $\sqrt{s} = 13\text{ TeV}$ and combination with the lepton+jets channel. European Physical Journal C, 2019, 79, 313. Measurement of the production cross section for a Higgs boson in association with a vector boson in the $H\rightarrow\text{W}\bar{\nu}+\text{Z}\rightarrow\ell^+\ell^-$ channel in pp collisions at $\sqrt{s} = 13\text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 795, 56-75.	4.1	13
179	Measurement of the top quark mass in the all-jets final state at $\sqrt{s} = 13\text{ TeV}$ and combination with the lepton+jets channel. European Physical Journal C, 2019, 79, 313. Measurement of the production cross section for a Higgs boson in association with a vector boson in the $H\rightarrow\text{W}\bar{\nu}+\text{Z}\rightarrow\ell^+\ell^-$ channel in pp collisions at $\sqrt{s} = 13\text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 798, 134942.	4.1	39
180	An embedding technique to determine t_t , b_b backgrounds in proton-proton collision data. Journal of Instrumentation, 2019, 14, P06032-P06032.	1.2	12

#	ARTICLE	IF	CITATIONS
181	Search for diboson resonances in hadronic final states in 139 fb^{-1} of pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	20
182	Charged-particle angular correlations in XeXe collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>Physical Review C</i> , 2019, 100, .		
183	Identification of boosted Higgs bosons decaying into b-quark pairs with the ATLAS detector at 13 TeV . <i>European Physical Journal C</i> , 2019, 79, .	3.9	21
184	Measurement of the cross-section and charge asymmetry of W bosons produced in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	24
185	Azimuthal separation in nearly back-to-back jet topologies in inclusive 2- and 3-jet events in $\sqrt{s} = 13 \text{ TeV}$ collisions. <i>European Physical Journal C</i> , 2019, 79, 773.	3.9	8
186	Studies of Beauty Suppression via Nonprompt jets in Pb-Pb Collisions at $\sqrt{s} = 2.76 \text{ TeV}$. <i>Physical Review Letters</i> , 2019, 123, 022001.	7.8	17
187	Search for charged Higgs bosons in the $H^\pm \rightarrow l^\pm \nu_l$ decay channel in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	54
188	Measurement of jet-substructure observables in top quark, W boson and light jet production in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	13
189	Search for resonant production of second-generation sleptons with same-sign dimuon events in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2019, 79, 305.	3.9	4
190	Measurement of distributions sensitive to the underlying event in inclusive Z boson production in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	3
191	Measurement of electroweak W/Z boson production and search for new physics in W/Z + two jets events in pp collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019, 795, 301-307.	4.1	36
192	A search for pair production of new light bosons decaying into muons in proton-proton collisions at 13 TeV . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019, 796, 131-154.	4.1	27
193	Evidence for the production of three massive vector bosons with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019, 796, 168-190.	4.1	14
194	Search for supersymmetry with a compressed mass spectrum in the vector boson fusion topology with 1-lepton and 0-lepton final states in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.1	10
195	Search for supersymmetric partners of electrons and muons in proton-proton collisions at $s = 13 \text{ TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019, 790, 140-166.	4.1	47
196	Measurement and interpretation of differential cross sections for Higgs boson production at $\sqrt{s} = 13 \text{ TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019, 792, 13-26.	4.1	13
197	Search for an $L \rightarrow 4\ell$ gauge boson using $Z \rightarrow 4\ell$ events in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019, 792, 169-182.	4.1	49
198	Search for supersymmetric partners of electrons and muons in proton-proton collisions at $s = 13 \text{ TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019, 792, 345-368.		

#	ARTICLE	IF	CITATIONS
199	Modelling radiation damage to pixel sensors in the ATLAS detector. <i>Journal of Instrumentation</i> , 2019, 14, P06012-P06012.	1.2	7
200	Search for a low-mass \tilde{t}_1 resonance in association with a bottom quark in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	9
201	Search for the associated production of the Higgs boson and a vector boson in proton-proton collisions at $\sqrt{s} = 13$ TeV via Higgs boson decays to \tilde{l}_1 leptons. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	7
202	Search for the pair production of light top squarks in the $e\bar{e}\rightarrow t\bar{t}$ final state in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	5
203	Combinations of single-top-quark production cross-section measurements and $ f_{LVtb} $ determinations at $\sqrt{s} = 7$ and 8 TeV with the ATLAS and CMS experiments. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	9
204	Observation of prompt J/ψ meson elliptic flow in high-multiplicity pPb collisions at $\sqrt{s_{NN}} = 5.02$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019, 791, 172-194.	N/A	N/A
205	Combined measurements of Higgs boson couplings in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>European Physical Journal C</i> , 2019, 79, 421.	3.9	355
206	Measurement of VH, $H\rightarrow b\bar{b}$ production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	14
207	Search for supersymmetry in events with a photon, jets, b -jets, and missing transverse momentum in proton-proton collisions at 13 TeV. <i>European Physical Journal C</i> , 2019, 79, 444.	3.9	11
208	Measurements of the Higgs boson width and anomalous couplings from on-shell and off-shell production in the four-lepton final state. <i>Physical Review D</i> , 2019, 99, .	69	N/A
209	Measurements of the pp $t\bar{t}$ inclusive and differential production cross sections and constraints on charged anomalous triple gauge couplings at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	14
210	Measurements of properties of the Higgs boson decaying to a W boson pair in pp collisions at $\sqrt{s} = 13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019, 792, 107-121.	44	N/A
211	Search for a Higgs boson decaying to a lepton and a neutrino in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019, 792, 107-121.	28	N/A
212	Measurement of the $t\bar{t}$ production cross section, the top quark mass, and the strong coupling constant using dilepton events in pp collisions at 13 TeV. <i>European Physical Journal C</i> , 2019, 79, 368.	3.9	68
213	Measurement of the energy density as a function of pseudorapidity in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	12
214	Measurement of inclusive very forward jet cross sections in proton-lead collisions at $\sqrt{s_{NN}} = 5.02$ TeV. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	8
215	Search for nonresonant Higgs boson pair production in the $b\bar{b}b\bar{b}b\bar{b}$ final state at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	11
216	Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2019, 79, 280.	3.9	29

#	ARTICLE	IF	CITATIONS
217	Search for contact interactions and large extra dimensions in the dilepton mass spectra from proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	13
218	Search for a standard model-like Higgs boson in the mass range between 70 and 110 GeV in the diphoton final state in proton-proton collisions at $\sqrt{s} = 13$ TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 793, 320-347.	4.1	53
219	Search for vector-like quarks in events with two oppositely charged leptons and jets in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 79, 364.	3.9	48
220	Search for invisible decays of a Higgs boson produced through vector boson fusion in proton-proton collisions at $\sqrt{s} = 13$ TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 793, 520-551.	4.1	146
221	Combination of Searches for Higgs-Boson Pair Production in Proton-Proton Collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 793, 552-5551.	3.9	102
222	Jet Shapes of Isolated Photon-Tagged Jets in Pb-Pb and p-Pt Collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 793, 556-565.	7.8	24
223	Collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 793, 566-575.	4.1	15
224	Search for single production of vector-like quarks decaying to a top quark and a W boson in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 79, 90.	3.9	34
225	Study of the underlying event in top quark pair production in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 79, 123.	3.9	11
226	Search for rare decays of Z and Higgs bosons to J/ψ and a photon in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 79, 94.	3.9	20
227	Search for new physics in final states with a single photon and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	15
228	Measurements of differential cross sections in proton-proton collisions at $\sqrt{s} = 13$ TeV using events containing two leptons. Journal of High Energy Physics, 2019, 2019, 1.	4.7	28
229	Search for $t\bar{t}$ production in the $t\bar{b}$ decay channel with leptonic $t\bar{t}$ decays in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	28
230	Search for supersymmetry in events with a photon, a lepton, and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	6
231	Measurement of inclusive and differential Higgs boson production cross sections in the diphoton decay channel in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	14
232	Search for resonant $t\bar{t}$ production in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	23
233	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $\sqrt{s} = 13$ and 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	6
234	Search for production of Higgs boson pairs in the four b quark final state using large-area jets in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	14

#	ARTICLE	IF	CITATIONS
235	Search for heavy resonances decaying into two Higgs bosons or into a Higgs boson and a W or Z boson in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	12
236	Search for heavy Majorana neutrinos in same-sign dilepton channels in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	40
237	Measurement of nuclear modification factors of $\pi(1S)$, $\pi(2S)$, and $\pi(3S)$ mesons in PbPb collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019, 790, 270-293.		
238	Measurement of differential cross sections for inclusive isolated-photon and photon+jet production in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2019, 79, 20.	3.9	18
239	Measurement of the top-quark mass in $t\bar{t}$ + 1-jet events collected with the ATLAS detector in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	27
240	Measurement of fiducial and differential W^+W^- production cross-sections at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	24
241	Measurement of ZZ production in the $\pi_1 \pi_2 \pi_3 \pi_4$ final state with the ATLAS detector in pp collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	6
242	Measurement of W^{\pm} -boson and Z-boson production cross-sections in pp collisions at $\sqrt{s} = 2.76 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	8
243	Measurement of the inclusive cross-section for the production of jets in association with a Z boson in proton-proton collisions at 8 TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	9
244	Electron and photon performance measurements with the ATLAS detector using the 2015–2017 LHC proton-proton collision data. <i>Journal of Instrumentation</i> , 2019, 14, P12006-P12006.	1.2	124
245	Search for heavy neutral leptons in decays of W bosons produced in 13 TeV pp collisions using prompt and displaced signatures with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	50
246	Measurement of W^{\pm} boson production in Pb+Pb collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	17
247	ATLAS b-jet identification performance and efficiency measurement with $t\bar{t}$ events in pp collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	130
248	Measurement of flow harmonics correlations with mean transverse momentum in lead-lead and proton-lead collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	36
249	Resolution of the ATLAS muon spectrometer monitored drift tubes in LHC Run 2. <i>Journal of Instrumentation</i> , 2019, 14, P09011-P09011.	1.2	7
250	Measurements of triple-differential cross sections for inclusive isolated-photon+jet events in p_T collisions at $\sqrt{s} = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2019, 79, 969.	3.9	6
251	Pseudorapidity distributions of charged hadrons in xenon-xenon collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$. <i>European Physical Journal C</i> , 2019, 79, 9.	4.1	9
252	Measurement of angular and momentum distributions of charged particles within and around jets in $\pi^+\pi^-$ collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2019, 79, 11.	2.9	11

#	ARTICLE	IF	CITATIONS
253	Constraints on anomalous $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline"} \rangle \langle \text{mml:mi} \text{ H} \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \text{ V} \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \text{ V} \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ couplings from the production of Higgs bosons decaying to $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline"} \rangle \langle \text{mml:mi} \text{ i}, \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ Probing the chiral magnetic wave in $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline"} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \text{ p} \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \text{ Pb} \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:math} \rangle$ and PbPb collisions at $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline"} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:msub} \rangle \langle \text{mml:mi} \text{ s} \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:math} \rangle$ using charge-dependent azimuthal anisotropies. Physical Review C, 2019, 100, .	4.7	21
254	Measurement of the differential Drell-Yan cross section in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2019, 2019, 1.	4.7	18
255	Search for electroweak diboson production in association with a high-mass dijet system in semileptonic final states in $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline"} \rangle \langle \text{mml:mi} \text{ p} \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \text{ p} \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ collisions at $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline"} \rangle \langle \text{mml:msort} \rangle \langle \text{mml:msort} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \text{ g} \langle / \text{mml:mi} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \text{ 13} \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:math} \rangle$ from $\text{t mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"}$	4.7	15
256	Measurements of top-quark pair differential and double-differential cross-sections in the $\text{e}^+ \text{e}^-$ channel with pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	34
257	Search for new physics in top quark production in dilepton final states in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2019, 79, 886.	3.9	16
258	Search for bottom-squark pair production with the ATLAS detector in final states containing Higgs bosons, b-jets and missing transverse momentum. Journal of High Energy Physics, 2019, 2019, 1.	4.7	14
259	Measurement of the inclusive isolated-photon cross section in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using 36 fb^{-1} of ATLAS data. Journal of High Energy Physics, 2019, 2019, 1.	4.7	5
260	Measurement of K_S^0 and Λ^0 production in $t \bar{t}$ dileptonic events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	4
261	Pseudorapidity distributions of charged hadrons in proton-lead collisions at $s_{\text{NN}} = 5.02 \text{ TeV}$ and $\sqrt{s_{\text{NN}}} = 8.16 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	8
262	Search for resonant and nonresonant Higgs boson pair production in the $b \bar{b} \rightarrow Z Z$ final state in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	36
263	Search for new physics in events with a leptonically decaying Z boson and a large transverse momentum imbalance in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2018, 78, 291.	3.9	27
264	Measurements of the $\text{t} \overline{\text{t}}$ production cross section and the $Z \rightarrow 4 \ell$ branching fraction, and constraints on anomalous triple gauge couplings at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2018, 78, 165.	4.7	52
265	Measurement of the inclusive $t \overline{t}$ cross section in pp collisions at $\sqrt{s} = 5.02 \text{ TeV}$ using final states with at least one charged lepton. Journal of High Energy Physics, 2018, 2018, 1.	4.7	5
266	Search for supersymmetry in events with at least three electrons or muons, jets, and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	6
267	Combined search for electroweak production of charginos and neutralinos in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	57
268	Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	63

#	ARTICLE	IF	CITATIONS
271	Measurement of differential cross sections in the kinematic angular variable \tilde{t}^* for inclusive Z boson production in pp collisions at $\sqrt{s}=8$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	4
272	Comparing transverse momentum balance of b jet pairs in pp and PbPb collisions at $\sqrt{s_{\text{NN}}}=5.02$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	12
273	Measurement of normalized differential $t\bar{t}$ cross sections in the dilepton channel from pp collisions at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	18
274	Constraints on the double-parton scattering cross section from same-sign W boson pair production in proton-proton collisions at $s = 8$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	17
275	Search for ZZ resonances in the $2\tilde{l}\frac{1}{2}$ final state in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	4
276	Search for $t\bar{t}$ production in the all-jet final state in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	20
277	Search for resonances in the mass spectrum of muon pairs produced in association with b quark jets in proton-proton collisions at $\sqrt{s}=8$ and 13 TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	9
278	Measurement of the groomed jet mass in PbPb and pp collisions at $\sqrt{s_{\text{NN}}}=5.02$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	12
279	Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	11
280	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	19
281	Search for natural and split supersymmetry in proton-proton collisions at $\sqrt{s}=13$ TeV in final states with jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	43
282	Search for decays of stopped exotic long-lived particles produced in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	12
283	Search for an exotic decay of the Higgs boson to a pair of light pseudoscalars in the final state of two muons and two \tilde{l} leptons in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	34
284	Search for a charged Higgs boson decaying to charm and bottom quarks in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	26
285	Search for top squarks decaying via four-body or chargino-mediated modes in single-lepton final states in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	13
286	Charged-particle nuclear modification factors in XeXe collisions at $\sqrt{s_{\text{NN}}}=5.44$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	17
287	Measurement of the top quark mass with lepton+jets final states using p_T collisions at $\sqrt{s}=13$ TeV. <i>European Physical Journal C</i> , 2018, 78, 891.	3.9	34
288	Measurements of the differential jet cross section as a function of the jet mass in dijet events from proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	18

#	ARTICLE	IF	CITATIONS
289	Measurements of Higgs boson properties in the diphoton decay channel in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	57
290	Event shape variables measured using multijet final states in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	4
291	Searches for pair production of charginos and top squarks in final states with two oppositely charged leptons in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	23
292	Search for narrow and broad dijet resonances in proton-proton collisions at $\sqrt{s}=13$ TeV and constraints on dark matter mediators and other new particles. Journal of High Energy Physics, 2018, 2018, 1.	4.7	82
293	Search for Z^3 resonances using leptonic and hadronic final states in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
294	Measurement of the production cross section for single top quarks in association with W bosons in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
295	Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	14
296	Search for supersymmetry in events with a \tilde{l} , lepton pair and missing transverse momentum in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	21
297	Search for the decay of a Higgs boson in the \tilde{l}^3 channel in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
298	Search for third-generation scalar leptoquarks decaying to a top quark and a τ lepton at $\sqrt{s}=13$ TeV. European Physical Journal C, 2018, 78, 707.	3.9	46
299	Measurement of differential cross sections for Z boson production in association with jets in proton-proton collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2018, 78, 965.	3.9	39
300	Studies of B^* $\rightarrow B_s^2(5840)^0 \pi^-$ and B^* $\rightarrow B_s^2(5840)^0 \eta'$. Journal of High Energy Physics, 2018, 2018, 1.		

#	ARTICLE	IF	CITATIONS
307	Measurement of the underlying event activity in inclusive Z boson production in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	13
308	Search for resonant pair production of Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	18
309	Measurement of the Z/γ^* ightarrow au au $Z / \tilde{\chi}^0 \rightarrow \tilde{\chi}^\pm \tilde{\chi}^\mp$, cross section in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ and validation of $\tilde{\chi}^\pm$. European Physical Journal C, 2018, 78, 708.	3.9	10
310	Search for vector-like T and B quark pairs in final states with leptons at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	42
311	Search for dark matter produced in association with a Higgs boson decaying to $\tilde{\chi}^0 \tilde{\chi}^0$ or $\tilde{\chi}^\pm \tilde{\chi}^\mp$ at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	12
312	Search for additional neutral MSSM Higgs bosons in the $\tilde{\chi}_1^0 \tilde{\chi}_1^0$, $\tilde{\chi}_1^0 \tilde{\chi}_2^0$, final state in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	73
313	Search for a heavy resonance decaying to a pair of vector bosons in the lepton plus merged jet final state at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	11
314	Search for a heavy right-handed W boson and a heavy neutrino in events with two same-flavor leptons and two jets at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	34
315	Search for a heavy resonance decaying into a Z boson and a vector boson in the $u \overline{u} q \overline{q}$ final state. Journal of High Energy Physics, 2018, 2018, 1.	4.7	10
316	Measurement of the cross section for top quark pair production in association with a W or Z boson in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	35
317	Search for beyond the standard model Higgs bosons decaying into a $b\bar{b}$ pair in pp collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	21
318	Measurement of the weak mixing angle using the forwardâ€“backward asymmetry of Drellâ€“Yan events in $p\bar{p}$ collisions at 8 TeV. European Physical Journal C, 2018, 78, 701.	3.9	58
319	Measurement of prompt and nonprompt charmonium suppression in PbPb collisions at 5.02 TeV. European Physical Journal C, 2018, 78, 509.	3.9	83
320	Search for lepton flavour violating decays of the Higgs boson to $\tilde{\chi}_1^0 \tilde{\chi}_1^0$, and $e\tilde{\chi}_1^0$, in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	29
321	Evidence for associated production of a Higgs boson with a top quark pair in final states with electrons, muons, and hadronically decaying $\tilde{\chi}_1^0$, leptons at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	38
322	Electroweak production of two jets in association with a Z boson in protonâ€“proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2018, 78, 1.	3.9	17
323	Observation of proton-tagged, central (semi)exclusive production of high-mass lepton pairs in pp collisions at 13 TeV with the CMS-TOTEM precision proton spectrometer. Journal of High Energy Physics, 2018, 2018, 1.	4.7	29
324	Search for dark matter in events with energetic, hadronically decaying top quarks and missing transverse momentum at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	20

#	ARTICLE	IF	CITATIONS
325	Search for single production of vector-like quarks decaying to a b quark and a Higgs boson. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	16
326	Search for the flavor-changing neutral current interactions of the top quark and the Higgs boson which decays into a pair of b quarks at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	23
327	Search for a singly produced third-generation scalar leptoquark decaying to a \tilde{l} , lepton and a bottom quark in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	15
328	Measurements of differential cross sections of top quark pair production as a function of kinematic event variables in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	13
329	Measurement of the inelastic proton-proton cross section at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	62
330	Search for disappearing tracks as a signature of new long-lived particles in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	31
331	Search for high-mass resonances in dilepton final states in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	86
332	Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at $s = 13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	42
333	Jet properties in PbPb and pp collisions at $\sqrt{s_{\text{NN}}} = 5.02$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	13
334	Search for a new scalar resonance decaying to a pair of Z bosons in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	37
335	Search for standard model production of four top quarks with same-sign and multilepton final states in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2018, 78, 140.	3.9	44
336	Measurement of b hadron lifetimes in pp collisions at $\sqrt{s} = 8$ TeV. <i>European Physical Journal C</i> , 2018, 78, 457.	3.9	15
337	Search for new phenomena with the M_{T2} variable in the all-hadronic final state produced in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2017, 77, 710.	3.9	98
338	Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	22
339	Search for electroweak production of charginos and neutralinos in WH events in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	15
340	Search for pair production of vector-like T and B quarks in single-lepton final states using boosted jet substructure in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	27
341	Search for top squark pair production in pp collisions at $\sqrt{s} = 13$ TeV using single lepton events. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	31
342	Search for physics beyond the standard model in events with two leptons of same sign, missing transverse momentum, and jets in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2017, 77, 578.	3.9	57

#	ARTICLE	IF	CITATIONS
343	Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2017, 77, 636.	3.9	38
344	Search for a light pseudoscalar Higgs boson produced in association with bottom quarks in pp collisions at $\sqrt{s}=8 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	10
345	Search for supersymmetry in events with at least one photon, missing transverse momentum, and large transverse event activity in proton-proton collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
346	Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at $\sqrt{s}=13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	101