Ronald P De Vries

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4484722/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	The Paleozoic Origin of Enzymatic Lignin Decomposition Reconstructed from 31 Fungal Genomes. Science, 2012, 336, 1715-1719.	12.6	1,424
2	Insights from the genome of the biotrophic fungal plant pathogen Ustilago maydis. Nature, 2006, 444, 97-101.	27.8	1,113
3	Genome sequencing and analysis of the versatile cell factory Aspergillus niger CBS 513.88. Nature Biotechnology, 2007, 25, 221-231.	17.5	1,047
4	Genomic Analysis of the Necrotrophic Fungal Pathogens Sclerotinia sclerotiorum and Botrytis cinerea. PLoS Genetics, 2011, 7, e1002230.	3.5	902
5	Aspergillus Enzymes Involved in Degradation of Plant Cell Wall Polysaccharides. Microbiology and Molecular Biology Reviews, 2001, 65, 497-522.	6.6	822
6	Fungal enzyme sets for plant polysaccharide degradation. Applied Microbiology and Biotechnology, 2011, 91, 1477-1492.	3.6	563
7	Finished Genome of the Fungal Wheat Pathogen Mycosphaerella graminicola Reveals Dispensome Structure, Chromosome Plasticity, and Stealth Pathogenesis. PLoS Genetics, 2011, 7, e1002070.	3.5	532
8	The Plant Cell Wall–Decomposing Machinery Underlies the Functional Diversity of Forest Fungi. Science, 2011, 333, 762-765.	12.6	512
9	Genome sequence of the model mushroom Schizophyllum commune. Nature Biotechnology, 2010, 28, 957-963.	17.5	490
10	Comparative genomic analysis of the thermophilic biomass-degrading fungi Myceliophthora thermophila and Thielavia terrestris. Nature Biotechnology, 2011, 29, 922-927.	17.5	428
11	Comparative genomics reveals high biological diversity and specific adaptations in the industrially and medically important fungal genus Aspergillus. Genome Biology, 2017, 18, 28.	8.8	417
12	Genome sequence of the necrotrophic plant pathogen Pythium ultimum reveals original pathogenicity mechanisms and effector repertoire. Genome Biology, 2010, 11, R73.	9.6	391
13	Genome sequence of the button mushroom <i>Agaricus bisporus</i> reveals mechanisms governing adaptation to a humic-rich ecological niche. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 17501-17506.	7.1	359
14	Plant-Polysaccharide-Degrading Enzymes from Basidiomycetes. Microbiology and Molecular Biology Reviews, 2014, 78, 614-649.	6.6	340
15	The Transcriptional Activator XlnR Regulates Both Xylanolytic and Endoglucanase Gene Expression in <i>Aspergillus niger</i> . Applied and Environmental Microbiology, 1998, 64, 3615-3619.	3.1	326
16	The Amsterdam Declaration on Fungal Nomenclature. IMA Fungus, 2011, 2, 105-111.	3.8	320
17	The genome sequence of the model ascomycete fungus Podospora anserina. Genome Biology, 2008, 9, R77.	9.6	301
18	Comparative genomics of <i>Ceriporiopsis subvermispora</i> and <i>Phanerochaete chrysosporium</i> provide insight into selective ligninolysis. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 5458-5463.	7.1	259

#	Article	IF	CITATIONS
19	Complementary symbiont contributions to plant decomposition in a fungus-farming termite. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 14500-14505.	7.1	243
20	Synergy between enzymes from Aspergillus involved in the degradation of plant cell wall polysaccharides. Carbohydrate Research, 2000, 327, 401-410.	2.3	229
21	Growing a circular economy with fungal biotechnology: a white paper. Fungal Biology and Biotechnology, 2020, 7, 5.	5.1	228
22	The Genomes of the Fungal Plant Pathogens Cladosporium fulvum and Dothistroma septosporum Reveal Adaptation to Different Hosts and Lifestyles But Also Signatures of Common Ancestry. PLoS Genetics, 2012, 8, e1003088.	3.5	226
23	Insight into tradeâ€off between wood decay and parasitism from the genome of a fungal forest pathogen. New Phytologist, 2012, 194, 1001-1013.	7.3	210
24	Current challenges of research on filamentous fungi in relation to human welfare and a sustainable bio-economy: a white paper. Fungal Biology and Biotechnology, 2016, 3, 6.	5.1	208
25	Regulators of plant biomass degradation in ascomycetous fungi. Biotechnology for Biofuels, 2017, 10, 152.	6.2	202
26	Trehalose is required for the acquisition of tolerance to a variety of stresses in the filamentous fungus Aspergillus nidulans The GenBank accession number for the sequence reported in this paper is AF043230 Microbiology (United Kingdom), 2001, 147, 1851-1862.	1.8	187
27	Modern Taxonomy of Biotechnologically Important Aspergillus and Penicillium Species. Advances in Applied Microbiology, 2014, 86, 199-249.	2.4	186
28	CreA modulates the XInR-induced expression on xylose of Aspergillus niger genes involved in xylan degradation. Research in Microbiology, 1999, 150, 281-285.	2.1	178
29	Resolving the polyphyletic nature of <i>Pyricularia</i> (<i>Pyriculariaceae</i>). Studies in Mycology, 2014, 79, 85-120.	7.2	175
30	Expansion of Signal Transduction Pathways in Fungi by Extensive Genome Duplication. Current Biology, 2016, 26, 1577-1584.	3.9	175
31	Mannitol Is Required for Stress Tolerance in Aspergillus niger Conidiospores. Eukaryotic Cell, 2003, 2, 690-698.	3.4	174
32	The secretome of the maize pathogen Ustilago maydis. Fungal Genetics and Biology, 2008, 45, S63-S70.	2.1	162
33	Investigation of inter- and intraspecies variation through genome sequencing of Aspergillus section Nigri. Nature Genetics, 2018, 50, 1688-1695.	21.4	160
34	A New Black Aspergillus Species, A. vadensis , Is a Promising Host for Homologous and Heterologous Protein Production. Applied and Environmental Microbiology, 2004, 70, 3954-3959.	3.1	154
35	The Aspergillus niger faeB gene encodes a second feruloyl esterase involved in pectin and xylan degradation and is specifically induced in the presence of aromatic compounds. Biochemical Journal, 2002, 363, 377-386.	3.7	141
36	Biotechnological applications and potential of fungal feruloyl esterases based on prevalence, classification and biochemical diversity. Biotechnology Letters, 2008, 30, 387-396.	2.2	136

3

#	Article	IF	CITATIONS
37	Post-genomic insights into the plant polysaccharide degradation potential of Aspergillus nidulans and comparison to Aspergillus niger and Aspergillus oryzae. Fungal Genetics and Biology, 2009, 46, S161-S169.	2.1	133
38	Diversity of fungal feruloyl esterases: updated phylogenetic classification, properties, and industrial applications. Biotechnology for Biofuels, 2016, 9, 231.	6.2	133
39	Comparative genomics of the white-rot fungi, Phanerochaete carnosa and P. chrysosporium, to elucidate the genetic basis of the distinct wood types they colonize. BMC Genomics, 2012, 13, 444.	2.8	125
40	A comparative genomics study of 23 Aspergillus species from section Flavi. Nature Communications, 2020, 11, 1106.	12.8	125
41	Analysis of regulation of pentose utilisation in Aspergillus niger reveals evolutionary adaptations in Eurotiales. Studies in Mycology, 2011, 69, 31-38.	7.2	123
42	Transcriptome analysis of Aspergillus niger grown on sugarcane bagasse. Biotechnology for Biofuels, 2011, 4, 40.	6.2	122
43	Prevalence of transcription factors in ascomycete and basidiomycete fungi. BMC Genomics, 2014, 15, 214.	2.8	114
44	<scp><i>B</i></scp> <i>acillus subtilis</i> attachment to <scp><i>A</i></scp> <i>spergillus niger</i> hyphae results in mutually altered metabolism. Environmental Microbiology, 2015, 17, 2099-2113.	3.8	112
45	Closely related fungi employ diverse enzymatic strategies to degrade plant biomass. Biotechnology for Biofuels, 2015, 8, 107.	6.2	111
46	Spatial Differentiation in the Vegetative Mycelium of <i>Aspergillus niger</i> . Eukaryotic Cell, 2007, 6, 2311-2322.	3.4	106
47	Establishment of compatibility in the Ustilago maydis/maize pathosystem. Journal of Plant Physiology, 2008, 165, 29-40.	3.5	106
48	Carbohydrate-active enzymes from the zygomycete fungus Rhizopus oryzae: a highly specialized approach to carbohydrate degradation depicted at genome level. BMC Genomics, 2011, 12, 38.	2.8	105
49	Improved enzyme production by co-cultivation of Aspergillus niger and Aspergillus oryzae and with other fungi. International Biodeterioration and Biodegradation, 2011, 65, 248-252.	3.9	105
50	Construction of a cellulase hyper-expression system in Trichoderma reesei by promoter and enzyme engineering. Microbial Cell Factories, 2012, 11, 21.	4.0	105
51	Expression profiling of pectinolytic genes fromAspergillus niger. FEBS Letters, 2002, 530, 41-47.	2.8	102
52	The 2008 update of the Aspergillus nidulans genome annotation: A community effort. Fungal Genetics and Biology, 2009, 46, S2-S13.	2.1	99
53	Generic names in Magnaporthales. IMA Fungus, 2016, 7, 155-159.	3.8	98
54	Aromatic Metabolism of Filamentous Fungi in Relation to the Presence of Aromatic Compounds in Plant Biomass. Advances in Applied Microbiology, 2015, 91, 63-137.	2.4	97

#	Article	IF	CITATIONS
55	Differential Expression of Three α-Galactosidase Genes and a Single β-Galactosidase Gene from <i>Aspergillus niger</i> . Applied and Environmental Microbiology, 1999, 65, 2453-2460.	3.1	97
56	Cloning and characterization of Aspergillus niger genes encoding an α-galactosidase and a β-mannosidase involved in galactomannan degradation. FEBS Journal, 2001, 268, 2982-2990.	0.2	92
57	The genome of the white-rot fungus Pycnoporus cinnabarinus: a basidiomycete model with a versatile arsenal for lignocellulosic biomass breakdown. BMC Genomics, 2014, 15, 486.	2.8	91
58	Plant biomass degradation by fungi. Fungal Genetics and Biology, 2014, 72, 2-9.	2.1	91
59	Genomics, Lifestyles and Future Prospects of Wood-Decay and Litter-Decomposing Basidiomycota. Advances in Botanical Research, 2014, 70, 329-370.	1.1	87
60	Regulation of the Feruloyl Esterase (<i>faeA</i>) Gene from <i>Aspergillus niger</i> . Applied and Environmental Microbiology, 1999, 65, 5500-5503.	3.1	86
61	Degradation of different pectins by fungi: correlations and contrasts between the pectinolytic enzyme sets identified in genomes and the growth on pectins of different origin. BMC Genomics, 2012, 13, 321.	2.8	86
62	The Aspergillus niger faeB gene encodes a second feruloyl esterase involved in pectin and xylan degradation and is specifically induced in the presence of aromatic compounds. Biochemical Journal, 2002, 363, 377.	3.7	84
63	Identification of genes encoding microbial glucuronoyl esterases. FEBS Letters, 2007, 581, 4029-4035.	2.8	83
64	A comparison between the homocyclic aromatic metabolic pathways from plant-derived compounds by bacteria and fungi. Biotechnology Advances, 2019, 37, 107396.	11.7	83
65	Genomic and transcriptomic analysis of Laccaria bicolor CAZome reveals insights into polysaccharides remodelling during symbiosis establishment. Fungal Genetics and Biology, 2014, 72, 168-181.	2.1	81
66	Similar is not the same: Differences in the function of the (hemi-)cellulolytic regulator XlnR (Xlr1/Xyr1) in filamentous fungi. Fungal Genetics and Biology, 2014, 72, 73-81.	2.1	80
67	Protease and lipase activities of fungal and bacterial strains derived from an artisanal raw ewe's milk cheese. International Journal of Food Microbiology, 2016, 237, 17-27.	4.7	72
68	<i>aguA</i> , the Gene Encoding an Extracellular α-Glucuronidase from <i>Aspergillus tubingensis</i> , Is Specifically Induced on Xylose and Not on Glucuronic Acid. Journal of Bacteriology, 1998, 180, 243-249.	2.2	71
69	Regulation of pentose utilisation by AraR, but not XlnR, differs in Aspergillus nidulans and Aspergillus niger. Applied Microbiology and Biotechnology, 2011, 91, 387-397.	3.6	67
70	A broader role for AmyR in Aspergillus niger: regulation of the utilisation of d-glucose or d-galactose containing oligo- and polysaccharides. Applied Microbiology and Biotechnology, 2012, 93, 285-293.	3.6	67
71	Physiological and molecular aspects of degradation of plant polysaccharides by fungi: What have we learned from <i>Aspergillus</i> ?. Biotechnology Journal, 2013, 8, 884-894.	3.5	67
72	Selective Cleavage of Lignin β- <i>O</i> -4 Aryl Ether Bond by β-Etherase of the White-Rot Fungus <i>Dichomitus squalens</i> . ACS Sustainable Chemistry and Engineering, 2018, 6, 2878-2882.	6.7	66

#	Article	IF	CITATIONS
73	The transcriptional activator GaaR of <i>AspergillusÂniger</i> is required for release and utilization of <scp>dâ€</scp> galacturonic acid from pectin. FEBS Letters, 2016, 590, 1804-1815.	2.8	64
74	Combinatorial control of gene expression in Aspergillus niger grown on sugar beet pectin. Scientific Reports, 2017, 7, 12356.	3.3	64
75	The influence of Aspergillus niger transcription factors AraR and XInR in the gene expression during growth in d-xylose, I-arabinose and steam-exploded sugarcane bagasse. Fungal Genetics and Biology, 2013, 60, 29-45.	2.1	63
76	Horizontal gene transfer and gene dosage drives adaptation to wood colonization in a tree pathogen. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, 3451-3456.	7.1	63
77	Glycerol dehydrogenase, encoded by gldB is essential for osmotolerance in Aspergillus nidulans. Molecular Microbiology, 2003, 49, 131-141.	2.5	62
78	Nutritional physiology of a rock-inhabiting, model microcolonial fungus from an ancestral lineage of the Chaetothyriales (Ascomycetes). Fungal Genetics and Biology, 2013, 56, 54-66.	2.1	62
79	The gold-standard genome of <i>Aspergillus niger</i> NRRL 3 enables a detailed view of the diversity of sugar catabolism in fungi. Studies in Mycology, 2018, 91, 61-78.	7.2	62
80	Carbohydrate-related enzymes of important Phytophthora plant pathogens. Fungal Genetics and Biology, 2014, 72, 192-200.	2.1	61
81	TheAspergillus nigerd-xylulose kinase gene is co-expressed with genes encoding arabinan degrading enzymes, and is essential for growth ond-xylose andl-arabinose. FEBS Journal, 2001, 268, 5414-5423.	0.2	60
82	Growth and hydrolase profiles can be used as characteristics to distinguish Aspergillus niger and other black aspergilli. Studies in Mycology, 2011, 69, 19-30.	7.2	60
83	Phylogeny of the industrial relevant, thermophilic genera Myceliophthora and Corynascus. Fungal Diversity, 2012, 52, 197-207.	12.3	59
84	Occurrence and function of enzymes for lignocellulose degradation in commercial Agaricus bisporus cultivation. Applied Microbiology and Biotechnology, 2017, 101, 4363-4369.	3.6	59
85	Aspergillus vadensis, a new species of the group of black Aspergilli. Antonie Van Leeuwenhoek, 2005, 87, 195-203.	1.7	58
86	Heterogenic expression of genes encoding secreted proteins at the periphery of <i>Aspergillus niger</i> colonies. Environmental Microbiology, 2011, 13, 216-225.	3.8	58
87	Aspergillus niger RhaR, a regulator involved in l-rhamnose release and catabolism. Applied Microbiology and Biotechnology, 2014, 98, 5531-40.	3.6	56
88	The molecular response of the whiteâ€rot fungus <scp><i>D</i></scp> <i>ichomitus squalens</i> to wood and nonâ€woody biomass as examined by transcriptome and exoproteome analyses. Environmental Microbiology, 2017, 19, 1237-1250.	3.8	55
89	Expression-based clustering of CAZyme-encoding genes of Aspergillus niger. BMC Genomics, 2017, 18, 900.	2.8	54
90	Expanding the feruloyl esterase gene family of Aspergillus niger by characterization of a feruloyl esterase, FaeC. New Biotechnology, 2017, 37, 200-209.	4.4	52

#	Article	IF	CITATIONS
91	Isolation and characterization of two specific regulatory Aspergillus niger mutants shows antagonistic regulation of arabinan and xylan metabolism. Microbiology (United Kingdom), 2003, 149, 1183-1191.	1.8	51
92	Two glucuronoyl esterases of Phanerochaete chrysosporium. Archives of Microbiology, 2009, 191, 133-140.	2.2	51
93	Uncovering the abilities of <scp><i>A</i></scp> <i>garicus bisporus</i> to degrade plant biomass throughout its life cycle. Environmental Microbiology, 2015, 17, 3098-3109.	3.8	49
94	The influence of pretreatment methods on saccharification of sugarcane bagasse by an enzyme extract from Chrysoporthe cubensis and commercial cocktails: A comparative study. Bioresource Technology, 2015, 192, 670-676.	9.6	49
95	Unique Regulatory Mechanism for d-Galactose Utilization in Aspergillus nidulans. Applied and Environmental Microbiology, 2011, 77, 7084-7087.	3.1	48
96	Regulation of Plant Biomass Utilization in Aspergillus. Advances in Applied Microbiology, 2014, 88, 31-56.	2.4	48
97	Efficient Plant Biomass Degradation by Thermophilic Fungus Myceliophthora heterothallica. Applied and Environmental Microbiology, 2013, 79, 1316-1324.	3.1	47
98	In Silico Analysis of Putative Sugar Transporter Genes in Aspergillus niger Using Phylogeny and Comparative Transcriptomics. Frontiers in Microbiology, 2018, 9, 1045.	3.5	47
99	Sugar Catabolism in Aspergillus and Other Fungi Related to the Utilization of Plant Biomass. Advances in Applied Microbiology, 2015, 90, 1-28.	2.4	46
100	Developments and opportunities in fungal strain engineering for the production of novel enzymes and enzyme cocktails for plant biomass degradation. Biotechnology Advances, 2019, 37, 107361.	11.7	46
101	Inverting character of α-glucuronidase A from Aspergillus tubingensis. Biochimica Et Biophysica Acta - General Subjects, 2000, 1474, 360-364.	2.4	44
102	Occurrence of Aspergillus allahabadii on sandstone at Bayon temple, Angkor Thom, Cambodia. International Biodeterioration and Biodegradation, 2013, 76, 112-117.	3.9	44
103	The diversity and evolution of microbiota in traditional Turkish Divle Cave cheese during ripening. International Dairy Journal, 2016, 58, 50-53.	3.0	43
104	Comparative analysis of basidiomycete transcriptomes reveals a core set of expressed genes encoding plant biomass degrading enzymes. Fungal Genetics and Biology, 2018, 112, 40-46.	2.1	42
105	Genetic Interaction of Aspergillus nidulans galR, xlnR and araR in Regulating D-Galactose and L-Arabinose Release and Catabolism Gene Expression. PLoS ONE, 2015, 10, e0143200.	2.5	41
106	The α-glucuronidase Agu1 from Schizophyllum commune is a member of a novel glycoside hydrolase family (GH115). Applied Microbiology and Biotechnology, 2011, 90, 1323-1332.	3.6	39
107	GalX regulates the <scp>d</scp> â€galactose oxidoâ€reductive pathway in <i>Aspergillus niger</i> . FEBS Letters, 2012, 586, 3980-3985.	2.8	39
108	Feruloyl Esterases for Biorefineries: Subfamily Classified Specificity for Natural Substrates. Frontiers in Bioengineering and Biotechnology, 2020, 8, 332.	4.1	39

#	Article	IF	CITATIONS
109	Synergistic effect of <i>Aspergillus niger</i> and <i>Trichoderma reesei</i> enzyme sets on the saccharification of wheat straw and sugarcane bagasse. Biotechnology Journal, 2014, 9, 1329-1338.	3.5	38
110	Volatile compound profiling of Turkish Divle Cave cheese during production and ripening. Journal of Dairy Science, 2016, 99, 5120-5131.	3.4	37
111	<scp>ARA</scp> 1 regulates not only <scp>l</scp> â€arabinose but also <scp>d</scp> â€galactose catabolism in <i>Trichoderma reesei</i> . FEBS Letters, 2018, 592, 60-70.	2.8	37
112	A genomic survey of proteases in Aspergilli. BMC Genomics, 2014, 15, 523.	2.8	36
113	<i>Dichomitus squalens</i> partially tailors its molecular responses to the composition of solid wood. Environmental Microbiology, 2018, 20, 4141-4156.	3.8	36
114	Characterization of a feruloyl esterase from <i>Aspergillus terreus</i> facilitates the division of fungal enzymes from Carbohydrate Esterase family 1 of the carbohydrateâ€active enzymes (CAZy) database. Microbial Biotechnology, 2018, 11, 869-880.	4.2	36
115	Mapping the polysaccharide degradation potential of Aspergillus niger. BMC Genomics, 2012, 13, 313.	2.8	35
116	Carbohydrate utilization and metabolism is highly differentiated in Agaricus bisporus. BMC Genomics, 2013, 14, 663.	2.8	35
117	Characterization and biotechnological application of recombinant xylanases from Aspergillus nidulans. International Journal of Biological Macromolecules, 2016, 91, 60-67.	7.5	35
118	Genomic and Genetic Insights Into a Cosmopolitan Fungus, Paecilomyces variotii (Eurotiales). Frontiers in Microbiology, 2018, 9, 3058.	3.5	35
119	The transcriptional activators AraR and XlnR from Aspergillus niger regulate expression of pentose catabolic and pentose phosphate pathway genes. Research in Microbiology, 2014, 165, 531-540.	2.1	34
120	CRISPR/Cas9 technology enables the development of the filamentous ascomycete fungus Penicillium subrubescens as a new industrial enzyme producer. Enzyme and Microbial Technology, 2020, 133, 109463.	3.2	34
121	The draft genome sequence of the ascomycete fungus Penicillium subrubescens reveals a highly enriched content of plant biomass related CAZymes compared to related fungi. Journal of Biotechnology, 2017, 246, 1-3.	3.8	33
122	Fungal feruloyl esterases: Functional validation of genome mining based enzyme discovery including uncharacterized subfamilies. New Biotechnology, 2018, 41, 9-14.	4.4	33
123	From lignocellulose to plastics: Knowledge transfer on the degradation approaches by fungi. Biotechnology Advances, 2021, 50, 107770.	11.7	33
124	Fungal xylanolytic enzymes: Diversity and applications. Bioresource Technology, 2022, 344, 126290.	9.6	33
125	Xlr1 is involved in the transcriptional control of the pentose catabolic pathway, but not hemi-cellulolytic enzymes in Magnaporthe oryzae. Fungal Genetics and Biology, 2013, 57, 76-84.	2.1	32
126	The distinctive regulatory roles of PrtT in the cell metabolism of Penicillium oxalicum. Fungal Genetics and Biology, 2014, 63, 42-54.	2.1	32

#	Article	IF	CITATIONS
127	Conserved white-rot enzymatic mechanism for wood decay in the Basidiomycota genus <i>Pycnoporus</i> . DNA Research, 2020, 27, .	3.4	32
128	Induction of Genes Encoding Plant Cell Wall-Degrading Carbohydrate-Active Enzymes by Lignocellulose-Derived Monosaccharides and Cellobiose in the White-Rot Fungus Dichomitus squalens. Applied and Environmental Microbiology, 2018, 84, .	3.1	31
129	Characterization of oxylipins and dioxygenase genes in the asexual fungus Aspergillus niger. BMC Microbiology, 2009, 9, 59.	3.3	30
130	Oxalate-Metabolising Genes of the White-Rot Fungus Dichomitus squalens Are Differentially Induced on Wood and at High Proton Concentration. PLoS ONE, 2014, 9, e87959.	2.5	29
131	N -acetylglucosamine, the building block of chitin, inhibits growth of Neurospora crassa. Fungal Genetics and Biology, 2017, 107, 1-11.	2.1	29
132	Fungal glucuronoyl esterases: Genome mining based enzyme discovery and biochemical characterization. New Biotechnology, 2018, 40, 282-287.	4.4	29
133	CRISPR/Cas9 facilitates rapid generation of constitutive forms of transcription factors in Aspergillus niger through specific on-site genomic mutations resulting in increased saccharification of plant biomass. Enzyme and Microbial Technology, 2020, 136, 109508.	3.2	29
134	The β-1,4-endogalactanase A gene fromAspergillus nigeris specifically induced on arabinose and galacturonic acid and plays an important role in the degradation of pectic hairy regions. FEBS Journal, 2002, 269, 4985-4993.	0.2	28
135	Improving cellulase production by Aspergillus niger using adaptive evolution. Biotechnology Letters, 2016, 38, 969-974.	2.2	28
136	On the origin of vanillyl alcohol oxidases. Fungal Genetics and Biology, 2018, 116, 24-32.	2.1	28
137	Engineering of primary carbon metabolism in filamentous fungi. Biotechnology Advances, 2020, 43, 107551.	11.7	28
138	Localization of protein secretion in fungal colonies using a novel culturing technique; the ring-plate system. Journal of Microbiological Methods, 2007, 69, 399-401.	1.6	27
139	Technical advance in fungal biotechnology: development of a miniaturized culture method and an automated high-throughput screening. Letters in Applied Microbiology, 2009, 49, 278-282.	2.2	27
140	Penicillium subrubescens is a promising alternative for Aspergillus niger in enzymatic plant biomass saccharification. New Biotechnology, 2016, 33, 834-841.	4.4	27
141	8 Degradation and Modification of Plant Biomass by Fungi. , 2014, , 175-208.		26
142	The pathway intermediate 2â€ketoâ€3â€deoxyâ€Lâ€galactonate mediates the induction of genes involved in Dâ€galacturonic acid utilization in <i>Aspergillus niger</i> . FEBS Letters, 2017, 591, 1408-1418.	2.8	25
143	Discovery of Novelp-Hydroxybenzoate-m-hydroxylase, Protocatechuate 3,4 Ring-Cleavage Dioxygenase, and Hydroxyquinol 1,2 Ring-Cleavage Dioxygenase from the Filamentous FungusAspergillus niger. ACS Sustainable Chemistry and Engineering, 2019, 7, 19081-19089.	6.7	25
144	Genomic and Postgenomic Diversity of Fungal Plant Biomass Degradation Approaches. Trends in Microbiology, 2020, 28, 487-499.	7.7	25

#	Article	IF	CITATIONS
145	Evidence for ligninolytic activity of the ascomycete fungus Podospora anserina. Biotechnology for Biofuels, 2020, 13, 75.	6.2	25
146	The <i>Hypocrea jecorina</i> (syn. <i>Trichoderma reesei</i>) <i>lxr1</i> gene encodes a <scp>d</scp> â€mannitol dehydrogenase and is not involved in <scp>l</scp> â€arabinose catabolism. FEBS Letters, 2009, 583, 1309-1313.	2.8	24
147	The interaction of induction and repression mechanisms in the regulation of galacturonic acid-induced genes in Aspergillus niger. Fungal Genetics and Biology, 2015, 82, 32-42.	2.1	24
148	Enhancing saccharification of wheat straw by mixing enzymes from genetically-modified Trichoderma reesei and Aspergillus niger. Biotechnology Letters, 2016, 38, 65-70.	2.2	24
149	The fungus Aspergillus niger consumes sugars in a sequential manner that is not mediated by the carbon catabolite repressor CreA. Scientific Reports, 2018, 8, 6655.	3.3	24
150	Genomic and exoproteomic diversity in plant biomass degradation approaches among Aspergilli. Studies in Mycology, 2018, 91, 79-99.	7.2	24
151	Macroalgae Derived Fungi Have High Abilities to Degrade Algal Polymers. Microorganisms, 2020, 8, 52.	3.6	24
152	Secretion of small proteins is speciesâ€specific within <i>Aspergillus</i> sp. Microbial Biotechnology, 2017, 10, 323-329.	4.2	23
153	Mixed colonies of Aspergillus niger and Aspergillus oryzae cooperatively degrading wheat bran. Fungal Genetics and Biology, 2017, 102, 31-37.	2.1	23
154	Characterisation of three fungal glucuronoyl esterases on glucuronic acid ester model compounds. Applied Microbiology and Biotechnology, 2017, 101, 5301-5311.	3.6	23
155	The Value of Genome Sequences in the Rapid Identification of Novel Genes Encoding Specific Plant Cell Wall Degrading Enzymes. Current Genomics, 2005, 6, 157-187.	1.6	22
156	A novel <scp>l</scp> â€arabinoseâ€responsive regulator discovered in the riceâ€blast fungus <i>Pyricularia oryzae</i> (<i>Magnaporthe oryzae</i>). FEBS Letters, 2016, 590, 550-558.	2.8	22
157	Cultivation of Podospora anserina on soybean hulls results in an efficient enzyme cocktail for plant biomass hydrolysis. New Biotechnology, 2017, 37, 162-171.	4.4	22
158	Functional diversity in Dichomitus squalens monokaryons. IMA Fungus, 2017, 8, 17-25.	3.8	22
159	Draft Genome Sequences of Three Monokaryotic Isolates of the White-Rot Basidiomycete Fungus Dichomitus squalens. Microbiology Resource Announcements, 2019, 8, .	0.6	22
160	Temporal transcriptome analysis of the white-rot fungus Obba rivulosa shows expression of a constitutive set of plant cell wall degradation targeted genes during growth on solid spruce wood. Fungal Genetics and Biology, 2018, 112, 47-54.	2.1	21
161	Duplications and losses of genes encoding known elements of the stress defence system of the Aspergilli contribute to the evolution of these filamentous fungi but do not directly influence their environmental stress tolerance. Studies in Mycology, 2018, 91, 23-36.	7.2	21
162	Glucose-Mediated Repression of Plant Biomass Utilization in the White-Rot Fungus <i>Dichomitus squalens</i> . Applied and Environmental Microbiology, 2019, 85, .	3.1	21

#	Article	IF	CITATIONS
163	Recombinant production and characterization of six novel GH27 and GH36 α-galactosidases from Penicillium subrubescens and their synergism with a commercial mannanase during the hydrolysis of lignocellulosic biomass. Bioresource Technology, 2020, 295, 122258.	9.6	21
164	Spatial and Developmental Differentiation of Mannitol Dehydrogenase and Mannitol-1-Phosphate Dehydrogenase in Aspergillus niger. Eukaryotic Cell, 2010, 9, 1398-1402.	3.4	20
165	An improved and reproducible protocol for the extraction of high quality fungal RNA from plant biomass substrates. Fungal Genetics and Biology, 2014, 72, 201-206.	2.1	20
166	Hydrolytic potential of five fungal supernatants to enhance a commercial enzyme cocktail. Biotechnology Letters, 2017, 39, 1403-1411.	2.2	20
167	A community-driven reconstruction of the Aspergillus niger metabolic network. Fungal Biology and Biotechnology, 2018, 5, 16.	5.1	20
168	The obligate alkalophilic sodaâ€lake fungus Sodiomyces alkalinus has shifted to a protein diet. Molecular Ecology, 2018, 27, 4808-4819.	3.9	20
169	Xylitol production from plant biomass by Aspergillus niger through metabolic engineering. Bioresource Technology, 2022, 344, 126199.	9.6	20
170	Compost Grown Agaricus bisporus Lacks the Ability to Degrade and Consume Highly Substituted Xylan Fragments. PLoS ONE, 2015, 10, e0134169.	2.5	19
171	Fungal Ligninolytic Enzymes and Their Applications. Microbiology Spectrum, 2016, 4, .	3.0	19
172	Cinnamic Acid and Sorbic acid Conversion Are Mediated by the Same Transcriptional Regulator in Aspergillus niger. Frontiers in Bioengineering and Biotechnology, 2019, 7, 249.	4.1	19
173	In vivo functional analysis of L-rhamnose metabolic pathway in Aspergillus niger: a tool to identify the potential inducer of RhaR. BMC Microbiology, 2017, 17, 214.	3.3	18
174	Functional Validation of Two Fungal Subfamilies in Carbohydrate Esterase Family 1 by Biochemical Characterization of Esterases From Uncharacterized Branches. Frontiers in Bioengineering and Biotechnology, 2020, 8, 694.	4.1	17
175	Discovery and Functional Analysis of a Salicylic Acid Hydroxylase from Aspergillus niger. Applied and Environmental Microbiology, 2021, 87, .	3.1	17
176	d-Galactose uptake is nonfunctional in the conidiospores of Aspergillus niger. FEMS Microbiology Letters, 2012, 329, 198-203.	1.8	16
177	The pentose catabolic pathway of the rice-blast fungus Magnaporthe oryzae involves a novel pentose reductase restricted to few fungal species. FEBS Letters, 2013, 587, 1346-1352.	2.8	16
178	(Post-)Genomics approaches in fungal research. Briefings in Functional Genomics, 2014, 13, 424-439.	2.7	16
179	The quest for fungal strains and their co-culture potential to improve enzymatic degradation of Chinese distillers' grain and other agricultural wastes. International Biodeterioration and Biodegradation, 2019, 144, 104765.	3.9	16
180	CreA-mediated repression of gene expression occurs at low monosaccharide levels during fungal plant biomass conversion in a time and substrate dependent manner. Cell Surface, 2021, 7, 100050.	3.0	16

#	Article	IF	CITATIONS
181	Phylogenetic analysis and substrate specificity of GH2 βâ€mannosidases from <i>Aspergillus</i> species. FEBS Letters, 2013, 587, 3444-3449.	2.8	15
182	Spatial differentiation of gene expression in Aspergillus niger colony grown for sugar beet pulp utilization. Scientific Reports, 2015, 5, 13592.	3.3	15
183	Draft Genome Sequence of the White-Rot Fungus <i>Obba rivulosa</i> 3A-2. Genome Announcements, 2016, 4, .	0.8	15
184	The Synthetic Potential of Fungal Feruloyl Esterases: A Correlation with Current Classification Systems and Predicted Structural Properties. Catalysts, 2018, 8, 242.	3.5	15
185	Colonies of the fungus Aspergillus niger are highly differentiated to adapt to local carbon source variation. Environmental Microbiology, 2020, 22, 1154-1166.	3.8	15
186	Penicillium subrubescens adapts its enzyme production to the composition of plant biomass. Bioresource Technology, 2020, 311, 123477.	9.6	15
187	FluG affects secretion in colonies of Aspergillus niger. Antonie Van Leeuwenhoek, 2015, 107, 225-240.	1.7	14
188	Myceliophthora thermophila Xyr1 is predominantly involved in xylan degradation and xylose catabolism. Biotechnology for Biofuels, 2019, 12, 220.	6.2	14
189	Production of Protocatechuic Acid from <i>p</i> -Hydroxyphenyl (H) Units and Related Aromatic Compounds Using an Aspergillus niger Cell Factory. MBio, 2021, 12, e0039121.	4.1	14
190	Vanillic acid and methoxyhydroquinone production from guaiacyl units and related aromatic compounds using Aspergillus niger cell factories. Microbial Cell Factories, 2021, 20, 151.	4.0	14
191	Disruption of photoautotrophic intertidal mats by filamentous fungi. Environmental Microbiology, 2015, 17, 2910-2921.	3.8	13
192	<i>Talaromyces borbonicus</i> , sp. nov., a novel fungus from biodegraded <i>Arundo donax</i> with potential abilities in lignocellulose conversion. Mycologia, 2018, 110, 316-324.	1.9	13
193	Fungal Stress Database (FSD)––a repository of fungal stress physiological data. Database: the Journal of Biological Databases and Curation, 2018, 2018, .	3.0	13
194	The Current Biotechnological Status and Potential of Plant and Algal Biomass Degrading/Modifying Enzymes from Ascomycete Fungi. Grand Challenges in Biology and Biotechnology, 2020, , 81-120.	2.4	13
195	Genetic transformation of the white-rot fungus Dichomitus squalens using a new commercial protoplasting cocktail. Journal of Microbiological Methods, 2017, 143, 38-43.	1.6	12
196	Post-genomic approaches to understanding interactions between fungi and their environment. IMA Fungus, 2011, 2, 81-86.	3.8	11
197	Genome Sequence of the Basidiomycete White-Rot Fungus Trametes pubescens FBCC735. Genome Announcements, 2017, 5, .	0.8	11
198	Draft Genome Sequence of the Basidiomycete White-Rot Fungus Phlebia centrifuga. Genome Announcements, 2018, 6, .	0.8	11

#	Article	IF	CITATIONS
199	Blocking hexose entry into glycolysis activates alternative metabolic conversion of these sugars and upregulates pentose metabolism in Aspergillus nidulans. BMC Genomics, 2018, 19, 214.	2.8	11
200	Enzymatic Adaptation of Podospora anserina to Different Plant Biomass Provides Leads to Optimized Commercial Enzyme Cocktails. Biotechnology Journal, 2019, 14, 1800185.	3.5	11
201	Identification of a gene encoding the last step of the L-rhamnose catabolic pathway in Aspergillus niger revealed the inducer of the pathway regulator. Microbiological Research, 2020, 234, 126426.	5.3	11
202	Control and possible applications of a novel carrot-spoilage basidiomycete, FibulorhizoctoniaÂ psychrophila. Antonie Van Leeuwenhoek, 2008, 93, 407-413.	1.7	10
203	Physiological background of the remarkably high Cd ²⁺ tolerance of the <i>Aspergillus fumigatus</i> Af293 strain. Journal of Basic Microbiology, 2018, 58, 957-967.	3.3	10
204	Deletion of either the regulatory gene ara1 or metabolic gene xki1 in Trichoderma reesei leads to increased CAZyme gene expression on crude plant biomass. Biotechnology for Biofuels, 2019, 12, 81.	6.2	10
205	The presence of trace components significantly broadens the molecular response of Aspergillus niger to guar gum. New Biotechnology, 2019, 51, 57-66.	4.4	10
206	Evolutionary adaptation of <i>Aspergillus niger</i> for increased ferulic acid tolerance. Journal of Applied Microbiology, 2020, 128, 735-746.	3.1	10
207	Revisiting a â€~simple' fungal metabolic pathway reveals redundancy, complexity and diversity. Microbial Biotechnology, 2021, 14, 2525-2537.	4.2	10
208	Fungal glycoside hydrolase family 44 xyloglucanases are restricted to the phylum Basidiomycota and show a distinct xyloglucan cleavage pattern. IScience, 2022, 25, 103666.	4.1	10
209	The physiology of Agaricus bisporus in semi-commercial compost cultivation appears to be highly conserved among unrelated isolates. Fungal Genetics and Biology, 2018, 112, 12-20.	2.1	9
210	Carbohydrate esterase family 16 contains fungal hemicellulose acetyl esterases (HAEs) with varying specificity. New Biotechnology, 2022, 70, 28-38.	4.4	9
211	Cooperation of <i>Aspergillus nidulans</i> enzymes increases plant polysaccharide saccharification. Biotechnology Journal, 2016, 11, 988-992.	3.5	8
212	Molecular engineering to improve lignocellulosic biomass based applications using filamentous fungi. Advances in Applied Microbiology, 2021, 114, 73-109.	2.4	8
213	Comparative characterization of nine novel GH51, GH54 and GH62 αâ€ <scp>l</scp> â€arabinofuranosidases from <i>Penicillium subrubescens</i> . FEBS Letters, 2022, 596, 360-368.	2.8	8
214	Disruption of the <scp>L</scp> â€arabitol dehydrogenase encoding gene in <i>Aspergillus tubingensis</i> results in increased xylanase production. Biotechnology Journal, 2013, 8, 905-911.	3.5	7
215	Improved Hemicellulase Production by Genetic Modification of Carbon Catabolite Repression and Xylanolitic Activation in Aspergillus niger. Current Biotechnology, 2018, 7, 10-18.	0.4	7
216	Mixtures of aromatic compounds induce ligninolytic gene expression in the wood-rotting fungus Dichomitus squalens. Journal of Biotechnology, 2020, 308, 35-39.	3.8	7

#	Article	IF	CITATIONS
217	Blocking utilization of major plant biomass polysaccharides leads <i>Aspergillusniger</i> towards utilization of minor components. Microbial Biotechnology, 2021, 14, 1683-1698.	4.2	7
218	Clycoside Hydrolase family 30 harbors fungal subfamilies with distinct polysaccharide specificities. New Biotechnology, 2022, 67, 32-41.	4.4	7
219	Detailed analysis of the D-galactose catabolic pathways in Aspergillus niger reveals complexity at both metabolic and regulatory level. Fungal Genetics and Biology, 2022, 159, 103670.	2.1	7
220	A single amino acid change (Y318F) in the L-arabitol dehydrogenase (LadA) from Aspergillus niger results in a significant increase in affinity for D-sorbitol. BMC Microbiology, 2009, 9, 166.	3.3	6
221	Overexpression, purification and characterisation of homologous <i>α</i> - <scp>l</scp> -arabinofuranosidase and <i>endo</i> 1,4- <i>β</i> - <scp>d</scp> -glucanase in <i>Aspergillus vadensis</i> . Journal of Industrial Microbiology and Biotechnology, 2014, 41, 1697-1708.	3.0	6
222	Accumulation of recalcitrant xylan in mushroom-compost is due to a lack of xylan substituent removing enzyme activities of Agaricus bisporus. Carbohydrate Polymers, 2015, 132, 359-368.	10.2	6
223	Sexual crossing of thermophilic fungus Myceliophthora heterothallica improved enzymatic degradation of sugar beet pulp. Biotechnology for Biofuels, 2016, 9, 41.	6.2	6
224	High resolution visualization and exoâ€proteomics reveal the physiological role of XlnR and AraR in plant biomass colonization and degradation by <i>Aspergillus niger</i> . Environmental Microbiology, 2017, 19, 4587-4598.	3.8	6
225	l-Arabinose induces d-galactose catabolism via the Leloir pathway in Aspergillus nidulans. Fungal Genetics and Biology, 2019, 123, 53-59.	2.1	6
226	The Cultivation Method Affects the Transcriptomic Response of Aspergillus niger to Growth on Sugar Beet Pulp. Microbiology Spectrum, 2021, 9, e0106421.	3.0	6
227	ThefaeA gene fromAspergillus niger encoding a feruloyl esterase with activity on xylan and pectin is subject to a complex system of regulation. Journal of the Science of Food and Agriculture, 1999, 79, 443-446.	3.5	5
228	A senescence-delaying pre-culture medium for transcriptomics of Podospora anserina. Journal of Microbiological Methods, 2018, 146, 33-36.	1.6	5
229	Transcriptome analysis of Aspergillus niger xlnR and xkiA mutants grown on corn Stover and soybean hulls reveals a highly complex regulatory network. BMC Genomics, 2019, 20, 853.	2.8	5
230	Characterization of d-xylose reductase, XyrB, from Aspergillus niger. Biotechnology Reports (Amsterdam, Netherlands), 2021, 30, e00610.	4.4	5
231	The chimeric GaaR-XlnR transcription factor induces pectinolytic activities in the presence of D-xylose in Aspergillus niger. Applied Microbiology and Biotechnology, 2021, 105, 5553-5564.	3.6	5
232	Unraveling the regulation of sugar beet pulp utilization in the industrially relevant fungus Aspergillus niger. IScience, 2022, 25, 104065.	4.1	5
233	GH10 and GH11 endoxylanases in Penicillium subrubescens: Comparative characterization and synergy with GH51, GH54, GH62 α-L-arabinofuranosidases from the same fungus. New Biotechnology, 2022, 70, 84-92.	4.4	5
234	Aspergillus: Genomics of a Cosmopolitan Fungus. Soil Biology, 2013, , 89-126.	0.8	4

#	Article	IF	CITATIONS
235	Genetic Engineering for Strain Improvement in Filamentous Fungi. , 2021, , 489-504.		4
236	Re-routing of Sugar Catabolism Provides a Better Insight Into Fungal Flexibility in Using Plant Biomass-Derived Monomers as Substrates. Frontiers in Bioengineering and Biotechnology, 2021, 9, 644216.	4.1	4
237	GalR, GalX and AraR coâ€regulate <scp>d</scp> â€galactose and <scp>l</scp> â€arabinose utilization in <i>Aspergillus nidulans</i> . Microbial Biotechnology, 2022, 15, 1839-1851.	4.2	4
238	Plant biomass degradation by fungi. Fungal Genetics and Biology, 2014, 72, 1.	2.1	3
239	Role of Microbial Cultures and Enzymes During Cheese Production and Ripening. Advances in Medical Technologies and Clinical Practice Book Series, 2018, , 182-203.	0.3	3
240	Screening of novel fungal Carbohydrate Esterase family 1 enzymes identifies three novel dual feruloyl/acetyl xylan esterases. FEBS Letters, 2022, 596, 1932-1943.	2.8	3
241	Homologous and Heterologous Expression of Basidiomycete Genes Related to Plant Biomass Degradation. Fungal Biology, 2016, , 119-160.	0.6	2
242	Fungal Ligninolytic Enzymes and Their Applications. , 2017, , 1049-1061.		2
243	Mold-Ripened and Raw Milk Cheeses. , 2017, , 353-361.		2
244	Temporal microbiota and biochemical profiles during production and ripening of Divle Cave cheese. International Journal of Dairy Technology, 2018, 71, 99-106.	2.8	2
245	Genetic barcodes allow traceability of CRISPR/Cas9-derived Aspergillus niger strains without affecting their fitness. Current Genetics, 2021, 67, 673-684.	1.7	2
246	Carbon utilization and growth-inhibition of citrus-colonizing Phyllosticta species. Fungal Biology, 2021, 125, 815-825.	2.5	2
247	(Hemi-)Cellulose Degrading Enzymes and Their Encoding Genes from Aspergillus and Trichoderma. , 2011, , 341-355.		2
248	Evolutionary Adaptation as a Tool to Generate Targeted Mutant Strains as Evidence by Increased Inulinase Production in Aspergillus oryzae. , 2016, , 189-196.		2
249	Machine learning prediction of novel pectinolytic enzymes in Aspergillus niger through integrating heterogeneous (post-) genomics data. Microbial Genomics, 2021, 7, .	2.0	2
250	Potential Fungi Isolated From Anti-biodegradable Chinese Medicine Residue to Degrade Lignocellulose. Frontiers in Microbiology, 2022, 13, .	3.5	2
251	Chemical and thermal stability of ferulic acid (feruloyl) esterases from Aspergillus. Progress in Biotechnology, 1998, , 41-46.	0.2	1
252	Draft Genome Sequence of Talaromyces adpressus. Genome Announcements, 2018, 6, .	0.8	1

#	Article	IF	CITATIONS
253	Evolutionary Adaptation to Generate Mutants. Methods in Molecular Biology, 2018, 1775, 133-137.	0.9	1
254	Production of Feruloyl Esterases by Aspergillus Species. , 2016, , 129-144.		1
255	Preface to Agaricus bisporus – Beyond the genome Special Issue. Fungal Genetics and Biology, 2013, 55, 1.	2.1	Ο
256	Microbial Interactions. Fungal Genetics and Biology, 2017, 102, 1-3.	2.1	0
257	Basidiomycete Genomics. Fungal Genetics and Biology, 2018, 112, 1.	2.1	0
258	Introduction: Overview of Fungal Genomics. Methods in Molecular Biology, 2018, 1775, 1-7.	0.9	0
259	Degradation of Homocyclic Aromatic Compounds by Fungi. , 2021, , 477-488.		Ο
260	Bioinformatics Approaches for Fungal Biotechnology. , 2021, , 536-554.		0
261	Fungal Degradation of Plant Bacterial Strategies for Plant. , 2011, , .		0