

Jana Strohmaier

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4485193/publications.pdf>

Version: 2024-02-01

46
papers

8,384
citations

257450

24
h-index

233421

45
g-index

51
all docs

51
docs citations

51
times ranked

13201
citing authors

#	ARTICLE	IF	CITATIONS
1	Shared genetic risk between eating disorder and substance use-related phenotypes: Evidence from genome-wide association studies. <i>Addiction Biology</i> , 2021, 26, e12880.	2.6	28
2	Bipolar multiplex families have an increased burden of common risk variants for psychiatric disorders. <i>Molecular Psychiatry</i> , 2021, 26, 1286-1298.	7.9	33
3	Clinical and genetic differences between bipolar disorder type 1 and 2 in multiplex families. <i>Translational Psychiatry</i> , 2021, 11, 31.	4.8	22
4	The Heidelberg Five personality dimensions: Genome-wide associations, polygenic risk for neuroticism, and psychopathology 20 years after assessment. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2021, 186, 77-89.	1.7	6
5	The Genetics of the Mood Disorder Spectrum: Genome-wide Association Analyses of More Than 185,000 Cases and 439,000 Controls. <i>Biological Psychiatry</i> , 2020, 88, 169-184.	1.3	137
6	Whole-exome sequencing of 81 individuals from 27 multiply affected bipolar disorder families. <i>Translational Psychiatry</i> , 2020, 10, 57.	4.8	23
7	Investigating polygenic burden in age at disease onset in bipolar disorder: Findings from an international multicentric study. <i>Bipolar Disorders</i> , 2019, 21, 68-75.	1.9	20
8	Genome-wide association study identifies 30 loci associated with bipolar disorder. <i>Nature Genetics</i> , 2019, 51, 793-803.	21.4	1,191
9	Attitudes toward the right to autonomous decision-making in psychiatric genetic testing: Controversial and context-dependent. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2019, 180, 555-565.	1.7	6
10	Efficient region-based test strategy uncovers genetic risk factors for functional outcome in bipolar disorder. <i>European Neuropsychopharmacology</i> , 2019, 29, 156-170.	0.7	7
11	Impact on birth weight of maternal smoking throughout pregnancy mediated by DNA methylation. <i>BMC Genomics</i> , 2018, 19, 290.	2.8	41
12	Genome-wide association analyses identify 44 risk variants and refine the genetic architecture of major depression. <i>Nature Genetics</i> , 2018, 50, 668-681.	21.4	2,224
13	The protocadherin 17 gene affects cognition, personality, amygdala structure and function, synapse development and risk of major mood disorders. <i>Molecular Psychiatry</i> , 2018, 23, 400-412.	7.9	60
14	El estudio Andalusian Bipolar Family (ABiF): protocolo y descripción de la muestra. <i>Revista De Psiquiatría Y Salud Mental</i> , 2018, 11, 199-207.	1.8	5
15	Does Childhood Trauma Moderate Polygenic Risk for Depression? A Meta-analysis of 5765 Subjects From the Psychiatric Genomics Consortium. <i>Biological Psychiatry</i> , 2018, 84, 138-147.	1.3	87
16	Gene set enrichment analysis and expression pattern exploration implicate an involvement of neurodevelopmental processes in bipolar disorder. <i>Journal of Affective Disorders</i> , 2018, 228, 20-25.	4.1	14
17	Transancestral GWAS of alcohol dependence reveals common genetic underpinnings with psychiatric disorders. <i>Nature Neuroscience</i> , 2018, 21, 1656-1669.	14.8	490
18	Exome sequencing in large, multiplex bipolar disorder families from Cuba. <i>PLoS ONE</i> , 2018, 13, e0205895.	2.5	13

#	ARTICLE	IF	CITATIONS
19	Genomic information and a person's right not to know: A closer look at variations in hypothetical informational preferences in a German sample. PLoS ONE, 2018, 13, e0198249.	2.5	13
20	Analysis of shared heritability in common disorders of the brain. Science, 2018, 360, .	12.6	1,085
21	Response to the letter by Esteves et al.. Neuropsychopharmacology, 2018, 43, 2164-2164.	5.4	0
22	Shared genetic etiology between alcohol dependence and major depressive disorder. Psychiatric Genetics, 2018, 28, 66-70.	1.1	19
23	Neurocognitive Endophenotypes of Schizophrenia and Bipolar Disorder and Possible Associations with FKBP Variant rs3800373. Medicinski Arhiv = Medical Archives = Archives De Médecine, 2018, 72, 352.	0.9	4
24	Genome-wide Association for Major Depression Through Age at Onset Stratification: Major Depressive Disorder Working Group of the Psychiatric Genomics Consortium. Biological Psychiatry, 2017, 81, 325-335.	1.3	175
25	Telomere Length in Newborns is Related to Maternal Stress During Pregnancy. Neuropsychopharmacology, 2017, 42, 2407-2413.	5.4	83
26	Genome-wide association study of borderline personality disorder reveals genetic overlap with bipolar disorder, major depression and schizophrenia. Translational Psychiatry, 2017, 7, e1155-e1155.	4.8	150
27	Investigation of <i>SHANK3</i> in schizophrenia. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2017, 174, 390-398.	1.7	34
28	Genetic effects influencing risk for major depressive disorder in China and Europe. Translational Psychiatry, 2017, 7, e1074-e1074.	4.8	64
29	Genetic Association of Major Depression With Atypical Features and Obesity-Related Immunometabolic Dysregulations. JAMA Psychiatry, 2017, 74, 1214.	11.0	174
30	Common variants at 2q11.2, 8q21.3, and 11q13.2 are associated with major mood disorders. Translational Psychiatry, 2017, 7, 1273.	4.8	9
31	Identification of a Bipolar Disorder Vulnerable Gene CHDH at 3p21.1. Molecular Neurobiology, 2017, 54, 5166-5176.	4.0	9
32	Contribution of copy number variants to schizophrenia from a genome-wide study of 41,321 subjects. Nature Genetics, 2017, 49, 27-35.	21.4	838
33	Genetic Contribution to Alcohol Dependence: Investigation of a Heterogeneous German Sample of Individuals with Alcohol Dependence, Chronic Alcoholic Pancreatitis, and Alcohol-Related Cirrhosis. Genes, 2017, 8, 183.	2.4	11
34	Parents' Attitudes toward Clinical Genetic Testing for Autism Spectrum Disorder—Data from a Norwegian Sample. International Journal of Molecular Sciences, 2017, 18, 1078.	4.1	28
35	Identification of shared risk loci and pathways for bipolar disorder and schizophrenia. PLoS ONE, 2017, 12, e0171595.	2.5	77
36	Parents' attitudes toward genetic research in autism spectrum disorder. Psychiatric Genetics, 2016, 26, 74-80.	1.1	13

#	ARTICLE	IF	CITATIONS
37	Perceived stress and hair cortisol: Differences in bipolar disorder and schizophrenia. <i>Psychoneuroendocrinology</i> , 2016, 69, 26-34.	2.7	48
38	Sexual Function is Correlated with Body Image and Partnership Quality in Female University Students. <i>Journal of Sexual Medicine</i> , 2016, 13, 1530-1538.	0.6	21
39	Genome-wide association study of 40,000 individuals identifies two novel loci associated with bipolar disorder. <i>Human Molecular Genetics</i> , 2016, 25, 3383-3394.	2.9	182
40	Convergent Lines of Evidence Support LRP8 as a Susceptibility Gene for Psychosis. <i>Molecular Neurobiology</i> , 2016, 53, 6608-6619.	4.0	20
41	Identification of increased genetic risk scores for schizophrenia in treatment-resistant patients. <i>Molecular Psychiatry</i> , 2015, 20, 150-151.	7.9	98
42	Low Birth Weight in MZ Twins Discordant for Birth Weight is Associated with Shorter Telomere Length and lower IQ, but not Anxiety/Depression in Later Life. <i>Twin Research and Human Genetics</i> , 2015, 18, 198-209.	0.6	17
43	Genome-wide association study reveals two new risk loci for bipolar disorder. <i>Nature Communications</i> , 2014, 5, 3339.	12.8	294
44	The psychiatric vulnerability gene CACNA1C and its sex-specific relationship with personality traits, resilience factors and depressive symptoms in the general population. <i>Molecular Psychiatry</i> , 2013, 18, 607-613.	7.9	47
45	Genome-wide Association Study Identifies Genetic Variation in Neurocan as a Susceptibility Factor for Bipolar Disorder. <i>American Journal of Human Genetics</i> , 2011, 88, 372-381.	6.2	257
46	Meta-analysis of genome-wide association data identifies a risk locus for major mood disorders on 3p21.1. <i>Nature Genetics</i> , 2010, 42, 128-131.	21.4	152