

Jonathan Reeve

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4485247/publications.pdf>

Version: 2024-02-01

145
papers

19,603
citations

17440

63
h-index

11052

137
g-index

156
all docs

156
docs citations

156
times ranked

15147
citing authors

#	ARTICLE	IF	CITATIONS
1	Body mass index as a predictor of fracture risk: A meta-analysis. <i>Osteoporosis International</i> , 2005, 16, 1330-1338.	3.1	1,292
2	Predictive Value of BMD for Hip and Other Fractures. <i>Journal of Bone and Mineral Research</i> , 2005, 20, 1185-1194.	2.8	1,213
3	Genome-wide meta-analysis identifies 56 bone mineral density loci and reveals 14 loci associated with risk of fracture. <i>Nature Genetics</i> , 2012, 44, 491-501.	21.4	1,100
4	A meta-analysis of previous fracture and subsequent fracture risk. <i>Bone</i> , 2004, 35, 375-382.	2.9	1,052
5	The use of clinical risk factors enhances the performance of BMD in the prediction of hip and osteoporotic fractures in men and women. <i>Osteoporosis International</i> , 2007, 18, 1033-1046.	3.1	1,017
6	Sclerostin is a delayed secreted product of osteocytes that inhibits bone formation. <i>FASEB Journal</i> , 2005, 19, 1842-1844.	0.5	834
7	Smoking and fracture risk: a meta-analysis. <i>Osteoporosis International</i> , 2005, 16, 155-162.	3.1	755
8	A Meta-Analysis of Prior Corticosteroid Use and Fracture Risk. <i>Journal of Bone and Mineral Research</i> , 2004, 19, 893-899.	2.8	666
9	An atlas of genetic influences on osteoporosis in humans and mice. <i>Nature Genetics</i> , 2019, 51, 258-266.	21.4	557
10	Whole-genome sequencing identifies EN1 as a determinant of bone density and fracture. <i>Nature</i> , 2015, 526, 112-117.	27.8	483
11	Quality of Life in Patients with Vertebral Fractures: Validation of the Quality of Life Questionnaire of the European Foundation for Osteoporosis (QUALEFFO). <i>Osteoporosis International</i> , 1999, 10, 150-160.	3.1	346
12	A family history of fracture and fracture risk: a meta-analysis. <i>Bone</i> , 2004, 35, 1029-1037.	2.9	344
13	Mechanical loading: biphasic osteocyte survival and targeting of osteoclasts for bone destruction in rat cortical bone. <i>American Journal of Physiology - Cell Physiology</i> , 2003, 284, C934-C943.	4.6	340
14	Relation between age, femoral neck cortical stability, and hip fracture risk. <i>Lancet</i> , The, 2005, 366, 129-135.	13.7	336
15	The Death of Osteocytes via Apoptosis Accompanies Estrogen Withdrawal in Human Bone. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1997, 82, 3128-3135.	3.6	291
16	A UK Consensus Group on management of glucocorticoid-induced osteoporosis: an update. <i>Journal of Internal Medicine</i> , 1998, 244, 271-292.	6.0	287
17	Reduced Vitamin D in Acute Stroke. <i>Stroke</i> , 2006, 37, 243-245.	2.0	265
18	The Role of Estrogen in the Control of Rat Osteocyte Apoptosis. <i>Journal of Bone and Mineral Research</i> , 1998, 13, 1243-1250.	2.8	257

#	ARTICLE	IF	CITATIONS
19	Prediction of total and hip fracture risk in men and women by quantitative ultrasound of the calcaneus: EPIC-Norfolk prospective population study. <i>Lancet, The</i> , 2004, 363, 197-202.	13.7	257
20	Regional differences in cortical porosity in the fractured femoral neck. <i>Bone</i> , 1999, 24, 57-64.	2.9	252
21	Determinants of incident vertebral fracture in men and women: results from the European Prospective Osteoporosis Study (EPOS). <i>Osteoporosis International</i> , 2003, 14, 19-26.	3.1	251
22	Large-Scale Analysis of Association Between <i>LRP5</i> and <i>LRP6</i> Variants and Osteoporosis. <i>JAMA - Journal of the American Medical Association</i> , 2008, 299, 1277.	7.4	246
23	The European Spine Phantom – a tool for standardization and quality control in spinal bone mineral measurements by DXA and QCT. <i>European Journal of Radiology</i> , 1995, 20, 83-92.	2.6	244
24	Prediction of Incident Hip Fracture Risk by Femur Geometry Variables Measured by Hip Structural Analysis in the Study of Osteoporotic Fractures. <i>Journal of Bone and Mineral Research</i> , 2008, 23, 1892-1904.	2.8	235
25	The Association between Common Vitamin D Receptor Gene Variations and Osteoporosis: A Participant-Level Meta-Analysis. <i>Annals of Internal Medicine</i> , 2006, 145, 255.	3.9	219
26	Identification of apoptotic changes in osteocytes in normal and pathological human bone. <i>Bone</i> , 1997, 20, 273-282.	2.9	212
27	Parathyroid hormone – a bone anabolic and catabolic agent. <i>Current Opinion in Pharmacology</i> , 2005, 5, 612-617.	3.5	204
28	Mortality Associated with Vertebral Deformity in Men and Women: Results from the European Prospective Osteoporosis Study (EPOS). <i>Osteoporosis International</i> , 1998, 8, 291-297.	3.1	197
29	Characteristics of a prevalent vertebral deformity predict subsequent vertebral fracture: results from the European Prospective Osteoporosis Study (EPOS). <i>Bone</i> , 2003, 33, 505-513.	2.9	192
30	Incidence of Limb Fracture across Europe: Results from the European Prospective Osteoporosis Study (EPOS). <i>Osteoporosis International</i> , 2002, 13, 565-571.	3.1	191
31	Structure of the Femoral Neck in Hip Fracture: Cortical Bone Loss in the Inferoanterior to Superoposterior Axis. <i>Journal of Bone and Mineral Research</i> , 1999, 14, 111-119.	2.8	184
32	Bone Density Variation and Its Effects on Risk of Vertebral Deformity in Men and Women Studied in Thirteen European Centers: The EVOS Study. <i>Journal of Bone and Mineral Research</i> , 1997, 12, 1883-1894.	2.8	177
33	Osteocyte function, osteocyte death and bone fracture resistance. <i>Molecular and Cellular Endocrinology</i> , 2000, 159, 7-13.	3.2	176
34	WHOLE-GUT IRRIGATION IN PREPARATION FOR LARGE-BOWEL SURGERY. <i>Lancet, The</i> , 1973, 302, 337-340.	13.7	165
35	Management of male osteoporosis: report of the UK Consensus Group. <i>QJM - Monthly Journal of the Association of Physicians</i> , 1998, 91, 71-92.	0.5	163
36	Large-Scale Evidence for the Effect of the COL1A1 Sp1 Polymorphism on Osteoporosis Outcomes: The GENOMOS Study. <i>PLoS Medicine</i> , 2006, 3, e90.	8.4	160

#	ARTICLE	IF	CITATIONS
37	Effects of gender, anthropometric variables, and aging on the evolution of hip strength in men and women aged over 65. <i>Bone</i> , 2003, 32, 561-570.	2.9	159
38	Population-based geographic variations in dxa bone density in Europe: The evos study. <i>Osteoporosis International</i> , 1997, 7, 175-189.	3.1	148
39	Ambulatory level and asymmetrical weight bearing after stroke affects bone loss in the upper and lower part of the femoral neck differently: bone adaptation after decreased mechanical loading. <i>Bone</i> , 2000, 27, 701-707.	2.9	139
40	Falls, Fractures, and Osteoporosis After Stroke. <i>Stroke</i> , 2002, 33, 1432-1436.	2.0	136
41	Changing structure of the femoral neck across the adult female lifespan. <i>Journal of Bone and Mineral Research</i> , 2010, 25, 482-491.	2.8	128
42	A meta-analysis of milk intake and fracture risk: low utility for case finding. <i>Osteoporosis International</i> , 2005, 16, 799-804.	3.1	123
43	Spatial clustering of remodeling osteons in the femoral neck cortex: a cause of weakness in hip fracture?. <i>Bone</i> , 2000, 26, 305-313.	2.9	116
44	Distribution of cortical bone in the femoral neck and hip fracture: A prospective case-control analysis of 143 incident hip fractures; the AGES-REYKJAVIK Study. <i>Bone</i> , 2011, 48, 1268-1276.	2.9	113
45	Treatment of osteoporosis with parathyroid peptide (hPTH 1-34) and oestrogen: increase in volumetric density of iliac cancellous bone may depend on reduced trabecular spacing as well as increased thickness of packets of newly formed bone. <i>Clinical Endocrinology</i> , 1992, 37, 282-289.	2.4	103
46	Low grip strength is associated with bone mineral density and vertebral fracture in women. <i>Rheumatology</i> , 2005, 44, 642-646.	1.9	100
47	A novel mechanism for induction of increased cortical porosity in cases of intracapsular hip fracture. <i>Bone</i> , 2000, 27, 297-304.	2.9	98
48	Hip geometry, bone mineral distribution, and bone strength in European men and women: the EPOS study. <i>Bone</i> , 2000, 27, 151-159.	2.9	94
49	Superosteons (remodeling clusters) in the cortex of the femoral shaft: Influence of age and gender. <i>The Anatomical Record</i> , 2001, 264, 378-386.	1.8	92
50	Large-scale analysis of association between polymorphisms in the transforming growth factor beta 1 gene (TGFB1) and osteoporosis: The GENOMOS study. <i>Bone</i> , 2008, 42, 969-981.	2.9	91
51	Genetic determinants of heel bone properties: genome-wide association meta-analysis and replication in the GEFOS/GENOMOS consortium. <i>Human Molecular Genetics</i> , 2014, 23, 3054-3068.	2.9	90
52	Low BMD is less predictive than reported falls for future limb fractures in women across Europe: results from the European Prospective Osteoporosis Study. <i>Bone</i> , 2005, 36, 387-398.	2.9	88
53	Juvenile rheumatoid arthritis. Effects of disease activity and recombinant human growth hormone on insulin-like growth factor 1, insulin-like growth factor binding proteins 1 and 3, and osteocalcin. <i>Arthritis and Rheumatism</i> , 1997, 40, 332-340.	6.7	85
54	PTH: A future role in the management of osteoporosis?. <i>Journal of Bone and Mineral Research</i> , 1996, 11, 440-445.	2.8	84

#	ARTICLE	IF	CITATIONS
55	When Should the Doctor Order a Spine X-Ray? Identifying Vertebral Fractures for Osteoporosis Care: Results From the European Prospective Osteoporosis Study (EPOS). <i>Journal of Bone and Mineral Research</i> , 2004, 19, 1982-1993.	2.8	82
56	Bone mineralization density and femoral neck fragility. <i>Bone</i> , 2004, 35, 929-941.	2.9	82
57	Femoral Neck Trabecular Bone: Loss With Aging and Role in Preventing Fracture. <i>Journal of Bone and Mineral Research</i> , 2009, 24, 1808-1818.	2.8	75
58	Fourier transform infrared imaging of femoral neck bone: Reduced heterogeneity of mineral-to-matrix and carbonate-to-phosphate and more variable crystallinity in treatment-naïve fracture cases compared with fracture-free controls. <i>Journal of Bone and Mineral Research</i> , 2013, 28, 150-161.	2.8	75
59	More acidic dietary acid-base load is associated with reduced calcaneal broadband ultrasound attenuation in women but not in men: results from the EPIC-Norfolk cohort study. <i>American Journal of Clinical Nutrition</i> , 2007, 85, 1134-1141.	4.7	72
60	Broadband ultrasound attenuation (BUA) of the heel bone and its correlates in men and women in the EPIC-Norfolk cohort: a cross-sectional population-based study. <i>Osteoporosis International</i> , 2004, 15, 217-225.	3.1	71
61	Focal osteoporosis defects play a key role in hip fracture. <i>Bone</i> , 2017, 94, 124-134.	2.9	68
62	Dual X-ray absorptiometry's cross-calibration and normative reference ranges for the spine: Results of a European Community Concerted Action. <i>Bone</i> , 1995, 17, 247-254.	2.9	65
63	The influence of family history of hip fracture on the risk of vertebral deformity in men and women: The European vertebral osteoporosis study. <i>Bone</i> , 1997, 20, 145-149.	2.9	65
64	Is QUS or DXA Better for Predicting the 10-Year Absolute Risk of Fracture?. <i>Journal of Bone and Mineral Research</i> , 2009, 24, 1319-1325.	2.8	65
65	Secondary prevention of osteoporosis: when should a non-vertebral fracture be a trigger for action?. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2001, 94, 575-597.	0.5	59
66	A new method for calculating the accretion rate of bone calcium and some observations on the suitability of strontium-85 as a tracer for bone calcium. <i>Calcified Tissue Research</i> , 1976, 20, 121-135.	1.3	56
67	Does hip strength analysis explain the lower incidence of hip fracture in the People's Republic of China?. <i>Bone</i> , 2004, 34, 584-588.	2.9	55
68	Infant Growth Influences Proximal Femoral Geometry in Adulthood. <i>Journal of Bone and Mineral Research</i> , 2005, 21, 508-512.	2.8	55
69	Sclerostin and the regulation of bone formation: Effects in hip osteoarthritis and femoral neck fracture. <i>Journal of Bone and Mineral Research</i> , 2010, 25, 1867-1876.	2.8	54
70	A Single Infusion of Zoledronate Prevents Bone Loss After Stroke. <i>Stroke</i> , 2007, 38, 1519-1525.	2.0	53
71	Effect of estrogen suppression on the mineralization density of iliac crest biopsies in young women as assessed by backscattered electron imaging. <i>Bone</i> , 1998, 22, 241-250.	2.9	51
72	Osteocyte density in aging subjects is enhanced in bone adjacent to remodeling haversian systems. <i>Bone</i> , 2002, 30, 859-865.	2.9	47

#	ARTICLE	IF	CITATIONS
73	Falls explain between-center differences in the incidence of limb fracture across Europe. <i>Bone</i> , 2002, 31, 712-717.	2.9	47
74	Height and body mass index in oslo, norway, compared to other regions of europe: do they explain differences in the incidence of hip fracture?. <i>Bone</i> , 1995, 17, 347-350.	2.9	46
75	Nutritional and exercise-related determinants of bone density in elite female runners. <i>Osteoporosis International</i> , 2004, 15, 611-8.	3.1	43
76	Patterns of physical activity and ultrasound attenuation by heel bone among Norfolk cohort of European Prospective Investigation of Cancer (EPIC Norfolk): population based. <i>BMJ: British Medical Journal</i> , 2001, 322, 140-140.	2.3	41
77	Similarities and differences between sexes in regional loss of cortical and trabecular bone in the mid-femoral neck: The AGES-Reykjavik longitudinal study. <i>Journal of Bone and Mineral Research</i> , 2013, 28, 2165-2176.	2.8	40
78	Increased femoral neck cancellous bone and connectivity in coxarthrosis (hip osteoarthritis). <i>Bone</i> , 2003, 32, 86-95.	2.9	39
79	Geographical variation in DXA bone mineral density in young European men and women. Results from the Network in Europe on male osteoporosis (NEMO) study. <i>Bone</i> , 2008, 43, 332-339.	2.9	39
80	The fragile elderly hip: Mechanisms associated with age-related loss of strength and toughness. <i>Bone</i> , 2014, 61, 138-148.	2.9	39
81	Risedronate Slows or Partly Reverses Cortical and Trabecular Microarchitectural Deterioration in Postmenopausal Women. <i>Journal of Bone and Mineral Research</i> , 2014, 29, 380-388.	2.8	37
82	A genome-wide copy number association study of osteoporotic fractures points to the 6p25.1 locus. <i>Journal of Medical Genetics</i> , 2014, 51, 122-131.	3.2	36
83	Determinants of bone density and prevalence of osteopenia among female runners in their second to seventh decades of age. <i>Bone</i> , 2000, 26, 591-598.	2.9	35
84	Patterns of osteocytic endothelial nitric oxide synthase expression in the femoral neck cortex: differences between cases of intracapsular hip fracture and controls. <i>Bone</i> , 2002, 30, 866-871.	2.9	35
85	Dietary calcium as a statistical determinant of spinal trabecular bone density in amenorrhoeic and oestrogen-replete athletes. <i>Bone and Mineral</i> , 1992, 17, 415-423.	1.9	33
86	Genome-wide association study for radiographic vertebral fractures: A potential role for the 16q24 BMD locus. <i>Bone</i> , 2014, 59, 20-27.	2.9	32
87	Effects of physical activity on evolution of proximal femur structure in a younger elderly population. <i>Bone</i> , 2007, 40, 506-515.	2.9	29
88	The effect of including quantitative heel ultrasound in models for estimation of 10-year absolute risk of fracture. <i>Bone</i> , 2009, 45, 180-184.	2.9	29
89	Cortical and cancellous bone in the human femoral neck: Evaluation of an interactive image analysis system. <i>Bone</i> , 1996, 19, 541-548.	2.9	28
90	Treatment with parathyroid peptides and estrogen replacement for severe postmenopausal vertebral osteoporosis: prediction of long-term responses in spine and femur. <i>Journal of Bone and Mineral Metabolism</i> , 2001, 19, 102-114.	2.7	28

#	ARTICLE	IF	CITATIONS
91	Kinetics of intestinal calcium absorption in humans measured using stable isotopes and high-precision thermal ionization mass spectrometry. <i>Biological Mass Spectrometry</i> , 1990, 19, 353-359.	0.5	27
92	Determinants of the first decade of bone loss after menopause at spine, hip and radius. <i>QJM - Monthly Journal of the Association of Physicians</i> , 1999, 92, 261-273.	0.5	27
93	Geographic and other determinants of BMD change in European men and women at the hip and spine. A population-based study from the Network in Europe for Male Osteoporosis (NEMO). <i>Bone</i> , 2007, 40, 662-673.	2.9	27
94	Relationship between the location of osteoblastic alkaline phosphatase activity and bone formation in human iliac crest bone. <i>Journal of Bone and Mineral Research</i> , 1992, 7, 905-912.	2.8	27
95	Fluctuation of mineral apposition rate at individual bone-remodeling sites in human iliac cancellous bone: Independent correlations with osteoid width and osteoblastic alkaline phosphatase activity. <i>Journal of Bone and Mineral Research</i> , 1994, 9, 1679-1686.	2.8	26
96	Recombinant human parathyroid hormone. <i>BMJ: British Medical Journal</i> , 2002, 324, 435-436.	2.3	25
97	Childhood Fractures Do Not Predict Future Fractures: Results From the European Prospective Osteoporosis Study. <i>Journal of Bone and Mineral Research</i> , 2009, 24, 1314-1318.	2.8	25
98	Coxarthrosis and Femoral Neck Fracture. <i>Clinical Orthopaedics and Related Research</i> , 1992, 278, 88-94.	1.5	24
99	Discrimination between cases of hip fracture and controls is improved by hip structural analysis compared to areal bone mineral density. An ex vivo study of the femoral neck. <i>Bone</i> , 2004, 34, 352-361.	2.9	24
100	BONE DENSITY MEASUREMENT WITH COMPUTED TOMOGRAPHY. <i>British Medical Bulletin</i> , 1980, 36, 293-296.	6.9	22
101	Cortical Remodeling Following Suppression of Endogenous Estrogen with Analogs of Gonadotrophin Releasing Hormone. <i>Journal of Bone and Mineral Research</i> , 1997, 12, 1231-1240.	2.8	22
102	Rapid long-term bone loss following stroke in a man with osteoporosis and atherosclerosis. <i>Osteoporosis International</i> , 2005, 16, 302-305.	3.1	22
103	Osteocytic Expression of Constitutive NO Synthase Isoforms in the Femoral Neck Cortex: A Case-Control Study of Intracapsular Hip Fracture. <i>Journal of Bone and Mineral Research</i> , 2004, 20, 268-273.	2.8	21
104	Diagnosis of osteoporosis in clinical practice. <i>Annals of Medicine</i> , 1998, 30, 278-287.	3.8	19
105	Vertebral Scheuermann's disease in Europe: prevalence, geographic variation and radiological correlates in men and women aged 50 and over. <i>Osteoporosis International</i> , 2015, 26, 2509-2519.	3.1	19
106	Reduction of skeletal blood flow in Paget's disease with disodium etidronate therapy. <i>Bone</i> , 1985, 6, 29-31.	2.9	17
107	Estimation of absolute fracture risk among middle-aged and older men and women: the EPIC-Norfolk population cohort study. <i>European Journal of Epidemiology</i> , 2009, 24, 259-266.	5.7	17
108	Osteocyte recruitment declines as the osteon fills in: Interacting effects of osteocytic sclerostin and previous hip fracture on the size of cortical canals in the femoral neck. <i>Bone</i> , 2012, 50, 1107-1114.	2.9	17

#	ARTICLE	IF	CITATIONS
109	Genome-wide association study for radiographic vertebral fractures: a potential role for the 16q24 BMD locus. <i>Bone</i> , 2014, 59, 20-7.	2.9	17
110	Transient Hypoparathyroidism Induced by Synthetic Human Parathyroid Hormone-(1 ⁴⁵) Treatment. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1987, 64, 937-943.	3.6	16
111	Bone structure and remodelling in stroke patients: Early effects of zoledronate. <i>Bone</i> , 2009, 44, 629-633.	2.9	16
112	Role of cortical bone in hip fracture. <i>BoneKEy Reports</i> , 2017, 6, 867.	2.7	15
113	Skeletal blood flow in metabolic disorders of the skeleton. <i>Bone</i> , 1987, 8, 293-297.	2.9	14
114	Femoral neck cortical bone in female and male hip fracture cases: Differential contrasts in cortical width and sub-periosteal porosity in 112 cases and controls. <i>Bone</i> , 2018, 114, 81-89.	2.9	13
115	Calcaneum broadband ultrasound attenuation relates to vegetarian and omnivorous diets differently in men and women: an observation from the European Prospective Investigation into Cancer in Norfolk (EPIC ^{Norfolk}) population study. <i>Osteoporosis International</i> , 2005, 16, 590-596.	3.1	11
116	Degenerative inter-vertebral disc disease osteochondrosis intervertebralis in Europe: prevalence, geographic variation and radiological correlates in men and women aged 50 and over. <i>Rheumatology</i> , 2017, 56, 1189-1199.	1.9	11
117	Bone remodeling in hip fracture. <i>Calcified Tissue International</i> , 1993, 53, S108-S112.	3.1	10
118	Treatment with PTH Peptides. , 2001, , 725-746.		10
119	Further observations on the treatment of involuntal osteoporosis with hPTH 1 ³⁴ ; The effects of added estrogens. <i>Bone</i> , 1986, 7, 160-161.	2.9	8
120	Temporal variations in iliac trabecular bone formation in vertebral osteoporosis. <i>Calcified Tissue International</i> , 1993, 52, 10-15.	3.1	8
121	Risedronate therapy for prevention of hip fracture after stroke in elderly women. <i>Neurology</i> , 2005, 65, 1513-1514.	1.1	8
122	Osteoblast density and the evolution of BMUs in vertebral osteoporosis. <i>Bone</i> , 1993, 14, 473-479.	2.9	7
123	Changes in bone mineral density in the hip and spine before, during, and after the menopause in elite runners. <i>Osteoporosis International</i> , 2003, 14, 462-468.	3.1	7
124	Iliac trabecular bone formation predicts radial trabecular bone density changes in type 1 osteoporosis. <i>Journal of Bone and Mineral Research</i> , 1991, 6, 929-935.	2.8	7
125	Bone density trends in the distal radius correlate with an index of axial osteoblast depression in osteoporosis. <i>Bone</i> , 1986, 7, 148.	2.9	5
126	Increasing mineral density after menopause in individual lumbar vertebrae as a marker for incident degenerative disease: a pilot study for the effects of body composition and diet. <i>Journal of Rheumatology</i> , 2004, 31, 1986-92.	2.0	5

#	ARTICLE	IF	CITATIONS
127	How do women develop fragile bones?. Journal of Steroid Biochemistry and Molecular Biology, 2000, 74, 375-381.	2.5	4
128	Measurement Issues With Bone Apposition. Journal of Bone and Mineral Research, 2003, 19, 689-690.	2.8	2
129	â€œLow BMD is less predictive than reported falls for future limb fractures in women across Europe: Results from the European Prospective Osteoporosis Study (EPOS).â€Reply to letter to the editor by Pijpers et al.. Bone, 2006, 38, 146-149.	2.9	2
130	Bone marrow levels of 25 hydroxy vitamin D are not depressed in cases of hip fracture compared with controls. Cell Biochemistry and Function, 2014, 32, 341-343.	2.9	2
131	Bone turnover in early rheumatoid arthritis (RA). Bone, 1985, 6, 280-280.	2.9	1
132	Cortical stability of the femoral neck and hip fracture risk â€“ Authors' reply. Lancet, The, 2005, 366, 1524-1525.	13.7	1
133	The Development of Parathyroid Hormone as Anabolic Therapy for Osteoporosis: A Timeline. Clinical Reviews in Bone and Mineral Metabolism, 2006, 4, 227-232.	0.8	1
134	Can research quality be estimated from journal titles?. Rheumatology, 2006, 45, 646-647.	1.9	1
135	A stochastic analysis of iliac trabecular bone dynamics. Bone, 1985, 6, 60-60.	2.9	0
136	A short-cycle ADFR regimen using parathyroid peptide hPTH 1â€“34 in idiopathic osteoporosis. Bone, 1986, 7, 152.	2.9	0
137	Reduced calcification activity in normal-thickness osteoid in crush fracture osteoporosis: Association with vitamin D status. Bone, 1987, 8, 52.	2.9	0
138	2. Osteoid and fracture of the proximal femur: extended osteoid seams of normal thickness predict reduced forearm cortical bone density. Bone, 1988, 9, 251-252.	2.9	0
139	A Role for Mechanical Strain in the Preservation of Trabecular Number (Density). Journal of Bone and Mineral Research, 2002, 17, 1555-1555.	2.8	0
140	Importance of geometric factors for hip fracture resistance. Bone, 2004, 35, 1000.	2.9	0
141	Institutional reviews and innovation in clinical research. Lancet, The, 2006, 368, 1223-1224.	13.7	0
142	Zoledronate prevents bone loss after stroke. Bone, 2006, 38, 82.	2.9	0
143	Bone structural changes and hip osteoarthritis: Comment on the article by Javaid et al. Arthritis and Rheumatism, 2010, 62, 909-910.	6.7	0
144	Letter to the Editor: Re: Are Biochemical Markers of Bone Turnover Representative of Bone Histomorphometry in 370 Postmenopausal Women?. Journal of Clinical Endocrinology and Metabolism, 2016, 101, L24-L25.	3.6	0

#	ARTICLE	IF	CITATIONS
145	Anabolic or Catabolic?â€”Evolution of The 20th Century Understanding of Parathyroid Hormone's Therapeutic Actions on The Skeleton. , 2020, , 608-613.		0