

Lisa A Harvey

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4485589/publications.pdf>

Version: 2024-02-01

106
papers

2,719
citations

186209

28
h-index

233338

45
g-index

110
all docs

110
docs citations

110
times ranked

2649
citing authors

#	ARTICLE	IF	CITATIONS
1	Incidence, severity and time course of pressure injuries over the first two years following discharge from hospital in people with spinal cord injuries in Bangladesh. <i>Spinal Cord</i> , 2022, , .	0.9	0
2	Planning implementation and scale-up of physical activity interventions for people with walking difficulties: study protocol for the process evaluation of the ComeBACK trial. <i>Trials</i> , 2022, 23, 40.	0.7	1
3	Protocol for a process evaluation: face-to-face physiotherapy compared with a supported home exercise programme for the management of musculoskeletal conditions: the REFORM trial. <i>BMJ Open</i> , 2022, 12, e057790.	0.8	3
4	A community-based intervention to prevent serious complications and death 2 years after discharge in people with spinal cord injury in Bangladesh (CIVIC): a randomised trial. <i>Spinal Cord</i> , 2021, 59, 649-658.	0.9	11
5	The cost of providing a community-based model of care to people with spinal cord injury, and the healthcare costs and economic burden to households of spinal cord injury in Bangladesh. <i>Spinal Cord</i> , 2021, 59, 833-841.	0.9	1
6	Physiotherapy interventions for the treatment of spasticity in people with spinal cord injury: a systematic review. <i>Spinal Cord</i> , 2021, 59, 236-247.	0.9	7
7	Face-to-face physiotherapy compared with a supported home exercise programme for the management of musculoskeletal conditions: protocol of a multicentre, randomised controlled trial—the REFORM trial. <i>BMJ Open</i> , 2021, 11, e041242.	0.8	11
8	Do any physiotherapy interventions increase spinal cord independence measure or functional independence measure scores in people with spinal cord injuries? A systematic review. <i>Spinal Cord</i> , 2021, 59, 705-715.	0.9	10
9	Loss of work-related income impoverishes people with SCI and their families in Bangladesh. <i>Spinal Cord</i> , 2020, 58, 423-429.	0.9	9
10	I am not biased. It is everyone else’s problem. <i>Spinal Cord</i> , 2020, 58, 389-390.	0.9	1
11	We need to value research quality more than quantity. <i>Spinal Cord</i> , 2020, 58, 1047-1047.	0.9	7
12	International Spinal Cord Injury Physical Therapy’s Occupational Therapy Basic Data Set (Version 1.2). <i>Spinal Cord Series and Cases</i> , 2020, 6, 74.	0.3	6
13	Make way for a new Editor-in-Chief of <i>Spinal Cord</i> . <i>Spinal Cord</i> , 2020, 58, 1233-1234.	0.9	0
14	Understanding how a community-based intervention for people with spinal cord injury in Bangladesh was delivered as part of a randomised controlled trial: a process evaluation. <i>Spinal Cord</i> , 2020, 58, 1166-1175.	0.9	4
15	The effects of 10,000 voluntary contractions over 8 weeks on the strength of very weak muscles in people with spinal cord injury: a randomised controlled trial. <i>Spinal Cord</i> , 2020, 58, 857-864.	0.9	5
16	Electrical stimulation for treating pressure ulcers. <i>The Cochrane Library</i> , 2020, 1, CD012196.	1.5	23
17	Family-led rehabilitation in India (ATTEND) – Findings from the process evaluation of a randomized controlled trial. <i>International Journal of Stroke</i> , 2019, 14, 53-60.	2.9	10
18	Two weeks of intensive sit-to-stand training in addition to usual care improves sit-to-stand ability in people who are unable to stand up independently after stroke: a randomised trial. <i>Journal of Physiotherapy</i> , 2019, 65, 152-158.	0.7	15

#	ARTICLE	IF	CITATIONS
19	Imagine a research world without the words "statistically significant". Is it really possible?. Spinal Cord, 2019, 57, 437-438.	0.9	5
20	A preliminary investigation of mechanisms by which short-term resistance training increases strength of partially paralysed muscles in people with spinal cord injury. Spinal Cord, 2019, 57, 770-777.	0.9	1
21	Community-based interventions to prevent serious complications following spinal cord injury in Bangladesh: the CIVIC trial statistical analysis plan. Trials, 2019, 20, 238.	0.7	2
22	Response to Letter to the Editor by Dr Cao regarding paper titled - "body-weight-supported treadmill training or robotic-assisted gait training superior to overground gait training and other forms of physiotherapy in people with spinal cord injury? A systematic review" Spinal Cord, 2019, 57, 435-436.	0.9	0
23	Physiotherapy interventions for increasing muscle strength in people with spinal cord injuries: a systematic review. Spinal Cord, 2019, 57, 449-460.	0.9	19
24	Health status, quality of life and socioeconomic situation of people with spinal cord injuries six years after discharge from a hospital in Bangladesh. Spinal Cord, 2019, 57, 652-661.	0.9	17
25	Rigid dressings versus soft dressings for transtibial amputations. The Cochrane Library, 2019, 2019, CD012427.	1.5	3
26	Clinimetrics: The Wheelchair User's Shoulder Pain Index (WUSPI). Journal of Physiotherapy, 2019, 65, 55.	0.7	3
27	A prediction model to identify people with spinal cord injury who are at high risk of dying within 5 years of discharge from hospital in Bangladesh. Spinal Cord, 2019, 57, 198-205.	0.9	7
28	Protocol for process evaluation of CIVIC randomised controlled trial: Community-based Interventions to prevent serious Complications following spinal cord injury in Bangladesh. BMJ Open, 2018, 8, e024226.	0.8	4
29	Interventions involving repetitive practice improve strength after stroke: a systematic review. Journal of Physiotherapy, 2018, 64, 210-221.	0.7	37
30	50 Tips for Clinical Trialists. Brain Impairment, 2018, 19, 59-69.	0.5	3
31	Exercise and sports science Australia (ESSA) position statement on exercise and spinal cord injury. Journal of Science and Medicine in Sport, 2017, 20, 108-115.	0.6	79
32	Response to letter to the Editor Re: Exercise and Sports Science Australia (ESSA) Position Statement on exercise and spinal cord injury. Journal of Science and Medicine in Sport, 2017, 20, 422-423.	0.6	3
33	Stretch for the treatment and prevention of contractures. The Cochrane Library, 2017, 2017, CD007455.	1.5	49
34	Massive open online courses for educating physiotherapists about spinal cord injuries: a descriptive study. Spinal Cord Series and Cases, 2017, 3, 17005.	0.3	8
35	Stretch for the treatment and prevention of contracture: an abridged republication of a Cochrane Systematic Review. Journal of Physiotherapy, 2017, 63, 67-75.	0.7	50
36	Early intensive hand rehabilitation is not more effective than usual care plus one-to-one hand therapy in people with sub-acute spinal cord injury ("Hands On"): a randomised trial. Journal of Physiotherapy, 2017, 63, 197-204.	0.7	13

#	ARTICLE	IF	CITATIONS
37	Is evidence-based practice a sinking ship?. <i>Spinal Cord</i> , 2017, 55, 885-885.	0.9	0
38	An app with remote support achieves better adherence to home exercise programs than paper handouts in people with musculoskeletal conditions: a randomised trial. <i>Journal of Physiotherapy</i> , 2017, 63, 161-167.	0.7	142
39	Statistical analysis plan for the family-led rehabilitation after stroke in India (ATTEND) trial: A multicenter randomized controlled trial of a new model of stroke rehabilitation compared to usual care. <i>International Journal of Stroke</i> , 2017, 12, 208-210.	2.9	4
40	Electrical stimulation for treating pressure ulcers. <i>The Cochrane Library</i> , 2016, , .	1.5	2
41	Protocol for process evaluation of a randomised controlled trial of family-led rehabilitation post stroke (ATTEND) in India. <i>BMJ Open</i> , 2016, 6, e012027.	0.8	17
42	Early intensive hand rehabilitation is not more effective than usual care plus one-to-one hand therapy in people with sub-acute spinal cord injury (â€ˆHands Onâ€™): a randomised trial. <i>Journal of Physiotherapy</i> , 2016, 62, 88-95.	0.7	21
43	Functional electrical stimulation cycling does not improve mobility in people with acquired brain injury and its effects on strength are unclear: a randomised trial. <i>Journal of Physiotherapy</i> , 2016, 62, 203-208.	0.7	16
44	Community-based InterVentions to prevent serlous Complications (CIVIC) following spinal cord injury in Bangladesh: protocol of a randomised controlled trial. <i>BMJ Open</i> , 2016, 6, e010350.	0.8	16
45	Response to: Reliability Of the International Spinal Cord Injury Musculoskeletal Basic Data Set; Methodological and Statistical Issue to Avoid Misinterpretation. <i>Spinal Cord Series and Cases</i> , 2016, 2, 16024.	0.3	0
46	Strategies for increasing the intensity of upper limb task-specific practice after acquired brain impairment: A secondary analysis from a randomised controlled trial. <i>British Journal of Occupational Therapy</i> , 2016, 79, 353-360.	0.5	5
47	Family-led rehabilitation after stroke in India: the ATTEND trial, study protocol for a randomized controlled trial. <i>Trials</i> , 2016, 17, 13.	0.7	22
48	Physiotherapy rehabilitation for people with spinal cord injuries. <i>Journal of Physiotherapy</i> , 2016, 62, 4-11.	0.7	130
49	FAMily-Led RehabiliTaTion aftEr Stroke in INDia: The ATTEND Pilot Study. <i>International Journal of Stroke</i> , 2015, 10, 609-614.	2.9	30
50	A massive open online course (MOOC) can be used to teach physiotherapy students about spinal cord injuries: a randomised trial. <i>Journal of Physiotherapy</i> , 2015, 61, 21-27.	0.7	48
51	Electrical Stimulation Following Botulinum Toxin A in Children With Spastic Diplegia: A Within-Participant Randomized Pilot Study. <i>Physical and Occupational Therapy in Pediatrics</i> , 2015, 35, 342-353.	0.8	4
52	The Spinal Cord Independence Measure. <i>Journal of Physiotherapy</i> , 2015, 61, 99.	0.7	6
53	Passive movements for the treatment and prevention of contractures. <i>The Cochrane Library</i> , 2014, 2014, CD009331.	1.5	26
54	Standing with electrical stimulation and splinting is no better than standing alone for management of ankle plantarflexion contractures in people with traumatic brain injury: a randomised trial. <i>Journal of Physiotherapy</i> , 2014, 60, 201-208.	0.7	15

#	ARTICLE	IF	CITATIONS
55	Do people with intellectual disability use Nintendo Wii when placed in their home as part of a physiotherapy program? An observational study. <i>Disability and Rehabilitation: Assistive Technology</i> , 2014, 11, 1-6.	1.3	4
56	The impact of simulated ankle plantarflexion contracture on the knee joint during stance phase of gait: A within-subject study. <i>Clinical Biomechanics</i> , 2014, 29, 423-428.	0.5	20
57	Continuous passive motion following total knee arthroplasty in people with arthritis. <i>The Cochrane Library</i> , 2014, 2014, CD004260.	1.5	60
58	Stroke4Carers: training modules to help the carers of people following stroke. <i>Journal of Physiotherapy</i> , 2014, 60, 245.	0.7	0
59	Rehabilitation Therapies After Botulinum Toxin-A Injection to Manage Limb Spasticity: A Systematic Review. <i>Physical Therapy</i> , 2014, 94, 1569-1581.	1.1	51
60	Models containing age and NIHSS predict recovery of ambulation and upper limb function six months after stroke: an observational study. <i>Journal of Physiotherapy</i> , 2013, 59, 189-197.	0.7	85
61	Accuracy of physiotherapists' predictions for mobility outcomes at 1-year post spinal cord injury. <i>Physiotherapy Theory and Practice</i> , 2013, 29, 393-400.	0.6	2
62	Functional electrical stimulation cycling has no clear effect on urine output, lower limb swelling, and spasticity in people with spinal cord injury: a randomised cross-over trial. <i>Journal of Physiotherapy</i> , 2013, 59, 237-243.	0.7	20
63	GRADE the evidence. <i>Journal of Physiotherapy</i> , 2013, 59, 5.	0.7	1
64	An Intensive Programme of Passive Stretch and Motor Training to Manage Severe Knee Contractures after Traumatic Brain Injury: A Case Report. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2013, 65, 223-228.	0.3	6
65	Gastrocnemius Muscle Contracture After Spinal Cord Injury. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2013, 92, 565-574.	0.7	16
66	A comparison of patients' and physiotherapists' expectations about walking post spinal cord injury: a longitudinal cohort study. <i>Spinal Cord</i> , 2012, 50, 548-552.	0.9	15
67	The diagnostic accuracy of self-report for determining S4-S5 sensory and motor function in people with spinal cord injury. <i>Spinal Cord</i> , 2012, 50, 119-122.	0.9	11
68	How much equipment is prescribed for people with spinal cord injury in Australia, do they use it and are they satisfied 1 year later?. <i>Spinal Cord</i> , 2012, 50, 676-681.	0.9	14
69	Physical Therapists' Ability to Predict Future Mobility After Spinal Cord Injury. <i>Journal of Neurologic Physical Therapy</i> , 2012, 36, 3-7.	0.7	4
70	Mechanisms of increased passive compliance of hamstring muscle-tendon units after spinal cord injury. <i>Clinical Biomechanics</i> , 2012, 27, 893-898.	0.5	11
71	Passive Mechanical Properties of Gastrocnemius Muscles of People With Ankle Contracture After Stroke. <i>Archives of Physical Medicine and Rehabilitation</i> , 2012, 93, 1185-1190.	0.5	61
72	Electrical stimulation and splinting were not clearly more effective than splinting alone for contracture management after acquired brain injury: a randomised trial. <i>Journal of Physiotherapy</i> , 2012, 58, 231-240.	0.7	14

#	ARTICLE	IF	CITATIONS
73	Dynamic splints do not reduce contracture following distal radial fracture: a randomised controlled trial. <i>Journal of Physiotherapy</i> , 2012, 58, 173-180.	0.7	22
74	Compensation allows recovery of functional independence in people with severe motor impairments following spinal cord injury. <i>Journal of Rehabilitation Medicine</i> , 2012, 44, 477-478.	0.8	3
75	Passive mechanical properties of the gastrocnemius after spinal cord injury. <i>Muscle and Nerve</i> , 2012, 46, 237-245.	1.0	30
76	Half of the adults who present to hospital with stroke develop at least one contracture within six months: an observational study. <i>Journal of Physiotherapy</i> , 2012, 58, 41-47.	0.7	79
77	Prognosis and Prognostic Factors for Patients with Persistent Wrist Pain Who Proceed to Wrist Arthroscopy. <i>Journal of Hand Therapy</i> , 2012, 25, 264-270.	0.7	10
78	Contracture management for people with spinal cord injuries. <i>NeuroRehabilitation</i> , 2011, 28, 17-20.	0.5	26
79	Training unsupported sitting does not improve ability to sit in people with recently acquired paraplegia: a randomised trial. <i>Journal of Physiotherapy</i> , 2011, 57, 83-90.	0.7	23
80	Possible Deleterious Effects of Therapy Solely Directed at Neural Plasticity and Walking in People With Serious Spinal Cord Injury. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011, 92, 1924.	0.5	2
81	Cliniciansâ€™ and patientsâ€™ impressions of change in motor performance as potential outcome measures for clinical trials. <i>Spinal Cord</i> , 2011, 49, 30-35.	0.9	5
82	Early intensive hand rehabilitation after spinal cord injury ("Hands On"): a protocol for a randomised controlled trial. <i>Trials</i> , 2011, 12, 14.	0.7	15
83	...BUT IS THE OUTCOME MEANINGFUL? JNPT'S Recommendations for Reporting Results of Controlled Trials. <i>Journal of Neurologic Physical Therapy</i> , 2011, 35, 103-104.	0.7	2
84	Effectiveness of Stretch for the Treatment and Prevention of Contractures in People With Neurological Conditions: A Systematic Review. <i>Physical Therapy</i> , 2011, 91, 11-24.	1.1	141
85	Continuous passive motion following total knee arthroplasty in people with arthritis. , 2010, , CD004260.		69
86	Electrical stimulation plus progressive resistance training for leg strength in spinal cord injury: A randomized controlled trial. <i>Spinal Cord</i> , 2010, 48, 570-575.	0.9	37
87	A new clinical device for measuring wrist strength in people with tetraplegia. <i>Physiotherapy Theory and Practice</i> , 2010, 26, 342-346.	0.6	2
88	Stretch for the treatment and prevention of contractures. , 2010, , CD007455.		119
89	Stretch Exercises Increase Tolerance to Stretch in Patients With Chronic Musculoskeletal Pain: A Randomized Controlled Trial. <i>Physical Therapy</i> , 2009, 89, 1016-1026.	1.1	84
90	Do people with acquired brain impairment benefit from additional therapy specifically directed at the hand? A randomized controlled trial. <i>Clinical Rehabilitation</i> , 2009, 23, 492-503.	1.0	17

#	ARTICLE	IF	CITATIONS
91	The effectiveness of physical interventions for people with spinal cord injuries: a systematic review. <i>Spinal Cord</i> , 2009, 47, 184-195.	0.9	72
92	Effects of 6 months of regular passive movements on ankle joint mobility in people with spinal cord injury: a randomized controlled trial. <i>Spinal Cord</i> , 2009, 47, 62-66.	0.9	34
93	Validity and Reliability of Assessment Tools for Measuring Unsupported Sitting in People With a Spinal Cord Injury. <i>Archives of Physical Medicine and Rehabilitation</i> , 2009, 90, 1571-1577.	0.5	55
94	Serial casting versus positioning for the treatment of elbow contractures in adults with traumatic brain injury: a randomized controlled trial. <i>Clinical Rehabilitation</i> , 2008, 22, 406-417.	1.0	43
95	Does three months of nightly splinting reduce the extensibility of the flexor pollicis longus muscle in people with tetraplegia?. <i>Physiotherapy Research International</i> , 2007, 12, 5-13.	0.7	20
96	A Torque-controlled Device to Measure Passive Abduction of the Thumb Carpometacarpal Joint. <i>Journal of Hand Therapy</i> , 2006, 19, 403-409.	0.7	9
97	Can apparent increases in muscle extensibility with regular stretch be explained by changes in tolerance to stretch?. <i>Australian Journal of Physiotherapy</i> , 2006, 52, 45-50.	0.9	93
98	Does Heat Increase Knee Range of Motion?. <i>Archives of Physical Medicine and Rehabilitation</i> , 2006, 87, 1673.	0.5	0
99	Randomised trial of the effects of four weeks of daily stretch on extensibility of hamstring muscles in people with spinal cord injuries. <i>Australian Journal of Physiotherapy</i> , 2003, 49, 176-181.	0.9	81
100	Quantifying the magnitude of torque physiotherapists apply when stretching the hamstring muscles of people with spinal cord injury ¹¹ No commercial party having a direct financial interest in the results of the research supporting this article has or will confer a benefit upon the author(s) or upon any organization with which the author(s) is/are associated.Reprints are not available.. <i>Archives of Physical Medicine and Rehabilitation</i> , 2003, 84, 1072-1075.	0.5	21
101	Biomechanical analysis of a weight-relief maneuver in C5 and C6 quadriplegia. <i>Archives of Physical Medicine and Rehabilitation</i> , 2000, 81, 500-505.	0.5	32
102	A randomized trial assessing the effects of 4 weeks of daily stretching on ankle mobility in patients with spinal cord injuries. <i>Archives of Physical Medicine and Rehabilitation</i> , 2000, 81, 1340-1347.	0.5	94
103	Reliability of a tool for assessing mobility in wheelchair-dependent paraplegics. <i>Spinal Cord</i> , 1998, 36, 427-431.	0.9	34
104	Energy expenditure during gait using the walkabout and isocentric reciprocal gait orthoses in persons with paraplegia. <i>Archives of Physical Medicine and Rehabilitation</i> , 1998, 79, 945-949.	0.5	64
105	Functional outcomes attained by T9-12 paraplegic patients with the walkabout and the isocentric reciprocal gait orthoses. <i>Archives of Physical Medicine and Rehabilitation</i> , 1997, 78, 706-711.	0.5	43
106	Rigid dressings versus soft dressings for transtibial amputations. <i>The Cochrane Library</i> , 0, , .	1.5	2