

Rupert M Pearse

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4489689/publications.pdf>

Version: 2024-02-01

281
papers

19,324
citations

15504

65
h-index

12597

132
g-index

297
all docs

297
docs citations

297
times ranked

13948
citing authors

#	ARTICLE	IF	CITATIONS
1	Prone positioning for non-intubated spontaneously breathing patients with acute hypoxaemic respiratory failure: a systematic review and meta-analysis. <i>British Journal of Anaesthesia</i> , 2022, 128, 352-362.	3.4	50
2	Core Outcome Measures for Perioperative and Anaesthetic Care (COMPAC): a modified Delphi process to develop a core outcome set for trials in perioperative care and anaesthesia. <i>British Journal of Anaesthesia</i> , 2022, 128, 174-185.	3.4	38
3	Identification of myocardial injury using perioperative troponin surveillance in major noncardiac surgery and net benefit over the Revised Cardiac Risk Index. <i>British Journal of Anaesthesia</i> , 2022, 128, 26-36.	3.4	13
4	Mandatory vaccination of National Health Service staff against COVID-19: more harm than good?. <i>British Journal of Anaesthesia</i> , 2022, 128, 608-609.	3.4	2
5	Death after surgery among patients with chronic disease: prospective study of routinely collected data in the English NHS. <i>British Journal of Anaesthesia</i> , 2022, 128, 333-342.	3.4	22
6	Routine postoperative noninvasive respiratory support and pneumonia after elective surgery: a systematic review and meta-analysis of randomised trials. <i>British Journal of Anaesthesia</i> , 2022, 128, 363-374.	3.4	10
7	Postoperative CPAP after major abdominal surgery – Authors' reply. <i>Lancet Respiratory Medicine</i> , 2022, 10, e12-e13.	10.7	0
8	Trends in Hospital Admissions Associated with an Acute Kidney Injury in England 1998–2020: a Repeated Cross-Sectional Study. <i>SN Comprehensive Clinical Medicine</i> , 2022, 4, 1.	0.6	3
9	Enhanced perioperative care to improve outcomes for high-risk surgical patients in Brazil: a single-centre before-and-after cohort study. <i>Anaesthesia</i> , 2022, 77, 416-427.	3.8	4
10	Catabolism in Critical Illness: A Reanalysis of the REDucing Deaths due to OXidative Stress (REDOXS) Trial*. <i>Critical Care Medicine</i> , 2022, 50, 1072-1082.	0.9	15
11	The need for data describing the surgical population in Latin America. <i>British Journal of Anaesthesia</i> , 2022, 129, 10-12.	3.4	7
12	Ethnic disparities in hospitalisation and hospital-outcomes during the second wave of COVID-19 infection in east London. <i>Scientific Reports</i> , 2022, 12, 3721.	3.3	13
13	Association between use of enhanced recovery after surgery protocols and postoperative complications in colorectal surgery in Europe: The EuroPOWER international observational study. <i>Journal of Clinical Anesthesia</i> , 2022, 80, 110752.	1.6	15
14	Postoperative Outcomes Associated With Procedural Sedation Conducted by Physician and Nonphysician Anesthesia Providers: Findings From the Prospective, Observational African Surgical Outcomes Study. <i>Anesthesia and Analgesia</i> , 2022, 135, 250-263.	2.2	5
15	Adjusting meta-analysis data to reduce heterogeneity: the need for objective evaluation of observational studies. Response to <i>Br J Anaesth</i> 2022; 128: e303-5. <i>British Journal of Anaesthesia</i> , 2022, , .	3.4	0
16	Liberal or restrictive antimicrobial prophylaxis for surgical site infection: systematic review and meta-analysis of randomised trials. <i>British Journal of Anaesthesia</i> , 2022, , .	3.4	0
17	Perioperative Care Pathways in Low- and Lower-Middle-Income Countries: Systematic Review and Narrative Synthesis. <i>World Journal of Surgery</i> , 2022, 46, 2102-2113.	1.6	3
18	The need for a joint response. Perioperative mortality in Latin America and the time for LASOS Study. <i>Colombian Journal of Anesthesiology</i> , 2022, 50, .	0.1	0

#	ARTICLE	IF	CITATIONS
19	A restrictive versus liberal transfusion strategy to prevent myocardial injury in patients undergoing surgery for fractured neck of femur: a feasibility randomised trial (RESULT-NOF). <i>British Journal of Anaesthesia</i> , 2021, 126, 77-86.	3.4	14
20	Systematic review and consensus definitions for the Standardized Endpoints in Perioperative Medicine (StEP) initiative: cardiovascular outcomes. <i>British Journal of Anaesthesia</i> , 2021, 126, 56-66.	3.4	51
21	Can we safely continue to offer surgical treatments during the COVID-19 pandemic?. <i>BMJ Quality and Safety</i> , 2021, 30, 268-270.	3.7	11
22	Socioeconomic deprivation and long-term outcomes after elective surgery: analysis of prospective data from two observational studies. <i>British Journal of Anaesthesia</i> , 2021, 126, 642-651.	3.4	25
23	Development of a Clinical Prediction Model for In-hospital Mortality from the South African Cohort of the African Surgical Outcomes Study. <i>World Journal of Surgery</i> , 2021, 45, 404-416.	1.6	3
24	Anaesthesia research capacity: time for a rethink in light of the COVID-19 pandemic. <i>Anaesthesia</i> , 2021, 76, 574-575.	3.8	1
25	Ethnicity and outcomes in patients hospitalised with COVID-19 infection in East London: an observational cohort study. <i>BMJ Open</i> , 2021, 11, e042140.	1.9	81
26	Mode of blood pressure monitoring and morbidity after noncardiac surgery. <i>European Journal of Anaesthesiology</i> , 2021, 38, 468-476.	1.7	6
27	Death following pulmonary complications of surgery before and during the SARS-CoV-2 pandemic. <i>British Journal of Surgery</i> , 2021, 108, 1448-1464.	0.3	29
28	Current use of inotropes in circulatory shock. <i>Annals of Intensive Care</i> , 2021, 11, 21.	4.6	35
29	Emergency hospital admissions associated with non-communicable diseases 1998-2018 in England, Wales and Scotland: an ecological study. <i>Clinical Medicine</i> , 2021, 21, e179-e185.	1.9	0
30	The Association of Intraoperative driving pressure with postoperative pulmonary complications in open versus closed abdominal surgery patients - a posthoc propensity score-weighted cohort analysis of the LAS VEGAS study. <i>BMC Anesthesiology</i> , 2021, 21, 84.	1.8	19
31	Acute kidney injury in COVID-19: multicentre prospective analysis of registry data. <i>CKJ: Clinical Kidney Journal</i> , 2021, 14, 2356-2364.	2.9	18
32	Postoperative acute kidney injury in adult non-cardiac surgery: joint consensus report of the Acute Disease Quality Initiative and PeriOperative Quality Initiative. <i>Nature Reviews Nephrology</i> , 2021, 17, 605-618.	9.6	94
33	Preprints in perioperative medicine: immediacy for the greater good. <i>British Journal of Anaesthesia</i> , 2021, 126, 915-918.	3.4	3
34	The Barts Health NHS Trust COVID-19 cohort: characteristics, outcomes and risk scoring of patients in East London. <i>International Journal of Tuberculosis and Lung Disease</i> , 2021, 25, 358-366.	1.2	3
35	Postoperative continuous positive airway pressure to prevent pneumonia, re-intubation, and death after major abdominal surgery (PRISM): a multicentre, open-label, randomised, phase 3 trial. <i>Lancet Respiratory Medicine</i> , 2021, 9, 1221-1230.	10.7	29
36	Feasibility and diagnostic accuracy of Telephone Administration of an adapted wound healing Questionnaire for assessment for surgical site infection following abdominal surgery in low and middle-income countries (TALON): protocol for a study within a trial (SWAT). <i>Trials</i> , 2021, 22, 471.	1.6	2

#	ARTICLE	IF	CITATIONS
37	Functional decline after major elective non-cardiac surgery: a multicentre prospective cohort study. <i>Anaesthesia</i> , 2021, 76, 1593-1599.	3.8	13
38	Understanding the performance of a pan-African intervention to reduce postoperative mortality: a mixed-methods process evaluation of the ASOS-2 trial. <i>British Journal of Anaesthesia</i> , 2021, 127, 778-788.	3.4	7
39	Mortality after surgery with SARS-CoV-2 infection in England: a population-wide epidemiological study. <i>British Journal of Anaesthesia</i> , 2021, 127, 205-214.	3.4	26
40	Preliminary model assessing the cost-effectiveness of preoperative chlorhexidine mouthwash at reducing postoperative pneumonia among abdominal surgery patients in South Africa. <i>PLoS ONE</i> , 2021, 16, e0254698.	2.5	4
41	Surgical activity in England and Wales during the COVID-19 pandemic: a nationwide observational cohort study. <i>British Journal of Anaesthesia</i> , 2021, 127, 196-204.	3.4	59
42	Ethnicity and acute hospital admissions: Multi-center analysis of routine hospital data. <i>EClinicalMedicine</i> , 2021, 39, 101077.	7.1	8
43	Enhanced postoperative surveillance versus standard of care to reduce mortality among adult surgical patients in Africa (ASOS-2): a cluster-randomised controlled trial. <i>The Lancet Global Health</i> , 2021, 9, e1391-e1401.	6.3	27
44	The effects of preoperative moderate to severe anaemia on length of hospital stay. <i>European Journal of Anaesthesiology</i> , 2021, 38, 571-581.	1.7	4
45	Postoperative infection and mortality following elective surgery in the International Surgical Outcomes Study (ISOS). <i>British Journal of Surgery</i> , 2021, 108, 220-227.	0.3	8
46	Resource requirements for reintroducing elective surgery during the COVID-19 pandemic: modelling study. <i>British Journal of Surgery</i> , 2021, 108, 97-103.	0.3	40
47	Towards the quantification of perioperative cardiovascular risk in the African context: A sub-analysis of the South African Surgical Outcomes Study and the African Surgical Outcomes Study. <i>South African Medical Journal</i> , 2021, 111, 1065.	0.6	0
48	Contemporary use of antimicrobial prophylaxis for surgical patients. <i>European Journal of Anaesthesiology</i> , 2021, Publish Ahead of Print, .	1.7	5
49	Variation in global uptake of the Surgical Safety Checklist. <i>British Journal of Surgery</i> , 2020, 107, e151-e160.	0.3	60
50	Integration of the Duke Activity Status Index into preoperative risk evaluation: a multicentre prospective cohort study. <i>British Journal of Anaesthesia</i> , 2020, 124, 261-270.	3.4	83
51	Preoperative Vitamin D Concentration and Cardiac, Renal, and Infectious Morbidity after Noncardiac Surgery. <i>Anesthesiology</i> , 2020, 132, 121-130.	2.5	9
52	REspiratory COmplications after abdomiNal surgery (RECON): study protocol for a multi-centre, observational, prospective, international audit of postoperative pulmonary complications after major abdominal surgery. <i>British Journal of Anaesthesia</i> , 2020, 124, e13-e16.	3.4	7
53	Preoperative N-Terminal Pro-B-Type Natriuretic Peptide and Cardiovascular Events After Noncardiac Surgery. <i>Annals of Internal Medicine</i> , 2020, 172, 96.	3.9	99
54	MicroRNA signatures of perioperative myocardial injury after elective noncardiac surgery: a prospective observational mechanistic cohort study. <i>British Journal of Anaesthesia</i> , 2020, 125, 661-671.	3.4	19

#	ARTICLE	IF	CITATIONS
55	Understanding decision making about major surgery: protocol for a qualitative study of shared decision making by high-risk patients and their clinical teams. <i>BMJ Open</i> , 2020, 10, e033703.	1.9	18
56	Prospective observational study of postoperative infection and outcomes after noncardiac surgery: analysis of prospective data from the VISION cohort. <i>British Journal of Anaesthesia</i> , 2020, 125, 87-97.	3.4	12
57	Prevention of postoperative pulmonary complications in the hypoxaemic patient – gathering the evidence for noninvasive respiratory support. <i>European Journal of Anaesthesiology</i> , 2020, 37, 263-264.	1.7	1
58	Early elevation in plasma high-sensitivity troponin T and morbidity after elective noncardiac surgery: prospective multicentre observational cohort study. <i>British Journal of Anaesthesia</i> , 2020, 124, 535-543.	3.4	31
59	Hospital-level evaluation of the effect of a national quality improvement programme: time-series analysis of registry data. <i>BMJ Quality and Safety</i> , 2020, 29, 623-635.	3.7	21
60	Association between complications and death within 30 days after noncardiac surgery. <i>Cmaj</i> , 2019, 191, E830-E837.	2.0	181
61	Perioperative fluid management: moving toward more answers than questions—a commentary on the RELIEF study. <i>Perioperative Medicine (London, England)</i> , 2019, 8, 2.	1.5	10
62	Learning from the EPOCH trial (Editorial). What we have learnt from a trial of an intervention to improve survival following emergency laparotomy. <i>Anaesthesia, Critical Care & Pain Medicine</i> , 2019, 38, 321-322.	1.4	3
63	Cost-effectiveness of a national quality improvement programme to improve survival after emergency abdominal surgery: Learning from 15,856 patients. <i>International Journal of Surgery</i> , 2019, 72, 25-31.	2.7	5
64	The association between ICU admission and emergency hospital readmission following emergency general surgery. <i>Journal of the Intensive Care Society</i> , 2019, 20, 316-326.	2.2	4
65	Towards a coordinated national strategy to improve survival after emergency laparotomy. <i>British Journal of Anaesthesia</i> , 2019, 123, 399-401.	3.4	0
66	Heart rate recovery and morbidity after noncardiac surgery: Planned secondary analysis of two prospective, multi-centre, blinded observational studies. <i>PLoS ONE</i> , 2019, 14, e0221277.	2.5	14
67	Elevated urea-to-creatinine ratio provides a biochemical signature of muscle catabolism and persistent critical illness after major trauma. <i>Intensive Care Medicine</i> , 2019, 45, 1718-1731.	8.2	98
68	Anaesthesia providers and maternal mortality in Africa – Authors' reply. <i>The Lancet Global Health</i> , 2019, 7, e1322.	6.3	0
69	Post-operative intensive care: is it really necessary?. <i>Intensive Care Medicine</i> , 2019, 45, 1799-1801.	8.2	4
70	Depth of Anesthesia and Postoperative Delirium. <i>JAMA - Journal of the American Medical Association</i> , 2019, 321, 459.	7.4	24
71	Systematic review and consensus definitions for the Standardised Endpoints in Perioperative Medicine initiative: clinical indicators. <i>British Journal of Anaesthesia</i> , 2019, 123, 228-237.	3.4	46
72	Age of patients undergoing surgery. <i>British Journal of Surgery</i> , 2019, 106, 1012-1018.	0.3	207

#	ARTICLE	IF	CITATIONS
73	Post-surgery mortality in Poland – Author's reply. <i>Lancet, The</i> , 2019, 393, 2034-2035.	13.7	0
74	Functional capacity and preoperative risk evaluation – Authors' reply. <i>Lancet, The</i> , 2019, 393, 1593-1594.	13.7	0
75	Chronotropic incompetence and myocardial injury after noncardiac surgery: planned secondary analysis of a prospective observational international cohort study. <i>British Journal of Anaesthesia</i> , 2019, 123, 17-26.	3.4	11
76	Effectiveness of a national quality improvement programme to improve survival after emergency abdominal surgery (EPOCH): a stepped-wedge cluster-randomised trial. <i>Lancet, The</i> , 2019, 393, 2213-2221.	13.7	123
77	Neither magic bullet nor a mere tool: negotiating multiple logics of the checklist in healthcare quality improvement. <i>Sociology of Health and Illness</i> , 2019, 41, 755-771.	2.1	3
78	Current use of vasopressors in septic shock. <i>Annals of Intensive Care</i> , 2019, 9, 20.	4.6	109
79	Perioperative Haemodynamic Optimisation. <i>Lessons From the ICU</i> , 2019, , 457-467.	0.1	0
80	Maternal and neonatal outcomes after caesarean delivery in the African Surgical Outcomes Study: a 7-day prospective observational cohort study. <i>The Lancet Global Health</i> , 2019, 7, e513-e522.	6.3	127
81	Association between night-time surgery and occurrence of intraoperative adverse events and postoperative pulmonary complications. <i>British Journal of Anaesthesia</i> , 2019, 122, 361-369.	3.4	39
82	Systematic review and consensus definitions for the Standardised Endpoints in Perioperative Medicine (StEP) initiative: infection and sepsis. <i>British Journal of Anaesthesia</i> , 2019, 122, 500-508.	3.4	34
83	Perioperative haemodynamic therapy for major gastrointestinal surgery: the effect of a Bayesian approach to interpreting the findings of a randomised controlled trial. <i>BMJ Open</i> , 2019, 9, e024256.	1.9	20
84	Reply letter to: – A commentary on – cost-effectiveness of a national quality improvement programme to improve survival after emergency abdominal surgery, health economic evaluation – (int J Surg 2019;); Tj ETQq0 0.0 rgBT /Overlock 10		
85	The role of goal-directed therapy in the prevention of acute kidney injury after major gastrointestinal surgery. <i>European Journal of Anaesthesiology</i> , 2019, 36, 924-932.	1.7	11
86	Acute Kidney Injury and Risk of Death After Elective Surgery: Prospective Analysis of Data From an International Cohort Study. <i>Anesthesia and Analgesia</i> , 2019, 128, 1022-1029.	2.2	28
87	Cardiac vagal dysfunction and myocardial injury after non-cardiac surgery: a planned secondary analysis of the measurement of Exercise Tolerance before surgery study. <i>British Journal of Anaesthesia</i> , 2019, 122, 188-197.	3.4	22
88	Prospective observational cohort study on grading the severity of postoperative complications in global surgery research. <i>British Journal of Surgery</i> , 2019, 106, e73-e80.	0.3	13
89	Optimisation of Perioperative Cardiovascular Management to Improve Surgical Outcome II (OPTIMISE II) trial: study protocol for a multicentre international trial of cardiac output-guided fluid therapy with low-dose inotrope infusion compared with usual care in patients undergoing major elective gastrointestinal surgery. <i>BMI Open</i> . 2019, 9. e023455.	1.9	35
90	Perioperative haemodynamic therapy: Why are recommendations not being adopted?. <i>Anaesthesia, Critical Care & Pain Medicine</i> , 2019, 38, 5-7.	1.4	3

#	ARTICLE	IF	CITATIONS
91	Using the 6-minute walk test to predict disability-free survival after major surgery. <i>British Journal of Anaesthesia</i> , 2019, 122, 111-119.	3.4	46
92	Preoperative systemic inflammation and perioperative myocardial injury: prospective observational multicentre cohort study of patients undergoing non-cardiac surgery. <i>British Journal of Anaesthesia</i> , 2019, 122, 180-187.	3.4	78
93	A national quality improvement programme to improve survival after emergency abdominal surgery: the EPOCH stepped-wedge cluster RCT. <i>Health Services and Delivery Research</i> , 2019, 7, 1-96.	1.4	9
94	Improving detection of patient deterioration in the general hospital ward environment. <i>European Journal of Anaesthesiology</i> , 2018, 35, 325-333.	1.7	103
95	Acute Kidney Injury in Trauma Patients Admitted to Critical Care: Development and Validation of a Diagnostic Prediction Model. <i>Scientific Reports</i> , 2018, 8, 3665.	3.3	34
96	A systematic review and consensus definitions for standardised end-points in perioperative medicine: pulmonary complications. <i>British Journal of Anaesthesia</i> , 2018, 120, 1066-1079.	3.4	190
97	Pragmatic trials in perioperative medicine: why, when and how?. <i>Anaesthesia</i> , 2018, 73, 803-807.	3.8	6
98	Re-randomization increased recruitment and provided similar treatment estimates as parallel designs in trials of febrile neutropenia. <i>Journal of Clinical Epidemiology</i> , 2018, 97, 14-19.	5.0	4
99	Arterial pulse pressure and postoperative morbidity in high-risk surgical patients. <i>British Journal of Anaesthesia</i> , 2018, 120, 94-100.	3.4	14
100	The surgical safety checklist and patient outcomes after surgery: a prospective observational cohort study, systematic review and meta-analysis. <i>British Journal of Anaesthesia</i> , 2018, 120, 146-155.	3.4	92
101	Perioperative patient outcomes in the African Surgical Outcomes Study: a 7-day prospective observational cohort study. <i>Lancet, The</i> , 2018, 391, 1589-1598.	13.7	373
102	Systematic review and consensus definitions for standardised endpoints in perioperative medicine: postoperative cancer outcomes. <i>British Journal of Anaesthesia</i> , 2018, 121, 38-44.	3.4	44
103	Intensive care admission and hospital mortality in the elderly after non-cardiac surgery. <i>Medicina Intensiva</i> , 2018, 42, 463-472.	0.7	5
104	A Prospective International Multicentre Cohort Study of Intraoperative Heart Rate and Systolic Blood Pressure and Myocardial Injury After Noncardiac Surgery: Results of the VISION Study. <i>Anesthesia and Analgesia</i> , 2018, 126, 1936-1945.	2.2	151
105	Intensive care admission and hospital mortality in the elderly after non-cardiac surgery. <i>Medicina Intensiva (English Edition)</i> , 2018, 42, 463-472.	0.2	1
106	Improving care at scale: process evaluation of a multi-component quality improvement intervention to reduce mortality after emergency abdominal surgery (EPOCH trial). <i>Implementation Science</i> , 2018, 13, 142.	6.9	75
107	Association of preoperative anaemia with postoperative morbidity and mortality: an observational cohort study in low-, middle-, and high-income countries. <i>British Journal of Anaesthesia</i> , 2018, 121, 1227-1235.	3.4	54
108	Surgical outcomes in eastern Uganda: a one-year cohort study. <i>Southern African Journal of Anaesthesia and Analgesia</i> , 2018, 24, 122-127.	0.3	14

#	ARTICLE	IF	CITATIONS
109	A systematic review and meta-analysis of return to work after mild Traumatic brain injury. <i>Brain Injury</i> , 2018, 32, 1623-1636.	1.2	38
110	Post-operative immune suppression is mediated via reversible, Interleukin-10 dependent pathways in circulating monocytes following major abdominal surgery. <i>PLoS ONE</i> , 2018, 13, e0203795.	2.5	20
111	The ASOS Surgical Risk Calculator: development and validation of a tool for identifying African surgical patients at risk of severe postoperative complications. <i>British Journal of Anaesthesia</i> , 2018, 121, 1357-1363.	3.4	30
112	Where audit meets science: role of reporting and recommendations guidelines in service evaluations. <i>British Journal of Anaesthesia</i> , 2018, 121, 118-120.	3.4	0
113	Pre-specification of statistical analysis approaches in published clinical trial protocols was inadequate. <i>Journal of Clinical Epidemiology</i> , 2018, 101, 53-60.	5.0	19
114	Assessment of functional capacity before major non-cardiac surgery: an international, prospective cohort study. <i>Lancet</i> , 2018, 391, 2631-2640.	13.7	317
115	Preoperative systemic inflammation and myocardial injury in non-cardiac surgery. <i>British Journal of Anaesthesia</i> , 2018, 121, e20-e21.	3.4	0
116	Perioperative management of angiotensin-converting enzyme inhibitors and/or angiotensin receptor blockers: a survey of perioperative medicine practitioners. <i>PeerJ</i> , 2018, 6, e5061.	2.0	12
117	The LAS VEGAS risk score for prediction of postoperative pulmonary complications. <i>European Journal of Anaesthesiology</i> , 2018, 35, 691-701.	1.7	90
118	Potentially modifiable respiratory variables contributing to outcome in ICU patients without ARDS: a secondary analysis of PROVENT. <i>Annals of Intensive Care</i> , 2018, 8, 39.	4.6	22
119	Troponin T monitoring to detect myocardial injury after noncardiac surgery: a cost-consequence analysis. <i>Canadian Journal of Surgery</i> , 2018, 61, 185-194.	1.2	44
120	Peri-operative goal-directed therapy. <i>European Journal of Anaesthesiology</i> , 2018, 35, 467-468.	1.7	5
121	Acute kidney injury and mortality 1 year after major non-cardiac surgery. <i>British Journal of Surgery</i> , 2017, 104, 868-876.	0.3	82
122	Short-term neurocognitive and symptomatic outcomes following mild traumatic brain injury: A prospective multi-centre observational cohort study. <i>Brain Injury</i> , 2017, 31, 304-311.	1.2	8
123	Saving money: An ideal driver for improved perioperative care?. <i>Anaesthesia, Critical Care & Pain Medicine</i> , 2017, 36, 147-148.	1.4	4
124	Association of Postoperative High-Sensitivity Troponin Levels With Myocardial Injury and 30-Day Mortality Among Patients Undergoing Noncardiac Surgery. <i>JAMA - Journal of the American Medical Association</i> , 2017, 317, 1642.	7.4	579
125	Critical care admission following elective surgery was not associated with survival benefit: prospective analysis of data from 27 countries. <i>Intensive Care Medicine</i> , 2017, 43, 971-979.	8.2	108
126	Epidemiology, practice of ventilation and outcome for patients at increased risk of postoperative pulmonary complications. <i>European Journal of Anaesthesiology</i> , 2017, 34, 492-507.	1.7	189

#	ARTICLE	IF	CITATIONS
127	Current research priorities in perioperative intensive care medicine. <i>Intensive Care Medicine</i> , 2017, 43, 1173-1186.	8.2	25
128	Effect of day of the week on short- and long-term mortality after emergency general surgery. <i>British Journal of Surgery</i> , 2017, 104, 936-945.	0.3	25
129	Higher Fluid Balance Increases the Risk of Death From Sepsis: Results From a Large International Audit*. <i>Critical Care Medicine</i> , 2017, 45, 386-394.	0.9	235
130	Intensive care utilization and outcomes after high-risk surgery in Scotland: a population-based cohort study. <i>British Journal of Anaesthesia</i> , 2017, 118, 123-131.	3.4	70
131	In-hospital clinical outcomes after upper gastrointestinal surgery: Data from an international observational study. <i>European Journal of Surgical Oncology</i> , 2017, 43, 2324-2332.	1.0	5
132	Pathways to professionalism? Quality improvement, care pathways, and the interplay of standardisation and clinical autonomy. <i>Sociology of Health and Illness</i> , 2017, 39, 1314-1329.	2.1	58
133	ICU admission after surgery: who benefits?. <i>Current Opinion in Critical Care</i> , 2017, 23, 424-429.	3.2	37
134	Activated Protein C Drives the Hyperfibrinolysis of Acute Traumatic Coagulopathy. <i>Anesthesiology</i> , 2017, 126, 115-127.	2.5	123
135	Use of failure-to-rescue to identify international variation in postoperative care in low-, middle- and high-income countries: a 7-day cohort study of elective surgery. <i>British Journal of Anaesthesia</i> , 2017, 119, 258-266.	3.4	67
136	Elevated preoperative heart rate is associated with cardiopulmonary and autonomic impairment in high-risk surgical patients. <i>British Journal of Anaesthesia</i> , 2017, 119, 87-94.	3.4	33
137	Association between preoperative pulse pressure and perioperative myocardial injury: an international observational cohort study of patients undergoing non-cardiac surgery. <i>British Journal of Anaesthesia</i> , 2017, 119, 78-86.	3.4	42
138	Are we close to the ideal intravenous fluid?. <i>British Journal of Anaesthesia</i> , 2017, 119, i63-i71.	3.4	20
139	Frequency of surgical treatment and related hospital procedures in the UK: a national ecological study using hospital episode statistics. <i>British Journal of Anaesthesia</i> , 2017, 119, 249-257.	3.4	154
140	Evidence-based medicine: the clue is in the name. <i>British Journal of Anaesthesia</i> , 2017, 119, 1084-1086.	3.4	2
141	The Prevention of Respiratory Insufficiency after Surgical Management (PRISM) Trial. Report of the protocol for a pragmatic randomized controlled trial of CPAP to prevent respiratory complications and improve survival following major abdominal surgery. <i>Minerva Anestesiologica</i> , 2017, 83, 175-182.	1.0	16
142	Mildly elevated lactate levels are associated with microcirculatory flow abnormalities and increased mortality: a microSOAP post hoc analysis. <i>Critical Care</i> , 2017, 21, 255.	5.8	29
143	Critical care admission of South African (SA) surgical patients: Results of the SA Surgical Outcomes Study. <i>South African Medical Journal</i> , 2017, 107, 411.	0.6	10
144	Intensive Care after High-risk Surgery. <i>Anesthesiology</i> , 2016, 124, 761-762.	2.5	23

#	ARTICLE	IF	CITATIONS
145	Does major surgery induce immune suppression and increase the risk of postoperative infection?. <i>Current Opinion in Anaesthesiology</i> , 2016, 29, 376-383.	2.0	45
146	Measurement of Exercise Tolerance before Surgery (METS) study: a protocol for an international multicentre prospective cohort study of cardiopulmonary exercise testing prior to major non-cardiac surgery. <i>BMJ Open</i> , 2016, 6, e010359.	1.9	50
147	Epidemiological characteristics, practice of ventilation, and clinical outcome in patients at risk of acute respiratory distress syndrome in intensive care units from 16 countries (P _{RO} VENT): an international, multicentre, prospective study. <i>Lancet Respiratory Medicine</i> , 2016, 4, 882-893.	10.7	137
148	Preoperative heart rate and myocardial injury after non-cardiac surgery: results of a predefined secondary analysis of the VISION study. <i>British Journal of Anaesthesia</i> , 2016, 117, 172-181.	3.4	66
149	Preoperative renal dysfunction and mortality after non-cardiac surgery. <i>British Journal of Surgery</i> , 2016, 103, 1316-1325.	0.3	32
150	Baroreflex impairment and morbidity after major surgery. <i>British Journal of Anaesthesia</i> , 2016, 117, 324-331.	3.4	33
151	Features of Postoperative Immune Suppression Are Reversible With Interferon Gamma and Independent of Interleukin-6 Pathways. <i>Annals of Surgery</i> , 2016, 264, 370-377.	4.2	66
152	Global patient outcomes after elective surgery: prospective cohort study in 27 low-, middle- and high-income countries. <i>British Journal of Anaesthesia</i> , 2016, 117, 601-609.	3.4	400
153	Swedish surgical outcomes study (SweSOS). <i>European Journal of Anaesthesiology</i> , 2016, 33, 317-325.	1.7	24
154	Incidence and associations of acute kidney injury after major abdominal surgery. <i>Intensive Care Medicine</i> , 2016, 42, 521-530.	8.2	175
155	Letter in Response to "Classification of Traumatic Brain Injury Severity Using Informed Data Reduction in a Series of Binary Classifier Algorithms". <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2016, 24, 616-616.	4.9	0
156	Preoperative abnormalities in serum sodium concentrations are associated with higher in-hospital mortality in patients undergoing major surgery. <i>British Journal of Anaesthesia</i> , 2016, 116, 63-69.	3.4	38
157	Mortality of emergency general surgical patients and associations with hospital structures and processes. <i>British Journal of Anaesthesia</i> , 2016, 116, 54-62.	3.4	107
158	Long-Term Follow-Up of Sepsis Induced Immunoparalysis. <i>Intensive Care Medicine Experimental</i> , 2015, 3, .	1.9	0
159	The whole truth and nothing but the truth: the need for full reporting of randomised trials. <i>Perioperative Medicine (London, England)</i> , 2015, 4, 7.	1.5	2
160	Variation in haemodynamic monitoring for major surgery in European nations: secondary analysis of the EuSOS dataset. <i>Perioperative Medicine (London, England)</i> , 2015, 4, 8.	1.5	30
161	Epigenetic regulatory pathways involving microRNAs may modulate the host immune response following major trauma. <i>Journal of Trauma and Acute Care Surgery</i> , 2015, 79, 766-772.	2.1	12
162	Cost-effectiveness of a cardiac output-guided haemodynamic therapy algorithm in high-risk patients undergoing major gastrointestinal surgery. <i>Perioperative Medicine (London, England)</i> , 2015, 4, 13.	1.5	17

#	ARTICLE	IF	CITATIONS
163	Nonelective surgery at night and in-hospital mortality. <i>European Journal of Anaesthesiology</i> , 2015, 32, 477-485.	1.7	25
164	Meta-analysis of the association between preoperative anaemia and mortality after surgery. <i>British Journal of Surgery</i> , 2015, 102, 1314-1324.	0.3	393
165	Association Between Gene Expression Biomarkers of Immunosuppression and Blood Transfusion in Severely Injured Polytrauma Patients. <i>Annals of Surgery</i> , 2015, 261, 751-759.	4.2	42
166	Association between intraoperative heart rate and postoperative myocardial injury in patients following non-cardiac surgery. <i>Intensive Care Medicine Experimental</i> , 2015, 3, .	1.9	1
167	Post-operative immune suppression is reversible with interferon gamma and independent of IL-6 pathways. <i>Intensive Care Medicine Experimental</i> , 2015, 3, .	1.9	0
168	International Study on Microcirculatory Shock Occurrence in Acutely Ill Patients*. <i>Critical Care Medicine</i> , 2015, 43, 48-56.	0.9	122
169	Perioperative myocardial injury in patients receiving cardiac output-guided haemodynamic therapy: a substudy of the OPTIMISE Trial. <i>British Journal of Anaesthesia</i> , 2015, 115, 227-233.	3.4	41
170	Perioperative cardiovascular monitoring of high-risk patients: a consensus of 12. <i>Critical Care</i> , 2015, 19, 224.	5.8	167
171	Individualised oxygen delivery targeted haemodynamic therapy in high-risk surgical patients: a multicentre, randomised, double-blind, controlled, mechanistic trial. <i>Lancet Respiratory Medicine</i> , the, 2015, 3, 33-41.	10.7	105
172	Protocolized fluid therapy in brain-dead donors: the multicenter randomized MONIToR trial. <i>Intensive Care Medicine</i> , 2015, 41, 418-426.	8.2	49
173	Letter in response to "Classification algorithms for the identification of structural injury in TBI using brain electrical activity"™. <i>Computers in Biology and Medicine</i> , 2015, 65, 146.	7.0	0
174	Individualised targeted haemodynamic therapy in high-risk surgical patients " Authors' reply. <i>Lancet Respiratory Medicine</i> , the, 2015, 3, e14-e15.	10.7	0
175	Point prevalence of surgical checklist use in Europe: relationship with hospital mortality. <i>British Journal of Anaesthesia</i> , 2015, 114, 801-807.	3.4	35
176	Changes in gene expression following trauma are related to the age of transfused packed red blood cells. <i>Journal of Trauma and Acute Care Surgery</i> , 2015, 78, 535-542.	2.1	18
177	Standards for definitions and use of outcome measures for clinical effectiveness research in perioperative medicine. <i>European Journal of Anaesthesiology</i> , 2015, 32, 88-105.	1.7	559
178	Steroids for cardiac surgery: has the story finally ended?. <i>Lancet, The</i> , 2015, 386, 1215-1216.	13.7	3
179	Regional variation in critical care provision and outcome after high-risk surgery. <i>Intensive Care Medicine</i> , 2015, 41, 1809-1816.	8.2	38
180	Dynamic preload markers to predict fluid responsiveness during and after major gastrointestinal surgery: an observational substudy of the OPTIMISE trial. <i>British Journal of Anaesthesia</i> , 2015, 114, 598-604.	3.4	44

#	ARTICLE	IF	CITATIONS
181	Predictive Value of S100-B and Copeptin for Outcomes following Seizure: The BISTRO International Cohort Study. <i>PLoS ONE</i> , 2015, 10, e0122405.	2.5	13
182	American Society of Anesthesiologists Score: still useful after 60 years? Results of the EuSOS Study. <i>Revista Brasileira De Terapia Intensiva</i> , 2015, 27, 105-12.	0.3	18
183	Perioperative blood transfusion is associated with a gene transcription profile characteristic of immunosuppression: a prospective cohort study. <i>Critical Care</i> , 2014, 18, 541.	5.8	36
184	Neutrophil gelatinase-associated lipocalin and albuminuria as predictors of acute kidney injury in patients treated with goal-directed haemodynamic therapy after major abdominal surgery. <i>Annals of Clinical Biochemistry</i> , 2014, 51, 392-399.	1.6	8
185	Cardiac Troponins in Sepsis. <i>Critical Care Medicine</i> , 2014, 42, 975-976.	0.9	2
186	Association between gene expression biomarkers of immunosuppression and blood transfusion in severely injured polytrauma patients. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2014, 22, .	2.6	2
187	Effect of a Perioperative, Cardiac Outputâ€“Guided Hemodynamic Therapy Algorithm on Outcomes Following Major Gastrointestinal Surgery. <i>JAMA - Journal of the American Medical Association</i> , 2014, 311, 2181.	7.4	718
188	Use of Hemodynamic Algorithm After Gastrointestinal Surgeryâ€”Reply. <i>JAMA - Journal of the American Medical Association</i> , 2014, 312, 1471.	7.4	0
189	Incidence of postoperative death and acute kidney injury associated with i.v. 6% hydroxyethyl starch use: systematic review and meta-analysis. <i>British Journal of Anaesthesia</i> , 2014, 112, 25-34.	3.4	159
190	Comparison of the prognostic accuracy of scoring systems, cardiopulmonary exercise testing, and plasma biomarkers: a single-centre observational pilot study. <i>British Journal of Anaesthesia</i> , 2014, 112, 491-497.	3.4	52
191	Peri-operative troponin monitoring using a prototype high-sensitivity cardiac troponin I (hs-cTnI) assay: comparisons with hs-cTnT and contemporary cTnI assays. <i>Annals of Clinical Biochemistry</i> , 2014, 51, 258-268.	1.6	11
192	Serum Creatinine Changes Associated with Critical Illness and Detection of Persistent Renal Dysfunction after AKI. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2014, 9, 1015-1023.	4.5	131
193	Preoperative anaemia is associated with poor clinical outcome in non-cardiac surgery patients. <i>British Journal of Anaesthesia</i> , 2014, 113, 416-423.	3.4	330
194	Myocardial Injury after Noncardiac Surgery. <i>Anesthesiology</i> , 2014, 120, 564-578.	2.5	740
195	Swedish Surgical Outcome Study (SweSOS), a sub study of the European Surgical Outcomes Study (EuSOS). Characteristics and outcome of the Swedish subset of EuSOS to identify the predictors of short- and long-term mortality in Sweden. Analytical, descriptive and prospective cohort study. <i>European Journal of Anaesthesiology</i> , 2014, 31, 248-249.	1.7	0
196	Perioperative blood transfusion is associated with a characteristic immune response, excess infectious complications and death in patients undergoing scheduled major gastrointestinal surgery. <i>European Journal of Anaesthesiology</i> , 2014, 31, 91.	1.7	0
197	Major gastrointestinal surgery is associated with a specific gene expression profile that is quantitatively associated with infectious complications. <i>European Journal of Anaesthesiology</i> , 2014, 31, 14.	1.7	1
198	Ergocalciferol and Microcirculatory Function in Chronic Kidney Disease and Concomitant Vitamin D Deficiency: An Exploratory, Double Blind, Randomised Controlled Trial. <i>PLoS ONE</i> , 2014, 9, e99461.	2.5	59

#	ARTICLE	IF	CITATIONS
199	Observational study of the effects of age, diabetes mellitus, cirrhosis and chronic kidney disease on sublingual microvascular flow. <i>Perioperative Medicine (London, England)</i> , 2013, 2, 7.	1.5	14
200	Mortality after surgery in Europe – Authors' reply. <i>Lancet, The</i> , 2013, 381, 370-371.	13.7	9
201	Dopexamine can attenuate the inflammatory response and protect against organ injury in the absence of significant effects on hemodynamics or regional microvascular flow. <i>Critical Care</i> , 2013, 17, R57.	5.8	25
202	Mortality after surgery in Ireland – Authors' reply. <i>Lancet, The</i> , 2013, 382, 2063-2064.	13.7	2
203	Guidelines on the management of anaemia and red cell transfusion in adult critically ill patients. <i>British Journal of Haematology</i> , 2013, 160, 445-464.	2.5	221
204	Restrictive Versus Liberal Transfusion Strategies for Older Mechanically Ventilated Critically Ill Patients. <i>Critical Care Medicine</i> , 2013, 41, 2354-2363.	0.9	109
205	Is it the end of the road for synthetic starches in critical illness?. <i>BMJ, The</i> , 2013, 346, f1805-f1805.	6.0	7
206	Do integrated care pathways have a place in critical care?. <i>Current Opinion in Critical Care</i> , 2012, 18, 683-687.	3.2	10
207	A national early warning score for acutely ill patients. <i>BMJ, The</i> , 2012, 345, e5310-e5310.	6.0	117
208	Perioperative medicine: the future of anaesthesia?. <i>British Journal of Anaesthesia</i> , 2012, 108, 723-726.	3.4	99
209	Association Between Postoperative Troponin Levels and 30-Day Mortality Among Patients Undergoing Noncardiac Surgery. <i>JAMA - Journal of the American Medical Association</i> , 2012, 307, 2295.	7.4	821
210	Study Design of the Microcirculatory Shock Occurrence in Acutely Ill Patients (microSOAP): an International Multicenter Observational Study of Sublingual Microcirculatory Alterations in Intensive Care Patients. <i>Critical Care Research and Practice</i> , 2012, 2012, 1-7.	1.1	9
211	Mortality after surgery in Europe: a 7 day cohort study. <i>Lancet, The</i> , 2012, 380, 1059-1065.	13.7	1,614
212	Risk factors for acute organ failure in intensive care unit patients who receive respiratory support in the absence of non-respiratory organ failure: an international prospective cohort study. <i>Critical Care</i> , 2012, 16, R61.	5.8	7
213	Use of inotropes and vasopressor agents in critically ill patients. <i>British Journal of Pharmacology</i> , 2012, 165, 2015-2033.	5.4	146
214	Reply to – Comment on a Systematic Review of the Role of Cardiopulmonary Exercise Testing in Vascular Surgery –. <i>European Journal of Vascular and Endovascular Surgery</i> , 2012, 44, 350-351.	1.5	2
215	Perioperative fluid therapy. <i>BMJ, The</i> , 2012, 344, e2865-e2865.	6.0	31
216	A Systematic Review of the Role of Cardiopulmonary Exercise Testing in Vascular Surgery. <i>European Journal of Vascular and Endovascular Surgery</i> , 2012, 44, 64-71.	1.5	47

#	ARTICLE	IF	CITATIONS
217	Peri-operative hemodynamic therapy: only large clinical trials can resolve our uncertainty. <i>Critical Care</i> , 2011, 15, 122.	5.8	8
218	Authors' reply to Petros and colleagues. <i>BMJ: British Medical Journal</i> , 2011, 343, d7542-d7542.	2.3	0
219	EuSOS: European Surgical Outcomes Study. <i>European Journal of Anaesthesiology</i> , 2011, 28, 454-456.	1.7	20
220	Hemostatic Effects of Fresh Frozen Plasma May be Maximal at Red Cell Ratios of 1:2. <i>Journal of Trauma</i> , 2011, 70, 90-96.	2.3	110
221	Impact of hepatic venous oxygen efflux and carotid blood flow on the difference between mixed and central venous oxygen saturation. <i>Critical Care</i> , 2011, 15, .	5.8	0
222	Use of early corticosteroid therapy on ICU admission in patients affected by severe pandemic (H1N1)v influenzaA infection. <i>Intensive Care Medicine</i> , 2011, 37, 272-283.	8.2	188
223	High sensitivity troponin T concentrations in patients undergoing noncardiac surgery: A prospective cohort study. <i>Clinical Biochemistry</i> , 2011, 44, 1021-1024.	1.9	84
224	Managing perioperative risk in patients undergoing elective non-cardiac surgery. <i>BMJ: British Medical Journal</i> , 2011, 343, d5759-d5759.	2.3	123
225	Functional definition and characterization of acute traumatic coagulopathy. <i>Critical Care Medicine</i> , 2011, 39, 2652-2658.	0.9	454
226	EARLY MICROVASCULAR CHANGES IN SEPSIS AND SEVERE SEPSIS. <i>Shock</i> , 2010, 33, 387-391.	2.1	91
227	Using oxygen delivery targets to optimize resuscitation in critically ill patients. <i>Current Opinion in Critical Care</i> , 2010, 16, 244-249.	3.2	10
228	Another inconvenient truth: meeting the challenge of preventing poor surgical outcomes. <i>Current Opinion in Critical Care</i> , 2010, 16, 337-338.	3.2	2
229	Water, taken in moderation, cannot hurt anybody (Mark Twain 1835-1910). <i>Journal of Physiology</i> , 2010, 588, 281-282.	2.9	1
230	Haemodynamic optimisation improves tissue microvascular flow and oxygenation after major surgery: a randomised controlled trial. <i>Critical Care</i> , 2010, 14, R151.	5.8	169
231	Prognostic studies of perioperative risk: robust methodology is needed. <i>British Journal of Anaesthesia</i> , 2010, 105, 243-245.	3.4	39
232	Pro-Con Debate: We should not Measure Cardiac output in Critical Care. <i>Journal of the Intensive Care Society</i> , 2009, 10, 8-12.	2.2	10
233	Microvascular flow and tissue oxygenation after major abdominal surgery: association with post-operative complications. <i>Intensive Care Medicine</i> , 2009, 35, 671-677.	8.2	692
234	Dopexamine and survival: areas of consistency. <i>Anaesthesia</i> , 2009, 64, 1258-1258.	3.8	0

#	ARTICLE	IF	CITATIONS
235	Extending the role of lactate measurement into the prehospital environment. <i>Critical Care</i> , 2009, 13, 115.	5.8	20
236	Comparison of three methods of extravascular lung water volume measurement in patients after cardiac surgery. <i>Critical Care</i> , 2009, 13, R107.	5.8	4
237	The use of early intervention to prevent postoperative complications. <i>Current Opinion in Critical Care</i> , 2009, 15, 349-354.	3.2	19
238	Role of Central and Mixed Venous Oxygen Saturation Measurement in Perioperative Care. <i>Anesthesiology</i> , 2009, 111, 649-656.	2.5	108
239	The effect of increasing doses of norepinephrine on tissue oxygenation and microvascular flow in patients with septic shock*. <i>Critical Care Medicine</i> , 2009, 37, 1961-1966.	0.9	216
240	Authors of guideline respond. <i>BMJ: British Medical Journal</i> , 2009, 339, b3030-b3030.	2.3	1
241	Extravascular lung water volume measurement by a novel lithium-thermal indicator dilution method: comparison of three techniques to post-mortem gravimetry. <i>Intensive Care Medicine</i> , 2008, 34, 2106-2111.	8.2	11
242	Cardiac output monitoring: basic science and clinical application. <i>Anaesthesia</i> , 2008, 63, 172-181.	3.8	172
243	Mortality and utilisation of critical care resources amongst high-risk surgical patients in a large NHS trust*. <i>Anaesthesia</i> , 2008, 63, 695-700.	3.8	215
244	Intrathoracic blood volume measurement: comparison of transpulmonary lithium indicator dilution with indocyanine green indicator dilution. <i>Critical Care</i> , 2008, 12, P103.	5.8	0
245	Association between Cardiac Index and Mortality in Patients Assessed on the Ward by a Nurse-Led Critical Care Outreach Team. <i>Journal of the Intensive Care Society</i> , 2008, 9, 118-123.	2.2	0
246	Initiation of nutrition in the intensive care unit and the reasons for its delay: a prospective audit. <i>Proceedings of the Nutrition Society</i> , 2008, 67, .	1.0	0
247	Effect of dopexamine infusion on mortality following major surgery: Individual patient data meta-regression analysis of published clinical trials. <i>Critical Care Medicine</i> , 2008, 36, 1323-1329.	0.9	63
248	Initiation of nutrition in the intensive care unit and the reasons for its delay: a prospective audit. <i>Proceedings of the Nutrition Society</i> , 2008, 67, .	1.0	0
249	Steroids to prevent postextubation laryngeal oedema. <i>Lancet</i> , The, 2007, 369, 1060-1061.	13.7	3
250	The incidence of myocardial injury following post-operative Goal Directed Therapy. <i>BMC Cardiovascular Disorders</i> , 2007, 7, 10.	1.7	11
251	Identification and characterisation of the high-risk surgical population in the United Kingdom. <i>Critical Care</i> , 2006, 10, R81.	5.8	517
252	Should we use central venous saturation to guide management in high-risk surgical patients?. <i>Critical Care</i> , 2006, 10, 181.	5.8	27

#	ARTICLE	IF	CITATIONS
253	Early goal-directed therapy after major surgery reduces complications and duration of hospital stay. A randomised, controlled trial [ISRCTN38797445]. <i>Critical Care</i> , 2005, 9, R687.	5.8	632
254	Changes in central venous saturation after major surgery, and association with outcome. <i>Critical Care</i> , 2005, 9, R694.	5.8	200
255	Use of hydrogen peroxide vapour for environmental control during a <i>Serratia</i> outbreak in a neonatal intensive care unit. <i>Journal of Hospital Infection</i> , 2005, 61, 364-366.	2.9	62
256	Acute respiratory distress syndrome (ARDS). <i>Clinical Intensive Care: International Journal of Critical & Coronary Care Medicine</i> , 2004, 15, 37-42.	0.1	0
257	Equipment review: an appraisal of the LiDCO plus method of measuring cardiac output. <i>Critical Care</i> , 2004, 8, 190.	5.8	102
258	Clinical review: how to optimize management of high-risk surgical patients. <i>Critical Care</i> , 2004, 8, 503.	5.8	23
259	Acute respiratory distress syndrome (ARDS). <i>Clinical Intensive Care: International Journal of Critical & Coronary Care Medicine</i> , 2004, 15, 37-42.	0.1	0
260	Critical care clinical conundrums. <i>Clinical Intensive Care: International Journal of Critical & Coronary Care Medicine</i> , 2003, 14, 149-155.	0.1	0
261	Non-invasive ventilation to avoid tracheal intubation in a patient with Guillain-Barré syndrome. <i>British Journal of Anaesthesia</i> , 2003, 91, 913-916.	3.4	11
262	Organisational failures in urgent and emergency surgery A potential peri-operative risk factor. <i>Anaesthesia</i> , 2001, 56, 684-689.	3.8	28
263	Inadequate pre-operative evaluation and preparation 1. <i>Anaesthesia</i> , 2001, 56, 374-374.	3.8	0
264	Pre-operative fasting and administration of regular medications in adult patients presenting for elective surgery. Has the new evidence changed practice?. <i>European Journal of Anaesthesiology</i> , 1999, 16, 565-568.	1.7	18
265	What the SHO really does. <i>Journal of the Royal College of Physicians of London</i> , 1999, 33, 553-6.	0.2	6
266	An analysis of admission, discharge and bed occupancy of stroke patients aged 65 and over in English hospitals. <i>Health Care Management Science</i> , 1998, 1, 151-157.	2.6	8
267	The effects of aging on the cutaneous microvasculature. <i>Journal of the American Academy of Dermatology</i> , 1995, 33, 749-756.	1.2	168
268	New trends in perioperative medicine. , 0, , 14-23.		0
269	Cardiac function and myocardial perfusion. , 0, , 39-46.		0
270	Microcirculation and mitochondrial dysfunction. , 0, , 56-61.		0

#	ARTICLE	IF	CITATIONS
271	A rational approach to fluid and volume management. , 0, , 74-84.		2
272	Monitoring the microcirculation. , 0, , 180-185.		0
273	ScvO2 monitoring. , 0, , 186-190.		0
274	Goal directed therapy in the perioperative setting: what is the evidence?. , 0, , 197-202.		0
275	Endpoints of goal directed therapy in the OR and in the ICU. , 0, , 203-212.		0
276	What is a fluid challenge and how to perform it?. , 0, , 213-223.		0
277	The relationships between anesthesia, hemodynamics and outcome. , 0, , 224-230.		0
278	Goal directed therapy and hemodynamic optimization in the critical care setting: practical applications and benefits. , 0, , 237-245.		0
279	Decision support and closed-loop systems for hemodynamic optimization and fluid management. , 0, , 267-274.		2
280	Liberal & Versus Restrictive Antimicrobial Prophylaxis for Surgical Site Infection: Systematic Review and Meta-Analysis of Randomised Trials. SSRN Electronic Journal, 0, , .	0.4	0
281	Trends in Hospital Admissions Associated With an Acute Kidney Injury in England 1998-2020: A Repeated Cross-Sectional Study. SSRN Electronic Journal, 0, , .	0.4	2