Binod Dhakal

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4491788/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Autologous Transplantation for Newly Diagnosed Multiple Myeloma in the Era of Novel Agent Induction. JAMA Oncology, 2018, 4, 343. | 7.1 | 130 |
| 2 | Daratumumab, Carfilzomib, Lenalidomide, and Dexamethasone With Minimal Residual Disease Response-Adapted Therapy in Newly Diagnosed Multiple Myeloma. Journal of Clinical Oncology, 2022, 40, 2901-2912. | 1.6 | 124 |
| 3 | IVIg for Treatment of Severe Refractory Heparin-Induced Thrombocytopenia. Chest, 2017, 152, 478-485. | 0.8 | 113 |
| 4 | Response to SARS-CoV-2 vaccination in patients after hematopoietic cell transplantation and CAR T-cell therapy. Blood, 2021, 138, 1278-1281. | 1.4 | 101 |
| 5 | Daratumumab, Carfilzomib, Lenalidomide and Dexamethasone (Dara-KRd) Induction, Autologous Transplantation and Post-Transplant, Response-Adapted, Measurable Residual Disease (MRD)-Based Dara-Krd Consolidation in Patients with Newly Diagnosed Multiple Myeloma (NDMM). Blood, 2019, 134, 860-860. | 1.4 | 80 |
| 6 | Disease burden, complication rates, and health-care costs of heparin-induced thrombocytopenia in the USA: a population-based study. Lancet Haematology,the, 2018, 5, e220-e231. | 4.6 | 76 |
| 7 | Marizomib for central nervous systemâ€multiple myeloma. British Journal of Haematology, 2017, 177, 221-225. | 2.5 | 49 |
| 8 | Peripheral Blood Grafts for T Cell–Replete Haploidentical Transplantation Increase the Incidence and Severity of Cytokine Release Syndrome. Biology of Blood and Marrow Transplantation, 2018, 24, 1664-1670. | 2.0 | 36 |
| 9 | Efficacy of a third SARS-CoV-2 mRNA vaccine dose among hematopoietic cell transplantation, CAR TÂcell, and BiTE recipients. Cancer Cell, 2022, 40, 340-342. | 16.8 | 35 |
| 10 | Novel biomarkers in multiple myeloma. Translational Research, 2018, 201, 49-59. | 5.0 | 31 |
| 11 | Multiple myeloma and COVID-19. Leukemia, 2020, 34, 1961-1963. | 7.2 | 29 |
| 12 | Risk of infections with B-cell maturation antigen-directed immunotherapy in multiple myeloma. Blood Advances, 2022, 6, 2466-2470. | 5.2 | 29 |
| 13 | Morbidities of lung cancer surgery in obese patients. Journal of Thoracic and Cardiovascular Surgery, 2013, 146, 379-384. | 0.8 | 28 |
| 14 | Repurposing existing medications as cancer therapy: design and feasibility of a randomized pilot investigating propranolol administration in patients receiving hematopoietic cell transplantation. BMC Cancer, 2018, 18, 593. | 2.6 | 28 |
| 15 | Hematopoietic cell transplantation utilization and outcomes for primary plasma cell leukemia in the current era. Leukemia, 2020, 34, 3338-3347. | 7.2 | 27 |
| 16 | The evolving role of translocation t(11;14) in the biology, prognosis, and management of multiple myeloma. Blood Reviews, 2020, 41, 100643. | 5.7 | 26 |
| 17 | Incidence and survival of therapy related myeloid neoplasm in United States. Leukemia Research, 2018, 71, 95-99. | 0.8 | 24 |
| 18 | Plerixafor and Abbreviated-Course Granulocyte Colony–Stimulating Factor for Mobilizing Hematopoietic Progenitor Cells in Light Chain Amyloidosis. Biology of Blood and Marrow Transplantation, 2014, 20, 1926-1931. | 2.0 | 23 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Acquired factor X deficiency in light-chain (AL) amyloidosis is rare and associated with advanced disease. Hematology/ Oncology and Stem Cell Therapy, 2019, 12, 10-14. | 0.9 | 23 |
| 20 | A Phase 2 Study of Pembrolizumab during Lymphodepletion after Autologous Hematopoietic Cell Transplantation for Multiple Myeloma. Biology of Blood and Marrow Transplantation, 2019, 25, 1492-1497. | 2.0 | 23 |
| 21 | Outcomes of Reduced-Intensity Conditioning Allogeneic Hematopoietic Cell Transplantation Performed in the Inpatient versus Outpatient Setting. Biology of Blood and Marrow Transplantation, 2019, 25, 827-833. | 2.0 | 23 |
| 22 | Chimeric antigen receptor T cell therapy in multiple myeloma: promise and challenges. Bone Marrow Transplantation, 2021, 56, 9-19. | 2.4 | 22 |
| 23 | Black patients with multiple myeloma have better survival than white patients when treated equally: a matched cohort study. Blood Cancer Journal, 2022, 12, 34. | 6.2 | 22 |
| 24 | Direct HLA Genetic Comparisons Identify Highly Matched Unrelated Donor-Recipient Pairs with Improved Transplantation Outcome. Biology of Blood and Marrow Transplantation, 2019, 25, 921-931. | 2.0 | 21 |
| 25 | A Platelet Factor 4-Dependent Platelet Activation Assay Facilitates Early Detection of Pathogenic Heparin-Induced Thrombocytopenia Antibodies. Chest, 2017, 152, e77-e80. | 0.8 | 20 |
| 26 | Revised International Staging System Is Predictive and Prognostic for Early Relapse (<24 months) after Autologous Transplantation for Newly Diagnosed Multiple Myeloma. Biology of Blood and Marrow Transplantation, 2019, 25, 683-688. | 2.0 | 18 |
| 27 | Reactivation of Pulmonary Tuberculosis following Treatment of Myelofibrosis with Ruxolitinib. Case Reports in Hematology, 2016, 2016, 1-4. | 0.4 | 17 |
| 28 | Allogeneic Hematopoietic Cell Transplantation in Multiple Myeloma: Impact of Disease Risk and Post Allograft Minimal Residual Disease on Survival. Clinical Lymphoma, Myeloma and Leukemia, 2016, 16, 379-386. | 0.4 | 17 |
| 29 | Autologous Hematopoietic Cell Transplantation in Patients With Multiple Myeloma: Effect of Age. Clinical Lymphoma, Myeloma and Leukemia, 2017, 17, 165-172. | 0.4 | 17 |
| 30 | Rationale and design of DUAL study: Doxycycline to Upgrade response in light chain (AL) amyloidosis (DUAL): A phase 2 pilot study of a two-pronged approach of prolonged doxycycline with plasma cell-directed therapy in the treatment of AL amyloidosis. Contemporary Clinical Trials Communications, 2017, 8, 33-38. | 1.1 | 17 |
| 31 | Salvage second transplantation in relapsed multiple myeloma. Leukemia, 2021, 35, 1214-1217. | 7.2 | 17 |
| 32 | Prevalence and significance of sarcopenia in multiple myeloma patients undergoing autologous hematopoietic cell transplantation. Bone Marrow Transplantation, 2021, 56, 225-231. | 2.4 | 17 |
| 33 | A Comprehensive Review of the Genomics of Multiple Myeloma: Evolutionary Trajectories, Gene Expression Profiling, and Emerging Therapeutics. Cells, 2021, 10, 1961. | 4.1 | 16 |
| 34 | Phase I/II trial of bendamustine, ixazomib, and dexamethasone in relapsed/refractory multiple myeloma. Blood Cancer Journal, 2019, 9, 56. | 6.2 | 15 |
| 35 | African Americans with translocation t(11;14) have superior survival after autologous hematopoietic cell transplantation for multiple myeloma in comparison with Whites in the United States. Cancer, 2021, 127, 82-92. | 4.1 | 15 |
| 36 | Efficacy and safety of frontline regimens for older transplant-ineligible patients with multiple myeloma: A systematic review and meta-analysis. Journal of Geriatric Oncology, 2020, 11, 1285-1292. | 1.0 | 14 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Aggressive Smoldering Curative Approach Evaluating Novel Therapies (ASCENT): A Phase 2 Trial of Induction, Consolidation and Maintenance in Subjects with High Risk Smoldering Multiple Myeloma (SMM): Initial Analysis of Safety Data. Blood, 2020, 136, 35-36. | 1.4 | 14 |
| 38 | Versican proteolysis predicts immune effector infiltration and post-transplant survival in myeloma. Leukemia and Lymphoma, 2019, 60, 2558-2562. | 1.3 | 13 |
| 39 | Fludarabine/Busulfan Conditioning-Based Allogeneic Hematopoietic Cell Transplantation for Myelofibrosis: Role of Ruxolitinib in Improving Survival Outcomes. Biology of Blood and Marrow Transplantation, 2020, 26, 893-901. | 2.0 | 13 |
| 40 | Recent advances in understanding multiple myeloma. F1000Research, 2016, 5, 2053. | 1.6 | 13 |
| 41 | Factors Associated With Unplanned 30-Day Readmissions After Hematopoietic Cell Transplantation Among US Hospitals. JAMA Network Open, 2019, 2, e196476. | 5.9 | 12 |
| 42 | Risk, Outcomes, and Predictors of Clostridium difficile Infection in Lymphoma: A Nationwide Study. Southern Medical Journal, 2018, 111, 628-633. | 0.7 | 12 |
| 43 | Utilization and Cost Implications of Hematopoietic Progenitor Cells Stored for a Future Salvage Autologous Transplantation or Stem Cell Boost in Myeloma Patients. Biology of Blood and Marrow Transplantation, 2020, 26, 2011-2017. | 2.0 | 11 |
| 44 | Use of IV Immunoglobulin G in Heparin-Induced Thrombocytopenia Patients Is Not Associated With Increased Rates of Thrombosis. Chest, 2020, 158, 1172-1175. | 0.8 | 11 |
| 45 | Autonomic nervous system control of multiple myeloma. Blood Reviews, 2021, 46, 100741. | 5.7 | 11 |
| 46 | A Novel PF4-Dependent P-Selectin Expression Assay (PEA) Facilitates Early Detection of Pathogenic HIT Antibodies: Implications for Diagnosis and Treatment of HIT. Blood, 2016, 128, 2599-2599. | 1.4 | 11 |
| 47 | ASTCT Clinical Practice Recommendations for Transplantation and Cellular Therapies in Multiple Myeloma. Transplantation and Cellular Therapy, 2022, 28, 284-293. | 1.2 | 11 |
| 48 | Relapse after Allogeneic Hematopoietic Cell Transplantation for Multiple Myeloma: Survival Outcomes and Factors Influencing Them. Biology of Blood and Marrow Transplantation, 2020, 26, 1288-1297. | 2.0 | 10 |
| 49 | Immunotherapy in Multiple Myeloma—Time for a Second Major Paradigm Shift. JCO Oncology Practice, 2021, 17, 405-413. | 2.9 | 10 |
| 50 | Bortezomib, Lenalidomide and Dexamethasone (VRd) Followed By Ciltacabtagene Autoleucel Versus Vrd Followed By Lenalidomide and Dexamethasone (Rd) Maintenance in Patients with Newly Diagnosed Multiple Myeloma Not Intended for Transplant: A Randomized, Phase 3 Study (CARTITUDE-5). Blood, 2021, 138, 1835-1835. | 1.4 | 10 |
| 51 | Promise and pitfalls of allogeneic chimeric antigen receptor therapy in plasma cell and lymphoid malignancies. British Journal of Haematology, 2022, 197, 28-40. | 2.5 | 9 |
| 52 | Impact of Induction Therapy with VRD versus VCD on Outcomes in Patients with Multiple Myeloma in Partial Response or Better Undergoing Upfront Autologous Stem Cell Transplantation. Transplantation and Cellular Therapy, 2022, 28, 83.e1-83.e9. | 1.2 | 9 |
| 53 | Moving Beyond Autologous Transplantation in Multiple Myeloma: Consolidation, Maintenance, Allogeneic Transplant, and Immune Therapy. American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting, 2016, 35, 210-221. | 3.8 | 8 |
| 54 | Pharmacokinetics of High-Dose Propylene Glycol–Free Melphalan in Multiple Myeloma Patients Undergoing Autologous Hematopoietic Cell Transplantation. Biology of Blood and Marrow Transplantation, 2018, 24, 1610-1614. | 2.0 | 8 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Novel prognostic scoring system for autologous hematopoietic cell transplantation in multiple myeloma. British Journal of Haematology, 2020, 191, 442-452. | 2.5 | 8 |
| 56 | Pemetrexed Induced Pneumonitis. Clinics and Practice, 2011, 1, e106. | 1.4 | 8 |
| 57 | Assessment of Molecular Residual Disease Using Circulating Tumor DNA to Identify Multiple Myeloma Patients at High Risk of Relapse. Frontiers in Oncology, 2022, 12, 786451. | 2.8 | 8 |
| 58 | Hematopoietic Progenitor Cell Mobilization with Ifosfamide, Carboplatin, and Etoposide Chemotherapy versus Plerixafor-Based Strategies in Patients with Hodgkin and Non-Hodgkin Lymphoma. Biology of Blood and Marrow Transplantation, 2016, 22, 1773-1780. | 2.0 | 7 |
| 59 | Use of propylene glycol-free melphalan conditioning in light-chain amyloidosis patients undergoing autologous hematopoietic cell transplantation is well tolerated and effective. Bone Marrow Transplantation, 2018, 53, 1210-1213. | 2.4 | 7 |
| 60 | Metabolically Reprogrammed Polyclonal Autologous Rapa-201 Cell Therapy Yields a Promising Safety and Efficacy Profile in Relapsed and Refractory Multiple Myeloma (RRMM). Blood, 2021, 138, 2838-2838. | 1.4 | 7 |
| 61 | Local Disease Control in Ocular Adnexal Lymphoproliferative Disorders: Comparative Outcomes of MALT Versus Non-MALT Histologies. Clinical Lymphoma, Myeloma and Leukemia, 2017, 17, 305-311.e2. | 0.4 | 6 |
| 62 | Myeloma sleeper agent in myeloid disguise. Blood, 2019, 134, 3-4. | 1.4 | 6 |
| 63 | Association of adverse events and associated cost with efficacy for approved relapsed and/or refractory multiple myeloma regimens: A Bayesian network metaâ€analysis of phase 3 randomized controlled trials. Cancer, 2020, 126, 2791-2801. | 4.1 | 6 |
| 64 | Marizomib for CNS-Multiple Myeloma. Blood, 2016, 128, 2118-2118. | 1.4 | 6 |
| 65 | Daratumumab, Carfilzomib, Lenalidomide and Dexamethasone (Dara-KRd), Autologous Transplantation and MRD Response-Adapted Consolidation and Treatment Cessation. Final Primary Endpoint Analysis of the Master Trial. Blood, 2021, 138, 481-481. | 1.4 | 5 |
| 66 | Outcomes after autologous hematopoietic cell transplantation in POEMS syndrome and comparison with multiple myeloma. Blood Advances, 2022, 6, 3991-3995. | 5.2 | 5 |
| 67 | Early mortality in patients with acute myelogenous leukemia treated in teaching versus nonâ€teaching hospitals: A large database analysis. American Journal of Hematology, 2017, 92, E563-E565. | 4.1 | 4 |
| 68 | When Monoclonal Gammopathy is of Renal Significance: A Case Study of Crystalglobulinemia From Chicago Multiple Myeloma Rounds. Clinical Lymphoma, Myeloma and Leukemia, 2019, 19, e251-e258. | 0.4 | 4 |
| 69 | Propylene Glycol-Free Melphalan versus PG-Melphalan as Conditioning for Autologous Hematopoietic Cell Transplantation for Myeloma. Biology of Blood and Marrow Transplantation, 2020, 26, 2229-2236. | 2.0 | 4 |
| 70 | Ixazomib for Chronic Graft-versus-Host Disease Prophylaxis following Allogeneic Hematopoietic Cell Transplantation. Biology of Blood and Marrow Transplantation, 2020, 26, 1876-1885. | 2.0 | 4 |
| 71 | Trends in the use of therapeutic plasma exchange in multiple myeloma. Journal of Clinical Apheresis, 2020, 35, 307-315. | 1.3 | 4 |
| 72 | Monoclonal Gammopathies After Renal Transplantation: A Single-center Study. Clinical Lymphoma, Myeloma and Leukemia, 2020, 20, e468-e473. | 0.4 | 4 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Clinical efficacy of sequencing CD38 targeting monoclonal antibodies in relapsed refractory multiple myeloma: A multiâ€institutional experience. American Journal of Hematology, 2022, 97, . | 4.1 | 4 |
| 74 | Localized Lymph Node Light Chain Amyloidosis. Case Reports in Hematology, 2015, 2015, 1-4. | 0.4 | 3 |
| 75 | Developing a Case-Based Blended Learning Ecosystem to Optimize Precision Medicine: Reducing Overdiagnosis and Overtreatment. Healthcare (Switzerland), 2018, 6, 78. | 2.0 | 3 |
| 76 | Meta-analysis to Evaluate High-Dose Therapy Followed by Stem Cell Transplant in Patients With Multiple Myeloma—Reply. JAMA Oncology, 2018, 4, 1618. | 7.1 | 3 |
| 77 | An updated single center experience with plerixafor and granulocyte colonyâ€stimulating factor for stem cell mobilization in light chain amyloidosis. Journal of Clinical Apheresis, 2019, 34, 686-691. | 1.3 | 3 |
| 78 | Risk of Infections with BCMA-Directed Immunotherapy in Multiple Myeloma. Blood, 2021, 138, 1626-1626. | 1.4 | 3 |
| 79 | Critical Role for Cap-Independent c-MYC Translation in Progression of Multiple Myeloma. Molecular Cancer Therapeutics, 2022, 21, 502-510. | 4.1 | 3 |
| 80 | Socioeconomic disadvantage contributes to ethnic disparities in multiple myeloma survival: a matched cohort study. Blood Cancer Journal, 2022, 12, . | 6.2 | 3 |
| 81 | Impact of autologous hematopoietic cell transplantation on disease burden quantified by nextâ€generation sequencing in multiple myeloma treated with quadruplet therapy. American Journal of Hematology, 2022, 97, 1170-1177. | 4.1 | 3 |
| 82 | Incidence and characteristics of engraftment syndrome after autologous hematopoietic cell transplantation in light chain amyloidosis. Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis, 2019, 26, 210-215 | 3.0 | 2 |
| 83 | Impact of Autologous Hematopoetic Stem Cell Transplant (AHCT) on Measurable Residual Disease (MRD) By Next Generation Sequencing (NGS) in the Setting of Daratumumab, Carfilzomib, Lenalidomide and Dexamethasone (Dara-KRd) Quadruplet Induction Biology of Blood and Marrow Transplantation, 2020. 26. S24 | 2.0 | 2 |
| 84 | Gene expression profiling impacts treatment decision making in newly diagnosed multiple myeloma patients in the prospective PROMMIS trial. EJHaem, 2021, 2, 375-384. | 1.0 | 2 |
| 85 | Laboratory Mice – A Driving Force in Immunopathology and Immunotherapy Studies of Human Multiple Myeloma. Frontiers in Immunology, 2021, 12, 667054. | 4.8 | 2 |
| 86 | Novel Prognostic Scoring System for Autologous Hematopoietic Cell Transplantation (AHCT) in Multiple Myeloma (MM). Blood, 2019, 134, 783-783. | 1.4 | 2 |
| 87 | Early Mortality in Patients with Acute Promyelocytic Leukemia (APL) Treated in Teaching Versus Non-Teaching Hospitals. Blood, 2016, 128, 2784-2784. | 1.4 | 2 |
| 88 | Prospective study to measure the impact of MMprofiler on treatment intention in newly diagnosed multiple myeloma patients (PROMMIS) Journal of Clinical Oncology, 2019, 37, 8030-8030. | 1.6 | 2 |
| 89 | Biologic Basis of the Impact of Autologous Hematopoietic Cell Transplantation in Multiple Myeloma Treated with Quadruplet Therapy. Blood, 2021, 138, 483-483. | 1.4 | 2 |
| 90 | Shorter Interval between Treatment and COVID Immunization Is Associated With Poor Seroconversion in Patients with Hematological Malignancies. Clinical Lymphoma, Myeloma and Leukemia, 2022, 22, e495-e497. | 0.4 | 2 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Personalized, ctDNA analysis to detect minimal residual disease and identify patients at high risk of relapse with multiple myeloma Journal of Clinical Oncology, 2021, 39, 8029-8029. | 1.6 | 1 |
| 92 | Intravenous Immunoglobulin (IVIg) Is a Highly Effective Treatment for HIT: Critical Role of the IgG Fc Domain in Inhibiting HIT Antibody-Mediated Platelet Activation. Blood, 2016, 128, 2600-2600. | 1.4 | 1 |
| 93 | Autologous Hematopoietic Cell Transplantation in Patients with Multiple Myeloma: IMPACT of Age. Blood, 2016, 128, 3456-3456. | 1.4 | 1 |
| 94 | Incidence and Overall Survival of Therapy Related Myeloid Neoplasm in United States. Blood, 2016, 128, 3992-3992. | 1.4 | 1 |
| 95 | eICU STUDY. International Journal of User-Driven Healthcare, 2014, 4, 1-5. | 0.1 | 1 |
| 96 | Primary Plasma Cell Leukemia Outcomes Remain Dismal Despite Novel Agents and Hematopoietic Cell Transplantation. Blood, 2019, 134, 266-266. | 1.4 | 1 |
| 97 | The significance of beta-II microglobulin (β2M) and International Staging System (ISS) in multiple myeloma (MM) patients (pts.) with renal impairment (RI) Journal of Clinical Oncology, 2020, 38, 8544-8544. | 1.6 | 1 |
| 98 | Prognostic impact of serum CXC chemokine ligands 4 and 7 on myelodysplastic syndromes post allogeneic hematopoietic cell transplant. Leukemia and Lymphoma, 2021, 62, 229-233. | 1.3 | 0 |
| 99 | Budesonide Prophylaxis Reduces the Risk of Engraftment Syndrome After Autologous Hematopoietic Cell Transplantation in Multiple Myeloma. Clinical Lymphoma, Myeloma and Leukemia, 2021, 21, e775-e781. | 0.4 | 0 |
| 100 | Long term follow up of newly diagnosed multiple myeloma patients treated with pembrolizumab consolidation post-autologous stem cell transplantation. Leukemia Research, 2021, 109, 106648. | 0.8 | 0 |
| 101 | How safe is surgery in obese lung cancer patients?. Journal of Clinical Oncology, 2012, 30, e17555-e17555. | 1.6 | 0 |
| 102 | Plerixafor plus G-CSF (P+G) compared with G-CSF alone (G) for hematopoietic progenitor cell (HPC) mobilization in AL amyloidosis (AL) Journal of Clinical Oncology, 2014, 32, 8606-8606. | 1.6 | 0 |
| 103 | Local Control of Ocular Adnexal Lympho-Proliferative Disorders (OALD): Similar Outcomes in MALT and Non-MALT Histologies. Blood, 2015, 126, 2711-2711. | 1.4 | 0 |
| 104 | "Tailoring" Hematopoietic Progenitor Cell Collection: Impact of a Data-Driven Prediction Algorithm for Blood Volume Processing in Large Volume Leukapheresis. Blood, 2016, 128, 2188-2188. | 1.4 | 0 |
| 105 | Use of "Big Data" to Define Disease Burden, Complication Rates and Healthcare Costs in Patients with Heparin Induced Thrombocytopenia (HIT). Blood, 2016, 128, 418-418. | 1.4 | 0 |
| 106 | Pilot Study of Prognostic Impact of Pre-Allogeneic Hematopoietic Cell Transplantation (HCT) Plasma Levels of CXC-Chemokines (CXCL-4 and CXCL-7) in Patients with Myelodysplastic Syndromes (MDS). Blood, 2016, 128, 4678-4678. | 1.4 | 0 |
| 107 | Autologous stem cell transplant (ASCT) for newly diagnosed multiple myeloma (MM) in the era of novel agents: A meta-analysis of phase III randomized controlled trials Journal of Clinical Oncology, 2017, 35, 8022-8022. | 1.6 | 0 |
| 108 | Bendamustine with ixazomib and dexamethasone (BID) for double refractory relapsed multiple myeloma (RRMM): Phase I safety and dosing results Journal of Clinical Oncology, 2017, 35, 8012-8012. | 1.6 | 0 |

| # | Article | IF | CITATIONS |
|-----|---|-------------------|-------------|
| 109 | Trends in utilization and in-hospital outcomes of high dose therapy and autologous stem cell transplantation among patients with AL amyloidosis in the United States Journal of Clinical Oncology, 2018, 36, e20000-e20000. | 1.6 | 0 |
| 110 | Evaluation and identification of protocols for safe and efficacious institutional administration of intravenous immune globulin in hypogammaglobulinemia associated with chronic lymphocytic leukemia, non-Hodgkin lymphoma, and multiple myeloma Journal of Clinical Oncology, 2018, 36, 250-250. | 1.6 | 0 |
| 111 | Adjuvant Doxycycline to Enhance Anti-Amyloid Effects: Results from the DUAL (Doxycycline to) Tj ETQq1 1 0.784: | 314 rgBT / 1.4 | Overlock 10 |
| 112 | Incidence and Predictors of 30-Day Readmissions Following Autologous Hematopoietic Cell Transplantation (auto-HCT) in the US. Blood, 2018, 132, 3544-3544. | 1.4 | 0 |
| 113 | Association between Transplant Volumes and 30-Day Readmissions Following Allogeneic Hematopoietic Cell Transplantation (allo-HCT) in the US. Blood, 2018, 132, 617-617. | 1.4 | 0 |
| 114 | Use of Intravenous Immunoglobulin G in HIT: Impact on Thrombosis and Mortality in a Population-Based Study. Blood, 2018, 132, 2512-2512. | 1.4 | 0 |
| 115 | Phase I/II Trial of Bendamustine, Ixazomib and Dexamethasone (BID) in Patients (pts.) with Relapsed/Refractory Multiple Myeloma (RRMM). Blood, 2018, 132, 1998-1998. | 1.4 | 0 |
| 116 | Evaluation of Efficacy and Safety of Front-Line Regimens for the Treatment of Transplant Ineligible Patients with Multiple Myeloma: A Network Meta-Analysis of Phase 2/3 Randomized Controlled Trials. Blood, 2019, 134, 2188-2188. | 1.4 | 0 |
| 117 | Versican (VCAN) Proteolysis Predicts Survival in Multiple Myeloma (MM) after High Dose Therapy and Autologous Hematopoietic Cell Transplantation (HDT/AHCT). Blood, 2019, 134, 3088-3088. | 1.4 | 0 |
| 118 | Exploring multiple myeloma survivor interest in lifestyle interventions Journal of Clinical Oncology, 2020, 38, e20558-e20558. | 1.6 | 0 |
| 119 | Characteristics Associated with Disparities in Survival between Hispanic and Non-Hispanic White Patients with Multiple Myeloma: A Matched Cohort Study. Blood, 2021, 138, 4091-4091. | 1.4 | 0 |
| 120 | Budesonide Prophylaxis Reduces Engraftment Syndrome (ES) after Autologous Hematopoietic Cell Transplantation (autoHCT) in Multiple Myeloma (MM). Blood, 2020, 136, 35-36. | 1.4 | 0 |
| 121 | Rap1A, Rap1B, and β-Adrenergic Signaling in Autologous HCT: A Randomized Controlled Trial of Propranolol Yale Journal of Biology and Medicine, 2022, 95, 45-56. | 0.2 | 0 |
| 122 | Kinetics of humoral immunodeficiency with bispecific antibody therapy in multiple myeloma Journal of Clinical Oncology, 2022, 40, 8049-8049. | 1.6 | 0 |