
## Hirofumi Tanaka

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4492061/publications.pdf Version: 2024-02-01



ΗΙΡΟΕΙΙΜΙ ΤΛΝΙΛΚΛ

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | A molecular neuromorphic network device consisting of single-walled carbon nanotubes complexed with polyoxometalate. Nature Communications, 2018, 9, 2693.   | 12.8 | 100       |
| 2  | Porphyrin Molecular Nanodevices Wired Using Single-Walled Carbon Nanotubes. Advanced Materials,<br>2006, 18, 1411-1415.  | 21.0 | 74        |
| 3  | Photocurrent and Electronic Activities of Oriented-His-Tagged Photosynthetic<br>Light-Harvesting/Reaction Center Core Complexes Assembled onto a Gold Electrode.<br>Biomacromolecules, 2012, 13, 432-438.  | 5.4  | 71        |
| 4  | Proton-induced switching of the single molecule magnetic properties of a porphyrin based TbIII double-decker complex. Chemical Communications, 2012, 48, 7796.   | 4.1  | 70        |
| 5  | Fabrication of nanoscale gaps using a combination of self-assembled molecular and electron beam lithographic techniques. Applied Physics Letters, 2006, 88, 223111.  | 3.3  | 60        |
| 6  | Entropy-Controlled 2D Supramolecular Structures of<br><i>N</i> , <i>N</i> â€2-Bis( <i>n</i> -alkyl)naphthalenediimides on a HOPG Surface. ACS Nano, 2012, 6,<br>3876-3887.   | 14.6 | 58        |
| 7  | Molecular Junctions Composed of Oligothiophene Dithiol-Bridged Gold Nanoparticles Exhibiting<br>Photoresponsive Properties. Chemistry - A European Journal, 2006, 12, 607-619.   | 3.3  | 53        |
| 8  | Inâ€Materio Reservoir Computing in a Sulfonated Polyaniline Network. Advanced Materials, 2021, 33,<br>e2102688.  | 21.0 | 53        |
| 9  | Hybrid Approaches to Nanolithography: Photolithographic Structures with Precise, Controllable<br>Nanometer-Scale Spacings Created by Molecular Rulers. Advanced Materials, 2006, 18, 1020-1022.  | 21.0 | 43        |
| 10 | Volatile/Nonvolatile Dual-Functional Atom Transistor. Applied Physics Express, 2011, 4, 015204.  | 2.4  | 42        |
| 11 | Synthesis of Dendron-Protected Porphyrin Wires and Preparation of a One-Dimensional Assembly of Gold Nanoparticles Chemically Linked to the π-Conjugated Wires. Langmuir, 2007, 23, 6365-6371.   | 3.5  | 38        |
| 12 | Effects of Metalâ^'lon Complexation for the Self-Assembled Nanocomposite Films Composed of Gold<br>Nanoparticles and 3,8-Bis(terthiophenyl)phenanthroline-Based Dithiols Bridging 1 μm Gap Gold<br>Electrodes: Morphology, Temperature Dependent Electronic Conduction, and Photoresponse. Journal<br>of Physical Chemistry C, 2008, 112, 11513-11526.           | 3.1  | 37        |
| 13 | Syntheses, Crystal Structures, and Spectral Properties of a Series of 3,8-Bisphenyl-1,10-phenanthroline<br>Derivatives:  Precursors of 3,8-Bis(4-mercaptophenyl)-1,10-phenanthroline and Its Ruthenium(II) Complex<br>for Preparing Nanocomposite Junctions with Gold Nanoparticles between 1 μm Gap Gold Electrodes.<br>Inorganic Chemistry, 2008, 47, 468-480. | 4.0  | 36        |
| 14 | Recent progress on fabrication of memristor and transistor-based neuromorphic devices for high signal processing speed with low power consumption. Japanese Journal of Applied Physics, 2018, 57, 03EA06.  | 1.5  | 36        |
| 15 | Exploiting intermolecular interactions and self-assembly for ultrahigh resolution nanolithography.<br>Journal of Vacuum Science & Technology an Official Journal of the American Vacuum Society B,<br>Microelectronics Processing and Phenomena, 2002, 20, 2739.   | 1.6  | 35        |
| 16 | Visible Fluorescence Induced by the Metal Semiconductor Transition in Composites of Carbon<br>Nanotubes with Noble Metal Nanoparticles. Physical Review Letters, 2007, 99, 167404.   | 7.8  | 34        |
| 17 | Photoassisted Formation of an Atomic Switch. Small, 2010, 6, 1745-1748.  | 10.0 | 33        |
| 18 | Novel charge transport in DNA-templated nanowires. Journal of Materials Chemistry, 2012, 22, 13691.  | 6.7  | 33        |

HIROFUMI TANAKA

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 19 | I-V characteristics of single electron tunneling from symmetric and asymmetric double-barrier tunneling junctions. Applied Physics Letters, 2007, 90, 223112.  | 3.3  | 32        |
| 20 | Fabrication of piezoresistive based pressure sensor via purified and functionalized CNTs/PDMS nanocomposite: Toward development of haptic sensors. Sensors and Actuators A: Physical, 2017, 266, 158-165.  | 4.1  | 31        |
| 21 | Advances in nanolithography using molecular rulers. Journal of Vacuum Science & Technology an Official Journal of the American Vacuum Society B, Microelectronics Processing and Phenomena, 2003, 21, 3116.  | 1.6  | 30        |
| 22 | Electron crystallography study of tempered iron-nitrogen martensite and structure refinement of precipitated α″-Fe16N2. Acta Materialia, 1997, 45, 1401-1410.  | 7.9  | 29        |
| 23 | Vectorial Crystal Growth of Oriented Vertically Aligned Carbon Nanotubes Using Statistical Analysis.<br>Crystal Growth and Design, 2015, 15, 3457-3463.  | 3.0  | 29        |
| 24 | Synthesis and self-assembly of novel porphyrin molecular wires. Thin Solid Films, 2006, 499, 23-28.  | 1.8  | 28        |
| 25 | Thin films of spin-crossover coordination polymers with large thermal hysteresis loops prepared by nanoparticle spin coating. Chemical Communications, 2014, 50, 10074-10077.  | 4.1  | 28        |
| 26 | Switching of Singleâ€Molecule Magnetic Properties of Tb <sup>III</sup> –Porphyrin Doubleâ€Decker<br>Complexes and Observation of Their Supramolecular Structures on a Carbon Surface. Chemistry - A<br>European Journal, 2014, 20, 11362-11369.  | 3.3  | 28        |
| 27 | Vertical Alignment of Single-Walled Carbon Nanotube Films Formed by Electrophoretic Deposition.<br>Langmuir, 2008, 24, 12936-12942.  | 3.5  | 27        |
| 28 | Position-Selected Molecular Ruler. Japanese Journal of Applied Physics, 2004, 43, L950-L953.   | 1.5  | 25        |
| 29 | Size-dependent single electron tunneling effect in Au nanoparticles. Surface Science, 2007, 601, 3907-3911.  | 1.9  | 25        |
| 30 | Spectral, Structural, and Computational Studies of a New Family of Ruthenium(II) Complexes<br>Containing Substituted 1,10â€Phenanthroline Ligands and in situ Electropolymerization of a<br>Phenanthrolineruthenium(II) Complex Bridging Nanogap Gold Electrodes. European Journal of<br>Inorganic Chemistry, 2009, 2009, 1321-1330. | 2.0  | 25        |
| 31 | Properties of Thiol Endâ€Capped and Iodineâ€Doped Sexithiophene Disulfide Semiconducting Polymers<br>Bridging Nanogap Gold Electrodes. Advanced Materials, 2010, 22, 2753-2758.  | 21.0 | 24        |
| 32 | Volatile and nonvolatile selective switching of a photo-assisted initialized atomic switch.<br>Nanotechnology, 2013, 24, 384006.   | 2.6  | 24        |
| 33 | Emergence of Inâ€Materio Intelligence from an Incidental Structure of a Singleâ€Walled Carbon<br>Nanotube–Porphyrin Polyoxometalate Random Network. Advanced Intelligent Systems, 2022, 4, .   | 6.1  | 22        |
| 34 | Electronic band structure and magnetism ofFe16N2calculated by the FLAPW method. Physical Review B, 2000, 62, 15042-15046.  | 3.2  | 21        |
| 35 | A photo-responsive molecular wire composed of a porphyrin polymer and a fullerene derivative.<br>Journal of Materials Chemistry, 2009, 19, 8307.   | 6.7  | 21        |
| 36 | Method for Controlling Electrical Properties of Single-Layer Graphene Nanoribbons via Adsorbed<br>Planar Molecular Nanoparticles. Scientific Reports, 2015, 5, 12341.  | 3.3  | 21        |

Hirofumi Tanaka

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 37 | Preparation of organic nanoscrews from simple porphyrin derivatives. Chemical Communications, 2009, , 7411.   | 4.1  | 20        |
| 38 | Rectification direction inversion in a phosphododecamolybdic acid/single-walled carbon nanotube junction. Journal of Materials Chemistry C, 2013, 1, 1137-1143.   | 5.5  | 20        |
| 39 | Refinement of conditions of point-contact current imaging atomic force microscopy for molecular-scale conduction measurements. Nanotechnology, 2007, 18, 095501.  | 2.6  | 19        |
| 40 | Controllable synthesis of MoS2/graphene low-dimensional nanocomposites and their electrical properties. Applied Surface Science, 2020, 504, 144193.   | 6.1  | 19        |
| 41 | Multi-Curve Fitting Analysis of Temperature-DependentI-VCurves of<br>Poly-Hexathienylphenanthroline-Bridged Nanogap Electrodes. Japanese Journal of Applied Physics,<br>2004, 43, L634-L636.                                    | 1.5  | 18        |
| 42 | Preparation of Very Reactive Thiol-Protected Gold Nanoparticles: Revisiting the Brust-Schiffrin<br>Method. Journal of Nanoscience and Nanotechnology, 2006, 6, 708-712.   | 0.9  | 18        |
| 43 | Development of haptic based piezoresistive artificial fingertip: Toward efficient tactile sensing systems for humanoids. Materials Science and Engineering C, 2017, 77, 1098-1103.  | 7.3  | 18        |
| 44 | Facile preparation of hybrid thin films composed of spin-crossover nanoparticles and carbon nanotubes for electrical memory devices. Dalton Transactions, 2019, 48, 7074-7079.  | 3.3  | 17        |
| 45 | Effect of Protonation on the Single-molecule-magnet Behavior of a Mixed<br>(Phthalocyaninato)(porphyrinato)terbium Double-decker Complex. Chemistry Letters, 2015, 44, 668-670.   | 1.3  | 15        |
| 46 | Electronic Properties of a Single-Walled Carbon Nanotube/150mer-Porphyrin System Measured by<br>Point-Contact Current Imaging Atomic Force Microscopy. Journal of Nanoscience and<br>Nanotechnology, 2006, 6, 1644-1648.        | 0.9  | 14        |
| 47 | Possible High Efficiency Platform for Biosensors Based on Optimum Physical Chemistry of Carbon<br>Nanotubes. Chemical Vapor Deposition, 2015, 21, 263-266.  | 1.3  | 14        |
| 48 | Silicon nanodisk array with a fin field-effect transistor for time-domain weighted sum calculation toward massively parallel spiking neural networks. Applied Physics Express, 2016, 9, 034201.                                 | 2.4  | 14        |
| 49 | In-materio reservoir working at low frequencies in a Ag <sub>2</sub> S-island network. Nanoscale, 2022, 14, 7634-7640.  | 5.6  | 14        |
| 50 | Synthesis of very narrow multilayer graphene nanoribbon with turbostratic stacking. Applied Physics<br>Letters, 2017, 110, .  | 3.3  | 13        |
| 51 | Performance of Ag–Ag <sub>2</sub> S core–shell nanoparticle-based random network reservoir<br>computing device. Japanese Journal of Applied Physics, 2021, 60, SCCF02.  | 1.5  | 13        |
| 52 | Scanning tunneling microscopy investigation of vanadyl and cobalt(II) octaethylporphyrin self-assembled monolayer arrays on graphite. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2008, 313-314, 230-233. | 4.7  | 12        |
| 53 | Advanced Photoassisted Atomic Switches Produced Using ITO Nanowire Electrodes and Molten<br>Photoconductive Organic Semiconductors. Advanced Materials, 2013, 25, 5893-5897.  | 21.0 | 11        |
| 54 | Room temperature demonstration of in-materio reservoir computing for optimizing Boolean function with single-walled carbon nanotube/porphyrin-polyoxometalate composite. Applied Physics Express, 2021, 14, 105003.             | 2.4  | 11        |

HIROFUMI TANAKA

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Temperature-Dependent Current–Voltage and Photoresponsive Properties for Semiconducting<br>Nanodevices Fabricated from an Oligothiazole Dithiol and Gold Nanoparticles. Journal of Physical<br>Chemistry C, 2013, 117, 25325-25333. | 3.1 | 9         |
| 56 | Sequential Phase Transition during Fabricating β-Ag <sub>2</sub> S Film on Ag Electrode by<br>Wet Chemical Process. E-Journal of Surface Science and Nanotechnology, 2014, 12, 185-188.   | 0.4 | 9         |
| 57 | Control of the neuromorphic learning behavior based on the aggregation of thiol-protected<br>Ag-Ag <sub>2</sub> S core–shell nanoparticles. Japanese Journal of Applied Physics, 2020, 59, 015001.                                  | 1.5 | 9         |
| 58 | In-materio computing in random networks of carbon nanotubes complexed with chemically dynamic molecules: a review. Neuromorphic Computing and Engineering, 2022, 2, 022002.   | 5.9 | 9         |
| 59 | Synthesis of end-functionalized π-conjugated porphyrin oligomers. Tetrahedron, 2006, 62, 4749-4755.   | 1.9 | 8         |
| 60 | Tuning the electrical property of a single layer graphene nanoribbon by adsorption of planar molecular nanoparticles. Nanotechnology, 2017, 28, 175704.   | 2.6 | 8         |
| 61 | Development of Frequency Based Taste Receptors Using Bioinspired Glucose Nanobiosensor. Scientific Reports, 2017, 7, 1623.  | 3.3 | 8         |
| 62 | Diameter dependence of longitudinal unzipping of single-walled carbon nanotube to obtain graphene<br>nanoribbon. Japanese Journal of Applied Physics, 2017, 56, 06GG12.   | 1.5 | 8         |
| 63 | Self-assembly and ring-opening metathesis polymerization of cyclic conjugated molecules on highly ordered pyrolytic graphite. Chemical Communications, 2018, 54, 5546-5549.   | 4.1 | 8         |
| 64 | Enhancement of glucose oxide electron-transfer mechanism in glucose biosensor via optimum<br>physical chemistry of functionalized carbon nanotubes. Reviews in Chemical Engineering, 2017, 33,<br>201-215.                          | 4.4 | 7         |
| 65 | Energy gap opening by crossing drop cast single-layer graphene nanoribbons. Nanotechnology, 2018, 29, 315705.   | 2.6 | 7         |
| 66 | Morphology and Electric Properties of Nonathiophene/Au Nano-Composite Thin Films Formed Between<br>1µm Gapped Electrodes. Molecular Crystals and Liquid Crystals, 2006, 455, 305-309.   | 0.9 | 6         |
| 67 | Photo-response behavior of Au nano-particle/porphyrin polymer composite device with nano-gapped electrodes. Journal of Materials Science: Materials in Electronics, 2007, 18, 939-942.  | 2.2 | 6         |
| 68 | Spike-based time-domain weighted-sum calculation using nanodevices for low power operation. , 2016, , .   |     | 6         |
| 69 | Electric property measurement of free-standing SrTiO <sub>3</sub> nanoparticles assembled by dielectrophoresis. Japanese Journal of Applied Physics, 2018, 57, 06HE07.  | 1.5 | 6         |
| 70 | Surface Self-Assembly of <i>Trans</i> -Substituted Porphyrin Double-Decker Complexes<br>Exhibiting Slow Magnetic Relaxation. E-Journal of Surface Science and Nanotechnology, 2014, 12,<br>124-128.                                 | 0.4 | 6         |
| 71 | Preparation of Long Conjugated Porphyrin Polymers with Gold Nanoparticles at Both Ends as Electronic and/or Photonic Molecular Wires. Chemistry Letters, 2009, 38, 542-543.   | 1.3 | 5         |
| 72 | Toward sub-20 nm hybrid nanofabrication by combining the molecular ruler method and electron beam lithography. Nanotechnology, 2010, 21, 495304.  | 2.6 | 5         |

HIROFUMI TANAKA

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Influence of nanoparticle size to the electrical properties of naphthalenediimide on single-walled carbon nanotube wiring. Nanotechnology, 2012, 23, 215701.  | 2.6 | 5         |
| 74 | Three site molecular orbital controlled single-molecule rectifiers based on perpendicularly linked porphyrin–imide dyads. Nanoscale, 2019, 11, 22724-22729.   | 5.6 | 5         |
| 75 | Simple Preparation Method for Supramolecular Porphyrin Arrays on Mica Using Air–Water Interface.<br>Japanese Journal of Applied Physics, 2006, 45, 2324-2327.   | 1.5 | 4         |
| 76 | A new utilization of organic molecules for nanofabrication using the molecular ruler method.<br>Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2008, 313-314, 369-372.   | 4.7 | 4         |
| 77 | Fabrication of Nanogap Electrodes by the Molecular Lithography Technique. Japanese Journal of Applied Physics, 2011, 50, 035204.  | 1.5 | 4         |
| 78 | Correlation of Critical Parameters on Carbon Nanotubes Crystallinity in Chemical Vapor Deposition<br>by Using Renewable Bioresource. Journal of Nanoscience and Nanotechnology, 2016, 16, 8263-8268.  | 0.9 | 4         |
| 79 | Coadsorption of Tb <sup>III</sup> –Porphyrin Double-decker Single-molecule Magnets in a Porous<br>Molecular Network: Toward Controlled Alignment of Single-molecule Magnets on a Carbon Surface.<br>Chemistry Letters, 2016, 45, 286-288.   | 1.3 | 4         |
| 80 | Frequency dependence dielectrophoresis technique for bridging graphene nanoribbons. Applied<br>Physics Express, 2020, 13, 101004.   | 2.4 | 4         |
| 81 | Observation of Cu Spin Fluctuations in High-Tc Cuprate Superconductor Nanoparticles Investigated by Muon Spin Relaxation. Nanomaterials, 2021, 11, 3450.  | 4.1 | 4         |
| 82 | Theoretical study of electronic band structures and magnetic property of Fe16N2 based on FLAPW calculations. Journal of Magnetism and Magnetic Materials, 1998, 177-181, 1468-1469.   | 2.3 | 3         |
| 83 | Effects of radical initiators, polymerization inhibitors, and other agents on the sonochemical<br>unzipping of double-walled carbon nanotubes. Japanese Journal of Applied Physics, 2018, 57, 03ED01.                                       | 1.5 | 3         |
| 84 | Crossover point of the field effect transistor and interconnect applications in turbostratic multilayer graphene nanoribbon channel. Scientific Reports, 2021, 11, 10206.   | 3.3 | 3         |
| 85 | FABRICATION OF PERIODIC STANDING ROD ARRAYS BY THE SHADOW CONE METHOD. International Journal of Nanoscience, 2006, 05, 815-819.   | 0.7 | 2         |
| 86 | Temperature-dependent l–V characteristics for the nanocomposite semiconducting films composed of<br>a thiol end-capped dinuclear macrocyclic complex and Au-NPs bridging 1 μm gap gold electrodes. Dalton<br>Transactions, 2012, 41, 14309. | 3.3 | 2         |
| 87 | Switching of Single-Molecule Magnetic Properties of TbIII-Porphyrin Double-Decker Complexes and<br>Observation of Their Supramolecular Structures on a Carbon Surface. Chemistry - A European<br>Journal, 2014, 20, 11237-11237.            | 3.3 | 2         |
| 88 | Growth of Free-Standing La <sub>2</sub> <sub>-x</sub> Sr <sub>x</sub> CuO <sub>4<br/></sub> Nanoparticles. Materials Science Forum, 2019, 966, 357-362.   | 0.3 | 2         |
| 89 | Wirelessly powered dielectrophoresis of metal oxide particles using sparkâ€gap Tesla coil.<br>Electrophoresis, 2020, 41, 2159-2165.   | 2.4 | 2         |
|    | Variable Range Hopping Resistivity in   | _   |           |

La<sub&gt;2-&lt;/sub&gt;&lt;i&gt;&lt;sub&gt;x&lt;/sub&gt;&lt;/i&gt;Sr&lt;i&gt;&lt;sub&gt;x&lt;/sub&gt;&lt;/i&gt;@u@&lt;sub&gt;4&lt;/sub&gt;
Nanoparticles Evaluated by Four Point Probe Method. Key Engineering Materials, 0, 860, 142-147.

Hirofumi Tanaka

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Electron Diffraction and Microscopy Study and Band Structure Calculation of Ferromagnetic<br>Iron-Nitride .ALPHA."-Fe16N2 Journal of the Magnetics Society of Japan, 1999, 23, 858-862.                | 0.4 | 2         |
| 92  | Fabrication of Nanogap Electrodes by the Molecular Lithography Technique. Japanese Journal of Applied Physics, 2011, 50, 035204.   | 1.5 | 2         |
| 93  | A Method for the Fabrication of Sculptured Thin Films of Periodic Arrays of Standing Nanorods.<br>Journal of Nanoscience and Nanotechnology, 2006, 6, 3799-3802.                                       | 0.9 | 1         |
| 94  | Large Rectification Effect Achieved by a Combination of Carbon Nanotube Junction and<br>Molecule–Carbon Nanotube Interface. Applied Physics Express, 2012, 5, 115102.                                  | 2.4 | 1         |
| 95  | Nanoscale diodes composed of single-walled carbon nanotube and physically adsorbed organic molecule nanoparticles. , 2012, , .   |     | 1         |
| 96  | Influence of Atmosphere on Photo-Assisted Atomic Switch Operations. Key Engineering Materials, 2013, 596, 116-120.   | 0.4 | 1         |
| 97  | Progress on nanoparticle-based carbon nanotube complex: fabrication and potential application.<br>Reviews in Inorganic Chemistry, 2016, 36, .  | 4.1 | 1         |
| 98  | Emergence of Inâ€Materio Intelligence from an Incidental Structure of a Singleâ€Walled Carbon<br>Nanotube–Porphyrin Polyoxometalate Random Network. Advanced Intelligent Systems, 2022, 4,<br>2270014. | 6.1 | 1         |
| 99  | Functionality emergence of single molecule electronics. , 2015, , .  |     | 0         |
| 100 | Sequential experimental strategies of longitudinal unzipping of SWNTs: Selective width of single<br>layer graphene nanoribbon. , 2017, , .   |     | 0         |
| 101 | Effect of Synthesis Procedure on the Size of Ag/Ag2S Core-Shell Nanoparticles for Memristive Brain-Like Devices. , 2019, , .   |     | 0         |
| 102 | Super-Precise Nanolithography Using Multilayer of Self-Assembled Monolayers. Hyomen Kagaku, 2004,<br>25, 650-655.  | 0.0 | 0         |
| 103 | Title is missing!. Journal of the Vacuum Society of Japan, 2008, 51, 428-432.  | 0.3 | 0         |