
Christoffer Johansen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4494719/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Prevalence of depression, anxiety, and adjustment disorder in oncological, haematological, and palliative-care settings: a meta-analysis of 94 interview-based studies. Lancet Oncology, The, 2011, 12, 160-174.	10.7	1,778
2	Brain tumour risk in relation to mobile telephone use: results of the INTERPHONE international case–control study. International Journal of Epidemiology, 2010, 39, 675-694.	1.9	568
3	Detectable clonal mosaicism and its relationship to aging and cancer. Nature Genetics, 2012, 44, 651-658.	21.4	519
4	Cellular Telephones and Cancera Nationwide Cohort Study in Denmark. Journal of the National Cancer Institute, 2001, 93, 203-207.	6.3	276
5	Spectrum and prevalence of genetic predisposition in medulloblastoma: a retrospective genetic study and prospective validation in a clinical trial cohort. Lancet Oncology, The, 2018, 19, 785-798.	10.7	268
6	Genome-wide association study of glioma subtypes identifies specific differences in genetic susceptibility to glioblastoma and non-glioblastoma tumors. Nature Genetics, 2017, 49, 789-794.	21.4	259
7	Online interaction. Effects of storytelling in an internet breast cancer support group. Psycho-Oncology, 2005, 14, 211-220.	2.3	254
8	The INTERPHONE study: design, epidemiological methods, and description of the study population. European Journal of Epidemiology, 2007, 22, 647-664.	5.7	225
9	Genome-wide association study of glioma and meta-analysis. Human Genetics, 2012, 131, 1877-1888.	3.8	222
10	The risk of being depressed is significantly higher in cancer patients than in the general population: Prevalence and severity of depressive symptoms across major cancer types. European Journal of Cancer, 2017, 72, 46-53.	2.8	213
11	Multimodal prehabilitation in colorectal cancer patients to improve functional capacity and reduce postoperative complications: the first international randomized controlled trial for multimodal prehabilitation. BMC Cancer, 2019, 19, 98.	2.6	204
12	Social inequality in incidence of and survival from cancer in a population-based study in Denmark, 1994–2003: Summary of findings. European Journal of Cancer, 2008, 44, 2074-2085.	2.8	186
13	Mobile phone use and risk of acoustic neuroma: results of the Interphone case–control study in five North European countries. British Journal of Cancer, 2005, 93, 842-848.	6.4	181
14	Cellular Telephone Use and Cancer Risk: Update of a Nationwide Danish Cohort. Journal of the National Cancer Institute, 2006, 98, 1707-1713.	6.3	177
15	Beyond treatment – Psychosocial and behavioural issues in cancer survivorship research and practice. European Journal of Cancer, Supplement, 2014, 12, 54-64.	2.2	177
16	Germline Mutations in Shelterin Complex Genes Are Associated With Familial Clioma. Journal of the National Cancer Institute, 2015, 107, 384.	6.3	172
17	Fear of childbirth: predictors and temporal changes among nulliparous women in the Danish National Birth Cohort. BJOG: an International Journal of Obstetrics and Gynaecology, 2008, 115, 354-360.	2.3	171
18	Cellular Telephone Use and Risk of Acoustic Neuroma. American Journal of Epidemiology, 2004, 159, 277-283	3.4	160

#	Article	IF	CITATIONS
19	Acoustic neuroma risk in relation to mobile telephone use: Results of the INTERPHONE international case–control study. Cancer Epidemiology, 2011, 35, 453-464.	1.9	157
20	Dyadic coping within couples dealing with breast cancer: A longitudinal, population-based study Health Psychology, 2015, 34, 486-495.	1.6	154
21	Analysis of Heritability and Shared Heritability Based on Genome-Wide Association Studies for Thirteen Cancer Types. Journal of the National Cancer Institute, 2015, 107, djv279.	6.3	152
22	Use of mobile phones and risk of brain tumours: update of Danish cohort study. BMJ: British Medical Journal, 2011, 343, d6387-d6387.	2.3	150
23	Neurodegenerative Diseases in Welders and Other Workers Exposed to High Levels of Magnetic Fields. Epidemiology, 2003, 14, 420-426.	2.7	149
24	Mobile phone use and risk of glioma in 5 North European countries. International Journal of Cancer, 2007, 120, 1769-1775.	5.1	148
25	Cellular telephones and risk for brain tumors. Neurology, 2005, 64, 1189-1195.	1.1	141
26	Mind and cancer. European Journal of Cancer, 2002, 38, 1447-1457.	2.8	137
27	Polycyclic Aromatic Hydrocarbons and Fatal Ischemic Heart Disease. Epidemiology, 2005, 16, 744-750.	2.7	135
28	Mobile Phone Use and Brain Tumors in Children and Adolescents: A Multicenter Case-Control Study. Journal of the National Cancer Institute, 2011, 103, 1264-1276.	6.3	135
29	Psychosocial aspects of lung cancer. Lung Cancer, 2005, 47, 293-300.	2.0	134
30	Mindfulness significantly reduces self-reported levels of anxiety and depression: Results of a randomised controlled trial among 336 Danish women treated for stage l–III breast cancer. European Journal of Cancer, 2013, 49, 1365-1373.	2.8	133
31	Gallstones, cholecystectomy and risk of cancers of the liver, biliary tract and pancreas. British Journal of Cancer, 1999, 79, 640-644.	6.4	132
32	Fear of childbirth and risk for birth complications in nulliparous women in the Danish National Birth Cohort. BJOG: an International Journal of Obstetrics and Gynaecology, 2009, 116, 1350-1355.	2.3	130
33	Risk for Hospitalization With Depression After a Cancer Diagnosis: A Nationwide, Population-Based Study of Cancer Patients in Denmark From 1973 to 2003. Journal of Clinical Oncology, 2009, 27, 1440-1445.	1.6	127
34	Validation of short term recall of mobile phone use for the Interphone study. Occupational and Environmental Medicine, 2006, 63, 237-243.	2.8	124
35	Cancer rehabilitation: A Nordic and European perspective. Acta Oncológica, 2011, 50, 179-186.	1.8	123
36	Cancer in a Population-based Cohort of Men and Women in Registered Homosexual Partnerships. American Journal of Epidemiology, 2003, 157, 966-972.	3.4	122

#	Article	IF	CITATIONS
37	Time Trends in Brain Tumor Incidence Rates in Denmark, Finland, Norway, and Sweden, 1974-2003. Journal of the National Cancer Institute, 2009, 101, 1721-1724.	6.3	121
38	Participation in cancer rehabilitation and unmet needs: a population-based cohort study. Supportive Care in Cancer, 2012, 20, 2913-2924.	2.2	118
39	Risk for cancer in a cohort of patients hospitalized for schizophrenia in Denmark, 1969–1993. Schizophrenia Research, 2005, 75, 315-324.	2.0	117
40	Screening for Distress, the 6th Vital Sign: where are we, and where are we going?. Psycho-Oncology, 2011, 20, 569-571.	2.3	117
41	Effect of mindfulness-based stress reduction on sleep quality: Results of a randomized trial among Danish breast cancer patients. Acta Oncológica, 2013, 52, 336-344.	1.8	116
42	Depression and Cancer Risk: A Register-based Study of Patients Hospitalized with Affective Disorders, Denmark, 1969-1993. American Journal of Epidemiology, 2002, 155, 1088-1095.	3.4	114
43	Cancer in patients with ulcerative colitis. International Journal of Cancer, 1995, 60, 330-333.	5.1	113
44	Psychoeducational Intervention for Patients With Cutaneous Malignant Melanoma: A Replication Study. Journal of Clinical Oncology, 2005, 23, 1270-1277.	1.6	112
45	Self-efficacy, adjustment style and well-being in breast cancer patients: a longitudinal study. Quality of Life Research, 2010, 19, 827-836.	3.1	112
46	Quality of life of Danish colorectal cancer patients with and without a stoma. Supportive Care in Cancer, 2007, 15, 505-513.	2.2	111
47	Mind and cancer. European Journal of Cancer, 2002, 38, 1313-1323.	2.8	110
48	Effect of Internet peer-support groups on psychosocial adjustment to cancer: a randomised study. British Journal of Cancer, 2010, 102, 1348-1354.	6.4	110
49	Management of Cancer and Health After the Clinic Visit: A Call to Action for Self-Management in Cancer Care. Journal of the National Cancer Institute, 2021, 113, 523-531.	6.3	110
50	Incidence trends of adult primary intracerebral tumors in four Nordic countries. International Journal of Cancer, 2004, 108, 450-455.	5.1	108
51	Mortality from Amyotrophic Lateral Sclerosis, Other Chronic Disorders, and Electric Shocks among Utility Workers. American Journal of Epidemiology, 1998, 148, 362-368.	3.4	107
52	Allergic Conditions and Brain Tumor Risk. American Journal of Epidemiology, 2007, 166, 941-950.	3.4	106
53	Screening for distress in cancer patients. Cancer, 2013, 119, 1714-1721.	4.1	106
54	Incidence of intracranial meningiomas in Denmark, Finland, Norway and Sweden, 1968-1997. International Journal of Cancer, 2005, 117, 996-1001.	5.1	104

#	Article	IF	CITATIONS
55	The <scp>Generalized Anxiety Disorder Screener (GADâ€7</scp>) and the anxiety module of the <scp>Hospital and Depression Scale (HADSâ€A</scp>) as screening tools for generalized anxiety disorder among cancer patients. Psycho-Oncology, 2018, 27, 1509-1516.	2.3	104
56	Cancer incidence in parents who lost a child. Cancer, 2002, 95, 2237-2242.	4.1	102
57	Relations between amount and type of alcohol and colon and rectal cancer in a Danish population based cohort study. Gut, 2003, 52, 861-867.	12.1	102
58	Cancer and the risk for taking early retirement pension: A Danish cohort study. Scandinavian Journal of Public Health, 2008, 36, 117-125.	2.3	101
59	Characterization of Large Structural Genetic Mosaicism in Human Autosomes. American Journal of Human Genetics, 2015, 96, 487-497.	6.2	101
60	Appendectomy and subsequent risk of inflammatory bowel diseases. Surgery, 2001, 130, 36-43.	1.9	100
61	Cancer risk among users of neuroleptic medication: a population-based cohort study. British Journal of Cancer, 2006, 95, 934-939.	6.4	100
62	Mobile Phone Use and Incidence of Glioma in the Nordic Countries 1979–2008. Epidemiology, 2012, 23, 301-307.	2.7	100
63	Cancer mortality among European asphalt workers: An international epidemiological study. II. Exposure to bitumen fume and other agents. American Journal of Industrial Medicine, 2003, 43, 28-39.	2.1	96
64	Cancer mortality among European asphalt workers: An international epidemiological study. I. Results of the analysis based on job titles. American Journal of Industrial Medicine, 2003, 43, 18-27.	2.1	94
65	Germline Elongator mutations in Sonic Hedgehog medulloblastoma. Nature, 2020, 580, 396-401.	27.8	94
66	The risk of multiple sclerosis in bereaved parents. Neurology, 2004, 62, 726-729.	1.1	93
67	The Hospital Anxiety and Depression Scale (HADS) and the 9â€item Patient Health Questionnaire (PHQâ€9) as screening instruments for depression in patients with cancer. Cancer, 2017, 123, 4236-4243.	4.1	92
68	Increased Risk for Depression After Breast Cancer: A Nationwide Population-Based Cohort Study of Associated Factors in Denmark, 1998-2011. Journal of Clinical Oncology, 2014, 32, 3831-3839.	1.6	91
69	Meta-analysis of screening and case finding tools for depression in cancer: Evidence based recommendations for clinical practice on behalf of the Depression in Cancer Care consensus group. Journal of Affective Disorders, 2012, 140, 149-160.	4.1	90
70	Imputation and subset-based association analysis across different cancer types identifies multiple independent risk loci in the TERT-CLPTM1L region on chromosome 5p15.33. Human Molecular Genetics, 2014, 23, 6616-6633.	2.9	90
71	Psychological distress among women with newly diagnosed breast cancer. European Journal of Oncology Nursing, 2012, 16, 439-443.	2.1	89
72	Approaching a Scientific Consensus on the Association between Allergies and Glioma Risk: A Report from the Glioma International Case-Control Study. Cancer Epidemiology Biomarkers and Prevention, 2016, 25, 282-290.	2.5	89

#	Article	IF	CITATIONS
73	Exposure to Electromagnetic Fields and Risk of Central Nervous System Disease in Utility Workers. Epidemiology, 2000, 11, 539-543.	2.7	86
74	Female chromosome X mosaicism is age-related and preferentially affects the inactivated X chromosome. Nature Communications, 2016, 7, 11843.	12.8	86
75	Risk for unemployment of cancer survivors: A Danish cohort study. European Journal of Cancer, 2008, 44, 1866-1874.	2.8	85
76	Rationale and Design of the Hamburg City Health Study. European Journal of Epidemiology, 2020, 35, 169-181.	5.7	85
77	Risk of Cancer among Danish Utility workers-A nationwide Cohort Study. American Journal of Epidemiology, 1998, 147, 548-555.	3.4	84
78	Psychiatric Hospitalizations among Survivors of Cancer in Childhood or Adolescence. New England Journal of Medicine, 2003, 349, 650-657.	27.0	84
79	Personality Traits and Cancer Risk and Survival Based on Finnish and Swedish Registry Data. American Journal of Epidemiology, 2010, 172, 377-385.	3.4	82
80	A systematic review of studies on psychosocial late effects of childhood cancer: Structures of society and methodological pitfalls may challenge the conclusions. Pediatric Blood and Cancer, 2011, 56, 532-543.	1.5	82
81	Mortality and Suicide Among Danish Women With Cosmetic Breast Implants. Archives of Internal Medicine, 2004, 164, 2450.	3.8	81
82	Reproductive Factors and Risk of Meningioma and Glioma. Cancer Epidemiology Biomarkers and Prevention, 2008, 17, 2663-2670.	2.5	81
83	Psychological consequences of lymphoedema associated with breast cancer: A prospective cohort study. European Journal of Cancer, 2010, 46, 3211-3218.	2.8	79
84	Crohn's disease and cancer risk (Denmark). Cancer Causes and Control, 2000, 11, 145-150.	1.8	77
85	XRCC1 and XRCC3 variants and risk of glioma and meningioma. Journal of Neuro-Oncology, 2008, 88, 135-142.	2.9	77
86	In situ and invasive squamous cell carcinoma of the vulva in Denmark 1978–2007—a nationwide population-based study. Gynecologic Oncology, 2011, 122, 45-49.	1.4	77
87	Second Malignant Neoplasms and Cause of Death in Patients With Germ Cell Cancer. JAMA Oncology, 2016, 2, 1624.	7.1	77
88	Screening for cancer-related distress: Summary of evidence from tools to programmes. Acta OncolÃ ³ gica, 2011, 50, 194-204.	1.8	76
89	Preoperative modifiable risk factors in colorectal surgery: an observational cohort study identifying the possible value of prehabilitation. Acta Oncológica, 2017, 56, 329-334.	1.8	75
90	GLIOGENE—an International Consortium to Understand Familial Glioma. Cancer Epidemiology Biomarkers and Prevention, 2007, 16, 1730-1734.	2.5	74

#	Article	IF	CITATIONS
91	Socioeconomic position, stage of lung cancer and time between referral and diagnosis in Denmark, 2001–2008. British Journal of Cancer, 2011, 105, 1042-1048.	6.4	74
92	Incidences of Gliomas and Meningiomas in Denmark, 1943 to 1997. Neurosurgery, 2003, 52, 1327-1334.	1.1	73
93	Influence of socioeconomic factors on survival after breast cancer—A nationwide cohort study of women diagnosed with breast cancer in Denmark 1983–1999. International Journal of Cancer, 2007, 121, 2524-2531.	5.1	72
94	Psychiatric disorders in women with fertility problems: results from a large Danish register-based cohort study. Human Reproduction, 2013, 28, 683-690.	0.9	72
95	Educational attainment among survivors of childhood cancer: a population-based cohort study in Denmark. British Journal of Cancer, 2004, 91, 923-928.	6.4	71
96	The relation between socioeconomic and demographic factors and tumour stage in women diagnosed with breast cancer in Denmark, 1983–1999. British Journal of Cancer, 2006, 95, 653-659.	6.4	71
97	Prospective weight change and colon cancer risk in male US health professionals. International Journal of Cancer, 2008, 123, 1160-1165.	5.1	71
98	Self-reported work ability in long-term breast cancer survivors. A population-based questionnaire study in Denmark. Acta Oncológica, 2013, 52, 423-429.	1.8	71
99	Socioeconomic position and survival after lung cancer: Influence of stage, treatment and comorbidity among Danish patients with lung cancer diagnosed in 2004–2010. Acta Oncológica, 2015, 54, 797-804.	1.8	71
100	A Pooled Analysis of Extremely Low-Frequency Magnetic Fields and Childhood Brain Tumors. American Journal of Epidemiology, 2010, 172, 752-761.	3.4	69
101	Postdiagnosis Statin Use and Mortality in Danish Patients With Prostate Cancer. Journal of Clinical Oncology, 2017, 35, 3290-3297.	1.6	69
102	Risk of colorectal cancer and other cancers in patients with gall stones Gut, 1996, 39, 439-443.	12.1	68
103	Mobile Phone Use and Risk of Parotid Gland Tumor. American Journal of Epidemiology, 2006, 164, 637-643.	3.4	68
104	Social inequality in cancer rehabilitation: A population-based cohort study. Acta Oncológica, 2013, 52, 410-422.	1.8	68
105	Trends in testicular cancer incidence in the Nordic countries, focusing on the recent decrease in Denmark. Journal of Developmental and Physical Disabilities, 2006, 29, 199-204.	3.6	67
106	Comprehensive analysis of the role of DNA repair gene polymorphisms on risk of glioma. Human Molecular Genetics, 2008, 17, 800-805.	2.9	67
107	A comprehensive study of the association between the EGFR and ERBB2 genes and glioma risk. Acta OncolA ³ gica, 2010, 49, 767-775.	1.8	66
108	An international prospective cohort study of mobile phone users and health (Cosmos): Design considerations and enrolment. Cancer Epidemiology, 2011, 35, 37-43.	1.9	66

#	Article	IF	CITATIONS
109	Trajectories of distress, anxiety, and depression among women with breast cancer: Looking beyond the mean. Acta Oncológica, 2015, 54, 789-796.	1.8	66
110	Hospital contact for mental disorders in survivors of childhood cancer and their siblings in Denmark: a population-based cohort study. Lancet Oncology, The, 2013, 14, 971-980.	10.7	65
111	Suicide in Danish women evaluated for fertility problems. Human Reproduction, 2011, 26, 2401-2407.	0.9	64
112	Psychological stress, cancer incidence and mortality from non-malignant diseases. British Journal of Cancer, 1997, 75, 144-148.	6.4	62
113	Determinants of mobile phone output power in a multinational study: implications for exposure assessment. Occupational and Environmental Medicine, 2009, 66, 664-671.	2.8	62
114	Tubal sterilization and risk of ovarian, endometrial and cervical cancer. A Danish population-based follow-up study of more than 65 000 sterilized women. International Journal of Epidemiology, 2004, 33, 596-602.	1.9	61
115	SSRIs and Upper Gastrointestinal Bleeding. CNS Drugs, 2006, 20, 143-151.	5.9	61
116	Facilitation of school re-entry and peer acceptance of children with cancer: a review and meta-analysis of intervention studies. European Journal of Cancer Care, 2016, 25, 170-179.	1.5	61
117	Mortality from Obstructive Lung Diseases and Exposure to Polycyclic Aromatic Hydrocarbons among Asphalt Workers. American Journal of Epidemiology, 2003, 158, 468-478.	3.4	60
118	Risks for Central Nervous System Diseases among Mobile Phone Subscribers: A Danish Retrospective Cohort Study. PLoS ONE, 2009, 4, e4389.	2.5	60
119	Antidepressant Medications and Risk for Cancer. Epidemiology, 2000, 11, 171-176.	2.7	60
120	Hyperparathyroidism and subsequent cancer risk in Denmark. Cancer, 2002, 95, 1611-1617.	4.1	59
121	Meningioma and mobile phone usea collaborative case-control study in five North European countries. International Journal of Epidemiology, 2008, 37, 1304-1313.	1.9	59
122	Prognostic Factors and Treatment Results After Bleomycin, Etoposide, and Cisplatin in Germ Cell Cancer: A Population-based Study. European Urology, 2017, 71, 290-298.	1.9	59
123	Research in Danish cancer rehabilitation: Social characteristics and late effects of cancer among participants in the FOCARE research project. Acta Oncol³gica, 2008, 47, 47-55.	1.8	58
124	Mortality among participants and non-participants in a prospective cohort study. European Journal of Epidemiology, 2012, 27, 837-845.	5.7	58
125	Accuracy of the Danish version of the â€ [~] distress thermometer'. Psycho-Oncology, 2012, 21, 436-443.	2.3	58
126	Extroversion and Neuroticism and the Associated Risk of Cancer: A Danish Cohort Study. American Journal of Epidemiology, 2001, 153, 757-763.	3.4	57

#	Article	IF	CITATIONS
127	Increased risk of severe depression in male partners of women with breast cancer. Cancer, 2010, 116, 5527-5534.	4.1	57
128	An International Case-Control Study of Glutathione Transferase and Functionally Related Polymorphisms and Risk of Primary Adult Brain Tumors. Cancer Epidemiology Biomarkers and Prevention, 2007, 16, 559-565.	2.5	56
129	Comprehensive Analysis of DNA Repair Gene Variants and Risk of Meningioma. Journal of the National Cancer Institute, 2008, 100, 270-276.	6.3	56
130	Psychosocial group intervention for patients with primary breast cancer: A randomised trial. European Journal of Cancer, 2011, 47, 1363-1372.	2.8	56
131	Sex-specific glioma genome-wide association study identifies new risk locus at 3p21.31 in females, and finds sex-differences in risk at 8q24.21. Scientific Reports, 2018, 8, 7352.	3.3	56
132	An International Case-Control Study of <i>Interleukin-4Rα, Interleukin-13</i> , and <i>Cyclooxygenase-2</i> Polymorphisms and Glioblastoma Risk. Cancer Epidemiology Biomarkers and Prevention, 2007, 16, 2448-2454.	2.5	55
133	Genetic variation in p53 and ATM haplotypes and risk of glioma and meningioma. Journal of Neuro-Oncology, 2007, 82, 229-237.	2.9	55
134	Impact of symptom burden on health related quality of life of cancer survivors in a Danish cancer rehabilitation program: A longitudinal study. Acta Oncológica, 2011, 50, 223-232.	1.8	55
135	Early Parental Death and Risk of Hospitalization for Affective Disorder in Adulthood. Epidemiology, 2013, 24, 608-615.	2.7	55
136	Risk for Cancer in Parents of Patients With Schizophrenia. American Journal of Psychiatry, 2004, 161, 903-908.	7.2	54
137	Cancer Risk in Individuals with Benign Thyroid Disorders. Thyroid, 1998, 8, 751-754.	4.5	53
138	Feasibility and acceptability of electronic symptom surveillance with clinician feedback using the Patient-Reported Outcomes version of Common Terminology Criteria for Adverse Events (PRO-CTCAE) in Danish prostate cancer patients. Journal of Patient-Reported Outcomes, 2017, 1, 1.	1.9	52
139	Sex-specific gene and pathway modeling of inherited glioma risk. Neuro-Oncology, 2019, 21, 71-82.	1.2	52
140	Personality traits, health behavior, and risk for cancer. Cancer, 2005, 103, 1082-1091.	4.1	51
141	Socioeconomic position and stage at diagnosis of head and neck cancer – a nationwide study from DAHANCA. Acta Oncológica, 2015, 54, 759-766.	1.8	51
142	Survival After a Psychoeducational Intervention for Patients With Cutaneous Malignant Melanoma: A Replication Study. Journal of Clinical Oncology, 2007, 25, 5698-5703.	1.6	50
143	Effects of sample attrition in a longitudinal study of the association between alcohol intake and all-cause mortality. Addiction, 2008, 103, 1149-1159.	3.3	50
144	Follow-up strategies following completion of primary cancer treatment in adult cancer survivors. The Cochrane Library, 2019, 2019, .	2.8	50

#	Article	IF	CITATIONS
145	Common variation at 10p12.31 near MLLT10 influences meningioma risk. Nature Genetics, 2011, 43, 825-827.	21.4	49
146	Unmet needs of women with breast cancer during and after primary treatment: A prospective study in Denmark. Acta Oncológica, 2013, 52, 382-390.	1.8	49
147	Distance from residence to power line and risk of childhood leukemia: a population-based case–control study in Denmark. Cancer Causes and Control, 2014, 25, 171-177.	1.8	49
148	Cohort Profile: the EPI-CT study: a European pooled epidemiological study to quantify the risk of radiation-induced cancer from paediatric CT. International Journal of Epidemiology, 2019, 48, 379-381g.	1.9	49
149	Functional Polymorphisms in Folate Metabolism Genes Influence the Risk of Meningioma and Glioma. Cancer Epidemiology Biomarkers and Prevention, 2008, 17, 1195-1202.	2.5	48
150	EPI-CT: design, challenges and epidemiological methods of an international study on cancer risk after paediatric and young adult CT. Journal of Radiological Protection, 2015, 35, 611-628.	1.1	48
151	Effect of mindfulness-based stress reduction on somatic symptoms, distress, mindfulness and spiritual wellbeing in women with breast cancer: Results of a randomized controlled trial. Acta Oncológica, 2015, 54, 712-719.	1.8	48
152	Are cancer survivors at an increased risk for divorce? A Danish cohort study. European Journal of Cancer, 2007, 43, 2093-2099.	2.8	47
153	Social and psychological determinants of participation in internet-based cancer support groups. Supportive Care in Cancer, 2010, 18, 553-560.	2.2	47
154	Interaction Between 5 Genetic Variants and Allergy in Glioma Risk. American Journal of Epidemiology, 2010, 171, 1165-1173.	3.4	47
155	Living alone, obesity and smoking: Important factors for quality of life after radiotherapy and and androgen deprivation therapy for prostate cancer. Acta OncolÁ³gica, 2012, 51, 722-729.	1.8	47
156	Fetal Growth, Preterm Birth, Neonatal Stress and Risk for CNS Tumors in Children: A Nordic Population- and Register-Based Case-Control Study. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 1042-1052.	2.5	46
157	A Case–Control Study of Lung Cancer Nested in a Cohort of European Asphalt Workers. Environmental Health Perspectives, 2010, 118, 1418-1424.	6.0	46
158	Socioeconomic inequality in cancer survival – changes over time. A population-based study, Denmark, 1987–2013. Acta Oncológica, 2019, 58, 737-744.	1.8	46
159	The Common D302H Variant of CASP8 Is Associated with Risk of Glioma. Cancer Epidemiology Biomarkers and Prevention, 2008, 17, 987-989.	2.5	45
160	Socioeconomic Position and Stage of Cervical Cancer in Danish Women Diagnosed 2005 to 2009. Cancer Epidemiology Biomarkers and Prevention, 2012, 21, 835-842.	2.5	45
161	The Glioma International Case-Control Study: A Report From the Genetic Epidemiology of Glioma International Consortium. American Journal of Epidemiology, 2016, 183, kwv235.	3.4	45
162	Cancer incidence and magnetic field exposure in industries using resistance welding in Sweden. Occupational and Environmental Medicine, 2002, 59, 481-486.	2.8	44

#	Article	IF	CITATIONS
163	Schizophrenia and the risk for breast cancer. Schizophrenia Research, 2003, 62, 89-92.	2.0	44
164	Long-Term Mobile Phone Use and the Risk of Vestibular Schwannoma: A Danish Nationwide Cohort Study. American Journal of Epidemiology, 2011, 174, 416-422.	3.4	44
165	Incidence of childhood central nervous system tumors in the Nordic countries. Pediatric Blood and Cancer, 2011, 56, 65-69.	1.5	44
166	Genome-Wide High-Density SNP Linkage Search for Glioma Susceptibility Loci: Results from the Gliogene Consortium. Cancer Research, 2011, 71, 7568-7575.	0.9	44
167	Survival After Early-Stage Breast Cancer of Women Previously Treated for Depression: A Nationwide Danish Cohort Study. Journal of Clinical Oncology, 2017, 35, 334-342.	1.6	44
168	Anal carcinoma in inflammatory bowel disease. British Journal of Cancer, 2000, 83, 89-90.	6.4	43
169	Socioeconomic position and lifestyle in relation to breast cancer incidence among postmenopausal women: A prospective cohort study, Denmark, 1993–2006. Cancer Epidemiology, 2011, 35, 438-441.	1.9	43
170	Physical activity and survival in breast cancer. European Journal of Cancer, 2016, 66, 67-74.	2.8	43
171	lodine intake and incidence of thyroid cancer in Denmark. Clinical Endocrinology, 2006, 65, 229-233.	2.4	42
172	Changes in body mass index and alcohol and tobacco consumption among breast cancer survivors and cancer-free women: A prospective study in the Danish Diet, Cancer and Health Cohort. Acta Oncológica, 2013, 52, 327-335.	1.8	42
173	Pre-diagnostic anthropometry and survival after colorectal cancer diagnosis in Western European populations. International Journal of Cancer, 2014, 135, 1949-1960.	5.1	42
174	Depression and anxiety following hematopoietic stem cell transplantation: a prospective population-based study in Germany. Bone Marrow Transplantation, 2017, 52, 1651-1657.	2.4	42
175	Preexisting Cardiovascular Risk and Subsequent Heart Failure Among Non-Hodgkin Lymphoma Survivors. Journal of Clinical Oncology, 2017, 35, 3837-3843.	1.6	42
176	Mobile phones and malignant melanoma of the eye. British Journal of Cancer, 2002, 86, 348-349.	6.4	41
177	The effects of multidisciplinary rehabilitation: RePCa—a randomised study among primary prostate cancer patients. British Journal of Cancer, 2013, 109, 3005-3013.	6.4	41
178	Anorexia nervosa and cancer risk. Cancer Causes and Control, 2001, 12, 173-177.	1.8	40
179	Leaving home after cancer in childhood: A measure of social independence in early adulthood. Pediatric Blood and Cancer, 2006, 47, 61-70.	1.5	40
180	Bladder cancer incidence and exposure to polycyclic aromatic hydrocarbons among asphalt pavers. Occupational and Environmental Medicine, 2007, 64, 520-526.	2.8	40

#	Article	IF	CITATIONS
181	'Socioeconomic position and survival after cervical cancer: influence of cancer stage, comorbidity and smoking among Danish women diagnosed between 2005 and 2010. British Journal of Cancer, 2013, 109, 2489-2495.	6.4	40
182	The effects of individually tailored nurse navigation for patients with newly diagnosed breast cancer: a randomized pilot study. Acta Oncológica, 2017, 56, 1682-1689.	1.8	40
183	<i>CCDC26</i> , <i>CDKN2BAS</i> , <i>RTEL1</i> and <i>TERT</i> Polymorphisms in pediatric brain tumor susceptibility. Carcinogenesis, 2015, 36, 876-882.	2.8	39
184	Residential exposure to extremely low-frequency magnetic fields and risk of childhood leukaemia, CNS tumour and lymphoma in Denmark. British Journal of Cancer, 2015, 113, 1370-1374.	6.4	39
185	Influence of marital status on survival from colon and rectal cancer in Denmark. British Journal of Cancer, 1996, 74, 985-988.	6.4	38
186	Breast cancer and early retirement: Associations with disease characteristics, treatment, comorbidity, social position and participation in a six-day rehabilitation course in a register-based study in Denmark. Acta Oncológica, 2011, 50, 274-281.	1.8	38
187	Location of Gliomas in Relation to Mobile Telephone Use: A Case-Case and Case-Specular Analysis. American Journal of Epidemiology, 2011, 174, 2-11.	3.4	38
188	Impact of atopy on risk of glioma: a Mendelian randomisation study. BMC Medicine, 2018, 16, 42.	5.5	38
189	Proximity to overhead power lines and childhood leukaemia: an international pooled analysis. British Journal of Cancer, 2018, 119, 364-373.	6.4	38
190	Fatherhood status and prostate cancer risk. Cancer, 2008, 112, 919-923.	4.1	37
191	Hospitalâ€based home care for children with cancer: Feasibility and psychosocial impact on children and their families. Pediatric Blood and Cancer, 2013, 60, 865-872.	1.5	37
192	Endocrine Late Effects in Survivors of Cancer in Adolescence and Young Adulthood. JAMA Network Open, 2018, 1, e180349.	5.9	37
193	Progressive resistance training to prevent arm lymphedema in the first year after breast cancer surgery: Results of a randomized controlled trial. Cancer, 2019, 125, 1683-1692.	4.1	37
194	A Questionnaire Study of Sexological Problems Following Urinary Diversion in the Female Patient. Scandinavian Journal of Urology and Nephrology, 1997, 31, 155-160.	1.4	36
195	Preâ€diagnostic alcohol consumption and breast cancer recurrence and mortality: Results from a prospective cohort with a wide range of variation in alcohol intake. International Journal of Cancer, 2013, 132, 686-694.	5.1	36
196	Fatigue trajectories during the first 8Âmonths after breast cancer diagnosis. Quality of Life Research, 2015, 24, 2671-2679.	3.1	36
197	Effect of home-based specialised palliative care and dyadic psychological intervention on caregiver anxiety and depression: a randomised controlled trial. British Journal of Cancer, 2018, 119, 1307-1315.	6.4	36
198	Kind of blue: A systematic review and metaâ€analysis of music interventions in cancer treatment. Psycho-Oncology, 2018, 27, 386-400.	2.3	35

#	Article	IF	CITATIONS
199	Body Composition and Breast Cancer in Postmenopausal Women: A Danish Prospective Cohort Study. Obesity, 2006, 14, 1854-1862.	3.0	34
200	Medical history, cigarette smoking and risk of acoustic neuroma: An international case-control study. International Journal of Cancer, 2007, 120, 103-110.	5.1	34
201	Impact of psychotherapy on cancer survival: time to move on?. Current Opinion in Oncology, 2008, 20, 372-377.	2.4	34
202	Testicular Germ Cell Cancer Incidence in an Immigration Perspective, Denmark, 1978 to 2003. Journal of Urology, 2010, 183, 1378-1382.	0.4	34
203	Rehabilitation of cancer patients: Needed, but how?. Acta Oncológica, 2011, 50, 163-166.	1.8	34
204	Rehabilitation interventions for cancer survivors: The influence of context. Acta Oncológica, 2011, 50, 259-264.	1.8	33
205	Headache, tinnitus and hearing loss in the international Cohort Study of Mobile Phone Use and Health (COSMOS) in Sweden and Finland. International Journal of Epidemiology, 2019, 48, 1567-1579.	1.9	33
206	Football Compared with Usual Care in Men with Prostate Cancer (FC Prostate Community Trial): A Pragmatic Multicentre Randomized Controlled Trial. Sports Medicine, 2019, 49, 145-158.	6.5	33
207	A randomized psychosocial intervention study on the effect of home visits on the well-being of Danish colorectal cancer patients-the INCA project. Psycho-Oncology, 2005, 14, 949-961.	2.3	32
208	Evaluation and outcome of behavioural changes in the rehabilitation of cancer patients: a review. European Journal of Cancer, 2005, 41, 216-224.	2.8	32
209	Personality traits and cancer survival: a Danish cohort study. British Journal of Cancer, 2006, 95, 146-152.	6.4	32
210	Men with cancer change their health behaviour: a prospective study from the Danish Diet, Cancer and Health Study. British Journal of Cancer, 2012, 107, 201-206.	6.4	32
211	Danish Translation and Linguistic Validation of the U.S. National Cancer Institute's Patient-Reported Outcomes version of the Common Terminology Criteria for Adverse Events (PRO-CTCAE). Journal of Pain and Symptom Management, 2016, 52, 292-297.	1.2	32
212	Maladaptive coping in adults who have experienced early parental loss and grief counseling. Journal of Health Psychology, 2017, 22, 1851-1861.	2.3	32
213	Glioma-related seizures in relation to histopathological subtypes: a report from the glioma international case–control study. Journal of Neurology, 2018, 265, 1432-1442.	3.6	32
214	Influence of obesity-related risk factors in the aetiology of glioma. British Journal of Cancer, 2018, 118, 1020-1027.	6.4	32
215	Long-term effect of mobile phone use on sleep quality: Results from the cohort study of mobile phone use and health (COSMOS). Environment International, 2020, 140, 105687.	10.0	32
216	Rehabilitation of cancer patients – research perspectives. Acta Oncológica, 2007, 46, 441-445.	1.8	31

#	Article	IF	CITATIONS
217	Community-Based Recreational Football: A Novel Approach to Promote Physical Activity and Quality of Life in Prostate Cancer Survivors. International Journal of Environmental Research and Public Health, 2014, 11, 5567-5585.	2.6	31
218	Pre-diagnostic polyphenol intake and breast cancer survival: the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. Breast Cancer Research and Treatment, 2015, 154, 389-401.	2.5	31
219	Screening for carcinomain situ in the contralateral testicle in patients with testicular cancer: a population-based study. Annals of Oncology, 2015, 26, 737-742.	1.2	31
220	Body image mediates the effect of cancerâ€related stigmatization on depression: A new target for intervention. Psycho-Oncology, 2018, 27, 193-198.	2.3	31
221	Does marital status and altered contact with the social network predict colorectal cancer survival?. European Journal of Cancer, 2006, 42, 3022-3027.	2.8	30
222	Trends in adult leukemia incidence and survival in Denmark, 1943–2003. Cancer Causes and Control, 2009, 20, 1671-1680.	1.8	30
223	Description of selected characteristics of familial glioma patients – Results from the Gliogene Consortium. European Journal of Cancer, 2013, 49, 1335-1345.	2.8	30
224	Community-based football in men with prostate cancer: 1-year follow-up on a pragmatic, multicentre randomised controlled trial. PLoS Medicine, 2019, 16, e1002936.	8.4	30
225	Dyadic coping in specialized palliative care intervention for patients with advanced cancer and their caregivers: Effects and mediation in a randomized controlled trial. Psycho-Oncology, 2019, 28, 264-270.	2.3	30
226	Early parental loss and intimate relationships in adulthood: A nationwide study Developmental Psychology, 2018, 54, 963-974.	1.6	30
227	Risk for depression and anxiety in long-term survivors of hematologic cancer Health Psychology, 2019, 38, 187-195.	1.6	30
228	Lipid-Lowering Medication and Risk of Cancer. Journal of Clinical Epidemiology, 1999, 52, 167-169.	5.0	29
229	Social-Cognitive and School Factors in Initiation of Smoking among Adolescents: A Prospective Cohort Study. Cancer Epidemiology Biomarkers and Prevention, 2009, 18, 384-392.	2.5	29
230	Marriage and Divorce Among Childhood Cancer Survivors. Journal of Pediatric Hematology/Oncology, 2011, 33, 500-505.	0.6	29
231	No improvement in distress and quality of life following psychosocial cancer rehabilitation. A randomised trial. Psycho-Oncology, 2012, 21, 505-514.	2.3	29
232	Post-traumatic growth among elderly women with breast cancer compared to breast cancer-free women. Acta Oncológica, 2013, 52, 345-354.	1.8	29
233	Associations between faith, distress and mental adjustment – a Danish survivorship study. Acta Oncológica, 2013, 52, 364-371.	1.8	29
234	Divorce or end of cohabitation among Danish women evaluated for fertility problems. Acta Obstetricia Et Gynecologica Scandinavica, 2014, 93, 269-276.	2.8	29

#	Article	IF	CITATIONS
235	Social position and referral to rehabilitation among cancer patients. Acta Oncológica, 2015, 54, 720-726.	1.8	29
236	Incidence of cutaneous malignant melanoma in Denmark, 1978-2007. British Journal of Dermatology, 2011, 165, 349-353.	1.5	28
237	Study protocol: rehabilitation including social and physical activity and education in children and teenagers with cancer (RESPECT). BMC Cancer, 2013, 13, 544.	2.6	28
238	Stressful life events and cancer risk. British Journal of Cancer, 2006, 95, 1579-1581.	6.4	27
239	MNS16A minisatellite genotypes in relation to risk of glioma and meningioma and to glioblastoma outcome. International Journal of Cancer, 2009, 125, 968-972.	5.1	27
240	Risk factors for oligodendroglial tumors: A pooled international study. Neuro-Oncology, 2011, 13, 242-250.	1.2	27
241	Social inequality in health, responsibility and egalitarian justice. Journal of Public Health, 2013, 35, 4-8.	1.8	27
242	Quality of life in bladder cancer patients receiving medical oncological treatment; a systematic review of the literature. Health and Quality of Life Outcomes, 2019, 17, 20.	2.4	27
243	Social inequality and incidence of and survival from tumours of the central nervous system in a population-based study in Denmark, 1994–2003. European Journal of Cancer, 2008, 44, 2050-2057.	2.8	26
244	Religion and reduced cancer risk – What is the explanation? A review. European Journal of Cancer, 2008, 44, 2573-2579.	2.8	26
245	Survey of familial glioma and role of germline p16 INK4A /p14 ARF and p53 mutation. Familial Cancer, 2010, 9, 413-421.	1.9	26
246	Association between adult height, genetic susceptibility and risk of glioma. International Journal of Epidemiology, 2012, 41, 1075-1085.	1.9	26
247	New paradigms in planning cancer rehabilitation and survivorship. Acta OncolÃ ³ gica, 2013, 52, 191-194.	1.8	26
248	Do stage of disease, comorbidity or access to treatment explain socioeconomic differences in survival after ovarian cancer? – A cohort study among Danish women diagnosed 2005–2010. Cancer Epidemiology, 2015, 39, 353-359.	1.9	26
249	Transcriptome-Wide Association Study Identifies New Candidate Susceptibility Genes for Glioma. Cancer Research, 2019, 79, 2065-2071.	0.9	26
250	Occupational Magnetic Field Exposure and Myocardial Infarction Incidence. Epidemiology, 2004, 15, 403-408.	2.7	25
251	Comparison of Participants and Non-Participants in a Randomized Psychosocial Intervention Study Among Patients With Malignant Melanoma. Psychosomatics, 2007, 48, 510-516.	2.5	25
252	An exploratory study of associations between illness perceptions and adjustment and changes after psychosocial rehabilitation in survivors of breast cancer. Acta Oncológica, 2009, 48, 1119-1127.	1.8	25

#	Article	IF	CITATIONS
253	Incidence trends of vestibular schwannomas in Denmark, Finland, Norway and Sweden in 1987–2007. British Journal of Cancer, 2011, 105, 1069-1075.	6.4	25
254	Who participates in a randomized trial of mindfulnessâ€based stress reduction (MBSR) after breast cancer? A study of factors associated with enrollment among Danish breast cancer patients. Psycho-Oncology, 2013, 22, 1180-1185.	2.3	25
255	Affiliation to the work market after curative treatment of head-and-neck cancer: A population-based study from the DAHANCA database. Acta Oncológica, 2013, 52, 430-439.	1.8	25
256	Residential Distance to High-voltage Power Lines and Risk of Neurodegenerative Diseases: a Danish Population-based Case-Control Study. American Journal of Epidemiology, 2013, 177, 970-978.	3.4	25
257	Association between late effects assessed by physicians and quality of life reported by head-and-neck cancer survivors. Acta Oncológica, 2017, 56, 342-347.	1.8	25
258	Occupational exposure to extremely low-frequency magnetic fields and risk for central nervous system disease: an update of a Danish cohort study among utility workers. International Archives of Occupational and Environmental Health, 2017, 90, 619-628.	2.3	25
259	Risk of Severe Cardiac Arrhythmia in Male Utility Workers: A Nationwide Danish Cohort Study. American Journal of Epidemiology, 2002, 156, 857-861.	3.4	24
260	Cancer survival in parents who lost a child: a nationwide study in Denmark. British Journal of Cancer, 2003, 88, 1698-1701.	6.4	24
261	In a randomized controlled trial, missing data led to biased results regarding anxiety. Journal of Clinical Epidemiology, 2004, 57, 1131-1137.	5.0	24
262	Influence of comorbidity on cancer patients' rehabilitation needs, participation in rehabilitation activities and unmet needs: a population-based cohort study. Supportive Care in Cancer, 2014, 22, 2095-2105.	2.2	24
263	Increased risk of antidepressant use in childhood cancer survivors: A Danish population-based cohort study. European Journal of Cancer, 2015, 51, 675-684.	2.8	24
264	Depressive symptom trajectories in women affected by breast cancer and their male partners: a nationwide prospective cohort study. Journal of Cancer Survivorship, 2016, 10, 915-926.	2.9	24
265	Stability and Priority of Symptoms and Symptom Clusters Among Allogeneic HSCT Patients Within a 5-Year Longitudinal Study. Journal of Pain and Symptom Management, 2017, 54, 493-500.	1.2	24
266	Dyadic psychological intervention for patients with cancer and caregivers in home-based specialized palliative care: The Domus model. Palliative and Supportive Care, 2018, 16, 189-197.	1.0	24
267	Follow-Up Care for Breast and Colorectal Cancer Across the Globe: Survey Findings From 27 Countries. JCO Global Oncology, 2020, 6, 1394-1411.	1.8	24
268	A comparison of self-reported cellular telephone use with subscriber data: Agreement between the two methods and implications for risk estimation. Bioelectromagnetics, 2007, 28, 130-136.	1.6	23
269	No effect on survival of home psychosocial intervention in a randomized study of Danish colorectal cancer patients. Psycho-Oncology, 2009, 18, 875-885.	2.3	23
270	Head injury is not a risk factor for multiple sclerosis: a prospective cohort study. Multiple Sclerosis Journal, 2009, 15, 294-298.	3.0	23

#	Article	IF	CITATIONS
271	Socioeconomic position and surgery for early-stage non-small-cell lung cancer: A population-based study in Denmark. Lung Cancer, 2013, 79, 262-269.	2.0	23
272	Risk of Use of Antidepressants Among Children and Young Adults Exposed to the Death of a Parent. Epidemiology, 2016, 27, 578-585.	2.7	23
273	The impact of a breast cancer diagnosis on health-related quality of life. A prospective comparison among middle-aged to elderly women with and without breast cancer. Acta Oncológica, 2016, 55, 720-727.	1.8	23
274	Mendelian randomisation study of the relationship between vitamin D and risk of glioma. Scientific Reports, 2018, 8, 2339.	3.3	23
275	Genome-wide association analysis identifies a meningioma risk locus at 11p15.5. Neuro-Oncology, 2018, 20, 1485-1493.	1.2	23
276	Glioma risk associated with extent of estimated European genetic ancestry in African Americans and Hispanics. International Journal of Cancer, 2020, 146, 739-748.	5.1	23
277	Factors associated with the prescription of antidepressive medication to breast cancer patients. Acta Oncológica, 2011, 50, 243-251.	1.8	22
278	Known glioma risk loci are associated with glioma with a family history of brain tumours—A case–control gene association study. International Journal of Cancer, 2013, 132, 2464-2468.	5.1	22
279	Targeted Sequencing in Chromosome 17q Linkage Region Identifies Familial Glioma Candidates in the Gliogene Consortium. Scientific Reports, 2015, 5, 8278.	3.3	22
280	Are we ready to predict late effects? A systematic review of clinically useful prediction models. European Journal of Cancer, 2015, 51, 758-766.	2.8	22
281	Sexual Function in a Nationwide Cohort of 2,260 Survivors of Testicular Cancer after 17 Years of Followup. Journal of Urology, 2018, 200, 794-800.	0.4	22
282	Comparing the patients' subjective experiences of acute side effects during radiotherapy for head and neck cancer with four different patient-reported outcomes questionnaires. Acta Oncológica, 2019, 58, 603-609.	1.8	22
283	Everyday life challenges among adolescent and young adult survivors of childhood acute lymphoblastic leukemia: An inâ€depth qualitative study. Psycho-Oncology, 2020, 29, 1630-1637.	2.3	22
284	Electronic reporting of patient-reported outcomes in a fragile and comorbid population during cancer therapy – a feasibility study. Health and Quality of Life Outcomes, 2020, 18, 225.	2.4	22
285	Multiple sclerosis among utility workers. Neurology, 1999, 52, 1279-1279.	1.1	22
286	Comparison of a self-administered questionnaire and a telephone interview of 146 Danish waste collectors. , 1997, 31, 653-658.		21
287	Cancer risk following appendectomy for acute appendicitis (Denmark). Cancer Causes and Control, 1998, 9, 183-187.	1.8	21
288	Genetic variations in VEGF and VEGFR2 and glioblastoma outcome. Journal of Neuro-Oncology, 2011, 104, 523-527.	2.9	21

#	Article	IF	CITATIONS
289	Factors correlated with fatigue in breast cancer survivors undergoing a rehabilitation course, Denmark, 2002–2005. Psycho-Oncology, 2011, 20, 352-360.	2.3	21
290	The Intracranial Distribution of Gliomas in Relation to Exposure From Mobile Phones: Analyses From the INTERPHONE Study. American Journal of Epidemiology, 2016, 184, 818-828.	3.4	21
291	Progressive strength training to prevent LYmphoedema in the first year after breast CAncer – the LYCA feasibility study. Acta OncolA³gica, 2017, 56, 360-366.	1.8	21
292	Cancer survivors and return to work: current knowledge and future research. Psycho-Oncology, 2017, 26, 715-717.	2.3	21
293	Socioeconomic position and mortality among patients with prostate cancer: influence of mediating factors. Acta Oncológica, 2017, 56, 563-568.	1.8	21
294	The effect of an attachmentâ€oriented couple intervention for breast cancer patients and partners in the early treatment phase: A randomised controlled trial. Psycho-Oncology, 2018, 27, 922-928.	2.3	21
295	Ageâ€specific genomeâ€wide association study in glioblastoma identifies increased proportion of â€`lower grade glioma'â€like features associated with younger age. International Journal of Cancer, 2018, 143, 2359-2366.	5.1	21
296	Quality of life in survivors of hematological malignancies stratified by cancer type, time since diagnosis and stem cell transplantation. European Journal of Haematology, 2018, 101, 340-348.	2.2	21
297	Impact of schizophrenia and related disorders on mortality from breast cancer: A population-based cohort study in Denmark, 1995–2011. Breast, 2018, 40, 170-176.	2.2	21
298	Swallowing Exercise During Head and Neck Cancer Treatment: Results of a Randomized Trial. Dysphagia, 2022, 37, 749-762.	1.8	21
299	Cancer incidence of Nordic asphalt workers. Scandinavian Journal of Work, Environment and Health, 2004, 30, 350-355.	3.4	21
300	Molar pregnancy and risk for cancer in women and their male partners. American Journal of Obstetrics and Gynecology, 1999, 181, 630-634.	1.3	20
301	Risk of cancer in children with the diagnosis immaturity at birth. Paediatric and Perinatal Epidemiology, 2006, 20, 231-237.	1.7	20
302	No change in health behavior, BMI or self-rated health after a psychosocial cancer rehabilitation: Results of a randomized trial. Acta Oncológica, 2011, 50, 289-298.	1.8	20
303	A Variable Age of Onset Segregation Model for Linkage Analysis, with Correction for Ascertainment, Applied to Glioma. Cancer Epidemiology Biomarkers and Prevention, 2012, 21, 2242-2251.	2.5	20
304	Insight in glioma susceptibility through an analysis of 6p22.3, 12p13.33-12.1, 17q22-23.2 and 18q23 SNP genotypes in familial and non-familial glioma. Human Genetics, 2012, 131, 1507-1517.	3.8	20
305	Effect of socioeconomic position on survival after childhood cancer in Denmark. Acta Oncológica, 2016, 55, 742-750.	1.8	20
306	Effects of live music during chemotherapy in lymphoma patients: a randomized, controlled, multi-center trial. Supportive Care in Cancer, 2019, 27, 3887-3896.	2.2	20

#	Article	IF	CITATIONS
307	Effect of progressive resistance training on persistent pain after axillary dissection in breast cancer: a randomized controlled trial. Breast Cancer Research and Treatment, 2020, 179, 173-183.	2.5	20
308	Patient reported symptoms associated with quality of life during chemo―or immunotherapy for bladder cancer patients with advanced disease. Cancer Medicine, 2020, 9, 3078-3087.	2.8	20
309	Colorectal cancer in Denmark 1943?1988. International Journal of Colorectal Disease, 1993, 8, 42-47.	2.2	19
310	Psychic vulnerability and the associated risk for cancer. Cancer, 2002, 94, 3299-3306.	4.1	19
311	Psychosocial Consequences of Genetic Counseling: A Population-Based Follow-up Study. Breast Journal, 2009, 15, 61-68.	1.0	19
312	The Mental Vulnerability Questionnaire: A psychometric evaluation. Scandinavian Journal of Psychology, 2010, 51, 548-554.	1.5	19
313	Cancer incidence among Danish Seventh-day Adventists and Baptists. Cancer Epidemiology, 2012, 36, 513-518.	1.9	19
314	Who are the cancer survivors? A nationwide study in Denmark, 1943–2010. British Journal of Cancer, 2015, 112, 1549-1553.	6.4	19
315	Effects of a settings-based intervention to promote student wellbeing and reduce smoking in vocational schools: A non-randomized controlled study. Social Science and Medicine, 2016, 161, 195-203.	3.8	19
316	FAMily-Oriented Support (FAMOS): development and feasibility of a psychosocial intervention for families of childhood cancer survivors. Acta OncolÃ ³ gica, 2017, 56, 367-374.	1.8	19
317	Lack of association between modifiable exposures and glioma risk: A Mendelian randomisation analysis. Neuro-Oncology, 2020, 22, 207-215.	1.2	19
318	Effect of progressive resistance training on health-related quality of life in the first year after breast cancer surgery – results from a randomized controlled trial. Acta Oncológica, 2019, 58, 665-672.	1.8	19
319	Whose perspective is it anyway? Dilemmas of patient involvement in the development of a randomized clinical trial $\hat{a} \in \hat{a}$ qualitative study. Acta Oncol \tilde{A}^3 gica, 2019, 58, 634-641.	1.8	19
320	Educational delay and attainment in persons with neurofibromatosis 1 in Denmark. European Journal of Human Genetics, 2019, 27, 857-868.	2.8	19
321	Clinical characteristics and quality of life, depression, and anxiety in adults with neurofibromatosis type 1: A nationwide study. American Journal of Medical Genetics, Part A, 2020, 182, 1704-1715.	1.2	19
322	Genetic variations in EGF and EGFR and glioblastoma outcome. Neuro-Oncology, 2010, 12, 815-821.	1.2	18
323	The DOMUS study protocol: a randomized clinical trial of accelerated transition from oncological treatment to specialized palliative care at home. BMC Palliative Care, 2014, 13, 44.	1.8	18
324	MyHealth: specialist nurse-led follow-up in breast cancer. A randomized controlled trial – development and feasibility. Acta Oncológica, 2019, 58, 619-626.	1.8	18

#	Article	IF	CITATIONS
325	Long-term Somatic Disease Risk in Adult Danish Cancer Survivors. JAMA Oncology, 2019, 5, 537.	7.1	18
326	Systematic fast-track transition from oncological treatment to dyadic specialized palliative home care: DOMUS – a randomized clinical trial. Palliative Medicine, 2019, 33, 135-149.	3.1	18
327	Depressive symptoms and mental health-related quality of life in adolescence and young adulthood after early parental death. Scandinavian Journal of Public Health, 2019, 47, 782-792.	2.3	18
328	Eisenmenger's syndrome and pregnancy. European Journal of Obstetrics, Gynecology and Reproductive Biology, 1988, 28, 69-74.	1.1	17
329	Mental Vulnerability as a Predictor of Early Mortality. Epidemiology, 2005, 16, 226-232.	2.7	17
330	Tricyclic Antidepressants and Non-Hodgkin Lymphoma. Epidemiology, 2008, 19, 546-549.	2.7	17
331	CASP8 D302H and meningioma risk: An analysis of five case-control series. Cancer Letters, 2009, 273, 312-315.	7.2	17
332	Risk of neurological diseases among survivors of electric shocks: A nationwide cohort study, Denmark, 1968–2008. Bioelectromagnetics, 2012, 33, 459-465.	1.6	17
333	Distance to High-Voltage Power Lines and Risk of Childhood Leukemia – an Analysis of Confounding by and Interaction with Other Potential Risk Factors. PLoS ONE, 2014, 9, e107096.	2.5	17
334	Do we reach the patients with the most problems? Baseline data from the WebCan study among survivors of head-and-neck cancer, Denmark. Journal of Cancer Survivorship, 2016, 10, 251-260.	2.9	17
335	Satisfaction with sex life in sexually active heterosexual couples dealing with breast cancer: a nationwide longitudinal study. Acta OncolÃ ³ gica, 2017, 56, 212-219.	1.8	17
336	Does losing a parent early influence the education you obtain? A nationwide cohort study in Denmark. Journal of Public Health, 2019, 41, 296-304.	1.8	17
337	Increased risk for depression persists for years among women treated for gynecological cancers - a register-based cohort study with up to 19†years of follow-up. Gynecologic Oncology, 2019, 153, 625-632.	1.4	17
338	Total burden of disease in cancer patients at diagnosis—a Danish nationwide study of multimorbidity and redeemed medication. British Journal of Cancer, 2020, 123, 1033-1040.	6.4	17
339	Pooled analysis of recent studies of magnetic fields and childhood leukemia. Environmental Research, 2022, 204, 111993.	7.5	17
340	Age-period-cohort modelling of large-bowel-cancer incidence by anatomic sub-site and sex in Denmark. International Journal of Cancer, 1994, 58, 324-329.	5.1	16
341	Infectious exposure in the first years of life and risk of central nervous system tumours in children: analysis of birth order, childcare attendance and seasonality of birth. British Journal of Cancer, 2010, 102, 1670-1675.	6.4	16
342	Mobile Phone Use and the Risk of Skin Cancer: A Nationwide Cohort Study in Denmark. American Journal of Epidemiology, 2013, 178, 190-197.	3.4	16

#	Article	IF	CITATIONS
343	Early life risk factors for testicular cancer: a case-cohort study based on the Copenhagen School Health Records Register. Acta Oncológica, 2017, 56, 220-224.	1.8	16
344	Socioeconomic position, referral and attendance to rehabilitation after a cancer diagnosis: A population-based study in Copenhagen, Denmark 2010–2015. Acta Oncológica, 2019, 58, 730-736.	1.8	16
345	Maternal Heart Disease: A Survey of a Decade in a danish University Hospital. Acta Obstetricia Et Gynecologica Scandinavica, 1989, 68, 119-124.	2.8	15
346	Incidences of Kidney, Pelvis, Ureter, and Bladder Cancer in a Nationwide, Population-based Cancer Registry, Denmark, 1944-2003. Urology, 2010, 75, 1222-1227.	1.0	15
347	Hospitalâ€based home care for children with cancer. Pediatric Blood and Cancer, 2011, 57, 369-377.	1.5	15
348	The Danish religious societies health study. International Journal of Epidemiology, 2012, 41, 1248-1255.	1.9	15
349	Study designs may influence results: the problems with questionnaire-based case–control studies on the epidemiology of glioma. British Journal of Cancer, 2017, 116, 841-848.	6.4	15
350	Aspirin, NSAIDs, and Glioma Risk: Original Data from the Glioma International Case–Control Study and a Meta-analysis. Cancer Epidemiology Biomarkers and Prevention, 2019, 28, 555-562.	2.5	15
351	Educational level and the risk of depression after prostate cancer. Acta OncolÃ ³ gica, 2019, 58, 722-729.	1.8	15
352	Psychotropic Medication Use in Parents of Children Diagnosed With Cancer. Pediatrics, 2019, 143, .	2.1	15
353	Adherence to preventive swallowing exercises for head and neck cancer patients undergoing (chemo)radiotherapy treatment. Acta Oncológica, 2019, 58, 658-664.	1.8	15
354	Multisystem burden of neurofibromatosis 1 in Denmark: registry- and population-based rates of hospitalizations over the life span. Genetics in Medicine, 2020, 22, 1069-1078.	2.4	15
355	Patient-reported outcomes item selection for bladder cancer patients in chemo- or immunotherapy. Journal of Patient-Reported Outcomes, 2019, 3, 56.	1.9	15
356	Cancer incidence among Danish brewery workers. International Journal of Cancer, 2005, 116, 774-778.	5.1	14
357	Vital exhaustion and risk for cancer. Cancer, 2005, 104, 1288-1295.	4.1	14
358	Risk for leukaemia and brain and breast cancer among Danish utility workers: a second follow-up. Occupational and Environmental Medicine, 2007, 64, 782-784.	2.8	14
359	Risk perception among women receiving genetic counseling: A population-based follow-up study. Cancer Detection and Prevention, 2007, 31, 457-464.	2.1	14
360	Incidence of and survival from oligodendroglioma in Denmark, 1943–2002. Neuro-Oncology, 2009, 11, 311-317.	1.2	14

#	Article	IF	CITATIONS
361	Effectiveness of community-based football compared to usual care in men with prostate cancer: Protocol for a randomised, controlled, parallel group, multicenter superiority trial (The FC Prostate) Tj ETQq1 1	0.784614	rgBT4Overloci
362	Follow-up after rectal cancer: developing and testing a novel patient-led follow-up program. Study protocol. Acta Oncológica, 2017, 56, 307-313.	1.8	14
363	Swallowing therapy and progressive resistance training in head and neck cancer patients undergoing radiotherapy treatment: randomized control trial protocol and preliminary data. Acta OncolÃ ³ gica, 2017, 56, 354-359.	1.8	14
364	Survivorship in new harbors. Acta Oncológica, 2017, 56, 119-122.	1.8	14
365	Feasibility and acceptability of couple counselling and pelvic floor muscle training after operation for prostate cancer. Acta OncolÃ ³ gica, 2017, 56, 270-277.	1.8	14
366	Causes of Hospital Admissions in Domus: A Randomized Controlled Trial of Specialized Palliative Cancer Care at Home. Journal of Pain and Symptom Management, 2018, 55, 728-736.	1.2	14
367	An international prospective cohort study of mobile phone users and health (COSMOS): Factors affecting validity of self-reported mobile phone use. International Journal of Hygiene and Environmental Health, 2018, 221, 1-8.	4.3	14
368	<p>Treatment intensity and survival in patients with relapsed or refractory diffuse large B-cell lymphoma in Denmark: a real-life population-based study</p> . Clinical Epidemiology, 2019, Volume 11, 207-216.	3.0	14
369	Extremely low-frequency magnetic fields and heart disease. Scandinavian Journal of Work, Environment and Health, 2007, 33, 5-12.	3.4	14
370	Brain metabolomic profiles of lung cancer patients prior to treatment characterized by proton magnetic resonance spectroscopy. International Journal of Clinical and Experimental Medicine, 2012, 5, 154-64.	1.3	14
371	Electromagnetic fields and health effectsepidemiologic studies of cancer, diseases of the central nervous system and arrhythmia-related heart disease. Scandinavian Journal of Work, Environment and Health, 2004, 30 Suppl 1, 1-30.	3.4	14
372	Colorectal Cancer in Denmark 1943-1997. Diseases of the Colon and Rectum, 2004, 47, 1232-1241.	1.3	13
373	Chronic Neurodegenerative Illnesses and Epilepsy in Danish Adventists and Baptists: A Nationwide Cohort Study. Journal of Alzheimer's Disease, 2017, 56, 1429-1435.	2.6	13
374	Cohort Profile: The Danish Testicular Cancer Late Treatment Effects Cohort (DaTeCa-LATE). Frontiers in Oncology, 2018, 8, 37.	2.8	13
375	Risk of Depression After Radical Prostatectomy—A Nationwide Registry-based Study. European Urology Oncology, 2021, 4, 601-608.	5.4	13
376	Sixty-One Years of Pancreatic Cancer in Denmark From 1943 to 2003. Pancreas, 2009, 38, 374-378.	1.1	12
377	Sociodemographic factors and vestibular schwannoma: a Danish nationwide cohort study. Neuro-Oncology, 2010, 12, 1291-9.	1.2	12
378	DNA-repair gene variants are associated with glioblastoma survival. Acta Oncológica, 2012, 51, 325-332.	1.8	12

#	Article	IF	CITATIONS
379	A controlled study of use of patient-reported outcomes to improve assessment of late effects after treatment for head-and-neck cancer. Radiotherapy and Oncology, 2016, 119, 221-228.	0.6	12
380	Return to work for patients with diffuse large B-cell lymphoma and transformed indolent lymphoma undergoing autologous stem cell transplantation. Clinical Epidemiology, 2017, Volume 9, 321-329.	3.0	12
381	TEDDI: radiotherapy delivery in deep inspiration for pediatric patients â^' a NOPHO feasibility study. Radiation Oncology, 2018, 13, 56.	2.7	12
382	Routine surveillance for symptomatic toxicities with real-time clinician reporting in Danish breast cancer patients-Organization and design of the first national, cluster randomized trial using the Patient-Reported Outcomes version of Common Terminology C. Breast Journal, 2019, 25, 269-272.	1.0	12
383	Psychological stress in long-term testicular cancer survivors: a Danish nationwide cohort study. Journal of Cancer Survivorship, 2020, 14, 72-79.	2.9	12
384	Is the health literacy of informal caregivers associated with the psychological outcomes of breast cancer survivors?. Journal of Cancer Survivorship, 2021, 15, 729-737.	2.9	12
385	Partitioned glioma heritability shows subtype-specific enrichment in immune cells. Neuro-Oncology, 2021, 23, 1304-1314.	1.2	12
386	Psychosocial Home Visits in Cancer Treatment. Cancer Nursing, 2002, 25, 350-357.	1.5	12
387	Fertility and pregnancy in women with familial adenomatous polyposis. International Journal of Colorectal Disease, 1990, 5, 203-206.	2.2	11
388	Mental vulnerability—a risk factor for ischemic heart disease. Journal of Psychosomatic Research, 2006, 60, 169-176.	2.6	11
389	Social ties and risk for cancer – a prospective cohort study. Acta Oncológica, 2009, 48, 1010-1018.	1.8	11
390	An analysis of parental roles during haematopoietic stem cell transplantation of their offspring: a qualitative and participant observational study. Journal of Advanced Nursing, 2011, 67, 1458-1467.	3.3	11
391	Parental Separation and Pediatric Cancer: A Danish Cohort Study. Pediatrics, 2012, 129, e1187-e1191.	2.1	11
392	Social relations and smoking abstinence among ever-smokers: A report from two large population-based Danish cohort studies. Scandinavian Journal of Public Health, 2013, 41, 531-540.	2.3	11
393	Germline rearrangements in families with strong family history of glioma and malignant melanoma, colon, and breast cancer. Neuro-Oncology, 2014, 16, 1333-1340.	1.2	11
394	Participation in questionnaire studies among couples affected by breast cancer. Supportive Care in Cancer, 2015, 23, 1907-1916.	2.2	11
395	Classification of a palliative care population in a comprehensive cancer centre. Supportive Care in Cancer, 2016, 24, 1865-1873.	2.2	11
396	Prolonged job strain and subsequent risk of cancer in women – a longitudinal study, based on the Danish Nurse Cohort. Acta Oncológica, 2017, 56, 301-306.	1.8	11

#	Article	IF	CITATIONS
397	Male coping through a long-term cancer trajectory. Secondary outcomes from a RTC examining the effect of a multidisciplinary rehabilitation program (RePCa) among radiated men with prostate cancer. Acta Oncológica, 2017, 56, 254-261.	1.8	11
398	Risk for use of antidepressants, anxiolytics, and hypnotics in partners of glioma patients—A nationwide study covering 19Âyears of prescriptions. Psycho-Oncology, 2018, 27, 1930-1936.	2.3	11
399	Comparison of EORTC QLQ-C30 and PRO-CTCAEâ,,¢ Questionnaires on Six Symptom Items. Journal of Pain and Symptom Management, 2018, 56, 421-429.	1.2	11
400	Patient-Reported Outcomes, Health-Related Quality of Life, and Clinical Outcomes for Urothelial Cancer Patients Receiving Chemo- or Immunotherapy: A Real-Life Experience. Journal of Clinical Medicine, 2021, 10, 1852.	2.4	11
401	Validation of a Job-Exposure Matrix for Assessment of Utility Worker Exposure to Magnetic Fields. Journal of Occupational and Environmental Hygiene, 2002, 17, 304-310.	0.4	10
402	Development in incidence of breast cancer in non-screened danish women, 1973–2002—a population-based study. International Journal of Cancer, 2006, 118, 2366-2369.	5.1	10
403	Psychometric properties of brief indexes designed to measure social-cognitive predictors of smoking initiation. Drug and Alcohol Dependence, 2007, 88, 64-74.	3.2	10
404	Seasonality of birth in children with central nervous system tumours in Denmark, 1970–2003. British Journal of Cancer, 2009, 100, 185-187.	6.4	10
405	A prospective association between quality of life and risk for cancer. European Journal of Cancer, 2011, 47, 2446-2452.	2.8	10
406	Mental vulnerability as a risk factor for depression: A prospective cohort study in Denmark. International Journal of Social Psychiatry, 2012, 58, 306-314.	3.1	10
407	Mind as a risk factor for cancer—some comments. Psycho-Oncology, 2012, 21, 922-926.	2.3	10
408	Distress after a psychosocial cancer rehabilitation course. Main effects and effect modification in a randomised trial at 12 months of follow-up. Acta Oncológica, 2015, 54, 735-742.	1.8	10
409	First use of antidepressant medication in male partners of women with breast cancer in <scp>Denmark</scp> from 1998 to 2011. Psycho-Oncology, 2017, 26, 2269-2275.	2.3	10
410	Personality as a predictor of well-being in a randomized trial of a mindfulness-based stress reduction of Danish women with breast cancer. Journal of Psychosocial Oncology, 2020, 38, 4-19.	1.2	10
411	A genome-wide association study on medulloblastoma. Journal of Neuro-Oncology, 2020, 147, 309-315.	2.9	10
412	Homeâ€based cognitive behavioural therapy for families of young children with cancer (FAMOS): A nationwide randomised controlled trial. Pediatric Blood and Cancer, 2021, 68, e28853.	1.5	10
413	Use of baseline and updated information on alcohol intake on risk for breast cancer: importance of latency. International Journal of Epidemiology, 2008, 37, 669-677.	1.9	9
414	Psychiatric disease incidence among Danish Seventh-day Adventists and Baptists. Social Psychiatry and Psychiatric Epidemiology, 2013, 48, 1583-1590.	3.1	9

#	Article	IF	CITATIONS
415	Socially disadvantaged parents of children treated with allogeneic haematopoietic stem cell transplantation (HSCT): Report from a supportive intervention study, Denmark. European Journal of Oncology Nursing, 2013, 17, 302-310.	2.1	9
416	Attachment-oriented psychological intervention for couples facing breast cancer: protocol of a randomised controlled trial. BMC Psychology, 2014, 2, 19.	2.1	9
417	5-HTTLPR and use of antidepressants after colorectal cancer including a meta-analysis of 5-HTTLPR and depression after cancer. Translational Psychiatry, 2015, 5, e631-e631.	4.8	9
418	Survivorship – searching for new directions. Acta OncolÃ ³ gica, 2015, 54, 569-573.	1.8	9
419	Shaping the Social: design of a settings-based intervention study to improve well-being and reduce smoking and dropout in Danish vocational schools. BMC Public Health, 2015, 15, 568.	2.9	9
420	Cross-Cultural Translation, Adaptation and Reliability of the Danish M. D. Andeson Dysphagia Inventory (MDADI) in Patients with Head and Neck Cancer. Dysphagia, 2017, 32, 472-479.	1.8	9
421	Residential traffic noise exposure and vestibular schwannoma – a Danish case–control study. Acta Oncológica, 2017, 56, 1310-1316.	1.8	9
422	Incidence of pancreatic cancer in Denmark: 70 years of registration, 1943–2012. Acta Oncológica, 2017, 56, 1763-1768.	1.8	9
423	Chromosomal Abnormalities in Offspring of Young Cancer Survivors: A Population-Based Cohort Study in Denmark. Journal of the National Cancer Institute, 2018, 110, 534-538.	6.3	9
424	Risk of cardiovascular events in men treated for prostate cancer compared with prostate cancer-free men. British Journal of Cancer, 2019, 120, 1067-1074.	6.4	9
425	Differences in baseline characteristics and 1-year psychological factors between participants and non-participants in the randomized, controlled trial regarding patient-led follow-up after rectal cancer (FURCA). Acta Oncológica, 2019, 58, 627-633.	1.8	9
426	Educational level and first-time PSA testing in general practice. Scandinavian Journal of Urology, 2019, 53, 275-281.	1.0	9
427	Sexual Function and Quality of Life in a National Cohort of Survivors of Bilateral Testicular Cancer. European Urology Focus, 2020, 6, 711-719.	3.1	9
428	Searching for causal relationships of glioma: a phenome-wide Mendelian randomisation study. British Journal of Cancer, 2021, 124, 447-454.	6.4	9
429	Clinical effects of assessing electronic patient-reported outcomes monitoring symptomatic toxicities during breast cancer therapy: a nationwide and population-based study. Breast Cancer, 2021, 28, 1096-1099.	2.9	9
430	Common genetic variations in cell cycle and DNA repair pathways associated with pediatric brain tumor susceptibility. Oncotarget, 2016, 7, 63640-63650.	1.8	9
431	Risk for anogenital cancer and other cancer among women hospitalized with gonorrhea. Acta Obstetricia Et Gynecologica Scandinavica, 2001, 80, 757-761.	2.8	8
432	Arc and resistance welding and tumours of the endocrine glands: a Swedish case-control study with focus on extremely low frequency magnetic fields. Occupational and Environmental Medicine, 2005, 62, 304-308.	2.8	8

#	Article	IF	CITATIONS
433	Self-rated health and cancer risk – a prospective cohort study among Danish women. Acta Oncológica, 2016, 55, 1204-1209.	1.8	8
434	Feasibility and acceptability of active book clubs in cancer survivors – an explorative investigation. Acta Oncológica, 2017, 56, 471-478.	1.8	8
435	Increased neonatal level of arginase 2 in cases of childhood acute lymphoblastic leukemia implicates immunosuppression in the etiology. Haematologica, 2019, 104, e514-e516.	3.5	8
436	Socioeconomic Differences in Referral to Phase I Cancer Clinical Trials: A Danish Matched Cancer Case-Control Study. Journal of Clinical Oncology, 2019, 37, 1111-1119.	1.6	8
437	The effectiveness of general practice-based health checks on health behaviour and incidence on non-communicable diseases in individuals with low socioeconomic position: a randomised controlled trial in Denmark. BMJ Open, 2019, 9, e029180.	1.9	8
438	Survival of glioma patients in relation to mobile phone use in Denmark, Finland and Sweden. Journal of Neuro-Oncology, 2019, 141, 139-149.	2.9	8
439	Development of Sarcopenia in Patients With Bladder Cancer: A Systematic Review. Seminars in Oncology Nursing, 2021, 37, 151108.	1.5	8
440	Psychiatric disorders in individuals with neurofibromatosis 1 in Denmark: A nationwide registerâ€based cohort study. American Journal of Medical Genetics, Part A, 2021, 185, 3706-3716.	1.2	8
441	Depressive Symptoms in Danish Patients With Glioma and a Cancer-Free Comparison Group. Journal of the National Comprehensive Cancer Network: JNCCN, 2020, 18, 1222-1229.	4.9	8
442	A cross-sectional study of dietary habits and urinary glucose excretion — a predictor of non-insulin-dependent diabetes mellitus. European Journal of Clinical Nutrition, 2000, 54, 434-439.	2.9	7
443	Title is missing!. Epidemiology, 2003, 14, 420-426.	2.7	7
444	Exposure Assessment for a Nested Case–Control Study of Lung Cancer among European Asphalt Workers. Annals of Occupational Hygiene, 2010, 54, 813-23.	1.9	7
445	Critical discussion of social–cognitive factors in smoking initiation among adolescents. Acta Oncológica, 2011, 50, 88-98.	1.8	7
446	Extremely low-frequency magnetic fields and survival from childhood acute lymphoblastic leukemia: an international follow-up study. Blood Cancer Journal, 2012, 2, e98-e98.	6.2	7
447	Mobile Phones and Multiple Sclerosis – A Nationwide Cohort Study in Denmark. PLoS ONE, 2012, 7, e34453.	2.5	7
448	Cancer incidence and mortality among members of the Danish resistance movement deported to German concentration camps: 65-Year follow-up. International Journal of Cancer, 2015, 136, 2476-2480.	5.1	7
449	Risk for cardiovascular disease among Seventh-day Adventists and Baptists in Denmark, 1977–2009. International Journal of Cardiology, 2015, 185, 133-135.	1.7	7
450	Recruiting newly referred lung cancer patients to a patient navigator intervention (PACO): lessons learnt from a pilot study. Acta Oncológica, 2017, 56, 335-341.	1.8	7

#	Article	IF	CITATIONS
451	Prenatal and Postnatal Medical Conditions and the Risk of Brain Tumors in Children and Adolescents: An International Multicenter Case–Control Study. Cancer Epidemiology Biomarkers and Prevention, 2017, 26, 110-115.	2.5	7
452	Risk and associated factors of depression and anxiety in men with prostate cancer: Results from a German multicenter study. Psycho-Oncology, 2020, 29, 1604-1612.	2.3	7
453	Systematic use of patient reported outcome during radiotherapy for head and neck cancer: study protocol for the national DAHANCA 38 trial. Acta Oncológica, 2020, 59, 603-607.	1.8	7
454	Risk of depression after diagnostic prostate cancer workup–ÂA nationwide, registryâ€based study. Psycho-Oncology, 2021, 30, 1939-1947.	2.3	7
455	Incidence of New-Onset Type 2 Diabetes After Cancer: A Danish Cohort Study. Diabetes Care, 2022, 45, e105-e106.	8.6	7
456	Psychosocial Conditions of Women Awaiting Genetic Counseling: A Populationâ€based Study. Journal of Genetic Counseling, 2008, 17, 242-251.	1.6	6
457	Loss of partner and breast cancer prognosis — a population-based study, Denmark, 1994–2010. British Journal of Cancer, 2012, 106, 1560-1563.	6.4	6
458	The role of social position in anxiety and depressive symptoms among Danish cancer survivors. Acta Oncológica, 2015, 54, 693-703.	1.8	6
459	Influence of social factors on patientâ€reported late symptoms: Report from a controlled trial among longâ€ŧerm head and neck cancer survivors in Denmark. Head and Neck, 2016, 38, E1713-21.	2.0	6
460	Associations between education and physical functioning and pain in adult Danish cancer survivors. Acta Oncológica, 2017, 56, 348-353.	1.8	6
461	Patient information in phaseÂ1 trials: A systematic review. Psycho-Oncology, 2018, 27, 768-780.	2.3	6
462	Oncology to specialised palliative home care systematic transition: the Domus randomised trial. BMJ Supportive and Palliative Care, 2020, 10, 350-357.	1.6	6
463	Cost-effectiveness analysis of systematic fast-track transition from oncological treatment to specialised palliative care at home for patients and their caregivers: the DOMUS trial. BMC Palliative Care, 2020, 19, 142.	1.8	6
464	eHealth-mind the gap. Acta Oncológica, 2020, 59, 877-878.	1.8	6
465	Gynaecological cancer leads to long-term sick leave and permanently reduced working ability years after diagnosis. Journal of Cancer Survivorship, 2020, 14, 867-877.	2.9	6
466	Couple Counseling and Pelvic Floor Muscle Training for Men Operated for Prostate Cancer and for Their Female Partners: Results From the Randomized ProCan Trial. Sexual Medicine, 2021, 9, 100350-100350.	1.6	6
467	Postoperative epilepsy and survival in glioma patients: a nationwide population-based cohort study from 2009 to 2018. Journal of Neuro-Oncology, 2022, 157, 71-80.	2.9	6
468	Sexual Activity in Couples Dealing With Breast Cancer. A Cohort Study of Associations With Patient, Partner and Relationship-Related Factors. Frontiers in Psychology, 2022, 13, 828422.	2.1	6

#	Article	IF	CITATIONS
469	Major life event – diagnosis of schizophrenia in offspring and risk for cancer. British Journal of Cancer, 2004, 90, 1364-1366.	6.4	5
470	Social-Cognitive and School Factors in Lifetime Smoking among Adolescents. Cancer Epidemiology Biomarkers and Prevention, 2008, 17, 1862-1871.	2.5	5
471	Equity in the use of publicly subsidized psychotherapy among elderly Danish cancer patients – a register-based cohort study. Acta Oncológica, 2013, 52, 355-363.	1.8	5
472	All-Cause Mortality Among Men Whose Cohabiting Partner Has Been Diagnosed with Cancer. Epidemiology, 2013, 24, 96-99.	2.7	5
473	Genetic variants in5-HTTLPR,BDNF,HTR1A,COMT, andFKBP5and risk for treated depression after cancer diagnosis. Depression and Anxiety, 2017, 34, 845-855.	4.1	5
474	ls dog ownership associated with mortality? A nationwide registry study. European Journal of Public Health, 2018, 28, 1169-1171.	0.3	5
475	Do people improve health behavior after their partner is diagnosed with cancer? A prospective study in the Danish diet, Cancer and Health Cohort. Acta Oncológica, 2019, 58, 700-707.	1.8	5
476	Patterns in detection of recurrence among patients treated for breast cancer. Breast Cancer Research and Treatment, 2020, 184, 365-373.	2.5	5
477	Forming and ending marital or cohabiting relationships in a Danish population-based cohort of individuals with neurofibromatosis 1. European Journal of Human Genetics, 2020, 28, 1028-1033.	2.8	5
478	Prevalence of cognitive impairment and its relation to mental health in Danish lymphoma survivors. Supportive Care in Cancer, 2021, 29, 3319-3328.	2.2	5
479	Changes in alcohol intake and risk of upper digestive tract cancer. Acta Oncológica, 2007, 46, 1085-1089.	1.8	4
480	Response: Re: Cellular Telephone Use and Cancer Risk: Update of a Nationwide Danish Cohort Study. Journal of the National Cancer Institute, 2007, 99, 655-656.	6.3	4
481	Mental Vulnerability and Survival After Cancer. Epidemiology, 2009, 20, 916-920.	2.7	4
482	Re: Cancer Incidence in Israeli Jewish Survivors of World War II. Journal of the National Cancer Institute, 2010, 102, 991-992.	6.3	4
483	Tailored nurse navigation for women treated for breast cancer: Design and rationale for a pilot randomized controlled trial. Acta OncolÃ ³ gica, 2016, 55, 1239-1243.	1.8	4
484	Using general practitioners to recruit individuals with low socioeconomic position to preventive health checks is feasible: a cross sectional study. Scandinavian Journal of Primary Health Care, 2019, 37, 294-301.	1.5	4
485	A Weighted Genetic Risk Score of Adult Glioma Susceptibility Loci Associated with Pediatric Brain Tumor Risk. Scientific Reports, 2019, 9, 18142.	3.3	4
486	Patient-led follow-up reduces outpatient doctor visits and improves patient satisfaction. One-year analysis of secondary outcomes in the randomised trial Follow-Up after Rectal CAncer (FURCA). Acta Oncológica, 2021, 60, 1130-1139.	1.8	4

#	Article	IF	CITATIONS
487	Exposure to loud noise and risk of vestibular schwannoma: results from the INTERPHONE international case‒control study. Scandinavian Journal of Work, Environment and Health, 2019, 45, 183-193.	3.4	4
488	Dr. Dalton and Colleagues Reply. American Journal of Psychiatry, 2005, 162, 1024-a-1025.	7.2	3
489	Reply: Mobile phone use and acoustic neuroma in five North European countries. British Journal of Cancer, 2006, 94, 1352-1353.	6.4	3
490	Stress and survival after cancer: A prospective study of a Finnish population-based cohort. Cancer Epidemiology, 2012, 36, 230-235.	1.9	3
491	Acta Oncologica and a new generation of scientists in oncology. Acta Oncológica, 2014, 53, 849-851.	1.8	3
492	Are male immigrants in Denmark at lower or higher risk of tobacco-related cancers? A Danish nationwide cohort study. Acta Oncológica, 2015, 54, 1128-1135.	1.8	3
493	Association between sexually transmitted disease and church membership. A retrospective cohort study of two Danish religious minorities. BMJ Open, 2016, 6, e010128.	1.9	3
494	Distribution of hospital care among pediatric and young adult Hodgkin lymphoma survivors—A populationâ€based cohort study from Sweden and Denmark. Cancer Medicine, 2019, 8, 4918-4927.	2.8	3
495	The association between education and risk of major cardiovascular events among prostate cancer patients: a study from the Diet, Cancer and Health study. Acta Oncológica, 2019, 58, 715-721.	1.8	3
496	Patient reported outcomes interfering with daily activities in prostate cancer patients receiving antineoplastic treatment. Acta OncolA ³ gica, 2021, 60, 419-425.	1.8	3
497	Pregnancy outcomes in women with neurofibromatosis 1: a Danish population-based cohort study. Journal of Medical Genetics, 2022, 59, 237-242.	3.2	3
498	Tricuspid atresia and pregnancy. European Journal of Obstetrics, Gynecology and Reproductive Biology, 1989, 31, 277-282.	1.1	2
499	Response: Re: Time Trends in Brain Tumor Incidence Rates in Denmark, Finland, Norway, and Sweden, 1974–2003. Journal of the National Cancer Institute, 2010, 102, 742-743.	6.3	2
500	Follow-up strategies following completion of primary cancer treatment in adult cancer survivors. The Cochrane Library, 2016, , .	2.8	2
501	Antidepressant prescriptions and associated factors in men with prostate cancer and their female partners. Journal of Cancer Survivorship, 2020, 15, 536-545.	2.9	2
502	Diagnostic radiological examinations and risk of intracranial tumours in adults—findings from the Interphone Study. International Journal of Epidemiology, 2022, 51, 537-546.	1.9	2
503	The development and initial validation of the Breast Cancer Recurrence instrument (BreastCaRe)—a patient-reported outcome measure for detecting symptoms of recurrence after breast cancer. Quality of Life Research, 2021, 30, 2671-2682.	3.1	2
504	Risk of Pharmacological or Hospital Treatment for Depression in Patients with Colorectal Cancer–Associations with Pre-Cancer Lifestyle, Comorbidity and Clinical Factors. Cancers, 2021, 13, 1979.	3.7	2

#	Article	IF	CITATIONS
505	Survivorship – searching for new directions. Acta OncolÃ ³ gica, 0, , 1-4.	1.8	2
506	Association of allergic diseases and epilepsy with risk of glioma, meningioma and acoustic neuroma: results from the INTERPHONE international case–control study. European Journal of Epidemiology, 2022, 37, 503-512.	5.7	2
507	Call for Papers: Special Issue of Psychoâ€Oncology on screening for distress: from research to practice. Psycho-Oncology, 2010, 19, 113-113.	2.3	1
508	324 INVITED A Controlled Family Navigator Nursed Lead Intervention for Study for Parents of Children Undergoing Allegeneic Hematopoietic Stem Cell Transplantation. European Journal of Cancer, 2011, 47, S73.	2.8	1
509	Confirmatory bias and the persistent influence of discredited data in interpreting the stress-cancer link: Commentary on Michael et al. (2009) Health Psychology, 2011, 30, 374-375.	1.6	1
510	Anti-cyclic citrullinated peptide antibodies do not reflect self-reported disability and physical health in patients with rheumatoid arthritis of less than 5Âyears of duration. Rheumatology International, 2013, 33, 2763-2772.	3.0	1
511	European cancer rehabilitation and survivorship, 2018: one of a kind. Acta OncolÃ ³ gica, 2019, 58, 519-521.	1.8	1
512	Antidepressant Use in Siblings of Children With Cancer: A Danish Population-Based Cohort Study. JNCI Cancer Spectrum, 2020, 4, pkaa046.	2.9	1
513	Patients in phase 1 cancer trials: psychological distress and understanding of trial information. Acta Oncológica, 2022, 61, 341-348.	1.8	1
514	RESPONSE: Re: Cellular Telephones and Cancer-a Nationwide Cohort Study in Denmark. Journal of the National Cancer Institute, 2001, 93, 952-953.	6.3	0
515	Response: Cellular Telephones and Cancera Nationwide Cohort Study in Denmark. Journal of the National Cancer Institute, 2001, 93, 878-879.	6.3	0
516	THE AUTHORS AND DR. CARDIS REPLY. American Journal of Epidemiology, 2004, 160, 924-925.	3.4	0
517	Influence of Baseline and Updated Information of alcohol intake on Risk of Breast Cancer: The Importance of Latency Time. American Journal of Epidemiology, 2006, 163, S96-S96.	3.4	0
518	8183 POSTER Outline for an interventions study based on an explorative qualitative pilot study of how parents and children experience the treatment with allogeneic stem cell transplantaiton (SCT). European Journal of Cancer, Supplement, 2007, 5, 461.	2.2	0
519	Reply: Selection of controls. British Journal of Cancer, 2007, 97, 1020-1020.	6.4	0
520	Reply to A. Saini et al. Journal of Clinical Oncology, 2009, 27, e93-e94.	1.6	0
521	420 Fetal Growth, Preterm Birth, Neonatal Stress and Risk for Cns Tumors in Children: A Nordic Populationand Register-Based Case- Control Study. Pediatric Research, 2010, 68, 216-216.	2.3	0
522	Call for Papers: Special Issue of Psycho-Oncology on screening for distress: from research to practice. Psycho-Oncology, 2010, 19, 450-450.	2.3	0

#	Article	IF	CITATIONS
523	Call for Papers: Special Issue of Psycho-Oncology on screening for distress: from research to practice. Psycho-Oncology, 2010, 19, 563-563.	2.3	0
524	Author's Response: Response to commentary: Meningioma and mobile phone use–a collaborative case-control study in five North European countries. International Journal of Epidemiology, 2010, 39, 1119-1119.	1.9	0
525	4160 ORAL Quality of Life Trajectories in the First Eight Months After Breast Cancer. European Journal of Cancer, 2011, 47, S297.	2.8	0
526	85 oral PREVIOUS TRANSURETHRAL RESECTION OF THE PROSTATE (TURP) IS NOT A CONTRAINDICATION FOR INTERSTITIAL HIGH DOSE RATE (HDR) BRACHYTHERAPY FOR PROSTATE CANCER. Radiotherapy and Oncology, 2011, 99, S32.	0.6	0
527	P2-19 Mobile phone use and location of glioma: a case-case analysis. Journal of Epidemiology and Community Health, 2011, 65, A225-A225.	3.7	0
528	RE: "A POOLED ANALYSIS OF EXTREMELY LOW-FREQUENCY MAGNETIC FIELDS AND CHILDHOOD BRAIN TUMORS". American Journal of Epidemiology, 2011, 173, 360-360.	3.4	0
529	Supporting of Parents During Their Child'S Allogeneic Stem Cell Transplantation Depends on Their Parental Type. Biology of Blood and Marrow Transplantation, 2012, 18, S243-S244.	2.0	0
530	Psychosocial Aspects of Cancer Need Integration into the Treatment Trajectory—But How?. Current Oncology, 2012, 19, 193-194.	2.2	0
531	Complementary medicine for fatigue and cortisol variability in breast cancer survivors. Cancer, 2012, 118, 4635-4636.	4.1	0
532	1712 Screening-based nurse navigation for women with newly diagnosed breast cancer. European Journal of Cancer, 2015, 51, S252.	2.8	0
533	2506 Risk of death and second primary cancer (SPC) in patients treated for germ cell cancer (GCC). European Journal of Cancer, 2015, 51, S475.	2.8	0
534	Psychosocial cancer research - late career perspectives: the International Psycho-Oncology Society 2014 Sutherland Award lecture. Psycho-Oncology, 2015, 24, 1213-1216.	2.3	0
535	Prognostic factors and survival in germ cell cancer (GCC) patients treated with bleomycin, etoposide, and cisplatin (BEP): A population-based study. Annals of Oncology, 2016, 27, vi291.	1.2	0
536	The impact of patient socioeconomic status on PPI in research. European Journal of Public Health, 2016, 26, .	0.3	0
537	Socioeconomic position and mortality among patients with prostate cancer: influence of mediating factors. Annals of Oncology, 2016, 27, vi476.	1.2	0
538	Reply to the letter: â€~Physical activity and survival in breast cancer: What were missing?' by Wu H, Wang D, and Ruan X. European Journal of Cancer, 2017, 71, 123-124.	2.8	0
539	Use of Sedatives, Antidepressants and Antipsychotic Medicine among Seventh-day Adventists and Baptists in Denmark. Journal of Religion and Health, 2017, 56, 1553-1560.	1.7	0
540	Pre-diagnostic changes in body mass index and mortality among breast cancer patients. Breast Cancer Research and Treatment, 2018, 170, 605-612.	2.5	0

#	Article	IF	CITATIONS
541	Are socioeconomic position and region of residence barriers for referral to phase I trials?. Annals of Oncology, 2018, 29, viii566.	1.2	0
542	Reply to M. Nayan et al. Journal of Clinical Oncology, 2018, 36, 629-630.	1.6	0
543	The potential of patient reported outcomes in urothelial cancer patients receiving immuno- or chemotherapy: A feasibility study of electronic reporting in an aging and comorbid population. Annals of Oncology, 2018, 29, viii327.	1.2	0
544	The Personality and Risk for Cancer. , 2018, , 135-151.		0
545	Look at the compass needle and see your course – navigation as a cancer survivor. Acta Oncológica, 2021, 60, 401-402.	1.8	0
546	Stress and Cancer. , 2004, , 45-57.		0
547	Authors' reply to Khurana and to Philips and Lamburn. BMJ: British Medical Journal, 2011, 343, d7912-d7912.	2.3	0
548	Screening for carcinoma in situ (CIS) testis and occurrence of metachronous germ cell cancer (mGCC) Journal of Clinical Oncology, 2014, 32, 4554-4554.	1.6	0
549	Pre-cancer cardiovascular risk factors and anthracycline-related cardiotoxicity among non-Hodgkin lymphoma survivors Journal of Clinical Oncology, 2016, 34, e19031-e19031.	1.6	0
550	Abstract 3446: Aspirin, non-steroidal anti-inflammatory drugs (NSAIDs) and the risk of glioma: Results from the Glioma International Case Control Study. , 2016, , .		0
551	Information when patients participate in a phase I trial: A systematic review Journal of Clinical Oncology, 2017, 35, 85-85.	1.6	0
552	The contribution of pre-existing cardiovascular (CV) risk factors to the risk of stroke or heart attack among non-Hodgkin lymphoma (NHL) survivors Journal of Clinical Oncology, 2017, 35, 10082-10082.	1.6	0
553	Abstract 1315: Estimating sex-specific effects of genetic loci associated with glioma risk. , 2017, , .		0
554	Abstract 1302: Genome-wide association study of glioma reveals specific differences in genetic susceptibility to glioblastoma and non-glioblastoma. , 2017, , .		0
555	Psychological stress in long-term survivors of testicular cancer: A Danish nationwide cohort study Journal of Clinical Oncology, 2018, 36, 4554-4554.	1.6	0
556	Abstract 233: Evaluating glioma risk associated with extent of European admixture in African-Americans and Latinos. , 2018, , .		0
557	Risk of depression following prostate cancer work-up: A nationwide study Journal of Clinical Oncology, 2019, 37, 5061-5061.	1.6	0
558	Abstract 4173: Previously identified common glioma risk SNPs are associated with familial glioma. , 2019, , .		0

#	Article	IF	CITATIONS
559	Risk of somatic hospitalization in parents after cancer in a child, a nationwide cohort study. Psycho-Oncology, 2022, , .	2.3	0
560	Use of hypnotics among women diagnosed with cervical cancer – A population-based cohort study. Gynecologic Oncology, 2022, , .	1.4	0
561	Effects on Pediatric Cancer Survivors: The FAMily-Oriented Support (FAMOS) Randomized Controlled Trial. Journal of Pediatric Psychology, 0, , .	2.1	0