

Lori A Hoepner

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4504557/publications.pdf>

Version: 2024-02-01

84
papers

6,551
citations

71102

41
h-index

74163

75
g-index

85
all docs

85
docs citations

85
times ranked

7323
citing authors

#	ARTICLE	IF	CITATIONS
1	Prenatal exposure to polycyclic aromatic hydrocarbons and effects on neonatal anthropometric indices and thyroid-stimulating hormone in a Middle Eastern population. <i>Chemosphere</i> , 2022, 286, 131605.	8.2	32
2	Gestational weight change and childhood body composition trajectories from pregnancy to early adolescence. <i>Obesity</i> , 2022, 30, 707-717.	3.0	4
3	Prenatal exposure to air pollution is associated with altered brain structure, function, and metabolism in childhood. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2022, 63, 1316-1331.	5.2	32
4	Obesity II: Establishing causal links between chemical exposures and obesity. <i>Biochemical Pharmacology</i> , 2022, 199, 115015.	4.4	62
5	Corrigendum to "Obesity II: Establishing causal links between chemical exposures and obesity" [Biochem. Pharmacol. 199 (2022) 115015]. <i>Biochemical Pharmacology</i> , 2022, 202, 115144.	4.4	6
6	Family history of cancer predicts allergic rhinitis and asthma development. <i>Annals of Allergy, Asthma and Immunology</i> , 2021, 126, 202-203.	1.0	0
7	Effect modification of the association between domestic mold report and wheeze by age and seroatopic predisposition among children living in lower-income New York City neighborhoods. <i>Journal of Allergy and Clinical Immunology</i> , 2021, 147, AB161.	2.9	0
8	Infant rhinorrhea and watery eyes and adolescent Attention Deficit Hyperactivity Disorder. <i>Journal of Allergy and Clinical Immunology</i> , 2021, 147, AB43.	2.9	0
9	Chromosome 17q12-21 Variants Are Associated with Multiple Wheezing Phenotypes in Childhood. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2021, 203, 864-870.	5.6	24
10	Prepregnancy obesity is associated with lower psychomotor development scores in boys at age 3 in a low-income, minority birth cohort. <i>Journal of Developmental Origins of Health and Disease</i> , 2020, 11, 49-57.	1.4	8
11	Report of prenatal maternal demoralization and material hardship and infant rhinorrhea and watery eyes. <i>Annals of Allergy, Asthma and Immunology</i> , 2020, 125, 399-404.e2.	1.0	3
12	Prenatal and early childhood exposure to phthalates and childhood behavior at age 7 years. <i>Environment International</i> , 2020, 143, 105894.	10.0	40
13	Gestational diabetes status and dietary intake modify maternal and cord blood allostatic load markers. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e001468.	2.8	5
14	Expression quantitative trait locus fine mapping of the 17q12-21 asthma locus in African American children: a genetic association and gene expression study. <i>Lancet Respiratory Medicine</i> , 2020, 8, 482-492.	10.7	47
15	Anti- <i>Alternaria</i> IgE antibodies are associated with emergency department visits among low-income children with asthma in New York City. <i>Journal of Allergy and Clinical Immunology</i> , 2020, 145, AB165.	2.9	0
16	Using Text Messaging to Improve Access to Prenatal Health Information in Urban African American and Afro-Caribbean Immigrant Pregnant Women: Mixed Methods Analysis of Text4baby Usage. <i>JMIR MHealth and UHealth</i> , 2020, 8, e14737.	3.7	13
17	Prenatal bisphenol A (BPA) exposure in a Brooklyn study of Afro-Caribbean women. <i>Environmental Research Communications</i> , 2020, 2, 041001.	2.3	0
18	Prenatal exposure to airborne polycyclic aromatic hydrocarbons and childhood growth trajectories from age 5-14 years. <i>Environmental Research</i> , 2019, 177, 108595.	7.5	27

#	ARTICLE	IF	CITATIONS
19	Hospice utilization in advanced cervical malignancies: An analysis of the National Inpatient Sample. <i>Gynecologic Oncology</i> , 2019, 152, 594-598.	1.4	3
20	Maturation of Brain Microstructure and Metabolism Associates with Increased Capacity for Self-Regulation during the Transition from Childhood to Adolescence. <i>Journal of Neuroscience</i> , 2019, 39, 8362-8375.	3.6	22
21	Biomarkers in the Hypothalamus-pituitary-adrenal Axis Were Associated with Maternal Psychosocial Stress and Choline Intake and Status During Pregnancy (P11-011-19). <i>Current Developments in Nutrition</i> , 2019, 3, nzz048.P11-011-19.	0.3	0
22	Bisphenol a: A narrative review of prenatal exposure effects on adipogenesis and childhood obesity via peroxisome proliferator-activated receptor gamma. <i>Environmental Research</i> , 2019, 173, 54-68.	7.5	36
23	Report of prenatal exposure to pesticide predicts infant rhinitis and watery eyes without a cold. <i>Journal of Allergy and Clinical Immunology</i> , 2019, 143, AB81.	2.9	4
24	Prepregnancy obesity is associated with cognitive outcomes in boys in a low-income, multiethnic birth cohort. <i>BMC Pediatrics</i> , 2019, 19, 507.	1.7	12
25	Infant rhinitis and watery eyes predict school-age exercise-induced wheeze, emergency department visits and respiratory-related hospitalizations. <i>Annals of Allergy, Asthma and Immunology</i> , 2018, 120, 278-284.e2.	1.0	5
26	Why Public Health Researchers Should Consider Using Disability Data from the American Community Survey. <i>Journal of Community Health</i> , 2018, 43, 738-745.	3.8	0
27	Assessment of exposure to air pollution in children: Determining whether wearing a personal monitor affects physical activity. <i>Environmental Research</i> , 2018, 166, 340-343.	7.5	7
28	Impact of housing instability on child behavior at age 7. <i>International Journal of Child Health and Human Development: IJCHD</i> , 2018, 10, 287-295.	2.5	0
29	Short-term exposure to PM2.5 and vanadium and changes in asthma gene DNA methylation and lung function decrements among urban children. <i>Respiratory Research</i> , 2017, 18, 63.	3.6	61
30	Bisphenol A and Adiposity in an Inner-City Birth Cohort. <i>Environmental Health Perspectives</i> , 2016, 124, 1644-1650.	6.0	85
31	Prenatal Exposure to Phthalates and Childhood Body Size in an Urban Cohort. <i>Environmental Health Perspectives</i> , 2016, 124, 514-520.	6.0	102
32	Prenatal Organophosphorus Pesticide Exposure and Child Neurodevelopment at 24 Months: An Analysis of Four Birth Cohorts. <i>Environmental Health Perspectives</i> , 2016, 124, 822-830.	6.0	71
33	Gestational weight gain and obesity, adiposity and body size in African American and Dominican children in the Bronx and Northern Manhattan. <i>Maternal and Child Nutrition</i> , 2016, 12, 918-928.	3.0	22
34	Physical activity, black carbon exposure and airway inflammation in an urban adolescent cohort. <i>Environmental Research</i> , 2016, 151, 756-762.	7.5	39
35	Bisphenol A exposure and symptoms of anxiety and depression among inner city children at 10-12 years of age. <i>Environmental Research</i> , 2016, 151, 195-202.	7.5	120
36	Vinyl flooring in the home is associated with children's airborne butylbenzyl phthalate and urinary metabolite concentrations. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2015, 25, 574-579.	3.9	28

#	ARTICLE	IF	CITATIONS
37	Excessive gestational weight gain is associated with long-term body fat and weight retention at 7 y postpartum in African American and Dominican mothers with underweight, normal, and overweight prepregnancy BMI. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 1460-1467.	4.7	56
38	Bisphenol A exposure and behavioral problems among inner city children at 7-9 years of age. <i>Environmental Research</i> , 2015, 142, 739-745.	7.5	132
39	Asthma in Inner-City Children at 5-11 Years of Age and Prenatal Exposure to Phthalates: The Columbia Center for Children's Environmental Health Cohort. <i>Environmental Health Perspectives</i> , 2014, 122, 1141-1146.	6.0	111
40	Prenatal phthalate and early childhood bisphenol A exposures increase asthma risk in inner-city children. <i>Journal of Allergy and Clinical Immunology</i> , 2014, 134, 1195-1197.e2.	2.9	28
41	Association of recent exposure to ambient metals on fractional exhaled nitric oxide in 9-11 year old inner-city children. <i>Nitric Oxide - Biology and Chemistry</i> , 2014, 40, 60-66.	2.7	17
42	Urinary concentrations of bisphenol A in an urban minority birth cohort in New York City, prenatal through age 7 years. <i>Environmental Research</i> , 2013, 122, 38-44.	7.5	44
43	Report of Exercise-Induced Wheeze Predicts Urgent Medical Visits for Asthma Among Inner-City Children. <i>Journal of Allergy and Clinical Immunology</i> , 2013, 131, AB55.	2.9	0
44	Prenatal and postnatal bisphenol A exposure and asthma development among inner-city children. <i>Journal of Allergy and Clinical Immunology</i> , 2013, 131, 736-742.e6.	2.9	162
45	Urban Tree Canopy and Asthma, Wheeze, Rhinitis, and Allergic Sensitization to Tree Pollen in a New York City Birth Cohort. <i>Environmental Health Perspectives</i> , 2013, 121, 494-500.	6.0	217
46	Exercise-Induced Wheeze, Urgent Medical Visits, and Neighborhood Asthma Prevalence. <i>Pediatrics</i> , 2013, 131, e127-e135.	2.1	12
47	Predictors and Consequences of Global DNA Methylation in Cord Blood and at Three Years. <i>PLoS ONE</i> , 2013, 8, e72824.	2.5	75
48	Maternal Prenatal Urinary Phthalate Metabolite Concentrations and Child Mental, Psychomotor, and Behavioral Development at 3 Years of Age. <i>Environmental Health Perspectives</i> , 2012, 120, 290-295.	6.0	241
49	Urinary Naphthol Metabolites and Chromosomal Aberrations in 5-Year-Old Children. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 1191-1202.	2.5	15
50	Repeated exposure to polycyclic aromatic hydrocarbons and asthma: effect of seroatopy. <i>Annals of Allergy, Asthma and Immunology</i> , 2012, 109, 249-254.	1.0	51
51	Association of Childhood Obesity With Maternal Exposure to Ambient Air Polycyclic Aromatic Hydrocarbons During Pregnancy. <i>American Journal of Epidemiology</i> , 2012, 175, 1163-1172.	3.4	198
52	Relationship between maternal demoralization, wheeze, and immunoglobulin E among inner-city children. <i>Annals of Allergy, Asthma and Immunology</i> , 2011, 107, 42-49.e1.	1.0	46
53	Neighborhood differences in exposure and sensitization to cockroach, mouse, dust mite, cat, and dog allergens in New York City. <i>Journal of Allergy and Clinical Immunology</i> , 2011, 128, 284-292.e7.	2.9	94
54	Traffic density and stationary sources of air pollution associated with wheeze, asthma, and immunoglobulin E from birth to age 5 years among New York City children. <i>Environmental Research</i> , 2011, 111, 1222-1229.	7.5	103

#	ARTICLE	IF	CITATIONS
55	Randomized Trial of Critical Time Intervention to Prevent Homelessness After Hospital Discharge. <i>Psychiatric Services</i> , 2011, 62, 713-719.	2.0	135
56	Chlorpyrifos Exposure and Urban Residential Environment Characteristics as Determinants of Early Childhood Neurodevelopment. <i>American Journal of Public Health</i> , 2011, 101, 63-70.	2.7	55
57	Fractional exhaled nitric oxide exchange parameters among 9-year-old inner-city children. <i>Pediatric Pulmonology</i> , 2011, 46, 83-91.	2.0	11
58	Seven-Year Neurodevelopmental Scores and Prenatal Exposure to Chlorpyrifos, a Common Agricultural Pesticide. <i>Environmental Health Perspectives</i> , 2011, 119, 1196-1201.	6.0	433
59	Effects of heating season on residential indoor and outdoor polycyclic aromatic hydrocarbons, black carbon, and particulate matter in an urban birth cohort. <i>Atmospheric Environment</i> , 2010, 44, 4545-4552.	4.1	69
60	Polycyclic aromatic hydrocarbon metabolite levels and pediatric allergy and asthma in an inner-city cohort. <i>Pediatric Allergy and Immunology</i> , 2010, 21, 260-267.	2.6	64
61	Transcriptional Biomarkers of Steroidogenesis and Trophoblast Differentiation in the Placenta in Relation to Prenatal Phthalate Exposure. <i>Environmental Health Perspectives</i> , 2010, 118, 291-296.	6.0	75
62	Sexual risk reduction among non-injection drug users: report of a randomized controlled trial. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2010, 22, 62-70.	1.2	13
63	Asthma, allergy, and IgE levels in NYC head start children. <i>Respiratory Medicine</i> , 2010, 104, 345-355.	2.9	18
64	A Biomarker Validation Study of Prenatal Chlorpyrifos Exposure within an Inner-City Cohort during Pregnancy. <i>Environmental Health Perspectives</i> , 2009, 117, 559-567.	6.0	58
65	Prenatal Airborne Polycyclic Aromatic Hydrocarbon Exposure and Child IQ at Age 5 Years. <i>Pediatrics</i> , 2009, 124, e195-e202.	2.1	346
66	Ambient Metals, Elemental Carbon, and Wheeze and Cough in New York City Children through 24 Months of Age. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2009, 180, 1107-1113.	5.6	102
67	Physical Activity and Asthma Symptoms among New York City Head Start Children. <i>Journal of Asthma</i> , 2009, 46, 803-809.	1.7	14
68	Prenatal Di(2-ethylhexyl)Phthalate Exposure and Length of Gestation Among an Inner-City Cohort. <i>Pediatrics</i> , 2009, 124, e1213-e1220.	2.1	129
69	Physical Activity and Asthma Symptoms among New York City Head Start Children. <i>Journal of Asthma</i> , 2009, 46, 803-809.	1.7	27
70	Cockroach allergen levels and associations with cockroach-specific IgE. <i>Journal of Allergy and Clinical Immunology</i> , 2008, 121, 240-245.	2.9	66
71	Cat ownership is a risk factor for the development of anti-cat IgE but not current wheeze at age 5 years in an inner-city cohort. <i>Journal of Allergy and Clinical Immunology</i> , 2008, 121, 1047-1052.	2.9	42
72	Anti-cockroach and anti-mouse IgE are associated with early wheeze and atopy in an inner-city birth cohort. <i>Journal of Allergy and Clinical Immunology</i> , 2008, 122, 914-920.	2.9	85

#	ARTICLE	IF	CITATIONS
73	Spatial and Temporal Trends of Polycyclic Aromatic Hydrocarbons and Other Traffic-Related Airborne Pollutants in New York City. <i>Environmental Science & Technology</i> , 2008, 42, 7330-7335.	10.0	31
74	Changes in Pest Infestation Levels, Self-Reported Pesticide Use, and Permethrin Exposure during Pregnancy after the 2000-2001 U.S. Environmental Protection Agency Restriction of Organophosphates. <i>Environmental Health Perspectives</i> , 2008, 116, 1681-1688.	6.0	106
75	Impact of Social Network Characteristics on High-Risk Sexual Behaviors Among Non-Injection Drug Users. <i>Substance Use and Misuse</i> , 2007, 42, 1629-1649.	1.4	28
76	Within- and Between-Home Variability in Indoor-Air Insecticide Levels during Pregnancy among an Inner-City Cohort from New York City. <i>Environmental Health Perspectives</i> , 2007, 115, 383-389.	6.0	88
77	Effect of Prenatal Exposure to Airborne Polycyclic Aromatic Hydrocarbon on Neurodevelopment in the First 3 Years of Life among Inner-City Children. <i>Environmental Health Perspectives</i> , 2006, 114, 1287-1292.	6.0	399
78	Impact of Prenatal Chlorpyrifos Exposure on Neurodevelopment in the First 3 Years of Life Among Inner-City Children. <i>Pediatrics</i> , 2006, 118, e1845-e1859.	2.1	606
79	Relationships among Polycyclic Aromatic Hydrocarbon-DNA Adducts, Proximity to the World Trade Center, and Effects on Fetal Growth. <i>Environmental Health Perspectives</i> , 2005, 113, 1062-1067.	6.0	109
80	Prevalence of Allergy Symptoms and Total IgE in a New York City Cohort and Their Association with Birth Order. <i>International Archives of Allergy and Immunology</i> , 2005, 137, 249-257.	2.1	17
81	Prenatal Insecticide Exposures and Birth Weight and Length among an Urban Minority Cohort. <i>Environmental Health Perspectives</i> , 2004, 112, 1125-1132.	6.0	371
82	The Effects of the World Trade Center Event on Birth Outcomes among Term Deliveries at Three Lower Manhattan Hospitals. <i>Environmental Health Perspectives</i> , 2004, 112, 1772-1778.	6.0	195
83	Distribution and determinants of mouse allergen exposure in low-income New York City apartments. <i>Environmental Health Perspectives</i> , 2003, 111, 1348-1351.	6.0	81
84	Contemporary-use pesticides in personal air samples during pregnancy and blood samples at delivery among urban minority mothers and newborns. <i>Environmental Health Perspectives</i> , 2003, 111, 749-756.	6.0	256