## John Elsby Sanderson

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4505639/publications.pdf

Version: 2024-02-01

45 papers

5,648 citations

257450 24 h-index 254184 43 g-index

48 all docs 48 docs citations

48 times ranked

5993 citing authors

#	Article	IF	CITATIONS
1	Obstructive sleep apnoea, intermittent hypoxia and heart failure with a preserved ejection fraction. Heart, 2021, 107, 190-194.	2.9	26
2	Response to †Obstructive sleep apnoea, intermittent hypoxia and heart failure with a preserved ejection fraction'. Heart, 2021, 107, 430.2-431.	2.9	1
3	Passive Prescription of Secondary Prevention Medical Therapy during Index Hospitalization for Acute Myocardial Infarction Is Prevalent and Associated with Adverse Clinical Outcomes. Journal of Healthcare Engineering, 2021, 2021, 1-8.	1.9	1
4	Obstructive sleep apnoea and inflammation in age-dependent cardiovascular disease. European Heart Journal, 2020, $41$ , $2503$ - $2503$ .	2.2	6
5	Cardiac cycle time intervals are back again. International Journal of Cardiology, 2020, 312, 87-88.	1.7	O
6	Dietary Fiber Intake, Myocardial Injury, andÂMajor Adverse Cardiovascular Events Among End-Stage Kidney Disease Patients: A Prospective Cohort Study. Kidney International Reports, 2019, 4, 814-823.	0.8	24
7	The fallacy of resting echocardiographic parameters of cardiac function in heart failure with preserved ejection fraction. European Journal of Heart Failure, 2018, 20, 619-619.	7.1	2
8	Alcohol, hypertension, and heart failure with preserved (or normal) ejection fraction. European Heart Journal Quality of Care & Dinical Outcomes, 2017, 3, 93-93.	4.0	0
9	Prognostic value of acoustic cardiography in patients with chronic heart failure. International Journal of Cardiology, 2016, 219, 121-126.	1.7	14
10	Factors related to outcome in heart failure with a preserved (or normal) left ventricular ejection fraction. European Heart Journal Quality of Care & Dutcomes, 2016, 2, 153-163.	4.0	9
11	Importance of chronotropic response and left ventricular long-axis function for exercise performance in patients with heart failure and preserved ejection fraction. International Journal of Cardiology, 2016, 202, 339-343.	1.7	9
12	Left ventricular long-axis performance during exercise is an important prognosticator in patients with heart failure and preserved ejection fraction. International Journal of Cardiology, 2015, 178, 131-135.	1.7	46
13	Micro-RNA and mRNA myocardial tissue expression in biopsy specimen from patients with heart failure. International Journal of Cardiology, 2015, 199, 79-83.	1.7	38
14	Should All Patients With Heart Block Receive Biventricular Pacing?. Circulation: Arrhythmia and Electrophysiology, 2015, 8, 722-729.	4.8	7
15	Changes of ventricular and peripheral performance in patients with heart failure and normal ejection fraction: insights from ergometry stress echocardiography. European Journal of Heart Failure, 2014, 16, 888-897.	7.1	17
16	What can three-dimensional speckle-tracking echocardiography contribute to evaluate global left ventricular systolic performance in patients with heart failure?. International Journal of Cardiology, 2014, 172, 132-137.	1.7	24
17	Left anterior descending coronary artery flow impaired by right ventricular apical pacing: The role of systolic dyssynchrony. International Journal of Cardiology, 2014, 176, 80-85.	1.7	6
18	HFNEF, HFPEF, HF-PEF, or DHF. JACC: Heart Failure, 2014, 2, 93-94.	4.1	23

#	Article	IF	Citations
19	Exercise-induced torsional dyssynchrony relates to impaired functional capacity in patients with heart failure and normal ejection fraction. Heart, 2013, 99, 259-266.	2.9	29
20	Albumin levels predict survival in patients with heart failure and preserved ejection fraction. European Journal of Heart Failure, 2012, 14, 39-44.	7.1	161
21	Mitral annular plane systolic excursion on exercise: a simple diagnostic tool for heart failure with preserved ejection fraction. European Journal of Heart Failure, 2011, 13, 953-960.	7.1	76
22	Abnormal left ventricular function occurs on exercise in well-treated hypertensive subjects with normal resting echocardiography. Heart, 2010, 96, 948-955.	2.9	34
23	Heart failure with a normal ejection fraction: new developments. Heart, 2009, 95, 1549-1552.	2.9	35
24	Echocardiography for Cardiac Resynchronization Therapy Selection. Journal of the American College of Cardiology, 2009, 53, 1960-1964.	2.8	35
25	The Pathophysiology of Heart Failure With Normal Ejection Fraction. Journal of the American College of Cardiology, 2009, 54, 36-46.	2.8	441
26	How to diagnose diastolic heart failure: a consensus statement on the diagnosis of heart failure with normal left ventricular ejection fraction by the Heart Failure and Echocardiography Associations of the European Society of Cardiology. European Heart Journal, 2007, 28, 2539-2550.	2.2	2,302
27	Tissue Doppler Imaging. Journal of the American College of Cardiology, 2007, 49, 1903-1914.	2.8	508
28	Impact of Atrial Fibrillation in Heart Failure With Normal Ejection Fraction: A Clinical and Echocardiographic Study. Journal of Cardiac Failure, 2007, 13, 649-655.	1.7	73
29	Systolic Dysfunction in Heart Failure with a Normal Ejection Fraction: Echo-Doppler Measurements. Progress in Cardiovascular Diseases, 2006, 49, 196-206.	3.1	69
30	Tissue Doppler imaging provides incremental prognostic value in patients with systemic hypertension and left ventricular hypertrophy. Journal of Hypertension, 2005, 23, 183-191.	0.5	181
31	Do metoprolol and carvedilol have equivalent effects on diurnal heart rate in patients with chronic heart failure?. European Journal of Heart Failure, 2005, 7, 874-877.	7.1	5
32	Tissue Doppler imaging for predicting outcome in patients with cardiovascular disease. Current Opinion in Cardiology, 2004, 19, 458-463.	1.8	54
33	Peak early diastolic mitral annulus velocity by tissue Doppler imaging adds independent and incremental prognostic value. Journal of the American College of Cardiology, 2003, 41, 820-826.	2.8	385
34	Early Diagnosis of Acute Myocardial Infarction Using Immunosensors and Immunotests. Analytical Letters, 2003, 36, 1987-2004.	1.8	23
35	Severe Obstructive Sleep Apnea Is Associated With Left Ventricular Diastolic Dysfunction. Chest, 2002, 121, 422-429.	0.8	260
36	Left ventricular long-axis changes in early diastole and systole: impact of systolic function on diastole. Clinical Science, 2002, 102, 515-522.	4.3	103

#	Article	IF	CITATIONS
37	Association of Inflammation and Malnutrition with Cardiac Valve Calcification in Continuous Ambulatory Peritoneal Dialysis Patients. Journal of the American Society of Nephrology: JASN, 2001, 12, 1927-1936.	6.1	165
38	Letter to the editor. European Journal of Heart Failure, 2000, 2, 117-117.	7.1	9
39	RENIN-ANGIOTENSIN-ALDOSTERONE SYSTEM GENE POLYMORPHISMS AND HYPERTENSION IN HONG KONG CHINESE. Clinical and Experimental Hypertension, 2000, 22, 87-97.	1.3	34
40	Plasma brain natriuretic peptide - an independent predictor of cardiovascular mortality in acute heart failure. European Journal of Heart Failure, 1999, 1, 59-65.	7.1	80
41	A Sibling-Pair Analysis of Fasting Lipids and Anthropometric Measurements and Their Relationship to Hypertension. Clinical and Experimental Hypertension, 1999, 21, 1161-1176.	1.3	21
42	Comparison of frequencies of left ventricular systolic and diastolic heart failure in chinese living in Hong Kong. American Journal of Cardiology, 1999, 84, 563-567.	1.6	78
43	Chinese herbs and warfarin potentiation by â€~Danshen'. Journal of Internal Medicine, 1997, 241, 337-339.	6.0	131
44	Impact of Changes in Respiratory Frequency and Posture on Power Spectral Analysis of Heart Rate and Systolic Blood Pressure Variability in Normal Subjects and Patients with Heart Failure. Clinical Science, 1996, 91, 35-43.	4.3	83
45	Should ßâ€blocking agents be used in thyrotoxic heart disease?. Medical Journal of Australia, 1995, 162, 426-427.	1.7	4