Gilda D'Urso

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4505741/publications.pdf

Version: 2024-02-01

567281 713466 25 479 15 21 citations h-index g-index papers 25 25 25 819 docs citations citing authors all docs times ranked

#	Article	IF	CITATIONS
1	Chemical profiling and biological screening with potential anti-inflammatory activity of <i>Callisia fragrans</i> grown in Egypt. Natural Product Research, 2021, 35, 5521-5524.	1.8	4
2	Effects of bio-fertilizers on the production of specialized metabolites in Salvia officinalis L. leaves: An analytical approach based on LC-ESI/LTQ-Orbitrap/MS and multivariate data analysis. Journal of Pharmaceutical and Biomedical Analysis, 2021, 197, 113951.	2.8	7
3	LC-ESI/LTQ-Orbitrap-MS Based Metabolomics in Evaluation of Bitter Taste of Arbutus unedo Honey. Molecules, 2021, 26, 2765.	3.8	6
4	Almond (Prunus dulcis cv. Casteltermini) Skin Confectionery By-Products: New Opportunity for the Development of a Functional Blackberry (Rubus ulmifolius Schott) Jam. Antioxidants, 2021, 10, 1218.	5.1	10
5	LC-ESI/LTQOrbitrap/MS Metabolomic Analysis of Fennel Waste (Foeniculum vulgare Mill.) as a Byproduct Rich in Bioactive Compounds. Foods, 2021, 10, 1893.	4.3	11
6	Detection and comparison of phenolic compounds in different extracts of black currant leaves by liquid chromatography coupled with high-resolution ESI-LTQ-Orbitrap MS and high-sensitivity ESI-Qtrap MS. Journal of Pharmaceutical and Biomedical Analysis, 2020, 179, 112926.	2.8	18
7	Evaluation of bioactive compounds and antioxidant capacity of edible feijoa (Acca sellowiana (O. Berg)) Tj ETQq1	1 0,78431 2.8	.4 rgBT O <mark>ve</mark>
8	Identification of Bioactive Phytochemicals in Mulberries. Metabolites, 2020, 10, 7.	2.9	30
9	Okra fruit: LC-ESI/LTQOrbitrap/MS/MS ⁿ based deep insight on polar lipids and specialized metabolites with evaluation of anti-oxidant and anti-hyperglycemic activity. Food and Function, 2020, 11, 7856-7865.	4.6	13
10	Phytochemical investigation of Scabiosa sicula guided by a preliminary HPLC-ESIMSn profiling. Phytochemistry, 2020, 174, 112350.	2.9	13
11	LC–ESI–FT–MSn Metabolite Profiling of Symphytum officinale L. Roots Leads to Isolation of Comfreyn A, an Unusual Arylnaphthalene Lignan. International Journal of Molecular Sciences, 2020, 21, 4671.	4.1	9
12	HPTLC-PCA Complementary to HRMS-PCA in the Case Study of Arbutus unedo Antioxidant Phenolic Profiling. Foods, 2019, 8, 294.	4.3	16
13	A Symphytum officinale Root Extract Exerts Anti-inflammatory Properties by Affecting Two Distinct Steps of NF-κB Signaling. Frontiers in Pharmacology, 2019, 10, 289.	3.5	36
14	LC-ESI/LTQOrbitrap/MS/MS and GC–MS profiling of Stachys parviflora L. and evaluation of its biological activities. Journal of Pharmaceutical and Biomedical Analysis, 2019, 168, 209-216.	2.8	31
15	LC-ESI/LTQOrbitrap/MS based metabolomics in analysis of Myrtus communis leaves from Sardinia (Italy). Industrial Crops and Products, 2019, 128, 354-362.	5.2	17
16	Metabolomics of Healthy Berry Fruits. Current Medicinal Chemistry, 2019, 25, 4888-4902.	2.4	8
17	In depth chemical investigation of Glycyrrhiza triphylla Fisch roots guided by a preliminary HPLC-ESIMS n profiling. Food Chemistry, 2018, 248, 128-136.	8.2	23
18	Combination of LC–MS based metabolomics and antioxidant activity for evaluation of bioactive compounds in Fragaria vesca leaves from Italy. Journal of Pharmaceutical and Biomedical Analysis, 2018, 150, 233-240.	2.8	35

GILDA D'URSO

#	Article	IF	CITATION
19	Biogenic amines and other polar compounds in long aged oxidized Vernaccia di Oristano white wines. Food Research International, 2018, 111, 97-103.	6.2	15
20	LC-MS based metabolomics study of different parts of myrtle berry from Sardinia (Italy). Journal of Berry Research, 2017, 7, 217-229.	1.4	21
21	Characterisation of Fragaria vesca fruit from Italy following a metabolomics approach through integrated mass spectrometry techniques. LWT - Food Science and Technology, 2016, 74, 387-395.	5.2	21
22	Targeted and untargeted mass spectrometric approaches in discrimination between <i>Myrtus communis</i> cultivars from Sardinia region. Journal of Mass Spectrometry, 2016, 51, 704-715.	1.6	25
23	Steviol glycosides targeted analysis in leaves of Stevia rebaudiana (Bertoni) from plants cultivated under chilling stress conditions. Food Chemistry, 2016, 190, 572-580.	8.2	33
24	Integrated mass spectrometric and multivariate data analysis approaches for the discrimination of organic and conventional strawberry (Fragaria ananassa Duch.) crops. Food Research International, 2015, 77, 264-272.	6.2	20
25	Metabolic profiling of Vitex agnus castus leaves, fruits and sprouts: Analysis by LC/ESI/(QqQ)MS and (HR) LC/ESI/(Orbitrap)/MSn. Journal of Pharmaceutical and Biomedical Analysis, 2015, 102, 215-221.	2.8	37