Xin-Hua Feng

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4510855/publications.pdf

Version: 2024-02-01

		61984	51608
95	7,788 citations	43	86
papers	citations	h-index	g-index
22	0.0	0.0	11100
98	98	98	11128
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	SPECIFICITY AND VERSATILITY IN TGF- \hat{l}^2 SIGNALING THROUGH SMADS. Annual Review of Cell and Developmental Biology, 2005, 21, 659-693.	9.4	1,670
2	Smurf2 Is a Ubiquitin E3 Ligase Mediating Proteasome-dependent Degradation of Smad2 in Transforming Growth Factor- \hat{l}^2 Signaling. Journal of Biological Chemistry, 2000, 275, 36818-36822.	3.4	431
3	PPM1A Functions as a Smad Phosphatase to Terminate TGFβ Signaling. Cell, 2006, 125, 915-928.	28.9	422
4	Smad7 Antagonizes Transforming Growth Factor \hat{I}^2 Signaling in the Nucleus by Interfering with Functional Smad-DNA Complex Formation. Molecular and Cellular Biology, 2007, 27, 4488-4499.	2.3	220
5	Single tumor-initiating cells evade immune clearance by recruiting type II macrophages. Genes and Development, 2017, 31, 247-259.	5.9	207
6	Direct Interaction of c-Myc with Smad2 and Smad3 to Inhibit TGF- \hat{l}^2 -Mediated Induction of the CDK Inhibitor p15Ink4B. Molecular Cell, 2002, 9, 133-143.	9.7	203
7	Stress-Induced Metabolic Disorder in Peripheral CD4+ T Cells Leads to Anxiety-like Behavior. Cell, 2019, 179, 864-879.e19.	28.9	180
8	HER2 recruits AKT1 to disrupt STING signalling and suppress antiviral defence and antitumour immunity. Nature Cell Biology, 2019, 21, 1027-1040.	10.3	163
9	Hippo signalling governs cytosolic nucleic acid sensing through YAP/TAZ-mediated TBK1 blockade. Nature Cell Biology, 2017, 19, 362-374.	10.3	153
10	Smad7 Protein Interacts with Receptor-regulated Smads (R-Smads) to Inhibit Transforming Growth Factor-β (TGF-β)/Smad Signaling. Journal of Biological Chemistry, 2016, 291, 382-392.	3.4	144
11	A metabolic labeling method detects m6A transcriptome-wide at single base resolution. Nature Chemical Biology, 2020, 16, 887-895.	8.0	133
12	Ppm1b negatively regulates necroptosis through dephosphorylating Rip3. Nature Cell Biology, 2015, 17, 434-444.	10.3	128
13	Activation of Transforming Growth Factor- \hat{l}^2 Signaling by SUMO-1 Modification of Tumor Suppressor Smad4/DPC4. Journal of Biological Chemistry, 2003, 278, 18714-18719.	3.4	121
14	Myokine mediated muscle-kidney crosstalk suppresses metabolic reprogramming and fibrosis in damaged kidneys. Nature Communications, 2017, 8, 1493.	12.8	117
15	<scp>SLFN</scp> 11 inhibits checkpoint maintenance and homologous recombination repair. EMBO Reports, 2016, 17, 94-109.	4.5	116
16	Src Inhibits the Hippo Tumor Suppressor Pathway through Tyrosine Phosphorylation of Lats 1. Cancer Research, 2017, 77, 4868-4880.	0.9	116
17	Critical regulation of $TGF\hat{l}^2$ signaling by Hsp90. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 9244-9249.	7.1	112
18	OTUB2 Promotes Cancer Metastasis via Hippo-Independent Activation of YAP and TAZ. Molecular Cell, 2019, 73, 7-21.e7.	9.7	112

#	Article	IF	CITATIONS
19	The Type II Transforming Growth Factor- \hat{l}^2 Receptor Autophosphorylates Not Only on Serine and Threonine but Also on Tyrosine Residues. Journal of Biological Chemistry, 1997, 272, 14850-14859.	3.4	107
20	Smad6 Recruits Transcription Corepressor CtBP To Repress Bone Morphogenetic Protein-Induced Transcription. Molecular and Cellular Biology, 2003, 23, 9081-9093.	2.3	100
21	Mitochondrial dynamics controls anti-tumour innate immunity by regulating CHIP-IRF1 axis stability. Nature Communications, 2017, 8, 1805.	12.8	97
22	Ligand-independent Activation of Transforming Growth Factor (TGF) \hat{I}^2 Signaling Pathways by Heteromeric Cytoplasmic Domains of TGF- \hat{I}^2 Receptors. Journal of Biological Chemistry, 1996, 271, 13123-13129.	3.4	94
23	Small C-terminal Domain Phosphatases Dephosphorylate the Regulatory Linker Regions of Smad2 and Smad3 to Enhance Transforming Growth Factor-Î ² Signaling*. Journal of Biological Chemistry, 2006, 281, 38365-38375.	3.4	90
24	Protein Serine/Threonine Phosphatase PPM1A Dephosphorylates Smad1 in the Bone Morphogenetic Protein Signaling Pathway*. Journal of Biological Chemistry, 2006, 281, 36526-36532.	3.4	90
25	Regulation of Multi-drug Resistance in hepatocellular carcinoma cells is TRPC6/Calcium Dependent. Scientific Reports, 2016, 6, 23269.	3.3	90
26	Nuclear Export of Smad2 and Smad3 by RanBP3 Facilitates Termination of TGF- \hat{l}^2 Signaling. Developmental Cell, 2009, 16, 345-357.	7.0	89
27	TGF- \hat{l}^2 signaling in cell fate control and cancer. Current Opinion in Cell Biology, 2019, 61, 56-63.	5.4	89
28	Loss of \hat{l}_{\pm} -Tubulin Acetylation Is Associated with TGF- \hat{l}^2 -induced Epithelial-Mesenchymal Transition. Journal of Biological Chemistry, 2016, 291, 5396-5405.	3.4	85
29	Salinomycin decreases doxorubicin resistance in hepatocellular carcinoma cells by inhibiting the \hat{l}^2 -catenin/TCF complex association via FOXO3a activation. Oncotarget, 2015, 6, 10350-10365.	1.8	84
30	A non-canonical cGAS–STING–PERK pathway facilitates the translational program critical for senescence and organ fibrosis. Nature Cell Biology, 2022, 24, 766-782.	10.3	84
31	FoxO3 inactivation promotes human cholangiocarcinoma tumorigenesis and chemoresistance through Keap1â€Nrf2 signaling. Hepatology, 2016, 63, 1914-1927.	7.3	81
32	Ubiquitination and Proteolysis of Cancer-Derived Smad4 Mutants by SCF Skp2. Molecular and Cellular Biology, 2004, 24, 7524-7537.	2.3	79
33	Posttranslational Regulation of Smads. Cold Spring Harbor Perspectives in Biology, 2016, 8, a022087.	5 . 5	73
34	Mst1 shuts off cytosolic antiviral defense through IRF3 phosphorylation. Genes and Development, 2016, 30, 1086-1100.	5.9	68
35	miR-192-5p Silencing by Genetic Aberrations Is a Key Event in Hepatocellular Carcinomas with Cancer Stem Cell Features. Cancer Research, 2019, 79, 941-953.	0.9	65
36	Delivery of miR-212 by chimeric peptide-condensed supramolecular nanoparticles enhances the sensitivity of pancreatic ductal adenocarcinoma to doxorubicin. Biomaterials, 2019, 192, 590-600.	11.4	61

#	Article	IF	Citations
37	HER2/EGFR–AKT Signaling Switches TGFβ from Inhibiting Cell Proliferation to Promoting Cell Migration in Breast Cancer. Cancer Research, 2018, 78, 6073-6085.	0.9	58
38	PPM1A silences cytosolic RNA sensing and antiviral defense through direct dephosphorylation of MAVS and TBK1. Science Advances, 2016, 2, e1501889.	10.3	55
39	Small molecules promote CRISPR-Cpf1-mediated genome editing in human pluripotent stem cells. Nature Communications, 2018, 9, 1303.	12.8	52
40	Induced phase separation of mutant NF2 imprisons the cGAS-STING machinery to abrogate antitumor immunity. Molecular Cell, 2021, 81, 4147-4164.e7.	9.7	51
41	TGF-β signaling in cancer. Acta Biochimica Et Biophysica Sinica, 2018, 50, 941-949.	2.0	49
42	Smad7 enables STAT3 activation and promotes pluripotency independent of TGF- \hat{l}^2 signaling. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, 10113-10118.	7.1	48
43	Trim33 mediates the proinflammatory function of Th17 cells. Journal of Experimental Medicine, 2018, 215, 1853-1868.	8.5	48
44	G protein-coupled estrogen receptor deficiency accelerates liver tumorigenesis by enhancing inflammation and fibrosis. Cancer Letters, 2016, 382, 195-202.	7.2	47
45	Tumor-derived exosomes promote tumor self-seeding in hepatocellular carcinoma by transferring miRNA-25-5p to enhance cell motility. Oncogene, 2018, 37, 4964-4978.	5.9	47
46	The ZATT-TOP2A-PICH Axis Drives Extensive Replication Fork Reversal to Promote Genome Stability. Molecular Cell, 2021, 81, 198-211.e6.	9.7	46
47	To $(TGF)\hat{l}^2$ or not to $(TGF)\hat{l}^2$: Fine-tuning of Smad signaling via post-translational modifications. Cellular Signalling, 2008, 20, 1579-1591.	3.6	45
48	<scp>PRDM</scp> 4 mediates <scp>YAP</scp> â€induced cell invasion by activating leukocyteâ€specific integrin β2 expression. EMBO Reports, 2018, 19, .	4.5	41
49	ALK phosphorylates SMAD4 on tyrosine to disable TGF- \hat{l}^2 tumour suppressor functions. Nature Cell Biology, 2019, 21, 179-189.	10.3	41
50	A subcellular map of the human kinome. ELife, 2021, 10, .	6.0	41
51	USP16-mediated deubiquitination of calcineurin A controls peripheral T cell maintenance. Journal of Clinical Investigation, 2019, 129, 2856-2871.	8.2	39
52	Nuclear Export of Smads by RanBP3L Regulates Bone Morphogenetic Protein Signaling and Mesenchymal Stem Cell Differentiation. Molecular and Cellular Biology, 2015, 35, 1700-1711.	2.3	37
53	Inhibition of mTORC2 Induces Cell-Cycle Arrest and Enhances the Cytotoxicity of Doxorubicin by Suppressing MDR1 Expression in HCC Cells. Molecular Cancer Therapeutics, 2015, 14, 1805-1815.	4.1	36
54	Smad3 signaling activates bone marrow-derived fibroblasts in renal fibrosis. Laboratory Investigation, 2014, 94, 545-556.	3.7	35

#	Article	IF	Citations
55	Actl6a Protects Embryonic Stem Cells From Differentiating Into Primitive Endoderm. Stem Cells, 2015, 33, 1782-1793.	3.2	35
56	TBK1-Mediated DRP1 Targeting Confers Nucleic Acid Sensing to Reprogram Mitochondrial Dynamics and Physiology. Molecular Cell, 2020, 80, 810-827.e7.	9.7	35
57	AUNIP/C1orf135 directs DNA double-strand breaks towards the homologous recombination repair pathway. Nature Communications, 2017, 8, 985.	12.8	34
58	Phase separation of EML4–ALK in firing downstream signaling and promoting lung tumorigenesis. Cell Discovery, 2021, 7, 33.	6.7	34
59	Synthetic modified messenger RNA for therapeutic applications. Acta Biomaterialia, 2021, 131, 1-15.	8.3	34
60	C-terminal Domain (CTD) Small Phosphatase-like 2 Modulates the Canonical Bone Morphogenetic Protein (BMP) Signaling and Mesenchymal Differentiation via Smad Dephosphorylation. Journal of Biological Chemistry, 2014, 289, 26441-26450.	3.4	32
61	SCP Phosphatases Suppress Renal Cell Carcinoma by Stabilizing PML and Inhibiting mTOR/HIF Signaling. Cancer Research, 2014, 74, 6935-6946.	0.9	29
62	Specific control of BMP signaling and mesenchymal differentiation by cytoplasmic phosphatase PPM1H. Cell Research, 2014, 24, 727-741.	12.0	29
63	Lck/Hck/Fgr-Mediated Tyrosine Phosphorylation Negatively Regulates TBK1 to Restrain Innate Antiviral Responses. Cell Host and Microbe, 2017, 21, 754-768.e5.	11.0	29
64	Zinc Finger Protein 451 Is a Novel Smad Corepressor in Transforming Growth Factor- \hat{l}^2 Signaling. Journal of Biological Chemistry, 2014, 289, 2072-2083.	3.4	27
65	The Small C-terminal Domain Phosphatase 1 Inhibits Cancer Cell Migration and Invasion by Dephosphorylating Ser(P)68-Twist1 to Accelerate Twist1 Protein Degradation. Journal of Biological Chemistry, 2016, 291, 11518-11528.	3.4	25
66	SUMO Modification Reverses Inhibitory Effects of Smad Nuclear Interacting Protein-1 in TGF-Î ² Responses. Journal of Biological Chemistry, 2016, 291, 24418-24430.	3.4	25
67	The lysine methyltransferase SMYD2 methylates the kinase domain of type II receptor BMPR2 and stimulates bone morphogenetic protein signaling. Journal of Biological Chemistry, 2017, 292, 12702-12712.	3.4	25
68	Human expandable pancreatic progenitor–derived β cells ameliorate diabetes. Science Advances, 2022, 8, eabk1826.	10.3	24
69	Tumor suppressor bromodomain-containing protein 7 cooperates with Smads to promote transforming growth factor- \hat{l}^2 responses. Oncogene, 2017, 36, 362-372.	5.9	19
70	SCP4 Promotes Gluconeogenesis Through FoxO1/3a Dephosphorylation. Diabetes, 2018, 67, 46-57.	0.6	19
71	Phosphatase UBLCP1 controls proteasome assembly. Open Biology, 2017, 7, 170042.	3.6	18
72	To Ub or not to Ub: a regulatory question in TGF- \hat{l}^2 signaling. Trends in Biochemical Sciences, 2022, 47, 1059-1072.	7.5	18

#	Article	IF	Citations
73	Mapping messenger RNA methylations at single base resolution. Current Opinion in Chemical Biology, 2021, 63, 28-37.	6.1	17
74	Blocking hepatocarcinogenesis by a cytochrome P450 family member with female-preferential expression. Gut, 2022, 71, 2313-2324.	12.1	17
75	<scp>PTPN</scp> 3 acts as a tumor suppressor and boosts <scp>TGF</scp> â€Î² signaling independent of its phosphatase activity. EMBO Journal, 2019, 38, e99945.	7.8	15
76	Palmitoylated SCP1 is targeted to the plasma membrane and negatively regulates angiogenesis. ELife, 2017, 6, .	6.0	15
77	Allosteric control of Ubp6 and the proteasome via a bidirectional switch. Nature Communications, 2022, 13, 838.	12.8	15
78	Liver cancer heterogeneity modeled by in situ genome editing of hepatocytes. Science Advances, 2022, 8, .	10.3	15
79	Termination of TGF-β Superfamily Signaling Through SMAD Dephosphorylation—A Functional Genomic View. Journal of Genetics and Genomics, 2007, 34, 1-9.	3.9	13
80	The protein phosphatase PPM1A dephosphorylates and activates YAP to govern mammalian intestinal and liver regeneration. PLoS Biology, 2021, 19, e3001122.	5.6	13
81	A Wnt-Independent LGR4–EGFR Signaling Axis in Cancer Metastasis. Cancer Research, 2021, 81, 4441-4454.	0.9	11
82	WDR74 functions as a novel coactivator in TGF- \hat{l}^2 signaling. Journal of Genetics and Genomics, 2018, 45, 639-650.	3.9	10
83	PRMT5 Enables Robust STAT3 Activation via Arginine Symmetric Dimethylation of SMAD7. Advanced Science, 2021, 8, 2003047.	11.2	10
84	C-terminal domain small phosphatase-like 2 promotes epithelial-to-mesenchymal transition via Snail dephosphorylation and stabilization. Open Biology, 2018, 8, 170274.	3.6	9
85	Transplantation Strategies for Spinal Cord Injury Based on Microenvironment Modulation. Current Stem Cell Research and Therapy, 2020, 15, 522-530.	1.3	9
86	p53 Protects Cells from Death at the Heatstroke Threshold Temperature. Cell Reports, 2019, 29, 3693-3707.e5.	6.4	8
87	AMBRA1 Promotes TGF \hat{I}^2 Signaling via Nonproteolytic Polyubiquitylation of Smad4. Cancer Research, 2021, 81, 5007-5020.	0.9	8
88	SMAD-oncoprotein interplay: Potential determining factors in targeted therapies. Biochemical Pharmacology, 2020, 180, 114155.	4.4	7
89	HSPA13 facilitates NF-κB–mediated transcription and attenuates cell death responses in TNFα signaling. Science Advances, 2021, 7, eabh1756.	10.3	5
90	The changing faces of cancer cells. Nature Reviews Molecular Cell Biology, 2010, 11, 466-466.	37.0	4

XIN-HUA FENG

#	Article	IF	CITATIONS
91	New Chromatin Run-On Reaction Enables Global Mapping of Active RNA Polymerase Locations in an Enrichment-free Manner. ACS Chemical Biology, 2022, 17, 768-775.	3.4	3
92	ZNF451 stabilizes TWIST2 through SUMOylation and promotes epithelial-mesenchymal transition. American Journal of Cancer Research, 2021, 11, 898-915.	1.4	2
93	A special issue on the 10-year anniversary of Life Sciences Institute, Zhejiang University. Acta Biochimica Et Biophysica Sinica, 2020, 52, 701-701.	2.0	O
94	Abstract 4275: TGFBR2 Mutations Reduce Expression of Contractile Proteins in Aortic Smooth Muscle Cells and Predispose Individuals to Thoracic Aortic Aneurysms and Dissections. Circulation, 2008, 118, .	1.6	0
95	PPB is a Novel Serine/Threonine Phosphatase of Akt and is Involved in Myogenesis. FASEB Journal, 2010, 24, 863.2.	0.5	0