Jie Eun Park

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4511487/publications.pdf

Version: 2024-02-01

| 131 | 3,916 | 28 h-index | 56 |
|----------|----------------|--------------|----------------|
| papers | citations | | g-index |
| 135 | 135 | 135 | 5537 |
| all docs | docs citations | times ranked | citing authors |

| # | Article | IF | CITATIONS |
|----|---|-------------|-----------|
| 1 | Testing a tool for assessing the risk of bias for nonrandomized studies showed moderate reliability and promising validity. Journal of Clinical Epidemiology, 2013, 66, 408-414. | 5.0 | 873 |
| 2 | Reproducibility and Generalizability in Radiomics Modeling: Possible Strategies in Radiologic and Statistical Perspectives. Korean Journal of Radiology, 2019, 20, 1124. | 3.4 | 225 |
| 3 | Quality of science and reporting of radiomics in oncologic studies: room for improvement according to radiomics quality score and TRIPOD statement. European Radiology, 2020, 30, 523-536. | 4.5 | 178 |
| 4 | Incorporating diffusion- and perfusion-weighted MRI into a radiomics model improves diagnostic performance for pseudoprogression in glioblastoma patients. Neuro-Oncology, 2019, 21, 404-414. | 1.2 | 153 |
| 5 | Diffusion radiomics as a diagnostic model for atypical manifestation of primary central nervous system lymphoma: development and multicenter external validation. Neuro-Oncology, 2018, 20, 1251-1261. | 1.2 | 103 |
| 6 | Diffusion- and perfusion-weighted MRI radiomics model may predict isocitrate dehydrogenase (IDH) mutation and tumor aggressiveness in diffuse lower grade glioma. European Radiology, 2020, 30, 2142-2151. | 4.5 | 93 |
| 7 | Pre- and Posttreatment Glioma: Comparison of Amide Proton Transfer Imaging with MR Spectroscopy for Biomarkers of Tumor Proliferation. Radiology, 2016, 278, 514-523. | 7.3 | 87 |
| 8 | A systematic review reporting quality of radiomics research in neuro-oncology: toward clinical utility and quality improvement using high-dimensional imaging features. BMC Cancer, 2020, 20, 29. | 2.6 | 82 |
| 9 | Review and consensus recommendations on clinical <scp>APT</scp> â€weighted imaging approaches at <scp>3T</scp> : Application to brain tumors. Magnetic Resonance in Medicine, 2022, 88, 546-574. | 3.0 | 79 |
| 10 | Radiomic features and multilayer perceptron network classifier: a robust MRI classification strategy for distinguishing glioblastoma from primary central nervous system lymphoma. Scientific Reports, 2019, 9, 5746. | 3.3 | 73 |
| 11 | Added value of amide proton transfer imaging to conventional and perfusion MR imaging for evaluating the treatment response of newly diagnosed glioblastoma. European Radiology, 2016, 26, 4390-4403. | 4.5 | 70 |
| 12 | Robust performance of deep learning for distinguishing glioblastoma from single brain metastasis using radiomic features: model development and validation. Scientific Reports, 2020, 10, 12110. | 3.3 | 62 |
| 13 | Radiomics as a Quantitative Imaging Biomarker: Practical Considerations and the Current Standpoint in Neuro-oncologic Studies. Nuclear Medicine and Molecular Imaging, 2018, 52, 99-108. | 1.0 | 60 |
| 14 | Histogram Analysis of Amide Proton Transfer Imaging to Identify Contrast-enhancing Low-Grade Brain Tumor That Mimics High-Grade Tumor: Increased Accuracy of MR Perfusion. Radiology, 2015, 277, 151-161. | 7.3 | 57 |
| 15 | Thin-Slice Pituitary MRI with Deep Learning–based Reconstruction: Diagnostic Performance in a Postoperative Setting. Radiology, 2021, 298, 114-122. | 7. 3 | 54 |
| 16 | Pseudoprogression in Patients with Glioblastoma: Assessment by Using Volume-weighted Voxel-based Multiparametric Clustering of MR Imaging Data in an Independent Test Set. Radiology, 2015, 275, 792-802. | 7.3 | 53 |
| 17 | Advanced imaging parameters improve the prediction of diffuse lower-grade gliomas subtype, IDH mutant with no $1p19q$ codeletion: added value to the T2/FLAIR mismatch sign. European Radiology, 2020, 30, 844-854. | 4.5 | 51 |
| 18 | Radiomics prognostication model in glioblastoma using diffusion- and perfusion-weighted MRI. Scientific Reports, 2020, 10, 4250. | 3.3 | 50 |

| # | Article | IF | CITATIONS |
|----|--|-------------|-----------|
| 19 | Identification of Early Response to Anti-Angiogenic Therapy in Recurrent Glioblastoma: Amide Proton Transfer–weighted and Perfusion-weighted MRI compared with Diffusion-weighted MRI. Radiology, 2020, 295, 397-406. | 7. 3 | 49 |
| 20 | Prediction of Core Signaling Pathway by Using Diffusion- and Perfusion-based MRI Radiomics and Next-generation Sequencing in Isocitrate Dehydrogenase Wild-type Glioblastoma. Radiology, 2020, 294, 388-397. | 7.3 | 43 |
| 21 | Improved Diagnostic Accuracy Using Arterial Phase CT for Lateral Cervical Lymph Node Metastasis from Papillary Thyroid Cancer. American Journal of Neuroradiology, 2017, 38, 782-788. | 2.4 | 40 |
| 22 | Extensive peritumoral edema and brain-to-tumor interface MRI features enable prediction of brain invasion in meningioma: development and validation. Neuro-Oncology, 2021, 23, 324-333. | 1.2 | 40 |
| 23 | MRI as a diagnostic biomarker for differentiating primary central nervous system lymphoma from glioblastoma: A systematic review and metaâ€analysis. Journal of Magnetic Resonance Imaging, 2019, 50, 560-572. | 3.4 | 39 |
| 24 | Comparison of 3 Different Types of Spinal Arteriovenous Shunts below the Conus in Clinical Presentation, Radiologic Findings, and Outcomes. American Journal of Neuroradiology, 2017, 38, 403-409. | 2.4 | 37 |
| 25 | Alteration of long-distance functional connectivity and network topology in patients with supratentorial gliomas. Neuroradiology, 2016, 58, 311-320. | 2.2 | 36 |
| 26 | Radiomics in peritumoral non-enhancing regions: fractional anisotropy and cerebral blood volume improve prediction of local progression and overall survival in patients with glioblastoma. Neuroradiology, 2019, 61, 1261-1272. | 2.2 | 35 |
| 27 | Review of Statistical Methods for Evaluating the Performance of Survival or Other Time-to-Event Prediction Models (from Conventional to Deep Learning Approaches). Korean Journal of Radiology, 2021, 22, 1697. | 3.4 | 34 |
| 28 | Intravoxel Incoherent Motion MR Imaging in the Head and Neck: Correlation with Dynamic Contrast-Enhanced MR Imaging and Diffusion-Weighted Imaging. Korean Journal of Radiology, 2016, 17, 641. | 3.4 | 31 |
| 29 | Development and Validation of a Deep Learning–Based Model to Distinguish Glioblastoma from Solitary Brain Metastasis Using Conventional MR Images. American Journal of Neuroradiology, 2021, 42, 838-844. | 2.4 | 31 |
| 30 | Upregulation of AQP4 Improves Blood–Brain Barrier Integrity and Perihematomal Edema Following Intracerebral Hemorrhage. Neurotherapeutics, 2021, 18, 2692-2706. | 4.4 | 30 |
| 31 | Comparison of 3D magnetic resonance imaging and digital subtraction angiography for intracranial artery stenosis. European Radiology, 2017, 27, 4737-4746. | 4.5 | 29 |
| 32 | Amide proton transfer-weighted MRI in distinguishing high- and low-grade gliomas: a systematic review and meta-analysis. Neuroradiology, 2019, 61, 525-534. | 2.2 | 28 |
| 33 | False-Positive Measurement at 2-Hydroxyglutarate MR Spectroscopy in Isocitrate Dehydrogenase Wild-Type Glioblastoma: A Multifactorial Analysis. Radiology, 2019, 291, 752-762. | 7.3 | 28 |
| 34 | Amide proton transfer imaging seems to provide higher diagnostic performance in post-treatment high-grade gliomas than methionine positron emission tomography. European Radiology, 2018, 28, 3285-3295. | 4.5 | 27 |
| 35 | Up to 52 administrations of macrocyclic ionic MR contrast agent are not associated with intracranial gadolinium deposition: Multifactorial analysis in 385 patients. PLoS ONE, 2017, 12, e0183916. | 2.5 | 27 |
| 36 | Selection and Reporting of Statistical Methods to Assess Reliability of a Diagnostic Test: Conformity to Recommended Methods in a Peer-Reviewed Journal. Korean Journal of Radiology, 2017, 18, 888. | 3.4 | 26 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Diffusion and perfusion MRI radiomics obtained from deep learning segmentation provides reproducible and comparable diagnostic model to human in post-treatment glioblastoma. European Radiology, 2021, 31, 3127-3137. | 4.5 | 26 |
| 38 | Radiomics and Deep Learning from Research to Clinical Workflow: Neuro-Oncologic Imaging. Korean Journal of Radiology, 2020, 21, 1126. | 3.4 | 25 |
| 39 | Uninterpretable Dynamic Susceptibility Contrast-Enhanced Perfusion MR Images in Patients with Post-Treatment Clioblastomas: Cross-Validation of Alternative Imaging Options. PLoS ONE, 2015, 10, e0136380. | 2.5 | 24 |
| 40 | Voxel-based lesion symptom mapping analysis of depressive mood in patients with isolated cerebellar stroke: A pilot study. NeuroImage: Clinical, 2017, 13, 39-45. | 2.7 | 24 |
| 41 | Differences in dynamic and static functional connectivity between young and elderly healthy adults. Neuroradiology, 2017, 59, 781-789. | 2.2 | 24 |
| 42 | Tumor-infiltrating immune cell subpopulations and programmed death ligand 1 (PD-L1) expression associated with clinicopathological and prognostic parameters in ependymoma. Cancer Immunology, Immunotherapy, 2019, 68, 305-318. | 4.2 | 23 |
| 43 | Differentiation of recurrent glioblastoma from radiation necrosis using diffusion radiomics with machine learning model development and external validation. Scientific Reports, 2021, 11, 2913. | 3.3 | 23 |
| 44 | Application of Vendor-Neutral Iterative Reconstruction Technique to Pediatric Abdominal Computed Tomography. Korean Journal of Radiology, 2019, 20, 1358. | 3.4 | 23 |
| 45 | Concomitant origin of the anterior or posterior spinal artery with the feeder of a spinal dural arteriovenous fistula (SDAVF). Journal of NeuroInterventional Surgery, 2017, 9, 405-410. | 3.3 | 22 |
| 46 | Neuroimaging Findings in Patients with COVID-19: A Systematic Review and Meta-Analysis. Korean Journal of Radiology, 2021, 22, 1875. | 3.4 | 20 |
| 47 | Spatiotemporal Heterogeneity in Multiparametric Physiologic MRI Is Associated with Patient Outcomes in IDH-Wildtype Glioblastoma. Clinical Cancer Research, 2021, 27, 237-245. | 7.0 | 18 |
| 48 | Normalization of cortical thickness measurements across different T1 magnetic resonance imaging protocols by novel W-Score standardization. Neurolmage, 2017, 159, 224-235. | 4.2 | 17 |
| 49 | Primary Central Nervous System Lymphoma: Diagnostic Yield of Whole-Body CT and FDG PET/CT for Initial Systemic Imaging. Radiology, 2019, 292, 440-446. | 7.3 | 17 |
| 50 | Utility of 7 Tesla Magnetic Resonance Imaging in Patients With Epilepsy: A Systematic Review and Meta-Analysis. Frontiers in Neurology, 2021, 12, 621936. | 2.4 | 17 |
| 51 | Does the Reporting Quality of Diagnostic Test Accuracy Studies, as Defined by STARD 2015, Affect Citation?. Korean Journal of Radiology, 2016, 17, 706. | 3.4 | 16 |
| 52 | Incidence of gestational trophoblastic disease in South Korea: a longitudinal, population-based study. PeerJ, 2019, 7, e6490. | 2.0 | 16 |
| 53 | The Korean Society for Neuro-Oncology (KSNO) Guideline for Adult Diffuse Midline Glioma: Version 2021.1. Brain Tumor Research and Treatment, 2021, 9, 1. | 1.0 | 16 |
| 54 | Clinically Available Software for Automatic Brain Volumetry: Comparisons of Volume Measurements and Validation of Intermethod Reliability. Korean Journal of Radiology, 2021, 22, 405. | 3.4 | 16 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Repeatability of amide proton transfer–weighted signals in the brain according to clinical condition and anatomical location. European Radiology, 2020, 30, 346-356. | 4.5 | 15 |
| 56 | Detection of Local Tumor Recurrence After Definitive Treatment of Head and Neck Squamous Cell Carcinoma: Histogram Analysis of Dynamic Contrast-Enhanced T1-Weighted Perfusion MRI. American Journal of Roentgenology, 2017, 208, 42-47. | 2.2 | 14 |
| 57 | Reactive Oxygen Species Scavenger in Acute Intracerebral Hemorrhage Patients. Stroke, 2021, 52, 1172-1181. | 2.0 | 14 |
| 58 | Reproducible imaging-based prediction of molecular subtype and risk stratification of gliomas across different experience levels using a structured reporting system. European Radiology, 2021, 31, 7374-7385. | 4.5 | 14 |
| 59 | Induced-Wedge Technique to Improve Liquid Embolic Agent Penetration into Spinal Dural Arteriovenous Fistula. World Neurosurgery, 2016, 96, 309-315. | 1.3 | 13 |
| 60 | Clinical Characteristics and Treatment Outcomes of Spinal Arteriovenous Malformations. Clinical Neuroradiology, 2018, 28, 39-46. | 1.9 | 13 |
| 61 | Comparison of Automated Brain Volume Measures by NeuroQuant vs. Freesurfer in Patients with Mild Cognitive Impairment: Effect of Slice Thickness. Yonsei Medical Journal, 2021, 62, 255. | 2.2 | 13 |
| 62 | Tumor habitat analysis by magnetic resonance imaging distinguishes tumor progression from radiation necrosis in brain metastases after stereotactic radiosurgery. European Radiology, 2022, 32, 497-507. | 4.5 | 13 |
| 63 | Development of Brain Metastases in Patients With Non–Small Cell Lung Cancer and No Brain Metastases at Initial Staging Evaluation: Cumulative Incidence and Risk Factor Analysis. American Journal of Roentgenology, 2021, 217, 1184-1193. | 2.2 | 13 |
| 64 | Deep learning-based thin-section MRI reconstruction improves tumour detection and delineation in pre- and post-treatment pituitary adenoma. Scientific Reports, 2021, 11, 21302. | 3.3 | 13 |
| 65 | Superior Cervical Sympathetic Ganglion: Normal Imaging Appearance on 3T-MRI. Korean Journal of Radiology, 2016, 17, 657. | 3.4 | 12 |
| 66 | Fetal left modified myocardial performance index measured by the Auto Mod-MPI system: development of reference values and application to recipients of twin-to-twin transfusion syndrome. Prenatal Diagnosis, 2016, 36, 424-431. | 2.3 | 12 |
| 67 | Improved Diagnostic Accuracy of Alzheimer's Disease by Combining Regional Cortical Thickness and Default Mode Network Functional Connectivity: Validated in the Alzheimer's Disease Neuroimaging Initiative Set. Korean Journal of Radiology, 2017, 18, 983. | 3.4 | 12 |
| 68 | Comparison of Survival Outcomes Between Partial Resection and Biopsy for Primary Glioblastoma: A Propensity Score-Matched Study. World Neurosurgery, 2019, 121, e858-e866. | 1.3 | 12 |
| 69 | Incidence of and risk factors for thromboembolism during pregnancy and postpartum: A 10-year nationwide population-based study. Taiwanese Journal of Obstetrics and Gynecology, 2021, 60, 103-110. | 1.3 | 12 |
| 70 | Stability of MRI radiomic features according to various imaging parameters in fast scanned T2-FLAIR for acute ischemic stroke patients. Scientific Reports, 2021, 11, 17143. | 3.3 | 12 |
| 71 | Prognostic relevance of gemistocytic grade II astrocytoma: gemistocytic component and MR imaging features compared to non-gemistocytic grade II astrocytoma. European Radiology, 2017, 27, 3022-3032. | 4.5 | 11 |
| 72 | Permeability measurement using dynamic susceptibility contrast magnetic resonance imaging enhances differential diagnosis of primary central nervous system lymphoma from glioblastoma. European Radiology, 2019, 29, 5539-5548. | 4.5 | 11 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Reliability of fast magnetic resonance imaging for acute ischemic stroke patients using a 1.5-T scanner. European Radiology, 2019, 29, 2641-2650. | 4.5 | 11 |
| 74 | Deep-learned time-signal intensity pattern analysis using an autoencoder captures magnetic resonance perfusion heterogeneity for brain tumor differentiation. Scientific Reports, 2020, 10, 21485. | 3.3 | 11 |
| 75 | Vessel Type Determined by Vessel Architectural Imaging Improves Differentiation between Early Tumor Progression and Pseudoprogression in Glioblastoma. American Journal of Neuroradiology, 2021, 42, 663-670. | 2.4 | 11 |
| 76 | Magnetic Resonance Imaging Parameters for Noninvasive Prediction of Epidermal Growth Factor Receptor Amplification in Isocitrate Dehydrogenase-Wild-Type Lower-Grade Gliomas: A Multicenter Study. Neurosurgery, 2021, 89, 257-265. | 1.1 | 11 |
| 77 | Amide Proton Transfer Imaging in Clinics: Basic Concepts and Current and Future Use in Brain Tumors and Stroke. Journal of the Korean Society of Radiology, 2016, 75, 419. | 0.2 | 11 |
| 78 | Hemangioblastomas with leptomeningeal dissemination: case series and review of the literature. Acta Neurochirurgica, 2016, 158, 1169-1178. | 1.7 | 10 |
| 79 | Clinical Value of Vascular Permeability Estimates Using Dynamic Susceptibility Contrast MRI: Improved Diagnostic Performance in Distinguishing Hypervascular Primary CNS Lymphoma from Glioblastoma. American Journal of Neuroradiology, 2018, 39, 1415-1422. | 2.4 | 10 |
| 80 | Survival outcome and prognostic factors in anaplastic oligodendroglioma: a single-institution study of 95 cases. Scientific Reports, 2020, 10, 20162. | 3.3 | 10 |
| 81 | Spatiotemporal habitats from multiparametric physiologic MRI distinguish tumor progression from treatment-related change in post-treatment glioblastoma. European Radiology, 2021, 31, 6374-6383. | 4.5 | 10 |
| 82 | Reproducibility of radiomic features in SENSE and compressed SENSE: impact of acceleration factors. European Radiology, 2021, 31, 6457-6470. | 4.5 | 10 |
| 83 | Combination of automated brain volumetry on MRI and quantitative tau deposition on THK-5351 PET to support diagnosis of Alzheimer's disease. Scientific Reports, 2021, 11, 10343. | 3.3 | 10 |
| 84 | The usefulness of low-dose CT scan in elderly patients with suspected acute lower respiratory infection in the emergency room. British Journal of Radiology, 2016, 89, 20150654. | 2.2 | 9 |
| 85 | Joint approach based on clinical and imaging features to distinguish non-neoplastic from neoplastic pituitary stalk lesions. PLoS ONE, 2017, 12, e0187989. | 2.5 | 9 |
| 86 | Preoperative Prophylactic Balloon-Assisted Occlusion of the Internal Iliac Arteries in the Management of Placenta Increta/Percreta. Medicina (Lithuania), 2020, 56, 368. | 2.0 | 9 |
| 87 | New grading system for the clinical evaluation of patients with spinal vascular lesions. Neuroradiology, 2018, 60, 1035-1041. | 2.2 | 8 |
| 88 | Radiological Recurrence Patterns after Bevacizumab Treatment of Recurrent High-Grade Glioma: A Systematic Review and Meta-Analysis. Korean Journal of Radiology, 2020, 21, 908. | 3.4 | 8 |
| 89 | Magnetic resonance imaging of leukoencephalopathy in amnestic workers exposed to organotin. NeuroToxicology, 2016, 57, 128-135. | 3.0 | 7 |
| 90 | Low conductivity on electrical properties tomography demonstrates unique tumor habitats indicating progression in glioblastoma. European Radiology, 2021, 31, 6655-6665. | 4.5 | 7 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 91 | Generative adversarial network for glioblastoma ensures morphologic variations and improves diagnostic model for isocitrate dehydrogenase mutant type. Scientific Reports, 2021, 11, 9912. | 3.3 | 7 |
| 92 | Hypovascular Cellular Tumor in Primary Central Nervous System Lymphoma is Associated with Treatment Resistance: Tumor Habitat Analysis Using Physiologic MRI. American Journal of Neuroradiology, 2022, 43, 40-47. | 2.4 | 7 |
| 93 | Thin-Slice Pituitary MRI with Deep Learning–Based Reconstruction for Preoperative Prediction of Cavernous Sinus Invasion by Pituitary Adenoma: A Prospective Study. American Journal of Neuroradiology, 2022, 43, 280-285. | 2.4 | 7 |
| 94 | Amide proton transfer–weighted MRI can detect tissue acidosis and monitor recovery in a transient middle cerebral artery occlusion model compared with a permanent occlusion model in rats. European Radiology, 2019, 29, 4096-4104. | 4.5 | 6 |
| 95 | Intra-individual correlations between quantitative THK-5351 PET and MRI-derived cortical volume in Alzheimer's disease differ according to disease severity and amyloid positivity. PLoS ONE, 2019, 14, e0226265. | 2.5 | 6 |
| 96 | Evaluation of Reproducibility of Brain Volumetry between Commercial Software, Inbrain and | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

| # | Article | IF | CITATIONS |
|-----|---|-------------------|-----------|
| 109 | A National Consensus Survey for Current Practice in Brain Tumor Management III: Brain Metastasis and Primary Central Nervous System Lymphoma. Brain Tumor Research and Treatment, 2020, 8, 20. | 1.0 | 4 |
| 110 | Perfusion of surgical cavity wall enhancement in early post-treatment MR imaging may stratify the time-to-progression in glioblastoma. PLoS ONE, 2017, 12, e0181933. | 2.5 | 3 |
| 111 | Depiction of Acute Stroke Using 3-Tesla Clinical Amide Proton Transfer Imaging: Saturation Time Optimization Using an <i>in vivo</i> Rat Stroke Model, and a Preliminary Study in Human. Investigative Magnetic Resonance Imaging, 2017, 21, 65. | 0.4 | 3 |
| 112 | Ectopic pregnancy incidence in the Republic of Korea in 2009–2015: A population-based cross-sectional study. Scientific Reports, 2018, 8, 17308. | 3.3 | 3 |
| 113 | Comparative Value of 2-Hydroxyglutarate–to–Lipid and Lactate Ratio versus 2-Hydroxyglutarate Concentration on MR Spectroscopic Images for Predicting Isocitrate Dehydrogenase Mutation Status in Gliomas. Radiology Imaging Cancer, 2020, 2, e190083. | 1.6 | 3 |
| 114 | Body CT and PET/CT detection of extracranial lymphoma in patients with newly diagnosed central nervous system lymphoma. Neuro-Oncology, 2022, 24, 482-491. | 1.2 | 3 |
| 115 | Advanced Physiologic Imaging: Perfusion– Theory and Applications. , 2020, , 61-91. | | 3 |
| 116 | Efficacy of Case Management for the Community Dwelling Schizophrenia Patients: A 36-Month Prospective Follow-Up Study. Journal of Korean Neuropsychiatric Association, 2015, 54, 578. | 0.5 | 3 |
| 117 | Artificial Intelligence in Neuro-Oncologic Imaging: A Brief Review for Clinical Use Cases and Future Perspectives. Brain Tumor Research and Treatment, 2022, 10, 69. | 1.0 | 3 |
| 118 | The association between intrauterine balloon tamponade volume and postpartum hemorrhage outcomes. International Journal of Gynecology and Obstetrics, 2020, 148, 325-330. | 2.3 | 2 |
| 119 | The Korean Society for Neuro-Oncology (KSNO) Guideline for Antiepileptic Drug Usage of Brain Tumor: Version 2021.1. Brain Tumor Research and Treatment, 2021, 9, 9. | 1.0 | 2 |
| 120 | A National Consensus Survey for Current Practice in Brain Tumor Management II: Diffuse Midline Glioma and Meningioma. Brain Tumor Research and Treatment, 2020, 8, 11. | 1.0 | 2 |
| 121 | Clinicopathologic Characteristics and Causes of Postmenopausal Bleeding in Older Patients. Annals of Geriatric Medicine and Research, 2018, 22, 189-193. | 1.8 | 2 |
| 122 | Clinicopathological and ultrasound features of endometrial cancer in postmenopausal women: a retrospective study in a single institute in South Korea. Pan African Medical Journal, 2021, 38, 148. | 0.8 | 1 |
| 123 | Refinement of response assessment in neuro-oncology (RANO) using non-enhancing lesion type and contrast enhancement evolution pattern in IDH wild-type glioblastomas. BMC Cancer, 2021, 21, 654. | 2.6 | 1 |
| 124 | Partial molar pregnancy and coexisting fetus with Turner syndrome: Case report and literature review. Journal of Genetic Medicine, 2018, 15, 43-47. | 0.2 | 1 |
| 125 | Current Applications and Future Perspectives of Brain Tumor Imaging. Journal of the Korean Society of Radiology, 2020, 81, 467. | 0.2 | 1 |
| 126 | [P3â€"330]: COMPARISON OF QUANTITATIVE TAU DEPOSITION ON THKâ€5351 PET IMAGING AND HIPPOCAMPA VOLUME IN DIAGNOSIS OF ALZHEIMER's DISEASE SPECTRUM. Alzheimer's and Dementia, 2017, 13, P1077. | AL _{0.8} | 0 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | [P1–132]: IMPROVEMENT OF CORTICAL THICKNESS COMPATIBILITY BETWEEN DIFFERENT MRI T1 PROTOCOLS BY Wâ€6CORE STANDARDIZATION. Alzheimer's and Dementia, 2017, 13, P292. | 0.8 | O |
| 128 | Mood and Metabolic Health Status of Elderly Osteoporotic Patients in Korea: A Cross-Sectional Study of a Nationally Representative Sample. Healthcare (Switzerland), 2021, 9, 77. | 2.0 | 0 |
| 129 | NIMG-19. SYNTHETIC ISOCITRATE DEHYDROGENASE-MUTANT GLIOBLASTOMAS FROM GENERATIVE ADVERSARIAL NETWORK PROVIDE MORPHOLOGIC VARIABILITY AND DIAGNOSTIC PERFORMANCE SIMILAR TO REAL DATA: DEVELOPMENT AND VALIDATION. Neuro-Oncology, 2021, 23, vi131-vi132. | 1.2 | 0 |
| 130 | NIMG-03. TUMOR HABITAT ANALYSIS BY MAGNETIC RESONANCE IMAGING DISTINGUISHES TUMOR PROGRESSION FROM RADIATION NECROSIS IN BRAIN METASTASES AFTER STEREOTACTIC RADIOSURGERY. Neuro-Oncology, 2021, 23, vi127-vi127. | 1.2 | 0 |
| 131 | Contrast enhancing pattern on pre-treatment MRI predicts response to anti-angiogenic treatment in recurrent glioblastoma: comparison of bevacizumab and temozolomide treatment. Journal of Neuro-Oncology, 2022, 157, 405-415. | 2.9 | O |