Xiaomei Luo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/451220/publications.pdf

Version: 2024-02-01

1163117 1281871 21 199 8 11 citations h-index g-index papers 22 22 22 85 docs citations citing authors all docs times ranked

#	Article	IF	CITATIONS
1	Oligo-FISH Can Identify Chromosomes and Distinguish Hippophaë rhamnoides L. Taxa. Genes, 2022, 13, 195.	2.4	11
2	Five Fabaceae Karyotype and Phylogenetic Relationship Analysis Based on Oligo-FISH for 5S rDNA and (AG3T3)3. Genes, 2022, 13, 768.	2.4	5
3	The Genetic Diversity of Bletilla spp. Based on SLAF-seq and Oligo-FISH. Genes, 2022, 13, 1118.	2.4	2
4	FISH Mapping of Telomeric and Non-Telomeric (AG3T3)3 Reveal the Chromosome Numbers and Chromosome Rearrangements of 41 Woody Plants. Genes, 2022, 13, 1239.	2.4	3
5	Distribution of FISH oligo-5S rDNA and oligo-(AGGGTTT) < sub>3 < /sub> in <i>Hibiscus mutabilis < /i> L Genome, 2021, 64, 655-664.</i>	2.0	8
6	Distinguishing Sichuan Walnut Cultivars and Examining Their Relationships with Juglans regia and J. sigillata by FISH, Early-Fruiting Gene Analysis, and SSR Analysis. Frontiers in Plant Science, 2020, 11, 27.	3.6	13
7	Transcriptome Analysis of Acid-Responsive Genes and Pathways Involved in Polyamine Regulation in Iron Walnut. Genes, 2019, 10, 605.	2.4	5
8	Fluorescence In Situ Hybridization (FISH) Analysis of the Locations of the Oligonucleotides 5S rDNA, (AGGGTTT)3, and (TTG)6 in Three Genera of Oleaceae and Their Phylogenetic Framework. Genes, 2019, 10, 375.	2.4	12
9	First report of bicolour FISH of Berberis diaphana and B. soulieana reveals interspecific differences and co-localization of (AGGGTTT)3 and rDNA 5S in B. diaphana. Hereditas, 2019, 156, 13.	1.4	11
10	Physical Map of FISH 5S rDNA and (AG3T3)3 Signals Displays Chimonanthus campanulatus R.H. Chang & Eamp; C.S. Ding Chromosomes, Reproduces its Metaphase Dynamics and Distinguishes Its Chromosomes. Genes, 2019, 10, 904.	2.4	8
11	Genomic relationships among sixteen species of Avena based on (ACT)6 trinucleotide repeat FISH. Genome, 2018, 61, 63-70.	2.0	12
12	Chromosomal distributions of oligo-Am1 and (TTG)6 trinucleotide and their utilization in genome association analysis of sixteen Avena species. Genetic Resources and Crop Evolution, 2018, 65, 1625-1635.	1.6	14
13	FISH analysis of <i>Zanthoxylum armatum</i> based on oligonucleotides for 5S rDNA and (GAA) ₆ . Genome, 2018, 61, 699-702.	2.0	11
14	A comparative cytogenetic study of 17 Avena species using Am1 and (GAA)6 oligonucleotide FISH probes. Acta Physiologiae Plantarum, 2018, 40, 1.	2.1	13
15	Karyotype analysis of Piptanthus concolor based on FISH with a oligonucleotides for rDNA 5S. Scientia Horticulturae, 2017, 226, 361-365.	3.6	14
16	From green to red: large-scale transcriptome comparison of a bud sport in poplar (Populus deltoides). Acta Physiologiae Plantarum, 2016, 38, 1.	2.1	7
17	Centromeric position and genomic allocation of a repetitive sequence isolated from chromosome 18D of hexaploid oat, Avena sativa L Genetic Resources and Crop Evolution, 2015, 62, 1-4.	1.6	15
18	Exploring the origin of the D genome of oat by fluorescence in situ hybridization. Genome, 2014, 57, 469-472.	2.0	11

#	Article	IF	CITATIONS
19	Suitable dose of 60Co \hat{I}^3 -ray for mutation in Roegneria seeds. Journal of Radioanalytical and Nuclear Chemistry, 2013, 295, 1129-1134.	1.5	5
20	Characterization of chromosome-specific genomic DNA from hexaploid oat. Genome, 2012, 55, 265-268.	2.0	5
21	Phylogeny and maternal donor of Kengyilia species (Poaceae: Triticeae) based on three cpDNA (matK,) Tj ETQq1 I	1 0.78431 1.3	4 rgBT /Overl