

Andrea C King

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/451524/publications.pdf>

Version: 2024-02-01

118
papers

4,850
citations

76326

40
h-index

102487

66
g-index

119
all docs

119
docs citations

119
times ranked

3890
citing authors

#	ARTICLE	IF	CITATIONS
1	Rewarding, Stimulant, and Sedative Alcohol Responses and Relationship to Future Binge Drinking. Archives of General Psychiatry, 2011, 68, 389.	12.3	320
2	Effect of naltrexone on subjective alcohol response in subjects at high and low risk for future alcohol dependence. Psychopharmacology, 1997, 129, 15-22.	3.1	224
3	Biphasic Alcohol Response Differs in Heavy Versus Light Drinkers. Alcoholism: Clinical and Experimental Research, 2002, 26, 827-835.	2.4	203
4	The drug effects questionnaire: psychometric support across three drug types. Psychopharmacology, 2013, 227, 177-192.	3.1	165
5	Alcohol Challenge Responses Predict Future Alcohol Use Disorder Symptoms: A 6-Year Prospective Study. Biological Psychiatry, 2014, 75, 798-806.	1.3	165
6	Subjective and Objective Responses to Ethanol in Moderate/Heavy and Light Social Drinkers. Alcoholism: Clinical and Experimental Research, 2000, 24, 789-794.	2.4	155
7	Biphasic alcohol response differs in heavy versus light drinkers. Alcoholism: Clinical and Experimental Research, 2002, 26, 827-35.	2.4	121
8	Effects of alcohol on psychomotor performance and perceived impairment in heavy binge social drinkers. Drug and Alcohol Dependence, 2007, 91, 10-17.	3.2	106
9	A Prospective 5-Year Re-examination of Alcohol Response in Heavy Drinkers Progressing in Alcohol Use Disorder. Biological Psychiatry, 2016, 79, 489-498.	1.3	105
10	Alcohol Dose-Dependent Increases in Smoking Urge in Light Smokers. Alcoholism: Clinical and Experimental Research, 2005, 29, 547-552.	2.4	101
11	Cortisol Dysregulation and Cognitive Impairment in Abstinent Male Alcoholics. Alcoholism: Clinical and Experimental Research, 2002, 26, 1198-1204.	2.4	97
12	Client-related predictors of early treatment drop-out in a substance abuse clinic exclusively employing individual therapy. Journal of Substance Abuse Treatment, 2004, 26, 189-195.	2.8	97
13	Nalmefene Causes Greater Hypothalamic-Pituitary-Adrenal Axis Activation than Naloxone in Normal Volunteers: Implications for the Treatment of Alcoholism. Alcoholism: Clinical and Experimental Research, 1998, 22, 1430-1436.	2.4	93
14	Stressful events, personality, and mood disturbance. Addictive Behaviors, 2003, 28, 171-187.	3.0	92
15	Attenuated cortisol response to alcohol in heavy social drinkers. International Journal of Psychophysiology, 2006, 59, 203-209.	1.0	85
16	Efficacy of naltrexone in smoking cessation: A preliminary study and an examination of sex differences. Nicotine and Tobacco Research, 2006, 8, 671-682.	2.6	84
17	Effects of alcohol on brain responses to social signals of threat in humans. NeuroImage, 2011, 55, 371-380.	4.2	82
18	Altered cortisol response in sober alcoholics: An examination of contributing factors. Alcohol, 1996, 13, 493-498.	1.7	81

#	ARTICLE	IF	CITATIONS
19	Naltrexone Alteration of Acute Smoking Response in Nicotine-Dependent Subjects. <i>Pharmacology Biochemistry and Behavior</i> , 2000, 66, 563-572.	2.9	81
20	Passive exposure to electronic cigarette (e-cigarette) use increases desire for combustible and e-cigarettes in young adult smokers. <i>Tobacco Control</i> , 2015, 24, 501-504.	3.2	81
21	Self-Administered Web-Based Timeline Followback Procedure for Drinking and Smoking Behaviors in Young Adults. <i>Journal of Studies on Alcohol and Drugs</i> , 2012, 73, 829-833.	1.0	72
22	Hypothalamic-Pituitary-Adrenocortical (HPA) Axis Response and Biotransformation of Oral Naltrexone Preliminary Examination of Relationship to Family History of Alcoholism. <i>Neuropsychopharmacology</i> , 2002, 26, 778-788.	5.4	71
23	Expanding the Utility of the Biphasic Alcohol Effects Scale (BAES) and Initial Psychometric Support for the Briefâ€BAES (Bâ€BAES). <i>Alcoholism: Clinical and Experimental Research</i> , 2009, 33, 916-924.	2.4	70
24	Tobacco chippers show robust increases in smoking urge after alcohol consumption. <i>Psychopharmacology</i> , 2007, 190, 321-329.	3.1	66
25	Naltrexone attenuates acute cigarette smoking behavior. <i>Pharmacology Biochemistry and Behavior</i> , 2004, 77, 29-37.	2.9	62
26	Effects of Naltrexone on Smoking Cessation Outcomes and Weight Gain in Nicotine-Dependent Men and Women. <i>Journal of Clinical Psychopharmacology</i> , 2012, 32, 630-636.	1.4	61
27	Hormonal contraceptive use diminishes salivary cortisol response to psychosocial stress and naltrexone in healthy women. <i>Pharmacology Biochemistry and Behavior</i> , 2013, 109, 84-90.	2.9	61
28	Naltrexone Biotransformation and Incidence of Subjective Side Effects: A Preliminary Study. <i>Alcoholism: Clinical and Experimental Research</i> , 1997, 21, 906-909.	2.4	58
29	Alcohol-induced increases in smoking behavior for nicotine and denicotinized cigarettes in men and women. <i>Psychopharmacology</i> , 2009, 207, 107-117.	3.1	57
30	Subjective Responses to Alcohol in the Development and Maintenance of Alcohol Use Disorder. <i>American Journal of Psychiatry</i> , 2021, 178, 560-571.	7.2	56
31	Alcohol attenuates amygdalaâ€“frontal connectivity during processing social signals in heavy social drinkers. <i>Psychopharmacology</i> , 2013, 229, 141-154.	3.1	52
32	Exposure to electronic nicotine delivery systems (ENDS) visual imagery increases smoking urge and desire.. <i>Psychology of Addictive Behaviors</i> , 2016, 30, 106-112.	2.1	52
33	Substance use disorders: Relationship with intermittent explosive disorder and with aggression, anger, and impulsivity. <i>Journal of Psychiatric Research</i> , 2016, 81, 127-132.	3.1	48
34	Blood Pressure Dysregulation Associated with Alcohol Withdrawal. <i>Alcoholism: Clinical and Experimental Research</i> , 1991, 15, 478-482.	2.4	46
35	Project Exhale: Preliminary Evaluation of a Tailored Smoking Cessation Treatment for HIV-Positive African American Smokers. <i>AIDS Patient Care and STDs</i> , 2013, 27, 22-32.	2.5	45
36	The Role of Antisocial, Affective, and Childhood Behavioral Characteristics in Alcoholics' Neuropsychological Performance. <i>Alcoholism: Clinical and Experimental Research</i> , 1993, 17, 162-169.	2.4	44

#	ARTICLE	IF	CITATIONS
37	Validation of the Brief Biphasic Alcohol Effects Scale (<sc>B&AES</sc>). Alcoholism: Clinical and Experimental Research, 2013, 37, 470-476.	2.4	44
38	Development of a Culturally Targeted Smoking Cessation Intervention for African American Smokers. Journal of Community Health, 2009, 34, 480-492.	3.8	43
39	Naltrexone Decreases Heavy Drinking Rates in Smoking Cessation Treatment: An Exploratory Study. Alcoholism: Clinical and Experimental Research, 2009, 33, 1044-1050.	2.4	43
40	Varenicline Potentiates Alcohol&induced Negative Subjective Responses and Offsets Impaired Eye Movements. Alcoholism: Clinical and Experimental Research, 2012, 36, 906-914.	2.4	42
41	Human Laboratory Paradigms in Alcohol Research. Alcoholism: Clinical and Experimental Research, 2012, 36, 972-983.	2.4	42
42	Sex differences in acute hormonal and subjective response to naltrexone: The impact of menstrual cycle phase. Psychoneuroendocrinology, 2015, 52, 59-71.	2.7	42
43	Alcohol impairment of saccadic and smooth pursuit eye movements: impact of risk factors for alcohol dependence. Psychopharmacology, 2010, 212, 33-44.	3.1	37
44	Alcohol-induced performance impairment in heavy episodic and light social drinkers.. Journal of Studies on Alcohol and Drugs, 2004, 65, 27-36.	2.3	36
45	Modifiable risk behaviors in patients with head and neck cancer. Cancer, 2013, 119, 2419-2426.	4.1	36
46	Racial differences in eligibility and enrollment in a smoking cessation clinical trial.. Health Psychology, 2011, 30, 40-48.	1.6	34
47	Acute Alcohol Response Phenotype in Heavy Social Drinkers is Robust and Reproducible. Alcoholism: Clinical and Experimental Research, 2014, 38, 844-852.	2.4	34
48	The Impact of Depressive Symptoms on the Efficacy of Naltrexone in Smoking Cessation. Journal of Addictive Diseases, 2008, 27, 65-72.	1.3	33
49	Eysenck's personality dimensions and sex steroids in male abstinent alcoholics and nonalcoholics: an exploratory study. Biological Psychology, 1995, 39, 103-113.	2.2	31
50	Naltrexone Reduction of Long-Term Smoking Cessation Weight Gain in Women But Not Men: A Randomized Controlled Trial. Biological Psychiatry, 2013, 73, 924-930.	1.3	31
51	Naltrexone Improves Quit Rates, Attenuates Smoking Urge, and Reduces Alcohol Use in Heavy Drinking Smokers Attempting to Quit Smoking. Alcoholism: Clinical and Experimental Research, 2014, 38, 2622-2629.	2.4	31
52	Second Generation Electronic Nicotine Delivery System Vape Pen Exposure Generalizes as a Smoking Cue. Nicotine and Tobacco Research, 2018, 20, 246-252.	2.6	31
53	Acute HPA axis response to naltrexone differs in female vs. male smokers. Psychoneuroendocrinology, 2010, 35, 596-606.	2.7	30
54	Current Insights into the Mechanisms and Development of Treatments for Heavy-Drinking Cigarette Smokers. Current Addiction Reports, 2016, 3, 125-137.	3.4	30

#	ARTICLE	IF	CITATIONS
55	Evaluation of a Randomized Clinical Trial Comparing the Effectiveness of a Culturally Targeted and Nontargeted Smoking Cessation Intervention for Lesbian, Gay, Bisexual, and Transgender Smokers. <i>Nicotine and Tobacco Research</i> , 2019, 21, 1506-1516.	2.6	29
56	Neural Substrates of Alcohol-Induced Smoking Urge in Heavy Drinking Nondaily Smokers. <i>Neuropsychopharmacology</i> , 2010, 35, 692-701.	5.4	28
57	Naltrexone effects on cortisol secretion in women and men in relation to a family history of alcoholism: Studies from the Oklahoma Family Health Patterns Project. <i>Psychoneuroendocrinology</i> , 2012, 37, 1922-1928.	2.7	28
58	A Qualitative Study of the Barriers to and Facilitators of Smoking Cessation Among Lesbian, Gay, Bisexual, and Transgender Smokers Who Are Interested in Quitting. <i>LGBT Health</i> , 2017, 4, 24-33.	3.4	28
59	Drinking History Is Related to Persistent Blood Pressure Dysregulation in Postwithdrawal Alcoholics. <i>Alcoholism: Clinical and Experimental Research</i> , 1994, 18, 1172-1176.	2.4	27
60	Alternative substance paradigm: Effectiveness of beverage blinding and effects on acute alcohol responses.. <i>Experimental and Clinical Psychopharmacology</i> , 2012, 20, 382-389.	1.8	27
61	To Infuse or Ingest in Human Laboratory Alcohol Research. <i>Alcoholism: Clinical and Experimental Research</i> , 2020, 44, 764-776.	2.4	23
62	Investigation of the role of sex hormones in alcoholics' visuospatial deficits. <i>Neuropsychologia</i> , 1992, 30, 417-426.	1.6	22
63	Subjective Responses to Alcohol: A Paradigm Shift May Be Brewing. <i>Alcoholism: Clinical and Experimental Research</i> , 2011, 35, 1726-1728.	2.4	22
64	The future of translational research on alcohol use disorder. <i>Addiction Biology</i> , 2021, 26, e12903.	2.6	22
65	A Pilot Community-Based Intensive Smoking Cessation Intervention in African Americans: Feasibility, Acceptability and Early Outcome Indicators. <i>Journal of the National Medical Association</i> , 2008, 100, 208-221.	0.8	21
66	Role of Naltrexone in Initial Smoking Cessation: Preliminary Findings. <i>Alcoholism: Clinical and Experimental Research</i> , 2002, 26, 1942-1944.	2.4	19
67	Differential effects of alcohol on contrast processing mediated by the magnocellular and parvocellular pathways. <i>Journal of Vision</i> , 2012, 12, 16-16.	0.3	19
68	Feasibility and Effectiveness of a Community-Based Smoking Cessation Intervention in a Racially Diverse, Urban Smoker Cohort. <i>American Journal of Public Health</i> , 2014, 104, S620-S627.	2.7	19
69	Effects of the opioid receptor antagonist naltrexone on smoking and related behaviors in smokers preparing to quit: a randomized controlled trial. <i>Addiction</i> , 2013, 108, 1836-1844.	3.3	17
70	Association of Anticipated and Laboratory-Derived Alcohol Stimulation, Sedation, and Reward. <i>Alcoholism: Clinical and Experimental Research</i> , 2017, 41, 1361-1369.	2.4	16
71	Cardiovascular Responses to Physical and Psychological Stress in Female Alcoholics With Transitory Hypertension After Early Abstinence. <i>Alcoholism: Clinical and Experimental Research</i> , 2003, 27, 1489-1498.	2.4	15
72	Genetic ancestry as an effect modifier of naltrexone in smoking cessation among African Americans. <i>Pharmacogenetics and Genomics</i> , 2015, 25, 305-312.	1.5	15

#	ARTICLE	IF	CITATIONS
73	Alcohol-induced performance impairment: a 5-year re-examination study in heavy and light drinkers. <i>Psychopharmacology</i> , 2017, 234, 1749-1759.	3.1	15
74	Optimizing follow-up and study retention in the 21st century: Advances from the front line in alcohol and tobacco research. <i>Drug and Alcohol Dependence</i> , 2017, 175, 171-178.	3.2	14
75	Sex Differences in the Relationship Between Alcohol- Associated Smoking Urge and Behavior: A Pilot Study. <i>American Journal on Addictions</i> , 2008, 17, 347-353.	1.4	13
76	Race and sex associations to weight concerns among urban African American and Caucasian smokers. <i>Addictive Behaviors</i> , 2011, 36, 14-17.	3.0	13
77	The role of E-liquid vegetable glycerin and exhaled aerosol on cue reactivity to tank-based electronic nicotine delivery systems (ENDS). <i>Psychopharmacology</i> , 2019, 236, 2083-2092.	3.1	13
78	A pilot study of Counsel to Quit [®] : Evaluating an Ask Advise Refer (AAR)-based tobacco cessation training for medical and mental healthcare providers. <i>Journal of Substance Abuse Treatment</i> , 2019, 99, 163-170.	2.8	13
79	The role of alcohol response phenotypes in the risk for alcohol use disorder. <i>BJPsych Open</i> , 2019, 5, e38.	0.7	13
80	Real-Time Mobile Monitoring of Drinking Episodes in Young Adult Heavy Drinkers: Development and Comparative Survey Study. <i>JMIR MHealth and UHealth</i> , 2019, 7, e13765.	3.7	13
81	Effect of Combination Treatment With Varenicline and Nicotine Patch on Smoking Cessation Among Smokers Who Drink Heavily. <i>JAMA Network Open</i> , 2022, 5, e220951.	5.9	13
82	Differential fMRI BOLD responses in amygdala in intermittent explosive disorder as a function of past Alcohol Use Disorder. <i>Psychiatry Research - Neuroimaging</i> , 2016, 257, 5-10.	1.8	12
83	Mechanisms of Alcohol Addiction: Bridging Human and Animal Studies. <i>Alcohol and Alcoholism</i> , 2020, 55, 603-607.	1.6	12
84	Substance use behaviors in adolescent and young adult cancer patients: Associations with mental and physical health. <i>Psycho-Oncology</i> , 2020, 29, 1068-1076.	2.3	12
85	Intranasal Oxytocin Does Not Modulate Responses to Alcohol in Social Drinkers. <i>Alcoholism: Clinical and Experimental Research</i> , 2018, 42, 1725-1734.	2.4	11
86	Relationships between generalized impulsivity and subjective stimulant and sedative responses following alcohol administration.. <i>Psychology of Addictive Behaviors</i> , 2019, 33, 616-625.	2.1	11
87	Practice Habits, Knowledge, and Attitudes of Hepatologists to Alcohol Use Disorder Medication: Sobering Gaps and Opportunities. <i>Transplantation Direct</i> , 2020, 6, e603.	1.6	11
88	Design of a comparative effectiveness evaluation of a culturally tailored versus standard community-based smoking cessation treatment program for LGBT smokers. <i>BMC Psychology</i> , 2014, 2, 12.	2.1	10
89	Differences in subjective response to alcohol in heavy and light drinking Chinese men versus Caucasian American men. <i>Addiction</i> , 2015, 110, 91-99.	3.3	10
90	Smokers' Treatment Expectancies Predict Smoking Cessation Success. <i>Journal of Smoking Cessation</i> , 2016, 11, 143-149.	1.0	10

#	ARTICLE	IF	CITATIONS
91	Integrating alcohol response feedback in a brief intervention for young adult heavy drinkers who smoke: A pilot study. <i>Drug and Alcohol Dependence</i> , 2015, 155, 293-297.	3.2	8
92	Electronic nicotine delivery systems (ENDS) cue reactivity in dual users: A combined analysis. <i>Drug and Alcohol Dependence</i> , 2021, 227, 108909.	3.2	8
93	Naltrexone Biotransformation and Incidence of Subjective Side Effects. <i>Alcoholism: Clinical and Experimental Research</i> , 1997, 21, 906.	2.4	8
94	Biphasic Alcohol Response Differs in Heavy Versus Light Drinkers. <i>Alcoholism: Clinical and Experimental Research</i> , 2002, 26, 827-835.	2.4	8
95	Cue salience of the use of an electronic nicotine delivery system (ENDS) device marketed to women. <i>Addictive Behaviors</i> , 2020, 100, 106116.	3.0	7
96	Subjective and Objective Responses to Ethanol in Moderate/Heavy and Light Social Drinkers. <i>Alcoholism: Clinical and Experimental Research</i> , 2000, 24, 789-794.	2.4	7
97	Havenâ€™t lost the positive feeling: a dose-response, oral alcohol challenge study in drinkers with alcohol use disorder. <i>Neuropsychopharmacology</i> , 2022, 47, 1892-1900.	5.4	7
98	Relationship of Selfâ€™Reported and Acute Stress to Smoking in Emerging Adult Smokers. <i>Journal of Clinical Psychology</i> , 2013, 69, 710-717.	1.9	6
99	Blunted opioid regulation of the HPA stress response during nicotine withdrawal: therapeutic implications. <i>Stress</i> , 2021, 24, 529-540.	1.8	6
100	Exposure to JUUL use: cue reactivity effects in young adult current and former smokers. <i>Tobacco Control</i> , 2021, 30, 386-391.	3.2	6
101	The Impact of the COVID-19 Pandemic on Tobacco Treatment Program Implementation at National Cancer Institute-Designated Cancer Centers. <i>Nicotine and Tobacco Research</i> , 2023, 25, 345-349.	2.6	6
102	Acute Alcohol Drinking Promotes Piecemeal Percepts during Binocular Rivalry. <i>Frontiers in Psychology</i> , 2016, 7, 489.	2.1	5
103	The dopamine transporter VNTR polymorphism moderates the relationship between acute response to alcohol and future alcohol use disorder symptoms. <i>Addiction Biology</i> , 2019, 24, 1109-1118.	2.6	5
104	The Feasibility, Tolerability, and Safety of Administering a Very High Alcohol Dose to Drinkers with Alcohol Use Disorder. <i>Alcoholism: Clinical and Experimental Research</i> , 2020, 44, 2588-2597.	2.4	5
105	Alcohol subjective responses in heavy drinkers: Measuring acute effects in the natural environment versus the controlled laboratory setting. <i>Alcoholism: Clinical and Experimental Research</i> , 2021, 45, 1287-1297.	2.4	5
106	Hangover in Postâ€™Collegeâ€™Aged Drinkers: Psychometric Properties of the Hangover Symptom Scale (<sc>HSS</sc>) and the Hangover Symptom Scaleâ€™Short Form (<sc>HSS</sc>â€™5). <i>Alcoholism: Clinical and Experimental Research</i> , 2018, 42, 1122-1131.	2.4	4
107	The rise and fall of e-cigarette cloud chasing appealing to youth. <i>Preventive Medicine Reports</i> , 2021, 24, 101644.	1.8	4
108	Alcohol Intoxication Impairs Mesopic Rod and Cone Temporal Processing in Social Drinkers. <i>Alcoholism: Clinical and Experimental Research</i> , 2015, 39, 1842-1849.	2.4	3

#	ARTICLE	IF	CITATIONS
109	Cigarette Smoking and Heavy Alcohol Drinking: The Challenges and Opportunities for Combination Treatments. <i>American Journal of Psychiatry</i> , 2021, 178, 783-785.	7.2	3
110	Effects of Visual Exposure to IQOS Use on Smoking Urge and Behavior. <i>Tobacco Regulatory Science (discontinued)</i> , 2021, 7, 31-45.	0.2	3
111	Different Subjective and Objective Responses to Alcohol Among Heavy and Light Drinkers of Han and Uyghur Nationalities in China. <i>Journal of Addictions Nursing</i> , 2015, 26, 191-202.	0.4	2
112	Lack of Association between Opioid-Receptor Genotypes and Smoking Cessation Outcomes in a Randomized, Controlled Naltrexone Trial. <i>Alcohol and Alcoholism</i> , 2019, 54, 559-565.	1.6	2
113	Subjective alcohol responses in high- and low-risk adolescents: results from the Dresden Longitudinal Study on Alcohol Use in Young Adults. <i>Addiction</i> , 2021, 116, 1716-1724.	3.3	2
114	Role of naltrexone in initial smoking cessation: preliminary findings. <i>Alcoholism: Clinical and Experimental Research</i> , 2002, 26, 1942-4.	2.4	2
115	POINT: Are Advanced Practice Professionals More Likely to Achieve Better Tobacco Cessation Results than Physicians? Yes. <i>Chest</i> , 2017, 152, 466-469.	0.8	1
116	Naltrexone in Smoking Cessation: A Review of the Literature and Future Directions. , 2009, , 315-332.		1
117	Acute alcohol rewarding effects as a risk factor for hangover frequency. <i>Addictive Behaviors</i> , 2022, 129, 107279.	3.0	1
118	Rebuttal From Dr Hitsman et al. <i>Chest</i> , 2017, 152, 472-473.	0.8	0