

# Chun-Hao Tsai

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4515693/publications.pdf>

Version: 2024-02-01

115  
papers

3,636  
citations

117625

34  
h-index

182427

51  
g-index

119  
all docs

119  
docs citations

119  
times ranked

5006  
citing authors

#	ARTICLE	IF	CITATIONS
1	IL-17 Facilitates VCAM-1 Production and Monocyte Adhesion in Osteoarthritis Synovial Fibroblasts by Suppressing miR-5701 Synthesis. <i>International Journal of Molecular Sciences</i> , 2022, 23, 6804.	4.1	9
2	<i>Hericium erinaceus</i> Mycelium Ameliorates In Vivo Progression of Osteoarthritis. <i>Nutrients</i> , 2022, 14, 2605.	4.1	5
3	The Effects of Tgfb1 and Csf3 on Chondrogenic Differentiation of iPS Cells in 2D and 3D Culture Environment. <i>International Journal of Molecular Sciences</i> , 2021, 22, 2978.	4.1	4
4	miR-144a-3p ameliorates the progression of osteoarthritis by targeting IL-1 $\beta$ : Potential therapeutic implications. <i>Journal of Cellular Physiology</i> , 2021, 236, 6988-7000.	4.1	28
5	Digital Light Processing Bioprinted Human Chondrocyte-Laden Poly ( $\beta$ -Glutamic Acid)/Hyaluronic Acid Bio-Ink towards Cartilage Tissue Engineering. <i>Biomedicines</i> , 2021, 9, 714.	3.2	13
6	Safety and efficacy of single CHAP Hyaluronan injection versus three injections of linear Hyaluronan in pain relief for knee osteoarthritis: a prospective, 52-week follow-up, randomized, evaluator-blinded study. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 572.	1.9	5
7	miR-let-7c-5p and miR-149-5p inhibit proinflammatory cytokine production in osteoarthritis and rheumatoid arthritis synovial fibroblasts. <i>Aging</i> , 2021, 13, 17227-17236.	3.1	24
8	S1P Increases VEGF Production in Osteoblasts and Facilitates Endothelial Progenitor Cell Angiogenesis by Inhibiting miR-16-5p Expression via the c-Src/FAK Signaling Pathway in Rheumatoid Arthritis. <i>Cells</i> , 2021, 10, 2168.	4.1	19
9	Nesfatin-1 facilitates IL-1 $\beta$ production in osteoarthritis synovial fibroblasts by suppressing miR-204-5p synthesis through the AP-1 and NF- $\kappa$ B pathways. <i>Aging</i> , 2021, 13, 22490-22501.	3.1	7
10	Acetabular Fractures with Central Hip Dislocation: A Retrospective Consecutive 50 Case Series Study Based on AO/OTA 2018 Classification in Midterm Follow-Up. <i>BioMed Research International</i> , 2021, 2021, 1-8.	1.9	2
11	Apelin Promotes Endothelial Progenitor Cell Angiogenesis in Rheumatoid Arthritis Disease via the miR-525-5p/Angiopoietin-1 Pathway. <i>Frontiers in Immunology</i> , 2021, 12, 737990.	4.8	9
12	Betulin suppresses TNF- $\alpha$ and IL-1 $\beta$ production in osteoarthritis synovial fibroblasts by inhibiting the MEK/ERK/NF- $\kappa$ B pathway. <i>Journal of Functional Foods</i> , 2021, 86, 104729.	3.4	38
13	Resistin enhances IL-1 $\beta$ and TNF- $\alpha$ expression in human osteoarthritis synovial fibroblasts by inhibiting miR-149 expression via the MEK and ERK pathways. <i>FASEB Journal</i> , 2020, 34, 13671-13684.	0.5	18
14	S1P facilitates IL-1 $\beta$ production in osteoblasts via the JAK and STAT3 signaling pathways. <i>Environmental Toxicology</i> , 2020, 35, 991-997.	4.0	7
15	Visfatin Increases VEGF-Dependent Angiogenesis of Endothelial Progenitor Cells during Osteoarthritis Progression. <i>Cells</i> , 2020, 9, 1315.	4.1	28
16	S1P promotes IL-6 expression in osteoblasts through the PI3K, MEK/ERK and NF- $\kappa$ B signaling pathways. <i>International Journal of Medical Sciences</i> , 2020, 17, 1207-1214.	2.5	18
17	Apelin Affects the Progression of Osteoarthritis by Regulating VEGF-Dependent Angiogenesis and miR-150-5p Expression in Human Synovial Fibroblasts. <i>Cells</i> , 2020, 9, 594.	4.1	29
18	Noggin Inhibits IL-1 $\beta$ and BMP-2 Expression, and Attenuates Cartilage Degeneration and Subchondral Bone Destruction in Experimental Osteoarthritis. <i>Cells</i> , 2020, 9, 927.	4.1	62

#	ARTICLE	IF	CITATIONS
19	Apelin enhances IL-1 $\beta$ expression in human synovial fibroblasts by inhibiting miR-144-3p through the PI3K and ERK pathways. <i>Aging</i> , 2020, 12, 9224-9239.	3.1	17
20	Visfatin increases ICAM-1 expression and monocyte adhesion in human osteoarthritis synovial fibroblasts by reducing miR-320a expression. <i>Aging</i> , 2020, 12, 18635-18648.	3.1	11
21	The association with xerostomia from sialadenitis and the jaw osteonecrosis in head and neck cancer population: a nationwide cohort study. <i>Clinical Oral Investigations</i> , 2019, 23, 585-593.	3.0	6
22	Soya-cerebroside reduces IL-1 $\beta$ -induced MMP-1 production in chondrocytes and inhibits cartilage degradation: implications for the treatment of osteoarthritis. <i>Food and Agricultural Immunology</i> , 2019, 30, 620-632.	1.4	79
23	<i>VEGF-C</i> Gene Polymorphisms Increase Susceptibility to Rheumatoid Arthritis. <i>International Journal of Medical Sciences</i> , 2019, 16, 1397-1403.	2.5	5
24	Association of Traditional Chinese Medicine Therapy with Risk of Total Hip Replacement in Patients with Nontraumatic Osteonecrosis of the Femoral Head: A Population-Based Cohort Study. <i>Evidence-based Complementary and Alternative Medicine</i> , 2019, 2019, 1-11.	1.2	8
25	Associations between Adipokines in Arthritic Disease and Implications for Obesity. <i>International Journal of Molecular Sciences</i> , 2019, 20, 1505.	4.1	49
26	The Accuracy of 3D Printing Assistance in the Spinal Deformity Surgery. <i>BioMed Research International</i> , 2019, 2019, 1-9.	1.9	25
27	Associations between WNT1-inducible signaling pathway protein-1 (WISP-1) genetic polymorphisms and clinical aspects of rheumatoid arthritis among Chinese Han subjects. <i>Medicine (United States)</i> , 2019, 98, e17604.	1.0	2
28	Increased risk of eczema after joint replacement. <i>Medicine (United States)</i> , 2019, 98, e17914.	1.0	6
29	Trends and predictors of mortality in unstable pelvic ring fracture: a 10-year experience with a multidisciplinary institutional protocol. <i>World Journal of Emergency Surgery</i> , 2019, 14, 61.	5.0	26
30	Resistin facilitates VEGF-A-dependent angiogenesis by inhibiting miR-16-5p in human chondrosarcoma cells. <i>Cell Death and Disease</i> , 2019, 10, 31.	6.3	40
31	Melatonin attenuates TNF $\alpha$ and IL-1 $\beta$ expression in synovial fibroblasts and diminishes cartilage degradation: Implications for the treatment of rheumatoid arthritis. <i>Journal of Pineal Research</i> , 2019, 66, e12560.	7.4	115
32	Improved Bioactivity of 3D Printed Porous Titanium Alloy Scaffold with Chitosan/Magnesium-Calcium Silicate Composite for Orthopaedic Applications. <i>Materials</i> , 2019, 12, 203.	2.9	62
33	CCN2 promotes drug resistance in osteosarcoma by enhancing ABCG2 expression. <i>Journal of Cellular Physiology</i> , 2019, 234, 9297-9307.	4.1	18
34	TGF- $\beta$ 1 enhances FOXO3 expression in human synovial fibroblasts by inhibiting miR-92a through AMPK and p38 pathways. <i>Aging</i> , 2019, 11, 4075-4089.	3.1	36
35	Comparison of the risk of non-traumatic lower extremity amputation between haemodialysis and peritoneal dialysis patients with end-stage renal disease. <i>Nephrology</i> , 2018, 23, 86-92.	1.6	1
36	Risk of fracture in transfusion-naïve thalassemia population: A nationwide population-based retrospective cohort study. <i>Bone</i> , 2018, 106, 121-125.	2.9	11

#	ARTICLE	IF	CITATIONS
37	Inhaled corticosteroids and the risks of low-energy fractures in patients with chronic airway diseases: A propensity score matched study. <i>Clinical Respiratory Journal</i> , 2018, 12, 1830-1837.	1.6	8
38	A paeonol derivative, YPH-PA3 promotes the differentiation of monocyte/macrophage lineage precursor cells into osteoblasts and enhances their autophagy. <i>European Journal of Pharmacology</i> , 2018, 832, 104-113.	3.5	7
39	Chemokine C-C Motif Ligand 4 Gene Polymorphisms Associated with Susceptibility to Rheumatoid Arthritis. <i>BioMed Research International</i> , 2018, 2018, 1-7.	1.9	15
40	Sitagliptin and Fractures in Type 2 Diabetes: A Nationwide Population-Based Propensity-Matching Study. <i>Frontiers in Pharmacology</i> , 2018, 9, 677.	3.5	2
41	Isosteviol Derivative Inhibits Osteoclast Differentiation and Ameliorates Ovariectomy-Induced Osteoporosis. <i>Scientific Reports</i> , 2018, 8, 11190.	3.3	5
42	Visfatin Promotes IL-6 and TNF- $\alpha$ Production in Human Synovial Fibroblasts by Repressing miR-199a-5p through ERK, p38 and JNK Signaling Pathways. <i>International Journal of Molecular Sciences</i> , 2018, 19, 190.	4.1	61
43	Implications of Angiogenesis Involvement in Arthritis. <i>International Journal of Molecular Sciences</i> , 2018, 19, 2012.	4.1	146
44	Radix Paeoniae Rubra stimulates osteoclast differentiation by activation of the NF- $\kappa$ B and mitogen-activated protein kinase pathways. <i>BMC Complementary and Alternative Medicine</i> , 2018, 18, 132.	3.7	21
45	Glucose suppresses IL-1 $\beta$ -induced MMP-1 expression through the FAK, MEK, ERK, and AP-1 signaling pathways. <i>Environmental Toxicology</i> , 2018, 33, 1061-1068.	4.0	49
46	CTGF promotes osteosarcoma angiogenesis by regulating miR-543/angiopoietin 2 signaling. <i>Cancer Letters</i> , 2017, 391, 28-37.	7.2	73
47	Soya-cerebroside, an extract of <i>Cordyceps militaris</i> , suppresses monocyte migration and prevents cartilage degradation in inflammatory animal models. <i>Scientific Reports</i> , 2017, 7, 43205.	3.3	35
48	Thrombospondin-2 promotes prostate cancer bone metastasis by the up-regulation of matrix metalloproteinase-2 through down-regulating miR-376c expression. <i>Journal of Hematology and Oncology</i> , 2017, 10, 33.	17.0	69
49	Dental Prophylaxis and Osteoradionecrosis: A Population-Based Study. <i>Journal of Dental Research</i> , 2017, 96, 531-538.	5.2	20
50	WISP-1 positively regulates angiogenesis by controlling VEGF-A expression in human osteosarcoma. <i>Cell Death and Disease</i> , 2017, 8, e2750-e2750.	6.3	60
51	Sphingosine-1-phosphate suppresses chondrosarcoma metastasis by upregulation of tissue inhibitor of metalloproteinase 3 through suppressing miR-101 expression. <i>Molecular Oncology</i> , 2017, 11, 1380-1398.	4.6	32
52	Amphiregulin enhances VEGF-A production in human chondrosarcoma cells and promotes angiogenesis by inhibiting miR-206 via FAK/c-Src/PKC $\gamma$ pathway. <i>Cancer Letters</i> , 2017, 385, 261-270.	7.2	50
53	Osteopontin inhibition of miR-129-3p enhances IL-17 expression and monocyte migration in rheumatoid arthritis. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2017, 1861, 15-22.	2.4	35
54	Prognostic significance of high-mobility group box protein 1 genetic polymorphisms in rheumatoid arthritis disease outcome. <i>International Journal of Medical Sciences</i> , 2017, 14, 1382-1388.	2.5	14

#	ARTICLE	IF	CITATIONS
55	YKL-40-Induced Inhibition of miR-590-3p Promotes Interleukin-18 Expression and Angiogenesis of Endothelial Progenitor Cells. <i>International Journal of Molecular Sciences</i> , 2017, 18, 920.	4.1	37
56	Myostatin Promotes Interleukin-1 $\beta$ Expression in Rheumatoid Arthritis Synovial Fibroblasts through Inhibition of miR-21-5p. <i>Frontiers in Immunology</i> , 2017, 8, 1747.	4.8	48
57	Transforming growth factor $\beta$ 1 enhances heme oxygenase 1 expression in human synovial fibroblasts by inhibiting microRNA 519b synthesis. <i>PLoS ONE</i> , 2017, 12, e0176052.	2.5	35
58	Hemoglobin level trajectories in the early treatment period are related with survival outcomes in patients with breast cancer. <i>Oncotarget</i> , 2017, 8, 1569-1579.	1.8	10
59	Disorder-related risk factors for revision total hip arthroplasty after hip hemiarthroplasty in displaced femoral neck fracture patients: a nationwide population-based cohort study. <i>Journal of Orthopaedic Surgery and Research</i> , 2016, 11, 66.	2.3	11
60	The Impact of Oral Hygiene Maintenance on the Association Between Periodontitis and Osteoporosis. <i>Medicine (United States)</i> , 2016, 95, e2348.	1.0	31
61	External Fixator for Maintaining Reduction Before Volar Plating. <i>Techniques in Hand and Upper Extremity Surgery</i> , 2016, 20, 14-20.	0.6	3
62	Distances between bony landmarks and adjacent nerves: anatomical factors that may influence retractor placement in total hip replacement surgery. <i>Journal of Orthopaedic Surgery and Research</i> , 2016, 11, 31.	2.3	29
63	Interleukin-1 $\beta$ induces fibroblast growth factor 2 expression and subsequently promotes endothelial progenitor cell angiogenesis in chondrocytes. <i>Clinical Science</i> , 2016, 130, 667-681.	4.3	55
64	Gout increases risk of fracture. <i>Medicine (United States)</i> , 2016, 95, e4669.	1.0	24
65	Endothelin-1 promotes epithelial-mesenchymal transition in human chondrosarcoma cells by repressing miR-300. <i>Oncotarget</i> , 2016, 7, 70232-70246.	1.8	19
66	A novel benzofuran derivative, ACDB, induces apoptosis of human chondrosarcoma cells through mitochondrial dysfunction and endoplasmic reticulum stress. <i>Oncotarget</i> , 2016, 7, 83530-83543.	1.8	10
67	Basic fibroblast growth factor promotes VEGF-C-dependent lymphangiogenesis via inhibition of miR-381 in human chondrosarcoma cells. <i>Oncotarget</i> , 2016, 7, 38566-38578.	1.8	27
68	Basic fibroblast growth factor induces VEGF expression in chondrosarcoma cells and subsequently promotes endothelial progenitor cell-primed angiogenesis. <i>Clinical Science</i> , 2015, 129, 147-158.	4.3	24
69	Resistin Promotes Angiogenesis in Endothelial Progenitor Cells Through Inhibition of MicroRNA206: Potential Implications for Rheumatoid Arthritis. <i>Stem Cells</i> , 2015, 33, 2243-2255.	3.2	57
70	Underexpression of LKB1 tumor suppressor is associated with enhanced Wnt signaling and malignant characteristics of human intrahepatic cholangiocarcinoma. <i>Oncotarget</i> , 2015, 6, 18905-18920.	1.8	30
71	A Minimally Invasive Endoscopic Surgery for Infectious Spondylodiscitis of the Thoracic and Upper Lumbar Spine in Immunocompromised Patients. <i>BioMed Research International</i> , 2015, 2015, 1-8.	1.9	14
72	CCL5 promotes vascular endothelial growth factor expression and induces angiogenesis by down-regulating miR-199a in human chondrosarcoma cells. <i>Cancer Letters</i> , 2015, 357, 476-487.	7.2	68

#	ARTICLE	IF	CITATIONS
73	Clinical outcome and radiographic change of ipsilateral scapular neck and clavicular shaft fracture: comparison of operation and conservative treatment. <i>Journal of Orthopaedic Surgery and Research</i> , 2015, 10, 9.	2.3	21
74	Tamoxifen use reduces the risk of osteoporotic fractures in women with breast cancer in Asia: a nationwide population-based cohort study. <i>BMC Musculoskeletal Disorders</i> , 2015, 16, 123.	1.9	11
75	Berberine attenuates CCN2-induced IL-1 $\beta$ expression and prevents cartilage degradation in a rat model of osteoarthritis. <i>Toxicology and Applied Pharmacology</i> , 2015, 289, 20-29.	2.8	57
76	Resistin promotes tumor metastasis by down-regulation of miR-519d through the AMPK/p38 signaling pathway in human chondrosarcoma cells. <i>Oncotarget</i> , 2015, 6, 258-270.	1.8	73
77	Amphiregulin enhances alpha6beta1 integrin expression and cell motility in human chondrosarcoma cells through Ras/Raf/MEK/ERK/AP-1 pathway. <i>Oncotarget</i> , 2015, 6, 11434-11446.	1.8	26
78	BMP-7 Enhances Cell Migration and $\alpha$ 3 $\beta$ 1 Integrin Expression via a c-Src-Dependent Pathway in Human Chondrosarcoma Cells. <i>PLoS ONE</i> , 2014, 9, e112636.	2.5	19
79	Leptin Induces Oncostatin M Production in Osteoblasts by Downregulating miR-93 through the Akt Signaling Pathway. <i>International Journal of Molecular Sciences</i> , 2014, 15, 15778-15790.	4.1	41
80	Curative use of forequarter amputation for recurrent breast cancer over an axillary area: a case report and literature review. <i>World Journal of Surgical Oncology</i> , 2014, 12, 346.	1.9	0
81	Fracture as an Independent Risk Factor of Dementia. <i>Medicine (United States)</i> , 2014, 93, e188.	1.0	33
82	Domain-specific suppression of auditory mismatch negativity with transcranial direct current stimulation. <i>Clinical Neurophysiology</i> , 2014, 125, 585-592.	1.5	29
83	CCN1 Induces Oncostatin M Production in Osteoblasts via Integrin-Dependent Signal Pathways. <i>PLoS ONE</i> , 2014, 9, e106632.	2.5	26
84	Discontinuation of alendronate and administration of bone-forming agents after surgical nailing may promote union of atypical femoral fractures in patients on long-term alendronate therapy. <i>BMC Research Notes</i> , 2013, 6, 11.	1.4	10
85	AMP-activated protein kinase activation mediates CCL3-induced cell migration and matrix metalloproteinase-2 expression in human chondrosarcoma. <i>Cell Communication and Signaling</i> , 2013, 11, 68.	6.5	38
86	High glucose induces vascular endothelial growth factor production in human synovial fibroblasts through reactive oxygen species generation. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2013, 1830, 2649-2658.	2.4	39
87	Interleukin-6 induces vascular endothelial growth factor expression and promotes angiogenesis through apoptosis signal-regulating kinase 1 in human osteosarcoma. <i>Biochemical Pharmacology</i> , 2013, 85, 531-540.	4.4	115
88	CCN4 induces vascular cell adhesion molecule-1 expression in human synovial fibroblasts and promotes monocyte adhesion. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2013, 1833, 966-975.	4.1	27
89	Fracture in Asian Women with Breast Cancer Occurs at Younger Age. <i>PLoS ONE</i> , 2013, 8, e75109.	2.5	10
90	Leptin Induces IL-6 Expression through OBRI Receptor Signaling Pathway in Human Synovial Fibroblasts. <i>PLoS ONE</i> , 2013, 8, e75551.	2.5	60

#	ARTICLE	IF	CITATIONS
91	Time Trend of Multiple Myeloma and Associated Secondary Primary Malignancies in Asian Patients: A Taiwan Population-Based Study. PLoS ONE, 2013, 8, e68041.	2.5	32
92	<i>Momordica charantia</i> Extract Induces Apoptosis in Human Cancer Cells through Caspase- and Mitochondria-Dependent Pathways. Evidence-based Complementary and Alternative Medicine, 2012, 2012, 1-11.	1.2	38
93	Antimigratory Effects of the Methanol Extract from <i>Momordica charantia</i> on Human Lung Adenocarcinoma CL1 Cells. Evidence-based Complementary and Alternative Medicine, 2012, 2012, 1-12.	1.2	15
94	Primary traumatic patellar dislocation. Journal of Orthopaedic Surgery and Research, 2012, 7, 21.	2.3	42
95	Hepatocyte Growth Factor Increases Vascular Endothelial Growth Factor-A Production in Human Synovial Fibroblasts through c-Met Receptor Pathway. PLoS ONE, 2012, 7, e50924.	2.5	36
96	Quercetin 3-O-methyl ether protects FL83B cells from copper induced oxidative stress through the PI3K/Akt and MAPK/Erk pathway. Toxicology and Applied Pharmacology, 2012, 264, 104-113.	2.8	45
97	Thrombin induces heme oxygenase-1 expression in human synovial fibroblasts through protease-activated receptor signaling pathways. Arthritis Research and Therapy, 2012, 14, R91.	3.5	18
98	CCN3 increases BMP4 expression and bone mineralization in osteoblasts. Journal of Cellular Physiology, 2012, 227, 2531-2541.	4.1	37
99	Simultaneous ipsilateral hip and knee fracture-dislocations. Formosan Journal of Musculoskeletal Disorders, 2011, 2, 66-70.	0.2	2
100	CCN3 increases cell motility and MMP-13 expression in human chondrosarcoma through integrin-dependent pathway. Journal of Cellular Physiology, 2011, 226, 3181-3189.	4.1	38
101	Stromal cell-derived factor1/CXCR4 promotes IL6 production in human synovial fibroblasts. Journal of Cellular Biochemistry, 2011, 112, 1219-1227.	2.6	42
102	Endoscopic discectomy of L5-S1 disc herniation via an interlaminar approach: Prospective controlled study under local and general anesthesia. , 2011, 2, 93.		71
103	The Evaluation of Bladder Symptoms in Patients With Lumbar Compression Disorders Who Have Undergone Decompressive Surgery. Spine, 2010, 35, E849-E854.	2.0	19
104	Involvement of integrin up-regulation in RANKL/RANK pathway of chondrosarcomas migration. Journal of Cellular Biochemistry, 2010, 111, 138-147.	2.6	18
105	Thrombin enhanced migration and MMPs expression of human chondrosarcoma cells involves PAR receptor signaling pathway. Journal of Cellular Physiology, 2010, 223, 737-745.	4.1	30
106	Simultaneous spontaneous ruptures of both flexor tendons in the little finger. Journal of Hand Surgery: European Volume, 2010, 35, 236-236.	1.0	4
107	CYR61 Regulates BMP-2-dependent Osteoblast Differentiation through the $\beta 3$ Integrin/Integrin-linked Kinase/ERK Pathway. Journal of Biological Chemistry, 2010, 285, 31325-31336.	3.4	103
108	Fat Embolism Syndrome in Long Bone Fracture—Clinical Experience in a Tertiary Referral Center in Taiwan. Journal of the Chinese Medical Association, 2010, 73, 407-410.	1.4	33

#	ARTICLE	IF	CITATIONS
109	Treatment for ipsilateral fractures of femoral neck and shaft. <i>Injury</i> , 2009, 40, 778-782.	1.7	21
110	Osteopontin increases migration and MMP-9 up-regulation via $\alpha_3$ integrin, FAK, ERK, and NF- $\kappa$ B-dependent pathway in human chondrosarcoma cells. <i>Journal of Cellular Physiology</i> , 2009, 221, 98-108.	4.1	102
111	The epidemiology of traumatic humeral shaft fractures in Taiwan. <i>International Orthopaedics</i> , 2009, 33, 463-467.	1.9	79
112	Late Migration of Threaded Wire (Schanz Screw) from Right Distal Clavicle to the Cervical Spine. <i>Journal of the Chinese Medical Association</i> , 2009, 72, 48-51.	1.4	25
113	Bacteremia Coexisting With Tophaceous Gout of the Spine Mimicking Spondylodiscitis. <i>Spine</i> , 2009, 34, E106-E109.	2.0	19
114	Using the Growth Factors-enriched Platelet Glue in Spinal Fusion and its Efficiency. <i>Journal of Spinal Disorders and Techniques</i> , 2009, 22, 246-250.	1.9	35
115	Antcin K inhibits VCAM-1-dependent monocyte adhesion in human rheumatoid arthritis synovial fibroblasts. <i>Food and Nutrition Research</i> , 0, 66, .	2.6	18