MarÃ-a Dolores Tabernero

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4516957/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Tumor infiltrating immune cells in gliomas and meningiomas. Brain, Behavior, and Immunity, 2016, 53, 1-15.	4.1	228
2	Molecular and Genomic Alterations in Glioblastoma Multiforme. American Journal of Pathology, 2015, 185, 1820-1833.	3.8	141
3	Proposal for a new risk stratification classification for meningioma based on patient age, WHO tumor grade, size, localization, and karyotype. Neuro-Oncology, 2014, 16, 735-747.	1.2	98
4	Early recurrences in histologically benign/grade I meningiomas are associated with large tumors and coexistence of monosomy 14 and del(1p36) in the ancestral tumor cell clone. Neuro-Oncology, 2007, 9, 438-446.	1.2	74
5	New Classification Scheme for the Prognostic Stratification of Meningioma on the Basis of Chromosome 14 Abnormalities, Patient Age, and Tumor Histopathology. Journal of Clinical Oncology, 2003, 21, 3285-3295.	1.6	71
6	Genetic/molecular alterations of meningiomas and the signaling pathways targeted. Oncotarget, 2015, 6, 10671-10688.	1.8	58
7	Detailed Characterization of Alterations of Chromosomes 7, 9, and 10 in Glioblastomas as Assessed by Single-Nucleotide Polymorphism Arrays. Journal of Molecular Diagnostics, 2011, 13, 634-647.	2.8	55
8	Microarray-Based Analysis of Spinal versus Intracranial Meningiomas: Different Clinical, Biological, and Genetic Characteristics Associated with Distinct Patterns of Gene Expression. Journal of Neuropathology and Experimental Neurology, 2006, 65, 445-454.	1.7	48
9	Gene expression profiles of human glioblastomas are associated with both tumor cytogenetics and histopathology. Neuro-Oncology, 2010, 12, 991-1003.	1.2	45
10	Intratumoral Patterns of Clonal Evolution in Meningiomas as Defined by Multicolor Interphase Fluorescence in Situ Hybridization (FISH). Journal of Molecular Diagnostics, 2004, 6, 316-325.	2.8	42
11	Gene Expression Profiles of Meningiomas are Associated with Tumor Cytogenetics and Patient Outcome. Brain Pathology, 2009, 19, 409-420.	4.1	42
12	Amplified and Homozygously Deleted Genes in Glioblastoma: Impact on Gene Expression Levels. PLoS ONE, 2012, 7, e46088.	2.5	38
13	The Cytogenetic Relationship between Primary and Recurrent Meningiomas Points to the Need for New Treatment Strategies in Cases at High Risk of Relapse. Clinical Cancer Research, 2006, 12, 772-780.	7.0	37
14	Patient Gender Is Associated with Distinct Patterns of Chromosomal Abnormalities and Sex Chromosome–Linked Gene-Expression Profiles in Meningiomas. Oncologist, 2007, 12, 1225-1236.	3.7	37
15	Gains of chromosome 22 by fluorescence in situ hybridization in the context of an hyperdiploid karyotype are associated with aggressive clinical features in meningioma patients. Cancer, 2001, 92, 377-385.	4.1	34
16	Characterization of Chromosome 14 Abnormalities by Interphase In Situ Hybridization and Comparative Genomic Hybridization in 124 Meningiomas. American Journal of Clinical Pathology, 2005, 123, 744-751.	0.7	34
17	Association between Inflammatory Infiltrates and Isolated Monosomy 22/del(22q) in Meningiomas. PLoS ONE, 2013, 8, e74798.	2.5	31
18	Incidence of numerical chromosome aberrations in meningioma tumors as revealed by fluorescence in situ hybridization using 10 chromosome-specific probes. Cytometry, 2002, 50, 153-159.	1.8	28

#	Article	IF	CITATIONS
19	Tumor cell and immune cell profiles in primary human glioblastoma: Impact on patient outcome. Brain Pathology, 2021, 31, 365-380.	4.1	27
20	Intratumoral patterns of clonal evolution in gliomas. Neurogenetics, 2010, 11, 227-239.	1.4	23
21	Association between mutation of the NF2gene and monosomy 22 in menopausal women with sporadic meningiomas. BMC Medical Genetics, 2013, 14, 114.	2.1	16
22	Delineation of commonly deleted chromosomal regions in meningiomas by highâ€density single nucleotide polymorphism genotyping arrays. Genes Chromosomes and Cancer, 2012, 51, 606-617.	2.8	15
23	Heterogeneous EGFR, CDK4, MDM4, and PDGFRA Gene Expression Profiles in Primary GBM: No Association with Patient Survival. Cancers, 2020, 12, 231.	3.7	13
24	Multivariate analysis reveals differentially expressed genes among distinct subtypes of diffuse astrocytic gliomas: diagnostic implications. Scientific Reports, 2020, 10, 11270.	3.3	11
25	The protein expression profile of meningioma cells is associated with distinct cytogenetic tumour subgroups. Neuropathology and Applied Neurobiology, 2015, 41, 319-332.	3.2	10
26	Characterization of chromosome 14 abnormalities by interphase in situ hybridization and comparative genomic hybridization in 124 meningiomas: correlation with clinical, histopathologic, and prognostic features. American Journal of Clinical Pathology, 2005, 123, 744-51.	0.7	9
27	Array-based comparative genomic hybridization of mapped BAC DNA clones to screen for chromosome 14 copy number abnormalities in meningiomas. European Journal of Human Genetics, 2008, 16, 1450-1458.	2.8	6
28	Prognostic stratification of adult primary glioblastoma multiforme patients based on their tumor gene amplification profiles. Oncotarget, 2018, 9, 28083-28102.	1.8	5
29	Whole-Exome Sequencing Reveals Recurrent but Heterogeneous Mutational Profiles in Sporadic WHO Grade 1 Meningiomas. Frontiers in Oncology, 2021, 11, 740782.	2.8	5