Clare V H Baker

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4518559/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	The origin and evolution of cell types. Nature Reviews Genetics, 2016, 17, 744-757.	16.3	572
2	Neural crest origin of olfactory ensheathing glia. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 21040-21045.	7.1	197
3	Wnt5a Is Required for Cardiac Outflow Tract Septation in Mice. Pediatric Research, 2007, 61, 386-391.	2.3	108
4	A molecular analysis of neurogenic placode and cranial sensory ganglion development in the shark, Scyliorhinus canicula. Developmental Biology, 2007, 304, 156-181.	2.0	101
5	Fine-grained fate maps for the ophthalmic and maxillomandibular trigeminal placodes in the chick embryo. Developmental Biology, 2008, 317, 174-186.	2.0	73
6	Olfactory ensheathing glia are required for embryonic olfactory axon targeting and the migration of gonadotropin-releasing hormone neurons. Biology Open, 2013, 2, 750-759.	1.2	66
7	Electrosensory ampullary organs are derived from lateral line placodes in bony fishes. Nature Communications, 2011, 2, 496.	12.8	64
8	Electrosensory ampullary organs are derived from lateral line placodes in cartilaginous fishes. Development (Cambridge), 2012, 139, 3142-3146.	2.5	63
9	The evolution and development of vertebrate lateral line electroreceptors. Journal of Experimental Biology, 2013, 216, 2515-2522.	1.7	57
10	Specification of GnRH-1 neurons by antagonistic FGF and retinoic acid signaling. Developmental Biology, 2012, 362, 254-262.	2.0	56
11	The development of lateral line placodes: Taking a broader view. Developmental Biology, 2014, 389, 68-81.	2.0	55
12	Canonical Wnt signaling is required for ophthalmic trigeminal placode cell fate determination and maintenance. Developmental Biology, 2007, 308, 392-406.	2.0	54
13	Evolution of the hypoxia-sensitive cells involved in amniote respiratory reflexes. ELife, 2017, 6, .	6.0	54
14	The amniote paratympanic organ develops from a previously undiscovered sensory placode. Nature Communications, 2012, 3, 1041.	12.8	52
15	Pax3-Expressing Trigeminal Placode Cells Can Localize to Trunk Neural Crest Sites but Are Committed to a Cutaneous Sensory Neuron Fate. Developmental Biology, 2002, 249, 219-236.	2.0	44
16	Lateral line, otic and epibranchial placodes: developmental and evolutionary links?. Journal of Experimental Zoology Part B: Molecular and Developmental Evolution, 2008, 310B, 370-383.	1.3	42
17	Activation of Pax3 target genes is necessary but not sufficient for neurogenesis in the ophthalmic trigeminal placode. Developmental Biology, 2009, 326, 314-326.	2.0	38
18	Insights into electrosensory organ development, physiology and evolution from a lateral line-enriched transcriptome. ELife, 2017, 6, .	6.0	38

CLARE V H BAKER

#	Article	IF	CITATIONS
19	The evolution and elaboration of vertebrate neural crest cells. Current Opinion in Genetics and Development, 2008, 18, 536-543.	3.3	37
20	The evolution of the vertebrate cerebellum: absence of a proliferative external granule layer in a nonâ€ŧeleost rayâ€finned fish. Evolution & Development, 2014, 16, 92-100.	2.0	36
21	Holocephalan embryos provide evidence for gill arch appendage reduction and opercular evolution in cartilaginous fishes. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 1507-1512.	7.1	34
22	Editorial: the evolutionary origin of neural crest and placodes. Journal of Experimental Zoology Part B: Molecular and Developmental Evolution, 2005, 304B, 269-273.	1.3	33
23	Cardiac neural crest ablation alters Id2 gene expression in the developing heart. Developmental Biology, 2004, 272, 176-190.	2.0	29
24	A fate-map for cranial sensory ganglia in the sea lamprey. Developmental Biology, 2014, 385, 405-416.	2.0	27
25	Identification and Characterization of a Calcium Channel Î ³ Subunit Expressed in Differentiating Neurons and Myoblasts. Developmental Biology, 2002, 243, 249-259.	2.0	24
26	Molecular analysis of neurogenic placode development in a basal rayâ€finned fish. Genesis, 2011, 49, 278-294.	1.6	24
27	Striking parallels between carotid body glomus cell and adrenal chromaffin cell development. Developmental Biology, 2018, 444, S308-S324.	2.0	22
28	Insights into Electroreceptor Development and Evolution from Molecular Comparisons with Hair Cells. Integrative and Comparative Biology, 2018, 58, 329-340.	2.0	21
29	Evolution of electrosensory ampullary organs: conservation of <i>Eya4</i> expression during lateral line development, 2012, 14, 277-285.	2.0	17
30	Restricted response of mesencephalic neural crest to sympathetic differentiation signals in the trunk. Developmental Biology, 2005, 278, 175-192.	2.0	15
31	Olfactory ensheathing cells abutting the embryonic olfactory bulb express <i>Frzb</i> , whose deletion disrupts olfactory axon targeting. Glia, 2018, 66, 2617-2631.	4.9	14
32	Insights into olfactory ensheathing cell development from a laserâ€microdissection and transcriptomeâ€profiling approach. Glia, 2020, 68, 2550-2584.	4.9	13
33	Constitutively active Notch1 converts cranial neural crest-derived frontonasal mesenchyme to perivascular cells <i>in vivo</i> . Biology Open, 2017, 6, 317-325.	1.2	10
34	Evolutionary divergence of trigeminal nerve somatotopy in amniotes. Journal of Comparative Neurology, 2013, 521, 1378-1394.	1.6	9
35	Evidence for a Notch1â€mediated transition during olfactory ensheathing cell development. Journal of Anatomy, 2016, 229, 369-383.	1.5	9
36	Notch and Fgf signaling during electrosensory versus mechanosensory lateral line organ development in a non-teleost ray-finned fish. Developmental Biology, 2017, 431, 48-58.	2.0	9

#	Article	IF	CITATIONS
37	Neural crest Notch/Rbpj signaling regulates olfactory gliogenesis and neuronal migration. Genesis, 2018, 56, e23215.	1.6	7
38	The Development and Evolution of Lateral Line Electroreceptors: Insights from Comparative Molecular Approaches. Springer Handbook of Auditory Research, 2019, , 25-62.	0.7	7