Robert J Stewart

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4519170/publications.pdf

Version: 2024-02-01

628 papers 27,124 citations

73 h-index

11235

132 g-index

661 all docs

661 does citations

times ranked

661

32191 citing authors

#	Article	IF	CITATIONS
1	A conceptual framework for research on subjective cognitive decline in preclinical Alzheimer's disease. Alzheimer's and Dementia, 2014, 10, 844-852.	0.4	1,863
2	Alzheimer's disease and vascular dementia in developing countries: prevalence, management, and risk factors. Lancet Neurology, The, 2008, 7, 812-826.	4.9	960
3	Resilience and mental health. Clinical Psychology Review, 2010, 30, 479-495.	6.0	823
4	Life Expectancy at Birth for People with Serious Mental Illness and Other Major Disorders from a Secondary Mental Health Care Case Register in London. PLoS ONE, 2011, 6, e19590.	1.1	525
5	Type 2 diabetes mellitus, cognitive impairment and dementia. Diabetic Medicine, 1999, 16, 93-112.	1.2	518
6	A 32-Year Prospective Study of Change in Body Weight and Incident Dementia. Archives of Neurology, 2005, 62, 55.	4.9	453
7	Cohort profile of the South London and Maudsley NHS Foundation Trust Biomedical Research Centre (SLaM BRC) Case Register: current status and recent enhancement of an Electronic Mental Health Record-derived data resource. BMJ Open, 2016, 6, e008721.	0.8	369
8	The South London and Maudsley NHS Foundation Trust Biomedical Research Centre (SLAM BRC) case register: development and descriptive data. BMC Psychiatry, 2009, 9, 51.	1.1	367
9	The effects of omega-3 fatty acids monotherapy in Alzheimer's disease and mild cognitive impairment: A preliminary randomized double-blind placebo-controlled study. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2008, 32, 1538-1544.	2.5	313
10	The protocols for the $10/66$ dementia research group population-based research programme. BMC Public Health, 2007, 7, 165.	1.2	298
11	Interactions Between Life Stressors and Susceptibility Genes (5-HTTLPR and BDNF) on Depression in Korean Elders. Biological Psychiatry, 2007, 62, 423-428.	0.7	252
12	Levels of anxiety and depression as predictors of mortality: the HUNT study. British Journal of Psychiatry, 2009, 195, 118-125.	1.7	235
13	Anxiety, Depression, and Cause-Specific Mortality: The HUNT Study. Psychosomatic Medicine, 2007, 69, 323-331.	1.3	231
14	Insomnia Comorbidity and Impact and Hypnotic Use by Age Group in a National Survey Population Aged 16 to 74 Years. Sleep, 2006, 29, 1391-1397.	0.6	221
15	Prevalence of depressive symptoms and syndromes in later life in ten European countries. British Journal of Psychiatry, 2007, 191, 393-401.	1.7	215
16	Association of SLC6A4 methylation with early adversity, characteristics and outcomes in depression. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2013, 44, 23-28.	2.5	215
17	All-cause mortality among people with serious mental illness (SMI), substance use disorders, and depressive disorders in southeast London: a cohort study. BMC Psychiatry, 2010, 10, 77.	1.1	206
18	Predictive value of folate, vitamin B ₁₂ and homocysteine levels in late-life depression. British Journal of Psychiatry, 2008, 192, 268-274.	1.7	198

#	Article	IF	CITATIONS
19	Post stroke depression and risk of stroke recurrence and mortality: A systematic review and meta-analysis. Ageing Research Reviews, 2019, 50, 102-109.	5.0	188
20	Life expectancy at birth and all-cause mortality among people with personality disorder. Journal of Psychosomatic Research, 2012, 73, 104-107.	1.2	183
21	Change in Blood Pressure and Incident Dementia. Hypertension, 2009, 54, 233-240.	1.3	180
22	Mortality after hospital discharge for people with schizophrenia or bipolar disorder: retrospective study of linked English hospital episode statistics, 1999-2006. BMJ: British Medical Journal, 2011, 343, d5422-d5422.	2.4	179
23	Smoking in relation to anxiety and depression: Evidence from a large population survey: The HUNT study. European Psychiatry, 2008, 23, 77-84.	0.1	177
24	Public health significance of mixed anxiety and depression: beyond current classification. British Journal of Psychiatry, 2008, 192, 171-177.	1.7	174
25	Twenty-six–Year Change in Total Cholesterol Levels and Incident Dementia. Archives of Neurology, 2007, 64, 103.	4.9	169
26	Natural language processing to extract symptoms of severe mental illness from clinical text: the Clinical Record Interactive Search Comprehensive Data Extraction (CRIS-CODE) project. BMJ Open, 2017, 7, e012012.	0.8	169
27	A systematic review of resilience and mental health outcomes of conflict-driven adult forced migrants. Conflict and Health, 2014, 8, 13.	1.0	160
28	Replicable and Coupled Changes in Innate and Adaptive Immune Gene Expression in Two Case-Control Studies of Blood Microarrays in Major Depressive Disorder. Biological Psychiatry, 2018, 83, 70-80.	0.7	158
29	Development and evaluation of a de-identification procedure for a case register sourced from mental health electronic records. BMC Medical Informatics and Decision Making, 2013, 13, 71.	1.5	156
30	Neuropathological correlates of late-life depression in older people. British Journal of Psychiatry, 2011, 198, 109-114.	1.7	155
31	Longitudinal neuroimaging correlates of subjective memory impairment: 4-year prospective community study. British Journal of Psychiatry, 2011, 198, 199-205.	1.7	147
32	Diabetes, Common Mental Disorders, and Disability: Findings From the UK National Psychiatric Morbidity Survey. Psychosomatic Medicine, 2007, 69, 543-550.	1.3	144
33	Prevalence, Distribution, and Impact of Mild Cognitive Impairment in Latin America, China, and India: A 10/66 Population-Based Study. PLoS Medicine, 2012, 9, e1001170.	3.9	143
34	Increased Prevalence of Insomnia and Changes in Hypnotics Use in England over 15 Years: Analysis of the 1993, 2000, and 2007 National Psychiatric Morbidity Surveys. Sleep, 2012, 35, 377-384.	0.6	139
35	Using clinical Natural Language Processing for health outcomes research: Overview and actionable suggestions for future advances. Journal of Biomedical Informatics, 2018, 88, 11-19.	2.5	139
36	Cardiovascular risk factors and cognitive decline in adults aged 50 and over: a population-based cohort study. Age and Ageing, 2013, 42, 338-345.	0.7	136

#	Article	IF	CITATIONS
37	Effect of Escitalopram vs Placebo Treatment for Depression on Long-term Cardiac Outcomes in Patients With Acute Coronary Syndrome. JAMA - Journal of the American Medical Association, 2018, 320, 350.	3.8	130
38	Ascertaining lateâ€life depressive symptoms in Europe: an evaluation of the survey version of the EUROâ€D scale in 10 nations. The SHARE project. International Journal of Methods in Psychiatric Research, 2008, 17, 12-29.	1.1	125
39	Differences in predictors of traditional and cyber-bullying: a 2-year longitudinal study in Korean school children. European Child and Adolescent Psychiatry, 2013, 22, 309-318.	2.8	124
40	Subjective cognitive impairment. Current Opinion in Psychiatry, 2012, 25, 445-450.	3.1	120
41	Dental health, nutritional status and recent-onset dementia in a Korean community population. International Journal of Geriatric Psychiatry, 2007, 22, 850-855.	1.3	118
42	Association Between Magnesium Intake and Depression and Anxiety in Community-Dwelling Adults: The Hordaland Health Study. Australian and New Zealand Journal of Psychiatry, 2009, 43, 45-52.	1.3	116
43	Identifying Suicide Ideation and Suicidal Attempts in a Psychiatric Clinical Research Database using Natural Language Processing. Scientific Reports, 2018, 8, 7426.	1.6	116
44	Personality Disorder and Cardiovascular Disease. Journal of Clinical Psychiatry, 2007, 68, 69-74.	1.1	115
45	Association of cannabis use with hospital admission and antipsychotic treatment failure in first episode psychosis: an observational study. BMJ Open, 2016, 6, e009888.	0.8	109
46	The $10/66$ Dementia Research Group's fully operationalised DSM-IV dementia computerized diagnostic algorithm, compared with the $10/66$ dementia algorithm and a clinician diagnosis: a population validation study. BMC Public Health, 2008, 8, 219.	1.2	108
47	Oral Health and Cognitive Function in the Third National Health and Nutrition Examination Survey (NHANES III). Psychosomatic Medicine, 2008, 70, 936-941.	1.3	108
48	Outcome of major depression in Ethiopia. British Journal of Psychiatry, 2006, 189, 241-246.	1.7	107
49	The Effect of Clozapine on Premature Mortality: An Assessment of Clinical Monitoring and Other Potential Confounders. Schizophrenia Bulletin, 2015, 41, 644-655.	2.3	105
50	Delirium post-stroke. Age and Ageing, 2007, 36, 613-618.	0.7	104
51	Neuroimaging correlates of subjective memory deficits in a community population. Neurology, 2008, 70, 1601-1607.	1.5	104
52	Insomnia, Depression, and Physical Disorders in Late Life: A 2-year Longitudinal Community Study in Koreans. Sleep, 2009, 32, 1221-1228.	0.6	104
53	Association of Adverse Childhood Environment and <i>5-HTTLPR </i> Journal of Clinical Psychiatry, 2009, 70, 1281-1288.	1.1	103
54	A Systematic Review and Meta-Analysis of the Effectiveness of Acetylcholinesterase Inhibitors and Memantine in Treating the Cognitive Symptoms of Dementia. Dementia and Geriatric Cognitive Disorders, 2018, 45, 131-151.	0.7	102

#	Article	IF	Citations
55	A cohort study on mental disorders, stage of cancer at diagnosis and subsequent survival. BMJ Open, 2014, 4, e004295.	0.8	99
56	Accuracy of general hospital dementia diagnoses in England: Sensitivity, specificity, and predictors of diagnostic accuracy 2008–2016. Alzheimer's and Dementia, 2018, 14, 933-943.	0.4	97
57	Relationship Between Vitamin D Levels and Depressive Symptoms in Older Residents From a National Survey Population. Psychosomatic Medicine, 2010, 72, 608-612.	1.3	96
58	A cross-sectional study of antenatal depression and associated factors in Malawi. Archives of Women's Mental Health, 2014, 17, 145-154.	1.2	96
59	Mood instability is a common feature of mental health disorders and is associated with poor clinical outcomes. BMJ Open, 2015, 5, e007504-e007504.	0.8	95
60	Physical health, depression and cognitive function as correlates of disability in an older Korean population. International Journal of Geriatric Psychiatry, 2005, 20, 160-167.	1.3	92
61	Identifying socio-demographic and socioeconomic determinants of health inequalities in a diverse London community: the South East London Community Health (SELCoH) study. BMC Public Health, 2011, 11, 861.	1.2	92
62	Avoidable mortality in people with schizophrenia or bipolar disorder in <scp>E</scp> ngland. Acta Psychiatrica Scandinavica, 2013, 127, 195-201.	2.2	91
63	Adverse childhood environment and late-life cognitive functioning. International Journal of Geriatric Psychiatry, 2011, 26, 503-510.	1.3	90
64	Forced migration and mental health: prolonged internal displacement, return migration and resilience. International Health, 2013, 5, 19-23.	0.8	90
65	Late-life depression and mortality: influence of gender and antidepressant use. British Journal of Psychiatry, 2008, 192, 12-18.	1.7	86
66	CogStack - experiences of deploying integrated information retrieval and extraction services in a large National Health Service Foundation Trust hospital. BMC Medical Informatics and Decision Making, 2018, 18, 47.	1.5	86
67	Multi-domain clinical natural language processing with MedCAT: The Medical Concept Annotation Toolkit. Artificial Intelligence in Medicine, 2021, 117, 102083.	3.8	86
68	Bias in psychiatric case–control studies. British Journal of Psychiatry, 2007, 190, 204-209.	1.7	85
69	Population normative data for the $10/66$ Dementia Research Group cognitive test battery from Latin America, India and China: a cross-sectional survey. BMC Neurology, 2009, 9, 48.	0.8	85
70	Social Activity and Improvement in Depressive Symptoms in Older People: A Prospective Community Cohort Study. American Journal of Geriatric Psychiatry, 2009, 17, 688-696.	0.6	83
71	The course of delirium in acute stroke. Age and Ageing, 2009, 38, 385-389.	0.7	82
72	Asthma and Suicide Mortality in Young People: A 12-Year Follow-Up Study. American Journal of Psychiatry, 2010, 167, 1092-1099.	4.0	82

#	Article	IF	CITATIONS
73	Ethnicity and excess mortality in severe mental illness: a cohort study. Lancet Psychiatry, the, 2017, 4, 389-399.	3.7	82
74	SemEHR: A general-purpose semantic search system to surface semantic data from clinical notes for tailored care, trial recruitment, and clinical research*. Journal of the American Medical Informatics Association: JAMIA, 2018, 25, 530-537.	2.2	82
75	Adverse Oral Health and Cognitive Decline: The Health, Aging and Body Composition Study. Journal of the American Geriatrics Society, 2013, 61, 177-184.	1.3	81
76	In Vivo Magnetic Resonance Imaging of Experimental Thrombosis in a Rabbit Model. Arteriosclerosis, Thrombosis, and Vascular Biology, 2001, 21, 1556-1560.	1.1	79
77	Associations of BDNF Genotype and Promoter Methylation with Acute and Long-Term Stroke Outcomes in an East Asian Cohort. PLoS ONE, 2012, 7, e51280.	1.1	79
78	A longitudinal study of BDNF promoter methylation and genotype with poststroke depression. Journal of Affective Disorders, 2013, 149, 93-99.	2.0	77
79	Negative symptoms in schizophrenia: a study in a large clinical sample of patients using a novel automated method. BMJ Open, 2015, 5, e007619.	0.8	77
80	Limb length and dementia in an older Korean population. Journal of Neurology, Neurosurgery and Psychiatry, 2003, 74, 427-432.	0.9	76
81	Vascular risk factors and incident late-life depression in a Korean population. British Journal of Psychiatry, 2006, 189, 26-30.	1.7	75
82	Genetic Predisposition to Increased Blood Cholesterol and Triglyceride Lipid Levels and Risk of Alzheimer Disease: A Mendelian Randomization Analysis. PLoS Medicine, 2014, 11, e1001713.	3.9	75
83	A Comparison of Insomnia and Depression as Predictors of Disability Pension: The HUNT Study. Sleep, 2008, 31, 875-880.	0.6	73
84	Dental Health and Cognitive Impairment in an English National Survey Population. Journal of the American Geriatrics Society, 2007, 55, 1410-1414.	1.3	72
85	Gender and Genotype Modulation of the Association Between Lipid Levels and Depressive Symptomatology in Community-Dwelling Elderly (The ESPRIT Study). Biological Psychiatry, 2010, 68, 125-132.	0.7	72
86	Relationship Between Depressive Symptoms, Anemia, and Iron Status in Older Residents From a National Survey Population. Psychosomatic Medicine, 2012, 74, 208-213.	1.3	72
87	Changes in folate, vitamin B12 and homocysteine associated with incident dementia. Journal of Neurology, Neurosurgery and Psychiatry, 2008, 79, 864-868.	0.9	71
88	Contributions of specific causes of death to lost life expectancy in severe mental illness. European Psychiatry, 2017, 43, 109-115.	0.1	71
89	Stroke, vascular risk factors and depression. British Journal of Psychiatry, 2001, 178, 23-28.	1.7	70
90	The provision of care for residents dying in UK nursing care homes. Age and Ageing, 2014, 43, 375-379.	0.7	70

#	Article	IF	CITATIONS
91	Survival time and differences between dementia with Lewy bodies and Alzheimer's disease following diagnosis: A meta-analysis of longitudinal studies. Ageing Research Reviews, 2019, 50, 72-80.	5.0	70
92	Double trouble: Psychiatric comorbidity and opioid addiction—All-cause and cause-specific mortality. Drug and Alcohol Dependence, 2015, 148, 85-92.	1.6	69
93	Knowledge graph prediction of unknown adverse drug reactions and validation in electronic health records. Scientific Reports, 2017, 7, 16416.	1.6	69
94	Evaluation of Smoking Status Identification Using Electronic Health Records and Open-Text Information in a Large Mental Health Case Register. PLoS ONE, 2013, 8, e74262.	1.1	69
95	Polypharmacy in people with dementia: Associations with adverse health outcomes. Experimental Gerontology, 2018, 106, 240-245.	1.2	68
96	Social support and antenatal depression in extended and nuclear family environments in Turkey: a cross-sectional survey. BMC Psychiatry, 2011, 11, 48.	1.1	67
97	Prevalence and correlates of late-life depression compared between urban and rural populations in Korea. International Journal of Geriatric Psychiatry, 2002, 17, 409-415.	1.3	66
98	Unawareness of memory impairment in dementia: a population-based study. International Psychogeriatrics, 2012, 24, 931-939.	0.6	66
99	Current prevalence of dementia, depression and behavioural problems in the older adult care home sector: the South East London Care Home Survey. Age and Ageing, 2014, 43, 562-567.	0.7	66
100	Mental health consequences of urban air pollution: prospective population-based longitudinal survey. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 1587-1599.	1.6	66
101	Associations between substance use disorder sub-groups, life expectancy and all-cause mortality in a large British specialist mental healthcare service. Drug and Alcohol Dependence, 2011, 118, 56-61.	1.6	64
102	Prevalences of illicit drug use in people aged 50 years and over from two surveys. Age and Ageing, 2012, 41, 553-556.	0.7	64
103	Do antidepressants increase the risk of mania and bipolar disorder in people with depression? A retrospective electronic case register cohort study: TableÂ1. BMJ Open, 2015, 5, e008341.	0.8	64
104	A longitudinal study of SLC6A4 DNA promoter methylation and poststroke depression. Journal of Psychiatric Research, 2013, 47, 1222-1227.	1,5	63
105	Delays before Diagnosis and Initiation of Treatment in Patients Presenting to Mental Health Services with Bipolar Disorder. PLoS ONE, 2015, 10, e0126530.	1.1	63
106	Prolonged Internal Displacement and Common Mental Disorders in Sri Lanka: The COMRAID Study. PLoS ONE, 2013, 8, e64742.	1.1	63
107	Subjective Memory Impairment, Cognitive Function and Depression $\hat{a} \in A$ Community Study in Older Koreans. Dementia and Geriatric Cognitive Disorders, 2003, 15, 218-225.	0.7	62
108	The epidemiology of chronic fatigue, physical illness, and symptoms of common mental disorders: A cross-sectional survey from the second British National Survey of Psychiatric Morbidity. Journal of Psychosomatic Research, 2008, 64, 357-362.	1.2	62

#	Article	IF	CITATIONS
109	Mortality and suicide after self-harm: community cohort study in Taiwan. British Journal of Psychiatry, 2011, 198, 31-36.	1.7	62
110	Impact of perinatal somatic and common mental disorder symptoms on functioning in Ethiopian women: The P-MaMiE population-based cohort study. Journal of Affective Disorders, 2012, 136, 340-349.	2.0	62
111	Identification of Adverse Drug Events from Free Text Electronic Patient Records and Information in a Large Mental Health Case Register. PLoS ONE, 2015, 10, e0134208.	1.1	62
112	Escitalopram Treatment for Depressive Disorder Following Acute Coronary Syndrome. Journal of Clinical Psychiatry, 2015, 76, 62-68.	1.1	62
113	Associations Between Depression, Arterial Stiffness, and Metabolic Syndrome Among Adults in the UK Biobank Population Study. JAMA Psychiatry, 2020, 77, 598.	6.0	61
114	Systematic Review and Meta-analysis: The Association Between Child and Adolescent Depression and Later Educational Attainment. Journal of the American Academy of Child and Adolescent Psychiatry, 2021, 60, 105-118.	0.3	61
115	Serotonergic and BDNF genes and risk of depression after stroke. Journal of Affective Disorders, 2012, 136, 833-840.	2.0	60
116	Dementia severity and weight loss: A comparison across eight cohorts. The 10/66 study. Alzheimer's and Dementia, 2013, 9, 649-656.	0.4	60
117	Intensive versus Guideline Blood Pressure and Lipid Lowering in Patients with Previous Stroke: Main Results from the Pilot †Prevention of Decline in Cognition after Stroke Trial' (PODCAST) Randomised Controlled Trial. PLoS ONE, 2017, 12, e0164608.	1.1	60
118	Lifetime urban/rural residence, social support and late-life depression in Korea. International Journal of Geriatric Psychiatry, 2004, 19, 843-851.	1.3	59
119	BDNF genotype potentially modifying the association between incident stroke and depression. Neurobiology of Aging, 2008, 29, 789-792.	1.5	59
120	Pesticide exposure and suicidal ideation in rural communities in Zhejiang Province, China. Bulletin of the World Health Organization, 2009, 87, 745-753.	1.5	59
121	Associations of cytokine gene polymorphisms with post-stroke depression. World Journal of Biological Psychiatry, 2012, 13, 579-587.	1.3	58
122	Predictors of care home and hospital admissions and their costs for older people with Alzheimer's disease: findings from a large London case register. BMJ Open, 2016, 6, e013591.	0.8	58
123	Factors Associated with Response to Acetylcholinesterase Inhibition in Dementia: A Cohort Study from a Secondary Mental Health Care Case Register in London. PLoS ONE, 2014, 9, e109484.	1.1	58
124	â€~Big data' in mental health research: current status and emerging possibilities. Social Psychiatry and Psychiatric Epidemiology, 2016, 51, 1055-1072.	1.6	56
125	An approach to linking education, social care and electronic health records for children and young people in South London: a linkage study of child and adolescent mental health service data. BMJ Open, 2019, 9, e024355.	0.8	56
126	Vascular disease/risk and late-life depression in a Korean community population. British Journal of Psychiatry, 2004, 185, 102-107.	1.7	55

#	Article	IF	CITATIONS
127	Angiotensin Receptor Blockade With Candesartan Attenuates Atherosclerosis, Plaque Disruption, and Macrophage Accumulation Within the Plaque in a Rabbit Model. Circulation, 2004, 110, 2060-2065.	1.6	55
128	Exploring the Ethnic Density Effect: A Qualitative Study of a London Electoral Ward. International Journal of Social Psychiatry, 2006, 52, 376-391.	1.6	55
129	Participation in productive activities and depression among older Europeans: Survey of Health, Ageing and Retirement in Europe (SHARE). International Journal of Geriatric Psychiatry, 2013, 28, 1157-1165.	1.3	55
130	The effect of using high facilitation when implementing the Gold Standards Framework in Care Homes programme: A cluster randomised controlled trial. Palliative Medicine, 2014, 28, 1099-1109.	1.3	55
131	Cervical and breast cancer screening uptake among women with serious mental illness: a data linkage study. BMC Cancer, 2016, 16, 819.	1.1	55
132	Reporting of clinically diagnosed dementia on death certificates: retrospective cohort study. Age and Ageing, 2016, 45, 667-672.	0.7	55
133	Vascular Risk and Cognitive Impairment in an Older, British, African-Caribbean Population. Journal of the American Geriatrics Society, 2001, 49, 263-269.	1.3	54
134	The spectrum of suicidal ideation in Great Britain: comparisons across a 16–74 years age range. Psychological Medicine, 2007, 37, 795-805.	2.7	54
135	Functional Status and All-Cause Mortality in Serious Mental Illness. PLoS ONE, 2012, 7, e44613.	1.1	52
136	Age variation in life events and their relationship with common mental disorders in a national survey population. Social Psychiatry and Psychiatric Epidemiology, 2007, 42, 611-616.	1.6	51
137	The influence of limitation in activity of daily living and physical health on suicidal ideation: results from a population survey of Great Britain. Social Psychiatry and Psychiatric Epidemiology, 2009, 44, 608-613.	1.6	51
138	Assessment of association between mitochondrial aldehyde dehydrogenase polymorphism and Alzheimer's disease in an older Korean population. Neurobiology of Aging, 2004, 25, 295-301.	1.5	50
139	Association between sleep duration and all-cause mortality in old age: 9-year follow-up of the BambuÃ-Cohort Study, Brazil. Journal of Sleep Research, 2011, 20, 303-310.	1.7	50
140	Subjective memory impairment in older adults: aetiology, salience and help seeking. International Journal of Geriatric Psychiatry, 2012, 27, 612-620.	1.3	50
141	Psychiatric comorbidity as a risk factor for mortality in people with anorexia nervosa. European Archives of Psychiatry and Clinical Neuroscience, 2019, 269, 351-359.	1.8	50
142	Depression, anxiety, and suicidality in patients with prostate cancer: a systematic review and meta-analysis of observational studies. Prostate Cancer and Prostatic Diseases, 2021, 24, 281-289.	2.0	50
143	Markers of inflammation and cognitive decline in an African-Caribbean population. International Journal of Geriatric Psychiatry, 2007, 22, 966-973.	1.3	49
144	Associations Between Oral Health and Risk of Dementia in a 37â€Year Followâ€Up Study: The Prospective Population Study of Women in Gothenburg. Journal of the American Geriatrics Society, 2015, 63, 100-105.	1.3	49

#	Article	IF	Citations
145	Cognitive function in UK community-dwelling African Caribbean elders: normative data for a test battery. International Journal of Geriatric Psychiatry, 2001, 16, 518-527.	1.3	48
146	The treatment of common mental disorders across age groups: Results from the 2007 adult psychiatric morbidity survey. Journal of Affective Disorders, 2010, 127, 96-101.	2.0	48
147	OPCRIT+: an electronic system for psychiatric diagnosis and data collection in clinical and research settings. British Journal of Psychiatry, 2011, 199, 151-155.	1.7	48
148	Determinants of suicidal ideation in patients with breast cancer. Psycho-Oncology, 2013, 22, 2848-2856.	1.0	48
149	Retrospective chart review on exposure to psychotropic medications associated with neuroleptic malignant syndrome. Acta Psychiatrica Scandinavica, 2014, 130, 52-60.	2.2	48
150	Increased first-contact rates for very-late-onset schizophrenia-like psychosis in Africanâ€" and Caribbean-born elders. British Journal of Psychiatry, 2001, 179, 172-174.	1.7	47
151	Worry content across the lifespan: an analysis of 16- to 74-year-old participants in the British National Survey of Psychiatric Morbidity 2000. Psychological Medicine, 2006, 36, 1625-1633.	2.7	47
152	Data science for mental health: a UK perspective on a global challenge. Lancet Psychiatry,the, 2016, 3, 993-998.	3.7	47
153	Common mental disorders within chronic inflammatory disorders: a primary care database prospective investigation. Annals of the Rheumatic Diseases, 2019, 78, 688-695.	0.5	47
154	Relationship Between a History of a Suicide Attempt and Treatment Outcomes in Patients With Depression. Journal of Clinical Psychopharmacology, 2011, 31, 449-456.	0.7	46
155	The characteristics and health needs of pregnant women with schizophrenia compared with bipolar disorder and affective psychoses. BMC Psychiatry, 2015, 15, 88.	1.1	46
156	Predictors of emergency department attendance by people with dementia in their last year of life: Retrospective cohort study using linked clinical and administrative data. Alzheimer's and Dementia, 2018, 14, 20-27.	0.4	46
157	Predictors of Falls and Fractures Leading to Hospitalization in People With Dementia: A Representative Cohort Study. Journal of the American Medical Directors Association, 2018, 19, 607-612.	1.2	46
158	Moroccan national study on prevalence of mental disorders: a communityâ€based epidemiological study. Acta Psychiatrica Scandinavica, 2010, 121, 71-74.	2.2	45
159	Extracting antipsychotic polypharmacy data from electronic health records: developing and evaluating a novel process. BMC Psychiatry, 2015, 15, 166.	1.1	45
160	Plasma Homocysteine and Cognitive Impairment in an Older British African aribbean Population. Journal of the American Geriatrics Society, 2002, 50, 1227-1232.	1.3	44
161	Associations between head circumference, leg length and dementia in a Korean population. International Journal of Geriatric Psychiatry, 2008, 23, 41-48.	1.3	44
162	Impairment, disability, social support and depression among older parents in rural Thailand. Psychological Medicine, 2010, 40, 1711-1721.	2.7	44

#	Article	IF	Citations
163	The effectiveness of community dayâ€long CBTâ€l workshops for participants with insomnia symptoms: a randomised controlled trial. Journal of Sleep Research, 2012, 21, 270-280.	1.7	44
164	Diagnostic Procedures, Revascularization, and Inpatient Mortality After Acute Myocardial Infarction in Patients With Schizophrenia and Bipolar Disorder. Psychosomatic Medicine, 2013, 75, 52-59.	1.3	44
165	Services for people at high risk improve outcomes in patients with first episode psychosis. Acta Psychiatrica Scandinavica, 2016, 133, 76-85.	2.2	44
166	Hospitalization in people with dementia with Lewy bodies: Frequency, duration, and cost implications. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2018, 10, 143-152.	1.2	44
167	Dementia prevalence and incidence in a federation of European Electronic Health Record databases: The European Medical Informatics Framework resource. Alzheimer's and Dementia, 2018, 14, 130-139.	0.4	44
168	Hospitalisation of people with dementia: evidence from English electronic health records from 2008 to 2016. European Journal of Epidemiology, 2019, 34, 567-577.	2.5	44
169	Improvement within 2weeks and later treatment outcomes in patients with depressive disorders: The CRESCEND study. Journal of Affective Disorders, 2011, 129, 183-190.	2.0	43
170	Predictors of Natural and Unnatural Mortality among Patients with Personality Disorder: Evidence from a Large UK Case Register. PLoS ONE, 2014, 9, e100979.	1.1	43
171	Education and the Association Between Vascular Risk Factors and Cognitive Function: A Cross-Sectional Study in Older Koreans With Cognitive Impairment. International Psychogeriatrics, 2003, 15, 27-36.	0.6	42
172	Incidence and persistence of sleep complaints in a community older population. International Journal of Geriatric Psychiatry, 2010, 25, 37-45.	1.3	42
173	Associations between nâ^'3 PUFA concentrations and cognitive function after recovery from late-life depression. American Journal of Clinical Nutrition, 2012, 95, 420-427.	2.2	42
174	Anxiety and depression symptoms in arterial hypertension: the influence of antihypertensive treatment. The HUNT study, Norway. European Journal of Epidemiology, 2012, 27, 63-72.	2.5	42
175	Subjective cognitive complaints across the adult life span: a 14-year analysis of trends and associations using the 1993, 2000 and 2007 English Psychiatric Morbidity Surveys. Psychological Medicine, 2014, 44, 1977-1987.	2.7	42
176	Role of BDNF val66met polymorphism on the association between physical activity and incident dementia. Neurobiology of Aging, 2011, 32, 551.e5-551.e12.	1.5	41
177	A one year longitudinal study of cytokine genes and depression in breast cancer. Journal of Affective Disorders, 2013, 148, 57-65.	2.0	41
178	Social support and the incidence and persistence of depression between antenatal and postnatal examinations in Turkey: a cohort study. BMJ Open, 2015, 5, e006456-e006456.	0.8	41
179	ADEPt, a semantically-enriched pipeline for extracting adverse drug events from free-text electronic health records. PLoS ONE, 2017, 12, e0187121.	1.1	41
180	Attention-Deficit/Hyperactivity Disorder and Mortality Risk in Taiwan. JAMA Network Open, 2019, 2, e198714.	2.8	41

#	Article	IF	Citations
181	The validity of the Parental Bonding Instrument as a measure of maternal bonding among young Pakistani women. Social Psychiatry and Psychiatric Epidemiology, 2005, 40, 276-282.	1.6	40
182	Anxiety symptoms and disorder predict activity limitations in the elderly. Journal of Affective Disorders, 2012, 141, 276-285.	2.0	40
183	Cardiovascular disease treatment among patients with severe mental illness: a data linkage study between primary and secondary care. British Journal of General Practice, 2016, 66, e374-e381.	0.7	40
184	Type 2 diabetes mellitus in people with severe mental illness: inequalities by ethnicity and age. Crossâ€sectional analysis of 588 408 records from the ⟨scp⟩UK⟨/scp⟩. Diabetic Medicine, 2017, 34, 916-924.	1.2	40
185	Associations of acetylcholinesterase inhibitor treatment with reduced mortality in Alzheimer's disease: a retrospective survival analysis. Age and Ageing, 2018, 47, 88-94.	0.7	40
186	Association between air pollution exposure and mental health service use among individuals with first presentations of psychotic and mood disorders: retrospective cohort study. British Journal of Psychiatry, 2021, 219, 678-685.	1.7	40
187	Vascular dementia: A diagnosis running out of time. British Journal of Psychiatry, 2002, 180, 152-156.	1.7	39
188	Age, Vascular Risk, and Cognitive Decline in an Older, British, African-Caribbean Population. Journal of the American Geriatrics Society, 2003, 51, 1547-1553.	1.3	39
189	Anxiety and mortality risk in community-dwelling elderly people. British Journal of Psychiatry, 2013, 203, 303-309.	1.7	39
190	Real World Implementation of a Transdiagnostic Risk Calculator for the Automatic Detection of Individuals at Risk of Psychosis in Clinical Routine: Study Protocol. Frontiers in Psychiatry, 2019, 10, 109.	1.3	39
191	Comparative validity of depression assessment scales for screening poststroke depression. Journal of Affective Disorders, 2013, 147, 186-191.	2.0	38
192	Associations of centrally acting ACE inhibitors with cognitive decline and survival in Alzheimer's disease. BJPsych Open, 2017, 3, 158-164.	0.3	38
193	Acute general hospital admissions in people with serious mental illness. Psychological Medicine, 2018, 48, 2676-2683.	2.7	38
194	A Prospective Study of Changes in Subjective Memory Complaints and Onset of Dementia in South Korea. American Journal of Geriatric Psychiatry, 2006, 14, 949-956.	0.6	37
195	Happiness across age groups: results from the 2007 National Psychiatric Morbidity Survey. International Journal of Geriatric Psychiatry, 2011, 26, 608-614.	1.3	37
196	How data science can advance mental health research. Nature Human Behaviour, 2019, 3, 24-32.	6.2	37
197	Leg length, cognitive impairment and cognitive decline in an African-Caribbean population. International Journal of Geriatric Psychiatry, 2006, 21, 266-272.	1.3	36
198	The psychiatric case register: noble past, challenging present, but exciting future. British Journal of Psychiatry, 2009, 195, 191-193.	1.7	36

#	Article	IF	CITATIONS
199	White Matter Hyperintensities and Functional Outcomes at 2 Weeks and 1 Year after Stroke. Cerebrovascular Diseases, 2013, 35, 138-145.	0.8	36
200	Admission to acute mental health services after contact with crisis resolution and home treatment teams: an investigation in two large mental health-care providers. Lancet Psychiatry,the, 2017, 4, 49-56.	3.7	36
201	Using Natural Language Processing on Electronic Health Records to Enhance Detection and Prediction of Psychosis Risk. Schizophrenia Bulletin, 2021, 47, 405-414.	2.3	36
202	The distribution of Mini-Mental State Examination scores in an older UK African-Caribbean population compared to MRC CFA study norms. International Journal of Geriatric Psychiatry, 2002, 17, 745-751.	1.3	35
203	Diagnosing dementia in a developing nation: an evaluation of the GMSâ€AGECAT algorithm in an older Korean population. International Journal of Geriatric Psychiatry, 2003, 18, 331-336.	1.3	35
204	Subjective memory impairment, objective cognitive functioning and social activity in French older people: Findings from the Three Cities study. Geriatrics and Gerontology International, 2013, 13, 139-145.	0.7	35
205	Personality Disorder and Self-Rated Health: A Population-Based Cross-Sectional Survey. Journal of Personality Disorders, 2014, 28, 319-333.	0.8	35
206	Association of asthma and anxiety: A nationwide population-based study in Taiwan. Journal of Affective Disorders, 2016, 189, 98-105.	2.0	35
207	Clinical predictors of antipsychotic use in children and adolescents with autism spectrum disorders: a historical open cohort study using electronic health records. European Child and Adolescent Psychiatry, 2016, 25, 649-658.	2.8	35
208	Does Social Activity Influence the Accuracy of Subjective Memory Deficit? Findings from a British Community Survey. Journal of the American Geriatrics Society, 2006, 54, 1108-1113.	1.3	34
209	Predictors of 12â€week remission in a nationwide cohort of people with depressive disorders: the CRESCEND study. Human Psychopharmacology, 2011, 26, 41-50.	0.7	34
210	Developing a new model for patient recruitment in mental health services: a cohort study using Electronic Health Records. BMJ Open, 2014, 4, e005654.	0.8	34
211	Path analyses of risk factors for linear growth faltering in four prospective cohorts of young children in Ghana, Malawi and Burkina Faso. BMJ Global Health, 2019, 4, e001155.	2.0	34
212	Body image, self-esteem, and sense of masculinity in patients with prostate cancer: a qualitative meta-synthesis. Journal of Cancer Survivorship, 2022, 16, 95-110.	1.5	34
213	Associations between physical multimorbidity patterns and common mental health disorders in middle-aged adults: A prospective analysis using data from the UK Biobank. Lancet Regional Health - Europe, The, 2021, 8, 100149.	3.0	34
214	Using data linkage to electronic patient records to assess the validity of selected mental health diagnoses in English Hospital Episode Statistics (HES). PLoS ONE, 2018, 13, e0195002.	1.1	34
215	The impact of quality and quantity of social support on help-seeking behavior prior to deliberate self-harm. General Hospital Psychiatry, 2011, 33, 37-44.	1.2	33
216	Importance of Thinking Locally for Mental Health: Data from Cross-Sectional Surveys Representing South East London and England. PLoS ONE, 2012, 7, e48012.	1.1	33

#	Article	IF	CITATIONS
217	Help-seeking Response to Subjective Memory Complaints in Older Adults: Toward a Conceptual Model. Gerontologist, The, 2013, 53, 462-473.	2.3	33
218	BDNF methylation and depressive disorder in acute coronary syndrome: The K-DEPACS and EsDEPACS studies. Psychoneuroendocrinology, 2015, 62, 159-165.	1.3	33
219	A community-based study of case fatality proportion among those who carry out suicide acts. Social Psychiatry and Psychiatric Epidemiology, 2009, 44, 1005-1011.	1.6	32
220	Midlife Hypertensive Status and Cognitive Function 20ÂYears Later: The <scp>S</scp> outhall and <scp>B</scp> rent Revisited Study. Journal of the American Geriatrics Society, 2013, 61, 1489-1498.	1.3	32
221	Ethnic differences in cognition and age in people diagnosed with dementia: A study of electronic health records in two large mental healthcare providers. International Journal of Geriatric Psychiatry, 2019, 34, 504-510.	1.3	32
222	Generation and evaluation of artificial mental health records for Natural Language Processing. Npj Digital Medicine, 2020, 3, 69.	5.7	32
223	Correlates of caregiver burden for Korean elders according to cognitive and functional status. International Journal of Geriatric Psychiatry, 2006, 21, 853-861.	1.3	31
224	An investigation of associations between alcohol use disorder and polymorphisms on <i>ALDH2</i> , <i>BDNF</i> , <i>5â€HTTLPR</i> , and <i>MTHFR</i> genes in older Korean men. International Journal of Geriatric Psychiatry, 2010, 25, 441-448.	1.3	31
225	Associations between risk of mortality and atypical antipsychotic use in vascular dementia: a clinical cohort study. International Journal of Geriatric Psychiatry, 2014, 29, 1249-1254.	1.3	31
226	Depressive symptoms are doubled in older British South Asian and Black Caribbean people compared with Europeans: associations with excess co-morbidity and socioeconomic disadvantage. Psychological Medicine, 2015, 45, 1861-1871.	2.7	31
227	Identification of the delivery of cognitive behavioural therapy for psychosis (CBTp) using a cross-sectional sample from electronic health records and open-text information in a large UK-based mental health case register. BMJ Open, 2017, 7, e015297.	0.8	31
228	Changes in pro-inflammatory cytokine levels and late-life depression: A two year population based longitudinal study. Psychoneuroendocrinology, 2018, 90, 85-91.	1.3	31
229	Latent Iron Deficiency as a Marker of Negative Symptoms in Patients with First-Episode Schizophrenia Spectrum Disorder. Nutrients, 2018, 10, 1707.	1.7	31
230	Associations of polyunsaturated fatty acids with residual depression or anxiety in older people with major depression. Journal of Affective Disorders, 2012, 136, 918-925.	2.0	30
231	Suicidal ideation in elderly Korean population: a two-year longitudinal study. International Psychogeriatrics, 2014, 26, 59-67.	0.6	30
232	Trajectories of dementia-related cognitive decline in a large mental health records derived patient cohort. PLoS ONE, 2017, 12, e0178562.	1.1	30
233	Real-world implementation of precision psychiatry: Transdiagnostic risk calculator for the automatic detection of individuals at-risk of psychosis. Schizophrenia Research, 2021, 227, 52-60.	1.1	30
234	Impact of the COVID-19 pandemic on remote mental healthcare and prescribing in psychiatry: an electronic health record study. BMJ Open, 2021, 11, e046365.	0.8	30

#	Article	IF	CITATIONS
235	Telephone based Interventions for Psychological Problems in Hospital Isolated Patients with COVID-19. Clinical Psychopharmacology and Neuroscience, 2020, 18, 616-620.	0.9	30
236	Dimensions Underlying the Mini-Mental State Examination in a Sample With Low-Education Levels: The BambuÃ-Health and Aging Study. American Journal of Geriatric Psychiatry, 2009, 17, 863-872.	0.6	29
237	Non-fatal repetition of self-harm: population-based prospective cohort study in Taiwan. British Journal of Psychiatry, 2010, 196, 31-35.	1.7	29
238	Gender differences in 12-week antidepressant treatment outcomes for a naturalistic secondary care cohort: The CRESCEND study. Psychiatry Research, 2011, 189, 82-90.	1.7	29
239	Synergistic associations of depression and apolipoprotein E genotype with incidence of dementia. International Journal of Geriatric Psychiatry, 2011, 26, 893-898.	1.3	29
240	Clinical risk assessment rating and all-cause mortality in secondary mental healthcare: the South London and Maudsley NHS Foundation Trust Biomedical Research Centre (SLAM BRC) Case Register. Psychological Medicine, 2012, 42, 1581-1590.	2.7	29
241	Mild Cognitive Impairmentâ€"The Continuing Challenge of its "Real-world―Detection and Diagnosis. Archives of Medical Research, 2012, 43, 609-614.	1.5	29
242	Antipsychotic polypharmacy prescribing and risk of hospital readmission. Psychopharmacology, 2018, 235, 281-289.	1.5	29
243	A natural language processing approach for identifying temporal disease onset information from mental healthcare text. Scientific Reports, 2021, 11, 757.	1.6	29
244	5-HTTLPR genotype, stressful life events and late-life depression: No evidence of interaction in a French population. Neurobiology of Aging, 2010, 31, 886-887.	1.5	28
245	Psychiatric comorbidity as a risk factor for the mortality of people with bulimia nervosa. Social Psychiatry and Psychiatric Epidemiology, 2019, 54, 813-821.	1.6	28
246	Educational attainment trajectories among children and adolescents with depression, and the role of sociodemographic characteristics: longitudinal data-linkage study. British Journal of Psychiatry, 2021, 218, 151-157.	1.7	28
247	Changes in daily mental health service use and mortality at the commencement and lifting of COVID-19 â€`lockdown' policy in 10 UK sites: a regression discontinuity in time design. BMJ Open, 2021, 11, e049721.	0.8	28
248	The side effect profile of Clozapine in real world data of three large mental health hospitals. PLoS ONE, 2020, 15, e0243437.	1.1	28
249	Thyroid Stimulating Hormone, Cognitive Impairment and Depression in an Older Korean Population. Psychiatry Investigation, 2010, 7, 264.	0.7	28
250	Methylenetetrahydrofolate reductase gene and risk of Alzheimer's disease in Koreans. International Journal of Geriatric Psychiatry, 2008, 23, 454-459.	1.3	27
251	A Prospective Study of Statin Use and Poststroke Depression. Journal of Clinical Psychopharmacology, 2014, 34, 72-79.	0.7	27
252	Is infertility really associated with higher levels of mental distress in the female population? Results from the North-TrÃ,ndelag Health Study and the Medical Birth Registry of Norway. Journal of Psychosomatic Obstetrics and Gynaecology, 2015, 36, 38-45.	1.1	27

#	Article	IF	CITATIONS
253	Midlife mental distress and risk for dementia up to 27Âyears later: the Nord-TrÃ,ndelag Health Study (HUNT) in linkage with a dementia registry in Norway. BMC Geriatrics, 2015, 15, 23.	1.1	27
254	The association between subjective memory complaint and objective cognitive function in older people with previous major depression. PLoS ONE, 2017, 12, e0173027.	1.1	27
255	Predictors of falls and fractures leading to hospitalization in people with schizophrenia spectrum disorder: A large representative cohort study. Schizophrenia Research, 2018, 201, 70-78.	1.1	27
256	The Camden & Islington Research Database: Using electronic mental health records for research. PLoS ONE, 2018, 13, e0190703.	1.1	27
257	Use of Natural Language Processing to identify Obsessive Compulsive Symptoms in patients with schizophrenia, schizoaffective disorder or bipolar disorder. Scientific Reports, 2019, 9, 14146.	1.6	27
258	Cholesterol and serotonin transporter polymorphism interactions in late-life depression. Neurobiology of Aging, 2011, 32, 336-343.	1.5	26
259	Associations of Neuropsychiatric Symptoms and Antidepressant Prescription with Survival in Alzheimer's Disease. Journal of the American Medical Directors Association, 2017, 18, 1076-1081.	1.2	26
260	Antipsychotic use in dementia: the relationship between neuropsychiatric symptom profiles and adverse outcomes. European Journal of Epidemiology, 2021, 36, 89-101.	2.5	26
261	Service contact and psychopathology in very-late-onset schizophrenia-like psychosis: the effects of gender and ethnicity. International Journal of Geriatric Psychiatry, 2002, 17, 473-479.	1.3	25
262	Modification by Two Genes of Associations Between General Somatic Health and Incident Depressive Syndrome in Older People. Psychosomatic Medicine, 2009, 71, 286-291.	1.3	25
263	Serotonergic and BDNF Genes Associated With Depression 1 Week and 1 Year After Mastectomy for Breast Cancer. Psychosomatic Medicine, 2012, 74, 8-15.	1.3	25
264	Dynamics of resilience in forced migration: a 1-year follow-up study of longitudinal associations with mental health in a conflict-affected, ethnic Muslim population. BMJ Open, 2015, 5, e006000-e006000.	0.8	25
265	Development of a brief assessment and algorithm for ascertaining dementia in low-income and middle-income countries: the 10/66 short dementia diagnostic schedule. BMJ Open, 2016, 6, e010712.	0.8	25
266	What proportion of patients with psychosis is willing to take part in research? A mental health electronic case register analysis. BMJ Open, 2017, 7, e013113.	0.8	25
267	Longâ€ŧerm antipsychotic polypharmacy prescribing in secondary mental health care and the risk of mortality. Acta Psychiatrica Scandinavica, 2018, 138, 123-132.	2.2	25
268	Predictors of severe relapse in pregnant women with psychotic or bipolar disorders. Journal of Psychiatric Research, 2018, 104, 100-107.	1.5	25
269	Understanding which people with dementia are at risk of inappropriate care and avoidable transitions to hospital near the end-of-life: a retrospective cohort study. Age and Ageing, 2019, 48, 672-679.	0.7	25
270	Suicide attempts requiring hospitalization in patients with eating disorders: A retrospective cohort study. International Journal of Eating Disorders, 2020, 53, 728-735.	2.1	25

#	Article	IF	CITATIONS
271	All-cause and cause-specific mortality in people with mental disorders and intellectual disabilities, before and during the COVID-19 pandemic: cohort study. Lancet Regional Health - Europe, The, 2021, 11, 100228.	3.0	25
272	TextHunterA User Friendly Tool for Extracting Generic Concepts from Free Text in Clinical Research. AMIA Annual Symposium proceedings, 2014, 2014, 729-38.	0.2	25
273	The impact of co-morbid personality disorder on use of psychiatric services and involuntary hospitalization in people with severe mental illness. Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 1631-1640.	1.6	24
274	Longitudinal associations between serum cholesterol levels and suicidal ideation in an older Korean population. Journal of Affective Disorders, 2014, 152-154, 517-521.	2.0	24
275	Predictors of long-term (≥ 6 months) antipsychotic polypharmacy prescribing in secondary mental healthcare. Schizophrenia Research, 2016, 174, 106-112.	1.1	24
276	Big data and data repurposing - using existing data to answer new questions in vascular dementia research. BMC Neurology, 2017, 17, 72.	0.8	24
277	The Maudsley Biomedical Research Centre (BRC) data linkage service user and carer advisory group: creating and sustaining a successful patient and public involvement group to guide research in a complex area. Research Involvement and Engagement, 2019, 5, 20.	1.1	24
278	Risk of readmission in patients with schizophrenia and schizoaffective disorder newly prescribed clozapine. Journal of Psychopharmacology, 2019, 33, 449-458.	2.0	24
279	Applied natural language processing in mental health big data. Neuropsychopharmacology, 2021, 46, 252-253.	2.8	24
280	Relative Risk of Acute Myocardial Infarction in People with Schizophrenia and Bipolar Disorder: A Population-Based Cohort Study. PLoS ONE, 2015, 10, e0134763.	1.1	24
281	Comparative Analysis of Text Classification Approaches in Electronic Health Records. , 2020, , .		24
282	Migrant status, age, gender and social isolation in very late-onset schizophrenia-like psychosis. International Journal of Geriatric Psychiatry, 2005, 20, 1046-1051.	1.3	23
283	The evaluation of delirium postâ€stroke. International Journal of Geriatric Psychiatry, 2009, 24, 1251-1256.	1.3	23
284	Personality disorders, common mental disorders and receipt of disability benefits: evidence from the British National Survey of Psychiatric Morbidity. Psychological Medicine, 2012, 42, 2631-2640.	2.7	23
285	Associations between symptoms and all-cause mortality in individuals with serious mental illness. Journal of Psychosomatic Research, 2012, 72, 114-119.	1.2	23
286	Influences of Personality Traits on Quality of Life after Stroke. European Neurology, 2013, 69, 185-192.	0.6	23
287	Suicide and Other-Cause Mortality after Early Exposure to Smoking and Second Hand Smoking: A 12-Year Population-Based Follow-Up Study. PLoS ONE, 2015, 10, e0130044.	1.1	23
288	Cannabis use and treatment resistance in first episode psychosis: a natural language processing study. Lancet, The, 2015, 385, S79.	6.3	23

#	Article	IF	CITATIONS
289	Relapse in the first three months postpartum in women with history of serious mental illness. Schizophrenia Research, 2019, 204, 46-54.	1.1	23
290	Pharmacoepidemiology research: delivering evidence about drug safety and effectiveness in mental health. Lancet Psychiatry,the, 2020, 7, 363-370.	3.7	23
291	User Perspectives of Mood-Monitoring Apps Available to Young People: Qualitative Content Analysis. JMIR MHealth and UHealth, 2020, 8, e18140.	1.8	23
292	Apolipoprotein E Genotype, Vascular Risk and Early Cognitive Impairment in an African Caribbean Population. Dementia and Geriatric Cognitive Disorders, 2001, 12, 251-256.	0.7	22
293	Alcoholism in older Korean men: prevalence, aetiology, and comorbidity with cognitive impairment and dementia in urban and rural communities. International Journal of Geriatric Psychiatry, 2002, 17, 821-827.	1.3	22
294	Mitochondrial aldehyde dehydrogenase polymorphism is not associated with incidence of Alzheimer's disease. International Journal of Geriatric Psychiatry, 2005, 20, 1075-1080.	1.3	22
295	Trajectories of cognitive decline over 10 years in a Brazilian elderly population: the BambuÃ-cohort study of aging. Cadernos De Saude Publica, 2011, 27, s345-s350.	0.4	22
296	Socioeconomic disadvantage, mental disorders and risk of 12-month suicide ideation and attempt in the National Comorbidity Survey Replication (NCS-R) in US. Social Psychiatry and Psychiatric Epidemiology, 2013, 48, 71-79.	1.6	22
297	Risk assessment and suicide by patients with schizophrenia in secondary mental healthcare: a case–control study. BMJ Open, 2016, 6, e011929.	0.8	22
298	The prevalence and correlates of self-harm in pregnant women with psychotic disorder and bipolar disorder. Archives of Women's Mental Health, 2016, 19, 909-915.	1.2	22
299	Clinical outcomes and mortality associated with weekend admission to psychiatric hospital. British Journal of Psychiatry, 2016, 209, 29-34.	1.7	22
300	Recorded poor insight as a predictor of service use outcomes: cohort study of patients with first-episode psychosis in a large mental healthcare database. BMJ Open, 2019, 9, e028929.	0.8	22
301	The relationship between polypharmacy and trajectories of cognitive decline in people with dementia: A large representative cohort study. Experimental Gerontology, 2019, 120, 62-67.	1.2	22
302	The Incidence of Recorded Delirium Episodes Before and After Dementia Diagnosis: Differences Between Dementia With Lewy Bodies and Alzheimer's Disease. Journal of the American Medical Directors Association, 2019, 20, 604-609.	1.2	22
303	The anticholinergic effect on cognition (AEC) scale—Associations with mortality, hospitalisation and cognitive decline following dementia diagnosis. International Journal of Geriatric Psychiatry, 2020, 35, 1069-1077.	1.3	22
304	Potential gains in life expectancy from reducing amenable mortality among people diagnosed with serious mental illness in the United Kingdom. PLoS ONE, 2020, 15, e0230674.	1.1	22
305	Ethnicity and impact on the receipt of cognitive–behavioural therapy in people with psychosis or bipolar disorder: an English cohort study. BMJ Open, 2020, 10, e034913.	0.8	22
306	Vascular Risk Factors and Alzheimer's Disease. Australian and New Zealand Journal of Psychiatry, 1999, 33, 809-813.	1.3	21

#	Article	IF	CITATIONS
307	Mental capacity assessments and discharge decisions. Age and Ageing, 2005, 34, 549-550.	0.7	21
308	Caregiver Burden and Quality of Life of Older Persons With Stroke. Journal of Applied Gerontology, 2011, 30, 643-654.	1.0	21
309	Depressed mood and blood pressure: The moderating effect of situation-specific arousal levels. International Journal of Psychophysiology, 2012, 85, 212-223.	0.5	21
310	Mental disorders and mortality: so many publications, so little change. Acta Psychiatrica Scandinavica, 2015, 132, 410-411.	2.2	21
311	Ethnic density and other neighbourhood associations for mortality in severe mental illness: a retrospective cohort study with multi-level analysis from an urbanised and ethnically diverse location in the UK. Lancet Psychiatry,the, 2019, 6, 506-517.	3.7	21
312	Predictors of mortality in people with late-life depression: A retrospective cohort study. Journal of Affective Disorders, 2020, 266, 695-701.	2.0	21
313	Association of physical health multimorbidity with mortality in people with schizophrenia spectrum disorders: Using a novel semantic search system that captures physical diseases in electronic patient records. Schizophrenia Research, 2020, 216, 408-415.	1.1	21
314	Mini-Mental State Examination as a Predictor of Mortality among Older People Referred to Secondary Mental Healthcare. PLoS ONE, 2014, 9, e105312.	1.1	21
315	Prevalence and Correlates of Problematic Internet Experiences and Computer-Using Time: A Two-Year Longitudinal Study in Korean School Children. Psychiatry Investigation, 2014, 11, 24.	0.7	21
316	The effect of ethnicity and gender on first-contact rates for schizophrenia-like psychosis in Bangladeshi, Black and White elders in Tower Hamlets, London. International Journal of Geriatric Psychiatry, 2004, 19, 286-290.	1.3	20
317	Associations between IQ and common mental disorders: The 2000 British National Survey of Psychiatric Morbidity. European Psychiatry, 2011, 26, 390-395.	0.1	20
318	Physical health and incident late-life depression: modification by cytokine genes. Neurobiology of Aging, 2013, 34, 356.e1-356.e9.	1.5	20
319	Factors associated with cognitive impairment in patients with newly diagnosed type 2 diabetes: a cross-sectional study. Aging and Mental Health, 2016, 20, 840-847.	1.5	20
320	Associations Between Left Ventricular Dysfunction and Brain Structure and Function: Findings From the SABRE (Southall and Brent Revisited) Study. Journal of the American Heart Association, 2017, 6, .	1.6	20
321	Psychiatric Diagnoses Differ Considerably in Their Associations With Alcohol/Drug-Related Problems Among Adolescents. A Norwegian Population-Based Survey Linked With National Patient Registry Data. Frontiers in Psychology, 2019, 10, 1003.	1.1	20
322	Gender differences in clinical presentation and illicit substance use during first episode psychosis: a natural language processing, electronic case register study. BMJ Open, 2021, 11, e042949.	0.8	20
323	Quality of accommodation and risk of depression in later life: An analysis of prospective data from the Gospel Oak Project. International Journal of Geriatric Psychiatry, 2002, 17, 1091-1098.	1.3	19
324	Pathways to Care and Help-Seeking Experience Prior to Self-Harm. The Journal of Nursing Research: JNR, 2012, 20, 32-42.	0.7	19

#	Article	IF	CITATIONS
325	Impact of exposure to conflict, tsunami and mental disorders on school absenteeism: findings from a national sample of Sri Lankan children aged 12–17Âyears. BMC Public Health, 2013, 13, 560.	1.2	19
326	The big case register. Acta Psychiatrica Scandinavica, 2014, 130, 83-86.	2.2	19
327	Predictors of mortality for people aged over 65 years receiving mental health care for delirium in a South London Mental Health Trust, UK: a retrospective survival analysis. International Journal of Geriatric Psychiatry, 2015, 30, 639-646.	1.3	19
328	Novel psychoactive substances: An investigation of temporal trends in social media and electronic health records. European Psychiatry, 2016, 38, 15-21.	0.1	19
329	Reviving the â€~double jeopardy' hypothesis: Physical health inequalities, ethnicity and severe mental illness. British Journal of Psychiatry, 2016, 209, 183-185.	1.7	19
330	Community treatment orders and associations with readmission rates and duration of psychiatric hospital admission: a controlled electronic case register study. BMJ Open, 2020, 10, e035121.	0.8	19
331	Implementation of a Real-Time Psychosis Risk Detection and Alerting System Based on Electronic Health Records using CogStack. Journal of Visualized Experiments, 2020, , .	0.2	19
332	Short and long-term treatment outcomes of stepwise psychopharmacotherapy based on early clinical decision in patients with depressive disorders. Journal of Affective Disorders, 2020, 274, 315-325.	2.0	19
333	Mental health-related conversations on social media and crisis episodes: a time-series regression analysis. Scientific Reports, 2020, 10, 1342.	1.6	19
334	Loneliness in older adult mental health services during the COVID \hat{a} pandemic and before: Associations with disability, functioning and pharmacotherapy. International Journal of Geriatric Psychiatry, 2022, 37, .	1.3	19
335	ACE genotype and cognitive decline in an African-Caribbean population. Neurobiology of Aging, 2004, 25, 1369-1375.	1.5	18
336	Association of asthma and bipolar disorder: A nationwide population-based study in Taiwan. Journal of Affective Disorders, 2014, 168, 30-36.	2.0	18
337	â€~He left me a message on Facebook': comparing the risk profiles of self-harming patients who leave paper suicide notes with those who leave messages on new media. BJPsych Open, 2016, 2, 217-220.	0.3	18
338	Dementia prevalence in a population at high vascular risk: the Trinidad national survey of ageing and cognition. BMJ Open, 2018, 8, e018288.	0.8	18
339	How do ethnicity and deprivation impact on life expectancy at birth in people with serious mental illness? Observational study in the UK. Psychological Medicine, 2021, 51, 2581-2589.	2.7	18
340	Methotrexate and relative risk of dementia amongst patients with rheumatoid arthritis: a multi-national multi-database case-control study. Alzheimer's Research and Therapy, 2020, 12, 38.	3.0	18
341	Catatonia: demographic, clinical and laboratory associations. Psychological Medicine, 2023, 53, 2492-2502.	2.7	18
342	Modelling complex pathways between late-life depression and disability: evidence for mediating and moderating factors. Psychological Medicine, 2009, 39, 1587.	2.7	17

#	Article	IF	CITATIONS
343	Predictors of depressive disorder following acute coronary syndrome: Results from K-DEPACS and EsDEPACS. Journal of Affective Disorders, 2015, 181, 1-8.	2.0	17
344	Service and treatment engagement of people with very late-onset schizophrenia-like psychosis. BJPsych Bulletin, 2016, 40, 185-186.	0.7	17
345	Myocardial infarction risk and antipsychotics use revisited: a meta-analysis of 10 observational studies. Journal of Psychopharmacology, 2017, 31, 1544-1555.	2.0	17
346	Longitudinal Associations Between Serum Cytokine Levels and Dementia. Frontiers in Psychiatry, 2018, 9, 606.	1.3	17
347	DETERMinants of quality of life, care and costs, and consequences of INequalities in people with Dementia and their carers (DETERMIND): A protocol paper. International Journal of Geriatric Psychiatry, 2020, 35, 290-301.	1.3	17
348	Late-life depression in people from ethnic minority backgrounds: Differences in presentation and management. Journal of Affective Disorders, 2020, 264, 340-347.	2.0	17
349	Benefits and Harms of Statins in People with Dementia: A Systematic Review and Metaâ€Analysis. Journal of the American Geriatrics Society, 2020, 68, 650-658.	1.3	17
350	Risk of Hospitalized Falls and Hip Fractures in 22,103 Older Adults Receiving Mental Health Care vs 161,603 Controls: A Large Cohort Study. Journal of the American Medical Directors Association, 2020, 21, 1893-1899.	1.2	17
351	Previous stroke but not vascular risk factors are associated with depression in a cognitively impaired older Korean population. International Journal of Geriatric Psychiatry, 2002, 17, 453-458.	1.3	16
352	Response to antidepressants in major depressive disorder with melancholic features: the CRESCEND study. Journal of Affective Disorders, 2013, 144, 42-50.	2.0	16
353	Prevention of Decline in Cognition after Stroke Trial (PODCAST): a study protocol for a factorial randomised controlled trial of intensive versus guideline lowering of blood pressure and lipids. Trials, 2013, 14, 401.	0.7	16
354	Suicide completion in secondary mental healthcare: a comparison study between schizophrenia spectrum disorders and all other diagnoses. BMC Psychiatry, 2014, 14, 213.	1.1	16
355	Associations between the schizophrenia susceptibility gene ZNF804A and clinical outcomes in psychosis. Translational Psychiatry, 2015, 5, e698-e698.	2.4	16
356	Effects of depression co-morbidity and treatment on quality of life in patients with acute coronary syndrome: the Korean depression in ACS (K-DEPACS) and the escitalopram for depression in ACS (EsDEPACS) study. Psychological Medicine, 2015, 45, 1641-1652.	2.7	16
357	Ethnicity and cardiovascular health inequalities in people with severe mental illnesses: protocol for the E-CHASM study. Social Psychiatry and Psychiatric Epidemiology, 2016, 51, 627-638.	1.6	16
358	Clinical Presentation, Diagnostic Features, and Mortality in Dementia with Lewy Bodies. Journal of Alzheimer's Disease, 2019, 67, 995-1005.	1.2	16
359	Explaining oral health inequalities in European welfare state regimes: The role of health behaviours. Community Dentistry and Oral Epidemiology, 2019, 47, 40-48.	0.9	16
360	Temporal information extraction from mental health records to identify duration of untreated psychosis. Journal of Biomedical Semantics, 2020, 11, 2.	0.9	16

#	Article	IF	CITATIONS
361	Long-term cardiac outcomes of depression screening, diagnosis and treatment in patients with acute coronary syndrome: the DEPACS study. Psychological Medicine, 2021, 51, 964-974.	2.7	16
362	Betel Chewing and Arecoline Affects Eotaxin-1, Asthma and Lung Function. PLoS ONE, 2014, 9, e91889.	1.1	16
363	Associations between Retinal Markers of Microvascular Disease and Cognitive Impairment in Newly Diagnosed Type 2 Diabetes Mellitus: A Case Control Study. PLoS ONE, 2016, 11, e0147160.	1.1	16
364	Hypertension and cognitive decline. British Journal of Psychiatry, 1999, 174, 286-287.	1.7	15
365	Antipsychotic exposure prior to acute myocardial infarction in patients with serious mental illness. Acta Psychiatrica Scandinavica, 2015, 131, 213-222.	2.2	15
366	Hospital admissions for respiratory system diseases in adults with intellectual disabilities in Southeast London: a register-based cohort study. BMJ Open, 2017, 7, e014846.	0.8	15
367	Stressful events, stress perception and treatment outcomes in patients with depressive disorders: The CRESCEND study. Journal of Affective Disorders, 2011, 133, 528-536.	2.0	14
368	Mental and personality disorders and abstinence from alcohol: results from a national household survey. Psychological Medicine, 2011, 41, 809-818.	2.7	14
369	Asthma and self-harm: A population-based cohort study in Taiwan. Journal of Psychosomatic Research, 2014, 77, 462-467.	1.2	14
370	Can risk assessment predict suicide in secondary mental healthcare? Findings from the South London and Maudsley NHS Foundation Trust Biomedical Research Centre (SLaM BRC) Case Register. Social Psychiatry and Psychiatric Epidemiology, 2018, 53, 1161-1171.	1.6	14
371	Modifying effects of depression on the association between BDNF methylation and prognosis of acute coronary syndrome. Brain, Behavior, and Immunity, 2019, 81, 422-429.	2.0	14
372	Clozapine Response in Schizophrenia and Hematological Changes. Journal of Clinical Psychopharmacology, 2021, 41, 19-24.	0.7	14
373	Low cholesterol, cognitive function and Alzheimer s disease in a community population with cognitive impairment. Journal of Nutrition, Health and Aging, 2002, 6, 320-3.	1.5	14
374	Association of delirium post-stroke with early and late mortality. Age and Ageing, 2011, 40, 271-274.	0.7	13
375	The Association of Dementia With Upper Arm and Waist Circumference in Seven Low- and Middle-Income Countries: The 10/66 Cross-Sectional Surveys. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2012, 67, 897-904.	1.7	13
376	Associations of serotonergic genes with poststroke emotional incontinence. International Journal of Geriatric Psychiatry, 2012, 27, 799-806.	1.3	13
377	Dementia and lower blood pressure in Latin America, India, and China. Neurology, 2013, 81, 228-235.	1.5	13
378	Interactions between a serotonin transporter gene, life events and social support on suicidal ideation in Korean elders. Journal of Affective Disorders, 2014, 160, 14-20.	2.0	13

#	Article	IF	Citations
379	Investigation of negative symptoms in schizophrenia with a machine learning text-mining approach. Lancet, The, 2014, 383, S16.	6.3	13
380	Correlates and Escitalopram Treatment Effects on Sleep Disturbance in Patients with Acute Coronary Syndrome: K-DEPACS and EsDEPACS. Sleep, 2015, 38, 1105-1111.	0.6	13
381	Effects of depression screening on psychiatric outcomes in patients with acute coronary syndrome: Findings from the K-DEPACS and EsDEPACS studies. International Journal of Cardiology, 2015, 190, 114-121.	0.8	13
382	Depression and cause-specific mortality in an ethnically diverse cohort from the UK: 8-year prospective study. Psychological Medicine, 2019, 49, 1639-1651.	2.7	13
383	Empowering Better Endâ€ofâ€Life Dementia Care (EMBEDâ€Care): A mixed methods protocol to achieve integrated personâ€centred care across settings. International Journal of Geriatric Psychiatry, 2020, 35, 820-832.	1.3	13
384	Mitigating mental health consequences during the <scp>COVID</scp> â€19 outbreak: Lessons from China. Psychiatry and Clinical Neurosciences, 2020, 74, 407-408.	1.0	13
385	Dementia in People from Ethnic Minority Backgrounds: Disability, Functioning, and Pharmacotherapy at the Time of Diagnosis. Journal of the American Medical Directors Association, 2021, 22, 446-452.	1.2	13
386	Aspirin in people with dementia, long-term benefits, and harms: a systematic review. European Journal of Clinical Pharmacology, 2021, 77, 943-954.	0.8	13
387	Subjective Memory Deficits in People with and without Dementia: Findings from the 10/66 Dementia Research Group Pilot Studies in Low―and Middleâ€Income Countries. Journal of the American Geriatrics Society, 2009, 57, 2118-2124.	1.3	12
388	Physical comorbidity and 12-week treatment outcomes in Korean patients with depressive disorders: The CRESCEND study. Journal of Psychosomatic Research, 2011, 71, 311-318.	1.2	12
389	Leg length, skull circumference, and the prevalence of dementia in low and middle income countries: a 10/66 population-based cross sectional survey. International Psychogeriatrics, 2011, 23, 202-213.	0.6	12
390	Changes in mental disorder prevalence among conflict-affected populations: a prospective study in Sri Lanka (COMRAID-R). BMC Psychiatry, 2015, 15, 41.	1.1	12
391	Utility of the Health of the Nation Outcome Scales (HoNOS) in Predicting Mental Health Service Costs for Patients with Common Mental Health Problems: Historical Cohort Study. PLoS ONE, 2016, 11, e0167103.	1.1	12
392	Influences of the Big Five personality traits on the treatment response and longitudinal course of depression in patients with acute coronary syndrome: A randomised controlled trial. Journal of Affective Disorders, 2016, 203, 38-45.	2.0	12
393	Can information on functional and cognitive status improve short-term mortality risk prediction among community-dwelling older people? A cohort study using a UK primary care database. Clinical Epidemiology, 2018, Volume 10, 31-39.	1.5	12
394	Knowledge discovery for Deep Phenotyping serious mental illness from Electronic Mental Health records. F1000Research, 2018, 7, 210.	0.8	12
395	General hospital admission rates in people diagnosed with personality disorder. Acta Psychiatrica Scandinavica, 2019, 139, 248-255.	2.2	12
396	Methylphenidate and mortality in children with attention-deficit hyperactivity disorder: population-based cohort study. British Journal of Psychiatry, 2022, 220, 64-72.	1.7	12

#	Article	IF	CITATIONS
397	Vascular and metabolic risk factor differences prior to dementia diagnosis: a multidatabase case–control study using European electronic health records. BMJ Open, 2020, 10, e038753.	0.8	12
398	Text mining occupations from the mental health electronic health record: a natural language processing approach using records from the Clinical Record Interactive Search (CRIS) platform in south London, UK. BMJ Open, 2021, 11, e042274.	0.8	12
399	Anxiety disorders in older people. Reviews in Clinical Gerontology, 2012, 22, 204-217.	0.5	11
400	Risk and predictors of suicide and non-suicide mortality following non-fatal self-harm in Northern Taiwan. Social Psychiatry and Psychiatric Epidemiology, 2013, 48, 1621-1627.	1.6	11
401	The association between social relationships and self-harm: a case–control study in Taiwan. BMC Psychiatry, 2013, 13, 101.	1.1	11
402	Obsessive and Compulsive Symptoms in a National Sample of Older People: Prevalence, Comorbidity, and Associations With Cognitive Function. American Journal of Geriatric Psychiatry, 2013, 21, 263-271.	0.6	11
403	Neuropsychological and Behavioral Disturbance Correlates of Unawareness of Memory Impairment in Dementia. Journal of Geriatric Psychiatry and Neurology, 2015, 28, 3-11.	1.2	11
404	Centrally Acting Anticholinergic Drugs Used for Urinary Conditions Associated with Worse Outcomes in Dementia. Journal of the American Medical Directors Association, 2021, 22, 2547-2552.	1.2	11
405	Associations Between COVID-19 Symptoms and Psychological Distress. Frontiers in Psychiatry, 2021, 12, 721532.	1.3	11
406	Associations between Skeletal Growth in Childhood and Cognitive Function in Mid-Life in a 53-Year Prospective Birth Cohort Study. PLoS ONE, 2015, 10, e0124163.	1.1	11
407	Screening for mental disorders in leprosy patients: comparing the internal consistency and screening properties of HADS and GHQ-12. Leprosy Review, 2007, 78, 231-242.	0.1	11
408	Insomnia Subtypes and Their Relationship to Excessive Daytime Sleepiness in Brazilian Community-Dwelling Older Adults. Sleep, 2011, 34, 1111-1117.	0.6	10
409	Ascertaining instances of neuroleptic malignant syndrome in a secondary mental healthcare electronic medical records database: the SLAM BRC Case Register. Therapeutic Advances in Psychopharmacology, 2012, 2, 75-83.	1.2	10
410	Harnessing Clinical Psychiatric Data with an Electronic Assessment Tool (OPCRIT+): The Utility of Symptom Dimensions. PLoS ONE, 2013, 8, e58790.	1.1	10
411	Construct validity of the mini mental state examination across time in a sample with lowâ€education levels: 10â€year followâ€up of the BambuÃ-Cohort Study of Ageing. International Journal of Geriatric Psychiatry, 2014, 29, 1294-1303.	1.3	10
412	Relationship between antidepressant prescription and breast cancer: a population based study in Taiwan. Psycho-Oncology, 2016, 25, 803-807.	1.0	10
413	Depression following Acute Coronary Syndrome: Time-Specific Interactions between Stressful Life Events, Social Support Deficits, and 5-HTTLPR. Psychotherapy and Psychosomatics, 2017, 86, 62-64.	4.0	10
414	The association between depression and later educational attainment in children and adolescents: a systematic review protocol. BMJ Open, 2019, 9, e031595.	0.8	10

#	Article	IF	Citations
415	SNX29, a new susceptibility gene shared with major mental disorders in Han Chinese population. World Journal of Biological Psychiatry, 2021, 22, 526-534.	1.3	10
416	Clinical factors associated with progression to dementia in people with late-life depression: a cohort study of patients in secondary care. BMJ Open, 2020, 10, e035147.	0.8	10
417	Efficient Reuse of Natural Language Processing Models for Phenotype-Mention Identification in Free-text Electronic Medical Records: A Phenotype Embedding Approach. JMIR Medical Informatics, 2019, 7, e14782.	1.3	10
418	Fear of cancer recurrence and PSA anxiety in patients with prostate cancer: a systematic review. Supportive Care in Cancer, 2022, 30, 5577-5589.	1.0	10
419	Can natural language processing models extract and classify instances of interpersonal violence in mental healthcare electronic records: an applied evaluative study. BMJ Open, 2022, 12, e052911.	0.8	10
420	Are Black Caribbean Patients More Likely to Receive an Incorrect Diagnosis of Very-Late-Onset Schizophrenia-Like Psychosis Than Their White British Counterparts?. American Journal of Geriatric Psychiatry, 2003, 11, 674-677.	0.6	9
421	Snus use and cardiovascular risk factors in the general population: the HUNT3 study. Addiction, 2013, 108, 2019-2028.	1.7	9
422	Alleles that increase risk for type 2 diabetes mellitus are not associated with increased risk for Alzheimer's disease. Neurobiology of Aging, 2014, 35, 2883.e3-2883.e10.	1.5	9
423	A comparison of mental state examination documentation by junior clinicians in electronic health records before and after the introduction of a semi-structured assessment template (OPCRIT+). International Journal of Medical Informatics, 2015, 84, 675-682.	1.6	9
424	Chronic obstructive pulmonary disease and anxiety disorders: a nationwide population-based study in Taiwan. General Hospital Psychiatry, 2016, 42, 1-6.	1.2	9
425	Identifying mortality risks in patients with opioid use disorder using brief screening assessment: Secondary mental health clinical records analysis. Drug and Alcohol Dependence, 2016, 164, 82-88.	1.6	9
426	Antenatal depressive symptoms as a predictor of deterioration in perceived social support across the perinatal period: a four-wave cohort study in Turkey. Psychological Medicine, 2017, 47, 766-775.	2.7	9
427	Increased risk of developing psychiatric disorders in children with attention deficit and hyperactivity disorder (ADHD) receiving sensory integration therapy: a population-based cohort study. European Child and Adolescent Psychiatry, 2019, 28, 247-255.	2.8	9
428	Safe prescribing in cognitively vulnerable patients: the use of the anticholinergic effect on cognition (AEC) tool in older adult mental health services. BJPsych Bulletin, 2020, 44, 26-30.	0.7	9
429	New Use for Old Drugs: The Protective Effect of Risperidone on Colorectal Cancer. Cancers, 2020, 12, 1560.	1.7	9
430	Predicting high-cost care in a mental health setting. BJPsych Open, 2020, 6, e10.	0.3	9
431	The association between dementia severity and hospitalisation profile in a newly assessed clinical cohort: the South London and Maudsley case register. BMJ Open, 2020, 10, e035779.	0.8	9
432	What gets recorded, counts: dementia recording in primary care compared with a specialist database. Age and Ageing, 2021, 50, 2206-2213.	0.7	9

#	Article	IF	Citations
433	Analysis of diagnoses extracted from electronic health records in a large mental health case register. PLoS ONE, 2017, 12, e0171526.	1.1	9
434	Patterns of unplanned hospital admissions among people with dementia: from diagnosis to the end of life. Age and Ageing, 2022, 51 , .	0.7	9
435	Depressive symptoms and cognitive decline-disentangling the effect of affect. Journal of Neurology, Neurosurgery and Psychiatry, 2004, 75, 5-5.	0.9	8
436	Male gender influences response to an educational package for delirium prevention among older people: a stratified analysis. International Journal of Geriatric Psychiatry, 2006, 21, 493-497.	1.3	8
437	Have we forgotten about dementia in care homes? The importance of maintaining survey research in this sector. Age and Ageing, 2011, 40, 5-6.	0.7	8
438	The impact of early life factors on cognitive function in old age: The Hordaland Health Study (HUSK). BMC Psychology, 2013, 1, 16.	0.9	8
439	Gender preference and perinatal depression in Turkey: A cohort study. PLoS ONE, 2017, 12, e0174558.	1.1	8
440	Predicting parkinsonism side-effects of antipsychotic polypharmacy prescribed in secondary mental healthcare. Journal of Psychopharmacology, 2018, 32, 1191-1196.	2.0	8
441	Inpatient use and area-level socio-environmental factors in people with psychosis. Social Psychiatry and Psychiatric Epidemiology, 2018, 53, 1133-1140.	1.6	8
442	Interaction between BDNF val66met polymorphism and personality on long-term cardiac outcomes in patients with acute coronary syndrome. PLoS ONE, 2019, 14, e0226802.	1.1	8
443	Severe mental illness diagnosis in English general hospitals 2006-2017: A registry linkage study. PLoS Medicine, 2020, 17, e1003306.	3.9	8
444	Temporal and diurnal variation in social media posts to a suicide support forum. BMC Psychiatry, 2021, 21, 259.	1.1	8
445	Cognitive Impairments in Schizophrenia: A Study in a Large Clinical Sample Using Natural Language Processing. Frontiers in Digital Health, 2021, 3, 711941.	1.5	8
446	Real-world experience of assessing antibodies against the N-methyl-D-aspartate receptor (NMDAR-lgG) in psychiatric patients. A retrospective single-centre study. Brain, Behavior, and Immunity, 2021, 98, 330-336.	2.0	8
447	Mapping multimorbidity in individuals with schizophrenia and bipolar disorders: evidence from the South London and Maudsley NHS Foundation Trust Biomedical Research Centre (SLAM BRC) case register. BMJ Open, 2022, 12, e054414.	0.8	8
448	Annotating Temporal Relations to Determine the Onset of Psychosis Symptoms. Studies in Health Technology and Informatics, 2019, 264, 418-422.	0.2	8
449	Cerebral white matter lesions and subjective cognitive dysfunction: The Rotterdam Scan Study. Neurology, 2001, 57, 2149-2149.	1.5	7
450	Mental capacity assessments among general hospital inpatients referred to a specialist liaison psychiatry service for older people. International Psychogeriatrics, 2009, 21, 729-737.	0.6	7

#	Article	IF	Citations
451	Weekly lottery sales volume and suicide numbers: a time series analysis on national data from Taiwan. Social Psychiatry and Psychiatric Epidemiology, 2012, 47, 1055-1059.	1.6	7
452	Serotonergic genes and depressive disorder in acute coronary syndrome: The Korean depression in ACS (K-DEPACS) study. European Neuropsychopharmacology, 2015, 25, 882-888.	0.3	7
453	Predictive value of homocysteine for depression after acute coronary syndrome. Oncotarget, 2016, 7, 69032-69040.	0.8	7
454	Demographic and clinical factors associated with different antidepressant treatments: a retrospective cohort study design in a UK psychiatric healthcare setting. BMJ Open, 2018, 8, e022170.	0.8	7
455	Serotonin Transporter Gene Association Between Anxiety and Long-Term Cardiac Outcomes in Acute Coronary Syndromes. Journal of the American College of Cardiology, 2018, 71, 2706-2707.	1.2	7
456	Synergistic effects of depression and NR3C1 methylation on prognosis of acute coronary syndrome. Scientific Reports, 2020, 10, 5519.	1.6	7
457	Functional dyspepsia in depression: A populationâ€based cohort study. European Journal of Clinical Investigation, 2021, 51, e13506.	1.7	7
458	Associations between loneliness and acute hospitalisation outcomes among patients receiving mental healthcare in South London: a retrospective cohort study. Social Psychiatry and Psychiatric Epidemiology, 2022, 57, 397-410.	1.6	7
459	Quality indicators for dementia and older people nearing the end of life: A systematic review. Journal of the American Geriatrics Society, 2021, 69, 3650-3660.	1.3	7
460	An evaluation of symptom domains in the 2 years before pregnancy as predictors of relapse in the perinatal period in women with severe mental illness. European Psychiatry, 2021, 64, e26.	0.1	7
461	Mental health legislation and decision making capacity: Autonomy in Alzheimer's disease is ignored and neglected. BMJ: British Medical Journal, 2006, 332, 118.3-119.	2.4	7
462	Autism spectrum disorders as a risk factor for adolescent self-harm: a retrospective cohort study of 113,286 young people in the UK. BMC Medicine, 2022, 20, 137.	2.3	7
463	Neurological signs and lateâ€ife depressive symptoms in a community population: the ESPRIT study. International Journal of Geriatric Psychiatry, 2010, 25, 672-678.	1.3	6
464	General health status and vascular disorders as correlates of lateâ€life depressive symptoms in a national survey sample. International Journal of Geriatric Psychiatry, 2010, 25, 483-488.	1.3	6
465	A randomised controlled trial of calcium channel blockade (CCB) with Amlodipine For the treatment oF subcortical ischaEmic vasCular demenTia (AFFECT): study protocol. Trials, 2016, 17, 324.	0.7	6
466	Excess overdose mortality immediately following transfer of patients and their care as well as after cessation of opioid substitution therapy. Addiction, 2018, 113, 946-951.	1.7	6
467	Comparisons between different elements of reported burden and common mental disorder in caregivers of ethnically diverse people with dementia in Trinidad. PLoS ONE, 2018, 13, e0201165.	1.1	6
468	Impact of Suicidal Ideation on Long-Term Cardiac Outcomes in Patients with Acute Coronary Syndrome: Sex-Specific Differences. Psychotherapy and Psychosomatics, 2018, 87, 311-312.	4.0	6

#	Article	IF	Citations
469	Impact of depression at early and late phases following acute coronary syndrome on long-term cardiac outcomes. Journal of Affective Disorders, 2020, 260, 592-596.	2.0	6
470	Sleep problems associated with long-term mortality in acute coronary syndrome: Effects of depression comorbidity and treatment. General Hospital Psychiatry, 2020, 66, 125-132.	1.2	6
471	The association between neighbourhood characteristics and physical victimisation in men and women with mental disorders. BJPsych Open, 2020, 6, e73.	0.3	6
472	Impact of matching error on linked mortality outcome in a data linkage of secondary mental health data with Hospital Episode Statistics (HES) and mortality records in South East London: a cross-sectional study. BMJ Open, 2020, 10, e035884.	0.8	6
473	Cigarette smoking and schizophrenia: Mendelian randomisation study. British Journal of Psychiatry, 2021, 218, 98-103.	1.7	6
474	Cognitive Trajectories in Comorbid Dementia With Schizophrenia or Bipolar Disorder: The South London and Maudsley NHS Foundation Trust Biomedical Research Centre (SLaM BRC) Case Register. American Journal of Geriatric Psychiatry, 2021, 29, 604-616.	0.6	6
475	Centrally-acting anticholinergic drugs– associations with mortality, hospitalisation and cognitive decline following dementia diagnosis in people receiving antidepressant and antipsychotic drugs. Aging and Mental Health, 2022, 26, 1747-1755.	1.5	6
476	Vascular surgery receipt and outcomes for people with serious mental illnesses: Retrospective cohort study using a large mental healthcare database in South London. Journal of Psychosomatic Research, 2021, 147, 110511.	1.2	6
477	Inequalities in glycemic management in people living with type 2 diabetes mellitus and severe mental illnesses: cohort study from the UK over 10 years. BMJ Open Diabetes Research and Care, 2021, 9, e002118.	1.2	6
478	Knowledge discovery for Deep Phenotyping serious mental illness from Electronic Mental Health records. F1000Research, 2018, 7, 210.	0.8	6
479	Associations of serum cortisol levels, stress perception, and stressful events with suicidal behaviors in patients with depressive disorders. Journal of Affective Disorders, 2022, 297, 602-609.	2.0	6
480	Interaction effect of the serum interleukin-6 level and anxiety on the 12-week pharmacotherapeutic responses of patients with depressive disorders. Journal of Affective Disorders, 2022, 308, 166-171.	2.0	6
481	Cognitive function and common mental disorders in older people with vascular and nonâ€vascular disorders: a national survey. International Journal of Geriatric Psychiatry, 2009, 24, 701-708.	1.3	5
482	Could reverse causality or selective mortality explain associations between leg length, skull circumference and dementia? A South Indian cohort study. International Psychogeriatrics, 2011, 23, 328-330.	0.6	5
483	Reducing depression in nursing homes: so little, so late. Lancet, The, 2013, 381, 2227-2228.	6.3	5
484	Baseline characteristics, analysis plan and report on feasibility for the Prevention Of Decline in Cognition After Stroke Trial (PODCAST). Trials, 2015, 16, 509.	0.7	5
485	Cohort profile: the eLIXIR Partnership—a maternity–child data linkage for life course research in South London, UK. BMJ Open, 2020, 10, e039583.	0.8	5
486	The Potential of Research Drawing on Clinical Free Text to Bring Benefits to Patients in the United Kingdom: A Systematic Review of the Literature. Frontiers in Digital Health, 2021, 3, 606599.	1.5	5

#	Article	IF	CITATIONS
487	Effects of Cancer, Chemotherapy, and Cytokines on Subjective and Objective Cognitive Functioning Among Patients with Breast Cancer. Cancers, 2021, 13, 2576.	1.7	5
488	Genetic risk of clozapine-induced leukopenia and neutropenia: a genome-wide association study. Translational Psychiatry, 2021, 11, 343.	2.4	5
489	Life expectancy, mortality risks and cause of death in patients with serious mental illness in South East London: a comparison between 2008–2012 and 2013–2017. Psychological Medicine, 2023, 53, 887-896	6. ^{2.7}	5
490	Risk of hospitalised falls and hip fractures in working age adults receiving mental health care. General Hospital Psychiatry, 2021, 72, 81-87.	1.2	5
491	Synergistic effects of resilience and serum ghrelin levels on the 12-week pharmacotherapeutic response in patients with depressive disorders. Journal of Affective Disorders, 2021, 295, 1489-1493.	2.0	5
492	A prospective investigation of depression and adverse outcomes in patients undergoing vascular surgical interventions: A retrospective cohort study using a large mental health database in South London. European Psychiatry, 2021, 64, e13.	0.1	5
493	Are Black Caribbean patients more likely to receive an incorrect diagnosis of very-late-onset schizophrenia-like psychosis than their white British counterparts?. American Journal of Geriatric Psychiatry, 2003, 11, 674-7.	0.6	5
494	The Development of the Military Service Identification Tool: Identifying Military Veterans in a Clinical Research Database Using Natural Language Processing and Machine Learning. JMIR Medical Informatics, 2020, 8, e15852.	1.3	5
495	Investigating the association between physical health comorbidities and disability in individuals with severe mental illness. European Psychiatry, 2021, 64, 1-33.	0.1	5
496	Prediction of Suicidality According to Serum Folate Levels in Depressive Patients Receiving Stepwise Pharmacotherapy. Frontiers in Psychiatry, 2021, 12, 747228.	1.3	5
497	Low blood pressure and depression in the elderly. British Journal of Psychiatry, 2000, 177, 181-182.	1.7	4
498	Mouths and brains. Could oral infection be a risk factor for dementia?. Journal of Neurology, Neurosurgery and Psychiatry, 2009, 80, 1184-1184.	0.9	4
499	Antipsychotic use and unexpected death: a hospital-based case-control study. Acta Psychiatrica Scandinavica, 2015, 132, 479-488.	2.2	4
500	Risk Factors for Sudden Cardiac Death Among Patients with Alcohol Dependence: A Nested Case–Control Study. Alcoholism: Clinical and Experimental Research, 2015, 39, 1797-1804.	1.4	4
501	Statin use is associated with reduced depressive symptoms in Europeans, but increased symptoms in ethnic minorities in the UK: an observational study. British Journal of Clinical Pharmacology, 2015, 80, 172-173.	1.1	4
502	Recorded atypical hallucinations in psychotic and affective disorders and associations with non-benzodiazepine hypnotic use: the South London and Maudsley Case Register. BMJ Open, 2018, 8, e025216.	0.8	4
503	Homocysteine, rather than age of onset, is a better predictor for cognitive function in older adults with bipolar disorder. International Journal of Geriatric Psychiatry, 2019, 34, 1473-1480.	1.3	4
504	Anxiety and dementia: cause or effect?. Acta Psychiatrica Scandinavica, 2019, 139, 3-5.	2.2	4

#	Article	IF	CITATIONS
505	Participant Experiences of Attending a Community CBT Workshop for Insomnia: A Qualitative Six-Year Follow-Up. Behavioral Sleep Medicine, 2019, 17, 156-173.	1.1	4
506	T97. REAL WORLD IMPLEMENTATION OF A TRANSDIAGNOSTIC RISK CALCULATOR FOR THE AUTOMATIC DETECTION OF INDIVIDUALS AT RISK OF PSYCHOSIS IN CLINICAL ROUTINE. Schizophrenia Bulletin, 2020, 46, S268-S268.	2.3	4
507	Incidence of Type 2 Diabetes in Patients With Chronic Hepatitis C Receiving Interferon-Based Therapy. Diabetes Care, 2020, 43, e63-e64.	4.3	4
508	Motor signs in Alzheimer's disease and vascular dementia: Detection through natural language processing, co-morbid features and relationship to adverse outcomes. Experimental Gerontology, 2021, 146, 111223.	1.2	4
509	Factors associated with slow progression of cognitive impairment following first dementia diagnosis. International Journal of Geriatric Psychiatry, 2021, 36, 271-285.	1.3	4
510	COVID-related hospitalization, intensive care treatment, and all-cause mortality in patients with psychosis and treated with clozapine. European Neuropsychopharmacology, 2022, 56, 92-99.	0.3	4
511	A retrospective analysis of patient flow in mental health services for older adults in South London during the COVID-19 pandemic. International Psychogeriatrics, 2022, 34, 297-298.	0.6	4
512	An exploration of wellbeing in men diagnosed with prostate cancer undergoing active surveillance: a qualitative study. Supportive Care in Cancer, 2022, 30, 5459-5468.	1.0	4
513	Association between depressive symptoms and cognitive–behavioural therapy receipt within a psychosis sample: a cross-sectional study. BMJ Open, 2022, 12, e051873.	0.8	4
514	Multiple serum biomarkers for predicting suicidal behaviours in depressive patients receiving pharmacotherapy. Psychological Medicine, 2023, 53, 4385-4394.	2.7	4
515	Assessing the feasibility of a webâ€based outcome measurement system in child and adolescent mental health services – <scp>myHealthE</scp> a randomised controlled feasibility pilot study. Child and Adolescent Mental Health, 2023, 28, 128-147.	1.8	4
516	Surveying older people from minority ethnic groups: an evaluation of a primary care sampling method for UK African-Caribbean elders. International Journal of Methods in Psychiatric Research, 2002, 11, 178-183.	1.1	3
517	Temporal orientation in a national community sample of older people. International Journal of Geriatric Psychiatry, 2011, 26, 144-149.	1.3	3
518	Predictors of depression in <scp>K</scp> orean breast cancer patients: A oneâ€year longitudinal study. Asia-Pacific Psychiatry, 2012, 4, 250-257.	1.2	3
519	An investigation of factors identified at birth in relation to anxiety and depression in old age: the Hordaland Health Study (HUSK). BMC Psychiatry, 2013, 13, 136.	1.1	3
520	5â€HTTLPR genotype, asthma, diabetes and lateâ€life depression in an older French population. International Journal of Geriatric Psychiatry, 2015, 30, 1017-1022.	1.3	3
521	SemEHR: surfacing semantic data from clinical notes in electronic health records for tailored care, trial recruitment, and clinical research. Lancet, The, 2017, 390, S97.	6.3	3
522	Prospective associations between recalled parental bonding and perinatal depression: a cohort study in urban and rural Turkey. Social Psychiatry and Psychiatric Epidemiology, 2018, 53, 385-392.	1.6	3

#	Article	IF	CITATIONS
523	Risk of acute pancreatitis among people with severe mental illness. Journal of Affective Disorders, 2020, 263, 722-727.	2.0	3
524	Extent of disease at first cancer presentation and previous anxiety and depressive symptoms: the HUNT study. British Journal of Psychiatry, 2020, 217, 427-433.	1.7	3
525	Clinician-recalled quoted speech in electronic health records and risk of suicide attempt: a case–crossover study. BMJ Open, 2020, 10, e036186.	0.8	3
526	Predictors of cerebrovascular event reoccurrence in patients with depression: a retrospective cohort study. BMJ Open, 2020, 10, e031927.	0.8	3
527	Interactive effects of systemic inflammation and life stressors on treatment response of depressive disorders. Brain, Behavior, and Immunity, 2021, 95, 61-67.	2.0	3
528	Continuity of care and mortality in people with schizophrenia. BJPsych Open, 2021, 7, .	0.3	3
529	Associations of Serum Serotonin Levels with 12-week and 12-month Remission in Patients with Depressive Disorders. Clinical Psychopharmacology and Neuroscience, 2022, 20, 248-258.	0.9	3
530	Multimorbidity clusters among people with serious mental illness: a representative primary and secondary data linkage cohort study. Psychological Medicine, 2023, 53, 4333-4344.	2.7	3
531	Improving quantification of anticholinergic burden using the Anticholinergic Effect on Cognition Scale $\hat{a}\in$ a healthcare improvement study in a geriatric ward setting. Australasian Psychiatry, 2022, 30, 535-540.	0.4	3
532	Neuroimaging in dementia and depression. Current Opinion in Psychiatry, 2001, 14, 371-375.	3.1	2
533	Hypertension and depression in late life. British Journal of Psychiatry, 2006, 188, 85-85.	1.7	2
534	Safeguarding the rights of patients who lack capacity in general hospitals. Do the Bournewood proposals for England and Wales help or hinder?. Age and Ageing, 2007, 36, 120-121.	0.7	2
535	P2-37 Association between sleep duration and all-cause mortality in old age: 9-year follow-up of the Bambui Cohort Study, Brazil. Journal of Epidemiology and Community Health, 2011, 65, A229-A230.	2.0	2
536	Genomic African and Native American Ancestry and 15â€Year Cognitive Trajectory: Bambui Study, Brazil. Journal of the American Geriatrics Society, 2018, 66, 1956-1962.	1.3	2
537	†Real time†monitoring of antipsychotic prescribing in patients with dementia: a study using the Clinical Record Interactive Search (CRIS) platform to enhance safer prescribing. BMJ Open Quality, 2020, 9, e000778.	0.4	2
538	Multisite data linkage projects in mental health research. Lancet Psychiatry, the, 2020, 7, e61.	3.7	2
539	Predictors of physical activity recording in routine mental healthcare. Mental Health and Physical Activity, 2020, 18, 100329.	0.9	2
540	Hospital admissions for dental disorders in patients with severe mental illness in Southeast London: A registerâ€based cohort study. European Journal of Oral Sciences, 2021, 129, e12752.	0.7	2

#	Article	IF	Citations
541	Mortality among mental health services for older adults during the COVID-19 pandemic: a retrospective analysis from South London. International Psychogeriatrics, 2021, 33, 527-528.	0.6	2
542	Antipsychotic monitoring in dementia: quality of completion of antipsychotic monitoring forms in an older adult mental health service. BJPsych Bulletin, 2022, 46, 271-277.	0.7	2
543	Effect of trazodone on cognitive decline in people with dementia: Cohort study using UK routinely collected data. International Journal of Geriatric Psychiatry, 2022, 37, .	1.3	2
544	NICE guidelines and the treatment of Alzheimer's disease: evidence-based medicine may be discriminatory. British Journal of Psychiatry, 2001, 179, 367-367.	1.7	2
545	Guidance for researchers wanting to link NHS data using non-consent approaches: a thematic analysis of feedback from the Health Research Authority Confidentiality Advisory Group. International Journal of Population Data Science, 2020, 5, 1355.	0.1	2
546	Weight loss in Alzheimer's disease, vascular dementia and dementia with Lewy bodies: Impact on mortality and hospitalization by dementia subtype. International Journal of Geriatric Psychiatry, 2022, 37, .	1.3	2
547	Identifying subtypes of depression in clinician-annotated text: a retrospective cohort study. Scientific Reports, 2021, 11, 22426.	1.6	2
548	Guidance for researchers wanting to link NHS data using non-consent approaches: a thematic analysis of feedback from the Health Research Authority Confidentiality Advisory Group. International Journal of Population Data Science, 2020, 5, 1355.	0.1	2
549	Sedation-Associated Medications at Dementia Diagnosis, Their Receptor Activity, and Associations With Adverse Outcomes in a Large Clinical Cohort. Journal of the American Medical Directors Association, 2022, , .	1.2	2
550	Patient-centric characterization of multimorbidity trajectories in patients with severe mental illnesses: A temporal bipartite network modeling approach. Journal of Biomedical Informatics, 2022, 127, 104010.	2.5	2
551	Predictors of falls and fractures leading to hospitalisation in 36 101 people with affective disorders: a large representative cohort study. BMJ Open, 2022, 12, e055070.	0.8	2
552	Suicidal ideation in dementia: associations with neuropsychiatric symptoms and subtype diagnosis. International Psychogeriatrics, 2022, 34, 399-406.	0.6	2
553	Prospective associations of multimodal serum biomarkers with 12-week and 12-month remission in patients with depressive disorders receiving stepwise psychopharmacotherapy. Brain, Behavior, and Immunity, 2022, 104, 65-73.	2.0	2
554	Longer staying patients on an acute old age psychiatric unit - characteristics and outcome. Age and Ageing, 1997, 26, 237-237.	0.7	1
555	Applications of cholinesterase inhibitors. Lancet, The, 2001, 358, 73-74.	6.3	1
556	Physical activity improves cognitive function in people with memory impairment. Evidence-Based Mental Health, 2009, 12, 57-57.	2.2	1
557	Social phobia in lateâ€life: is it worth a diagnosis?. Acta Psychiatrica Scandinavica, 2010, 122, 1-3.	2.2	1
558	Early life factors in relation to cardiovascular risk and cardiovascular disease in old age in Bergen: a Norwegian retrospective cohort study based on the Hordaland Health Study (HUSK). JRSM Open, 2014, 5, 205427041452793.	0.2	1

#	Article	IF	CITATIONS
559	Reply. Acta Psychiatrica Scandinavica, 2014, 130, 407-408.	2.2	1
560	Comment: How personal is Alzheimer disease?. Neurology, 2014, 83, 1542-1542.	1.5	1
561	Scientific theory, the publishing crisis and the wisdom of editors. Acta Psychiatrica Scandinavica, 2015, 132, 427-427.	2.2	1
562	Clinical outcomes and mortality associated with weekend admission to psychiatric hospital: implications for provision of 7 day mental health care in the National Health Service. Lancet, The, 2016, 387, S79.	6.3	1
563	[P4–341]: LEVELS OF BLOOD PRESSURE, BODY MASS INDEX AND TOTAL SERUM CHOLESTEROL AT DIFFERENT TIME POINTS PRIOR TO DEMENTIA DIAGNOSIS: A CASE CONTROL STUDY OF OVER 28 MILLION ELECTRONIC HEALTH RECORDS FROM THE EMIF EHR DATA RESOURCE. Alzheimer's and Dementia, 2017, 13, P1420.	0.4	1
564	Cardiac Outcomes After Treatment for Depression in Patients With Acute Coronary Syndromeâ€"Reply. JAMA - Journal of the American Medical Association, 2018, 320, 2152.	3.8	1
565	Re: Accuracy of general hospital dementia diagnoses in England: Sensitivity, specificity, and predictors of diagnostic accuracy 2008–2016. Alzheimer's and Dementia, 2019, 15, 313-314.	0.4	1
566	Paid employment and common mental disorders in 50–64-year olds: analysis of three cross-sectional nationally representative survey samples in 1993, 2000 and 2007. Epidemiology and Psychiatric Sciences, 2019, 28, 88-99.	1.8	1
567	Linking electronic dementia care records to national inpatient data in dementia with Lewy bodies: Frequency, duration and cost implications of hospitalization and recording of delirium episodes. Alzheimer's and Dementia, 2020, 16, e039139.	0.4	1
568	Comparing psychotropic medication prescribing in personality disorder between general mental health and psychological services: retrospective cohort study. BJPsych Open, 2021, 7, e72.	0.3	1
569	Antidepressant and antipsychotic treatment of Psychotic Major Depression in a British mental healthcare setting. Journal of Mental Health, 2023, 32, 71-77.	1.0	1
570	Investigating associations of childhood abuse and serum brain-derived neurotrophic factor levels with suicidal behaviours in patients with depressive disorders. British Journal of Psychiatry, 2021, 219, 1-8.	1.7	1
571	Health status risk factors and quality of life in 75–84-year-old individuals assessed for dementia using the short 10/66 dementia diagnostic schedule. PeerJ, 2021, 9, e12040.	0.9	1
572	Predictors of relapse following a stepwise psychopharmacotherapy regime in patients with depressive disorders. Journal of Affective Disorders, 2021, 293, 109-116.	2.0	1
573	Mortality after hospital discharge for people with schizophrenia or bipolar disorder: retrospective study of linked English hospital episode statistics, 1999-2006., 0, .		1
574	Text mining occupations from the mental health electronic health record: a natural language processing approach using records from the Clinical Record Interactive Search (CRIS) platform in south London, UK. BMJ Open, 2021, 11, e042274.	0.8	1
575	Birth without intervention in women with severe mental illness: cohort study. BJPsych Open, 2022, 8, e50.	0.3	1
576	Potentially avoidable causes of hospitalisation in people with dementia: contemporaneous associations by stage of dementia in a South London clinical cohort. BMJ Open, 2022, 12, e055447.	0.8	1

#	Article	IF	CITATIONS
577	Quoted text in the mental healthcare electronic record: an analysis of the distribution and content of single-word quotations. BMJ Open, 2021, 11, e049249.	0.8	1
578	Interaction effect of serum serotonin level and age on the 12-week pharmacotherapeutic response in patients with depressive disorders. Scientific Reports, 2021, 11, 24226.	1.6	1
579	Interaction effects of diabetes and brain-derived neurotrophic factor on suicidal ideation in patients with acute coronary syndrome. Scientific Reports, 2022, 12, 6602.	1.6	1
580	Associations of presenting symptoms and subsequent adverse clinical outcomes in people with unipolar depression: a prospective natural language processing (NLP), transdiagnostic, network analysis of electronic health record (EHR) data. BMJ Open, 2022, 12, e056541.	0.8	1
581	The Impact of Dementia on Diabetes Control: An Evaluation of HbA1c Trajectories and Care Outcomes in Linked Primary and Specialist Care Data. Journal of the American Medical Directors Association, 2022, 23, 1555-1563.e4.	1.2	1
582	A 30-Year Prospective Analysis of Change in Body Weight and Incident Dementia. Clinical Science, 2003, 104, 39P-39P.	0.0	0
583	Review: in older people, decline of cognitive function is more likely than improvement, but rate of change is very variable. Evidence-Based Mental Health, 2004, 7, 92-92.	2.2	O
584	Adult Neurology, 2nd edition Editors: J. COREY-BLOOM AND R. B. DAVID Oxford: Blackwell Publishing, 2005, £69.50. Hardback, 435 pp. ISBN: 1 4051 1766 4. International Psychogeriatrics, 2006, 18, 765-766.	0.6	0
585	Letter to the Editor: Well controls in case-control studies. Psychological Medicine, 2012, 42, 216-217.	2.7	O
586	P-620 - Anxiety: a risk factor for the incidence of activity limitations in the elderly. European Psychiatry, 2012, 27, 1.	0.1	0
587	Anthropometry of Head Circumference, Limb Length and Dementia. , 2012, , 2341-2356.		O
588	Response to Thomas Finucane. Journal of the American Geriatrics Society, 2013, 61, 2060-2060.	1.3	0
589	PSYCHIATRIC COMORBIDITY AND EXCESS ALL-CAUSE AND CAUSE-SPECIFIC MORTALITY IN OPIOID ADDICTS. Canadian Journal of Addiction, 2015, 6, 36.	0.2	O
590	Developing Electronic Health Records Databases for Mental Health Research. European Psychiatry, 2015, 30, 147.	0.1	0
591	PS160. Predictive value of homocysteine for depression after acute coronary syndrome: Finding from the K-DEPACS study. International Journal of Neuropsychopharmacology, 2016, 19, 58-58.	1.0	O
592	O2â€05â€02: Dementia Prevalence and Incidence in a Combination of European Electronic Health Records Databases: the EMIFâ€ad EHR Resource. Alzheimer's and Dementia, 2016, 12, P232.	0.4	0
593	Ethnicity, mortality, and severe mental illness – Authors' reply. Lancet Psychiatry,the, 2017, 4, 517-518.	3.7	O
594	[O1–13–03]: CULTURE―AND EDUCATIONâ€FAIR 10/66 DEMENTIA DIAGNOSTIC ASSESSMENT: VALIDITY O CORE MEASURES IN SUB‧AHARAN AFRICAN POPULATIONS. Alzheimer's and Dementia, 2017, 13, P226.	F JHE	0

#	Article	IF	Citations
595	O1.2 PERIPHERAL INFLAMMATORY MARKERS ARE PREDICTIVE OF CLINICAL CHARACTERISTICS AND OUTCOME IN PSYCHOSIS. Schizophrenia Bulletin, 2018, 44, S72-S72.	2.3	0
596	S221. QUANTITATIVE SYSTEMS PHARMACOLOGY AS AN ALTERNATIVE TO CHLORPROMAZINE EQUIVALENTS: PREDICTIVE VALIDATION FROM A CRIS DATABASE EXPERIMENT. Schizophrenia Bulletin, 2018, 44, S411-S412.	2.3	0
597	S1-01-04: EPIDEMIOLOGY IN THE ERA OF BIG DATA: OPPORTUNITIES AND CHALLENGES. , 2018, 14, P198-P198.		0
598	O4.5. INVESTIGATING GENETIC PROFILES ASSOCIATED WITH  REAL WORLD' CLINICAL OUTCOMES IN PSYCHOSIS: A RETROSPECTIVE COHORT STUDY. Schizophrenia Bulletin, 2018, 44, S84-S85.	2.3	0
599	F55. CLINICAL OUTCOMES ASSOCIATED WITH ILLICIT SUBSTANCE USE IN FIRST EPISODE PSYCHOSIS (FEP): A TEXT MINING STUDY OF ELECTRONIC HEALTH RECORDS. Schizophrenia Bulletin, 2019, 45, S276-S276.	2.3	0
600	T131. THE EFFECT OF PALIPERIDONE PALMITATE (PP) MAINTENANCE ON HEALTH CARE PROFESSIONAL USE IN SECONDARY MENTAL HEALTH CARE: MIRROR IMAGE COHORT STUDY. Schizophrenia Bulletin, 2019, 45, S254-S254.	2.3	0
601	Reply to critical comments on the article †Increased risk of developing psychiatric disorders in children with attention deficit and hyperactivity disorder (ADHD) receiving sensory integration therapy: a population-based cohort study'. European Child and Adolescent Psychiatry, 2019, 28, 1411-1413.	2.8	0
602	T109. TRAVERSING THE TRANSDIAGNOSTIC GAP BETWEEN DEPRESSION, MANIA AND PSYCHOSIS WITH NATURAL LANGUAGE PROCESSING. Schizophrenia Bulletin, 2020, 46, S272-S273.	2.3	0
603	T127. GENDER DIFFERENCES IN CLINICAL PRESENTATION AND ILLICIT SUBSTANCE USE DURING FIRST EPISODE PSYCHOSIS: AN ELECTRONIC CASE REGISTER NATURAL LANGUAGE PROCESSING ANALYSIS. Schizophrenia Bulletin, 2020, 46, S278-S279.	2.3	0
604	8â€Catatonia: demographic, clinical and laboratory associations in a large dataset. Journal of Neurology, Neurosurgery and Psychiatry, 2020, 91, e3.3-e4.	0.9	0
605	Predictive values of tumor necrosis factor-î± for depression treatment outcomes: effect modification by hazardous alcohol consumption. Translational Psychiatry, 2021, 11, 450.	2.4	0
606	Risk of First General Hospital Admissions for Self-Harm Among People With Personality Disorder: A Retrospective Cohort Study. Journal of Personality Disorders, 2021, 35, 657-671.	0.8	0
607	Risk of First General Hospital Admissions for Self-Harm Among People With Personality Disorder: A Retrospective Cohort Study. Journal of Personality Disorders, 2021, 35, 657-671.	0.8	0
608	Predictors and outcomes of experienced and anticipated discrimination in patients treated for depression: A 2-year longitudinal study. Journal of Affective Disorders, 2021, 294, 761-768.	2.0	0
609	El tabaquismo relacionado con la ansiedad y la depresi \tilde{A}^3 n: evidencias de una encuesta de poblaci \tilde{A}^3 n: estudio HUNT. European Psychiatry (Ed Espa \tilde{A} ±ola), 2008, 15, 237-245.	0.0	0
610	The Role of n-3 Long Chain Polyunsaturated Fatty Acids in Cognitive Function., 2011,, 23-38.		0
611	Incidence of suicidality in people with depression over a 10-year period treated by a large UK mental health service provider. BJPsych Open, 2021, 7, .	0.3	0
612	Osteoporosis referral and treatment among people with severe mental illness: A ten-year data linkage study. Journal of Psychiatric Research, 2022, 147, 94-102.	1.5	0

#	Article	lF	Citations
613	Protocol of a randomised clinical trial to integrate mental health services into primary care for postconflict populations in Northern Sri Lanka (COMGAP-S). BMJ Open, 2022, 12, e051441.	0.8	О
614	Childhood Abuse, Social Support, and Long-Term Pharmacological Treatment Outcomes in Patients With Depressive Disorders. Frontiers in Psychiatry, 2022, 13, 803639.	1.3	0
615	Severe mental illness diagnosis in English general hospitals 2006-2017: A registry linkage study. , 2020, 17, e1003306.		O
616	Severe mental illness diagnosis in English general hospitals 2006-2017: A registry linkage study. , 2020, 17, e1003306.		0
617	Severe mental illness diagnosis in English general hospitals 2006-2017: A registry linkage study. , 2020, 17, e1003306.		O
618	Severe mental illness diagnosis in English general hospitals 2006-2017: A registry linkage study. , 2020, 17, e1003306.		O
619	Severe mental illness diagnosis in English general hospitals 2006-2017: A registry linkage study. , 2020, 17, e1003306.		0
620	Title is missing!. , 2020, 15, e0230674.		0
621	Title is missing!. , 2020, 15, e0230674.		O
622	Title is missing!. , 2020, 15, e0230674.		0
623	Title is missing!. , 2020, 15, e0230674.		O
624	The side effect profile of Clozapine in real world data of three large mental health hospitals. , 2020, 15, e0243437.		0
625	The side effect profile of Clozapine in real world data of three large mental health hospitals. , 2020, 15, e0243437.		O
626	The side effect profile of Clozapine in real world data of three large mental health hospitals. , 2020, 15, e0243437.		0
627	The side effect profile of Clozapine in real world data of three large mental health hospitals. , 2020, 15, e0243437.		0
628	Mental healthcare utilisation by patients before and after receiving paliperidone palmitate treatment: mirror image analyses. BMJ Open, 2022, 12, e051567.	0.8	0