

# Robert J Stewart

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4519170/publications.pdf>

Version: 2024-02-01

628  
papers

27,124  
citations

11235

73  
h-index

14386

132  
g-index

661  
all docs

661  
docs citations

661  
times ranked

32191  
citing authors

#	ARTICLE	IF	CITATIONS
1	Antidepressant and antipsychotic treatment of Psychotic Major Depression in a British mental healthcare setting. <i>Journal of Mental Health</i> , 2023, 32, 71-77.	1.0	1
2	Life expectancy, mortality risks and cause of death in patients with serious mental illness in South East London: a comparison between 2008-2012 and 2013-2017. <i>Psychological Medicine</i> , 2023, 53, 887-896.	2.7	5
3	Catatonia: demographic, clinical and laboratory associations. <i>Psychological Medicine</i> , 2023, 53, 2492-2502.	2.7	18
4	Multimorbidity clusters among people with serious mental illness: a representative primary and secondary data linkage cohort study. <i>Psychological Medicine</i> , 2023, 53, 4333-4344.	2.7	3
5	Multiple serum biomarkers for predicting suicidal behaviours in depressive patients receiving pharmacotherapy. <i>Psychological Medicine</i> , 2023, 53, 4385-4394.	2.7	4
6	Assessing the feasibility of a web-based outcome measurement system in child and adolescent mental health services - myHealthE a randomised controlled feasibility pilot study. <i>Child and Adolescent Mental Health</i> , 2023, 28, 128-147.	1.8	4
7	Methylphenidate and mortality in children with attention-deficit hyperactivity disorder: population-based cohort study. <i>British Journal of Psychiatry</i> , 2022, 220, 64-72.	1.7	12
8	Associations between loneliness and acute hospitalisation outcomes among patients receiving mental healthcare in South London: a retrospective cohort study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 397-410.	1.6	7
9	Body image, self-esteem, and sense of masculinity in patients with prostate cancer: a qualitative meta-synthesis. <i>Journal of Cancer Survivorship</i> , 2022, 16, 95-110.	1.5	34
10	Centrally-acting anticholinergic drugs' associations with mortality, hospitalisation and cognitive decline following dementia diagnosis in people receiving antidepressant and antipsychotic drugs. <i>Aging and Mental Health</i> , 2022, 26, 1747-1755.	1.5	6
11	Antipsychotic monitoring in dementia: quality of completion of antipsychotic monitoring forms in an older adult mental health service. <i>BJPsych Bulletin</i> , 2022, 46, 271-277.	0.7	2
12	Effect of trazodone on cognitive decline in people with dementia: Cohort study using UK routinely collected data. <i>International Journal of Geriatric Psychiatry</i> , 2022, 37, .	1.3	2
13	Loneliness in older adult mental health services during the COVID-19 pandemic and before: Associations with disability, functioning and pharmacotherapy. <i>International Journal of Geriatric Psychiatry</i> , 2022, 37, .	1.3	19
14	Associations of serum cortisol levels, stress perception, and stressful events with suicidal behaviors in patients with depressive disorders. <i>Journal of Affective Disorders</i> , 2022, 297, 602-609.	2.0	6
15	Weight loss in Alzheimer's disease, vascular dementia and dementia with Lewy bodies: Impact on mortality and hospitalization by dementia subtype. <i>International Journal of Geriatric Psychiatry</i> , 2022, 37, .	1.3	2
16	Osteoporosis referral and treatment among people with severe mental illness: A ten-year data linkage study. <i>Journal of Psychiatric Research</i> , 2022, 147, 94-102.	1.5	0
17	COVID-related hospitalization, intensive care treatment, and all-cause mortality in patients with psychosis and treated with clozapine. <i>European Neuropsychopharmacology</i> , 2022, 56, 92-99.	0.3	4
18	A retrospective analysis of patient flow in mental health services for older adults in South London during the COVID-19 pandemic. <i>International Psychogeriatrics</i> , 2022, 34, 297-298.	0.6	4

#	ARTICLE	IF	CITATIONS
19	Mapping multimorbidity in individuals with schizophrenia and bipolar disorders: evidence from the South London and Maudsley NHS Foundation Trust Biomedical Research Centre (SLAM BRC) case register. <i>BMJ Open</i> , 2022, 12, e054414.	0.8	8
20	Protocol of a randomised clinical trial to integrate mental health services into primary care for postconflict populations in Northern Sri Lanka (COMGAP-S). <i>BMJ Open</i> , 2022, 12, e051441.	0.8	0
21	Sedation-Associated Medications at Dementia Diagnosis, Their Receptor Activity, and Associations With Adverse Outcomes in a Large Clinical Cohort. <i>Journal of the American Medical Directors Association</i> , 2022, , .	1.2	2
22	Fear of cancer recurrence and PSA anxiety in patients with prostate cancer: a systematic review. <i>Supportive Care in Cancer</i> , 2022, 30, 5577-5589.	1.0	10
23	Childhood Abuse, Social Support, and Long-Term Pharmacological Treatment Outcomes in Patients With Depressive Disorders. <i>Frontiers in Psychiatry</i> , 2022, 13, 803639.	1.3	0
24	Patient-centric characterization of multimorbidity trajectories in patients with severe mental illnesses: A temporal bipartite network modeling approach. <i>Journal of Biomedical Informatics</i> , 2022, 127, 104010.	2.5	2
25	Can natural language processing models extract and classify instances of interpersonal violence in mental healthcare electronic records: an applied evaluative study. <i>BMJ Open</i> , 2022, 12, e052911.	0.8	10
26	Birth without intervention in women with severe mental illness: cohort study. <i>BJPsych Open</i> , 2022, 8, e50.	0.3	1
27	Predictors of falls and fractures leading to hospitalisation in 36â€‰%101 people with affective disorders: a large representative cohort study. <i>BMJ Open</i> , 2022, 12, e055070.	0.8	2
28	An exploration of wellbeing in men diagnosed with prostate cancer undergoing active surveillance: a qualitative study. <i>Supportive Care in Cancer</i> , 2022, 30, 5459-5468.	1.0	4
29	Suicidal ideation in dementia: associations with neuropsychiatric symptoms and subtype diagnosis. <i>International Psychogeriatrics</i> , 2022, 34, 399-406.	0.6	2
30	Potentially avoidable causes of hospitalisation in people with dementia: contemporaneous associations by stage of dementia in a South London clinical cohort. <i>BMJ Open</i> , 2022, 12, e055447.	0.8	1
31	Patterns of unplanned hospital admissions among people with dementia: from diagnosis to the end of life. <i>Age and Ageing</i> , 2022, 51, .	0.7	9
32	Interaction effect of the serum interleukin-6 level and anxiety on the 12-week pharmacotherapeutic responses of patients with depressive disorders. <i>Journal of Affective Disorders</i> , 2022, 308, 166-171.	2.0	6
33	Interaction effects of diabetes and brain-derived neurotrophic factor on suicidal ideation in patients with acute coronary syndrome. <i>Scientific Reports</i> , 2022, 12, 6602.	1.6	1
34	Mental healthcare utilisation by patients before and after receiving paliperidone palmitate treatment: mirror image analyses. <i>BMJ Open</i> , 2022, 12, e051567.	0.8	0
35	Associations of Serum Serotonin Levels with 12-week and 12-month Remission in Patients with Depressive Disorders. <i>Clinical Psychopharmacology and Neuroscience</i> , 2022, 20, 248-258.	0.9	3
36	Autism spectrum disorders as a risk factor for adolescent self-harm: a retrospective cohort study of 113,286 young people in the UK. <i>BMC Medicine</i> , 2022, 20, 137.	2.3	7

#	ARTICLE	IF	CITATIONS
37	Associations of presenting symptoms and subsequent adverse clinical outcomes in people with unipolar depression: a prospective natural language processing (NLP), transdiagnostic, network analysis of electronic health record (EHR) data. <i>BMJ Open</i> , 2022, 12, e056541.	0.8	1
38	Association between depressive symptoms and cognitive-behavioural therapy receipt within a psychosis sample: a cross-sectional study. <i>BMJ Open</i> , 2022, 12, e051873.	0.8	4
39	Prospective associations of multimodal serum biomarkers with 12-week and 12-month remission in patients with depressive disorders receiving stepwise psychopharmacotherapy. <i>Brain, Behavior, and Immunity</i> , 2022, 104, 65-73.	2.0	2
40	The Impact of Dementia on Diabetes Control: An Evaluation of HbA1c Trajectories and Care Outcomes in Linked Primary and Specialist Care Data. <i>Journal of the American Medical Directors Association</i> , 2022, 23, 1555-1563.e4.	1.2	1
41	Improving quantification of anticholinergic burden using the Anticholinergic Effect on Cognition Scale - a healthcare improvement study in a geriatric ward setting. <i>Australasian Psychiatry</i> , 2022, 30, 535-540.	0.4	3
42	Mental health consequences of urban air pollution: prospective population-based longitudinal survey. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 1587-1599.	1.6	66
43	SNX29, a new susceptibility gene shared with major mental disorders in Han Chinese population. <i>World Journal of Biological Psychiatry</i> , 2021, 22, 526-534.	1.3	10
44	How do ethnicity and deprivation impact on life expectancy at birth in people with serious mental illness? Observational study in the UK. <i>Psychological Medicine</i> , 2021, 51, 2581-2589.	2.7	18
45	Antipsychotic use in dementia: the relationship between neuropsychiatric symptom profiles and adverse outcomes. <i>European Journal of Epidemiology</i> , 2021, 36, 89-101.	2.5	26
46	Cigarette smoking and schizophrenia: Mendelian randomisation study. <i>British Journal of Psychiatry</i> , 2021, 218, 98-103.	1.7	6
47	Real-world implementation of precision psychiatry: Transdiagnostic risk calculator for the automatic detection of individuals at-risk of psychosis. <i>Schizophrenia Research</i> , 2021, 227, 52-60.	1.1	30
48	Dementia in People from Ethnic Minority Backgrounds: Disability, Functioning, and Pharmacotherapy at the Time of Diagnosis. <i>Journal of the American Medical Directors Association</i> , 2021, 22, 446-452.	1.2	13
49	Using Natural Language Processing on Electronic Health Records to Enhance Detection and Prediction of Psychosis Risk. <i>Schizophrenia Bulletin</i> , 2021, 47, 405-414.	2.3	36
50	Depression, anxiety, and suicidality in patients with prostate cancer: a systematic review and meta-analysis of observational studies. <i>Prostate Cancer and Prostatic Diseases</i> , 2021, 24, 281-289.	2.0	50
51	Cognitive Trajectories in Comorbid Dementia With Schizophrenia or Bipolar Disorder: The South London and Maudsley NHS Foundation Trust Biomedical Research Centre (SLaM BRC) Case Register. <i>American Journal of Geriatric Psychiatry</i> , 2021, 29, 604-616.	0.6	6
52	Motor signs in Alzheimer's disease and vascular dementia: Detection through natural language processing, co-morbid features and relationship to adverse outcomes. <i>Experimental Gerontology</i> , 2021, 146, 111223.	1.2	4
53	Educational attainment trajectories among children and adolescents with depression, and the role of sociodemographic characteristics: longitudinal data-linkage study. <i>British Journal of Psychiatry</i> , 2021, 218, 151-157.	1.7	28
54	Systematic Review and Meta-analysis: The Association Between Child and Adolescent Depression and Later Educational Attainment. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2021, 60, 105-118.	0.3	61

#	ARTICLE	IF	CITATIONS
55	Applied natural language processing in mental health big data. <i>Neuropsychopharmacology</i> , 2021, 46, 252-253.	2.8	24
56	Factors associated with slow progression of cognitive impairment following first dementia diagnosis. <i>International Journal of Geriatric Psychiatry</i> , 2021, 36, 271-285.	1.3	4
57	Long-term cardiac outcomes of depression screening, diagnosis and treatment in patients with acute coronary syndrome: the DEPACS study. <i>Psychological Medicine</i> , 2021, 51, 964-974.	2.7	16
58	A natural language processing approach for identifying temporal disease onset information from mental healthcare text. <i>Scientific Reports</i> , 2021, 11, 757.	1.6	29
59	Aspirin in people with dementia, long-term benefits, and harms: a systematic review. <i>European Journal of Clinical Pharmacology</i> , 2021, 77, 943-954.	0.8	13
60	Functional dyspepsia in depression: A population-based cohort study. <i>European Journal of Clinical Investigation</i> , 2021, 51, e13506.	1.7	7
61	Hospital admissions for dental disorders in patients with severe mental illness in Southeast London: A register-based cohort study. <i>European Journal of Oral Sciences</i> , 2021, 129, e12752.	0.7	2
62	The Potential of Research Drawing on Clinical Free Text to Bring Benefits to Patients in the United Kingdom: A Systematic Review of the Literature. <i>Frontiers in Digital Health</i> , 2021, 3, 606599.	1.5	5
63	Comparing psychotropic medication prescribing in personality disorder between general mental health and psychological services: retrospective cohort study. <i>BJPsych Open</i> , 2021, 7, e72.	0.3	1
64	Impact of the COVID-19 pandemic on remote mental healthcare and prescribing in psychiatry: an electronic health record study. <i>BMJ Open</i> , 2021, 11, e046365.	0.8	30
65	Gender differences in clinical presentation and illicit substance use during first episode psychosis: a natural language processing, electronic case register study. <i>BMJ Open</i> , 2021, 11, e042949.	0.8	20
66	Mortality among mental health services for older adults during the COVID-19 pandemic: a retrospective analysis from South London. <i>International Psychogeriatrics</i> , 2021, 33, 527-528.	0.6	2
67	Temporal and diurnal variation in social media posts to a suicide support forum. <i>BMC Psychiatry</i> , 2021, 21, 259.	1.1	8
68	Effects of Cancer, Chemotherapy, and Cytokines on Subjective and Objective Cognitive Functioning Among Patients with Breast Cancer. <i>Cancers</i> , 2021, 13, 2576.	1.7	5
69	Changes in daily mental health service use and mortality at the commencement and lifting of COVID-19 "lockdown" policy in 10 UK sites: a regression discontinuity in time design. <i>BMJ Open</i> , 2021, 11, e049721.	0.8	28
70	Genetic risk of clozapine-induced leukopenia and neutropenia: a genome-wide association study. <i>Translational Psychiatry</i> , 2021, 11, 343.	2.4	5
71	Investigating associations of childhood abuse and serum brain-derived neurotrophic factor levels with suicidal behaviours in patients with depressive disorders. <i>British Journal of Psychiatry</i> , 2021, 219, 1-8.	1.7	1
72	Quality indicators for dementia and older people nearing the end of life: A systematic review. <i>Journal of the American Geriatrics Society</i> , 2021, 69, 3650-3660.	1.3	7

#	ARTICLE	IF	CITATIONS
73	Multi-domain clinical natural language processing with MedCAT: The Medical Concept Annotation Toolkit. <i>Artificial Intelligence in Medicine</i> , 2021, 117, 102083.	3.8	86
74	Cognitive Impairments in Schizophrenia: A Study in a Large Clinical Sample Using Natural Language Processing. <i>Frontiers in Digital Health</i> , 2021, 3, 711941.	1.5	8
75	Interactive effects of systemic inflammation and life stressors on treatment response of depressive disorders. <i>Brain, Behavior, and Immunity</i> , 2021, 95, 61-67.	2.0	3
76	Continuity of care and mortality in people with schizophrenia. <i>BJPsych Open</i> , 2021, 7, .	0.3	3
77	Health status risk factors and quality of life in 75-84-year-old individuals assessed for dementia using the short 10/66 dementia diagnostic schedule. <i>PeerJ</i> , 2021, 9, e12040.	0.9	1
78	Centrally Acting Anticholinergic Drugs Used for Urinary Conditions Associated with Worse Outcomes in Dementia. <i>Journal of the American Medical Directors Association</i> , 2021, 22, 2547-2552.	1.2	11
79	Vascular surgery receipt and outcomes for people with serious mental illnesses: Retrospective cohort study using a large mental healthcare database in South London. <i>Journal of Psychosomatic Research</i> , 2021, 147, 110511.	1.2	6
80	Associations Between COVID-19 Symptoms and Psychological Distress. <i>Frontiers in Psychiatry</i> , 2021, 12, 721532.	1.3	11
81	Association between air pollution exposure and mental health service use among individuals with first presentations of psychotic and mood disorders: retrospective cohort study. <i>British Journal of Psychiatry</i> , 2021, 219, 678-685.	1.7	40
82	What gets recorded, counts: dementia recording in primary care compared with a specialist database. <i>Age and Ageing</i> , 2021, 50, 2206-2213.	0.7	9
83	Inequalities in glycemic management in people living with type 2 diabetes mellitus and severe mental illnesses: cohort study from the UK over 10 years. <i>BMJ Open Diabetes Research and Care</i> , 2021, 9, e002118.	1.2	6
84	Predictive values of tumor necrosis factor- $\alpha$ for depression treatment outcomes: effect modification by hazardous alcohol consumption. <i>Translational Psychiatry</i> , 2021, 11, 450.	2.4	0
85	Risk of hospitalised falls and hip fractures in working age adults receiving mental health care. <i>General Hospital Psychiatry</i> , 2021, 72, 81-87.	1.2	5
86	Associations between physical multimorbidity patterns and common mental health disorders in middle-aged adults: A prospective analysis using data from the UK Biobank. <i>Lancet Regional Health - Europe</i> , 2021, 8, 100149.	3.0	34
87	Synergistic effects of resilience and serum ghrelin levels on the 12-week pharmacotherapeutic response in patients with depressive disorders. <i>Journal of Affective Disorders</i> , 2021, 295, 1489-1493.	2.0	5
88	Predictors of relapse following a stepwise psychopharmacotherapy regime in patients with depressive disorders. <i>Journal of Affective Disorders</i> , 2021, 293, 109-116.	2.0	1
89	Risk of First General Hospital Admissions for Self-Harm Among People With Personality Disorder: A Retrospective Cohort Study. <i>Journal of Personality Disorders</i> , 2021, 35, 657-671.	0.8	0
90	Risk of First General Hospital Admissions for Self-Harm Among People With Personality Disorder: A Retrospective Cohort Study. <i>Journal of Personality Disorders</i> , 2021, 35, 657-671.	0.8	0

#	ARTICLE	IF	CITATIONS
91	Predictors and outcomes of experienced and anticipated discrimination in patients treated for depression: A 2-year longitudinal study. <i>Journal of Affective Disorders</i> , 2021, 294, 761-768.	2.0	0
92	Real-world experience of assessing antibodies against the N-methyl-D-aspartate receptor (NMDAR-IgG) in psychiatric patients. A retrospective single-centre study. <i>Brain, Behavior, and Immunity</i> , 2021, 98, 330-336.	2.0	8
93	An evaluation of symptom domains in the 2 years before pregnancy as predictors of relapse in the perinatal period in women with severe mental illness. <i>European Psychiatry</i> , 2021, 64, e26.	0.1	7
94	A prospective investigation of depression and adverse outcomes in patients undergoing vascular surgical interventions: A retrospective cohort study using a large mental health database in South London. <i>European Psychiatry</i> , 2021, 64, e13.	0.1	5
95	All-cause and cause-specific mortality in people with mental disorders and intellectual disabilities, before and during the COVID-19 pandemic: cohort study. <i>Lancet Regional Health - Europe</i> , The, 2021, 11, 100228.	3.0	25
96	Clozapine Response in Schizophrenia and Hematological Changes. <i>Journal of Clinical Psychopharmacology</i> , 2021, 41, 19-24.	0.7	14
97	Text mining occupations from the mental health electronic health record: a natural language processing approach using records from the Clinical Record Interactive Search (CRIS) platform in south London, UK. <i>BMJ Open</i> , 2021, 11, e042274.	0.8	1
98	Investigating the association between physical health comorbidities and disability in individuals with severe mental illness. <i>European Psychiatry</i> , 2021, 64, 1-33.	0.1	5
99	Identifying subtypes of depression in clinician-annotated text: a retrospective cohort study. <i>Scientific Reports</i> , 2021, 11, 22426.	1.6	2
100	Incidence of suicidality in people with depression over a 10-year period treated by a large UK mental health service provider. <i>BJPsych Open</i> , 2021, 7, .	0.3	0
101	Prediction of Suicidality According to Serum Folate Levels in Depressive Patients Receiving Stepwise Pharmacotherapy. <i>Frontiers in Psychiatry</i> , 2021, 12, 747228.	1.3	5
102	Quoted text in the mental healthcare electronic record: an analysis of the distribution and content of single-word quotations. <i>BMJ Open</i> , 2021, 11, e049249.	0.8	1
103	Interaction effect of serum serotonin level and age on the 12-week pharmacotherapeutic response in patients with depressive disorders. <i>Scientific Reports</i> , 2021, 11, 24226.	1.6	1
104	Text mining occupations from the mental health electronic health record: a natural language processing approach using records from the Clinical Record Interactive Search (CRIS) platform in south London, UK. <i>BMJ Open</i> , 2021, 11, e042274.	0.8	12
105	Impact of depression at early and late phases following acute coronary syndrome on long-term cardiac outcomes. <i>Journal of Affective Disorders</i> , 2020, 260, 592-596.	2.0	6
106	Safe prescribing in cognitively vulnerable patients: the use of the anticholinergic effect on cognition (AEC) tool in older adult mental health services. <i>BJPsych Bulletin</i> , 2020, 44, 26-30.	0.7	9
107	Risk of acute pancreatitis among people with severe mental illness. <i>Journal of Affective Disorders</i> , 2020, 263, 722-727.	2.0	3
108	Extent of disease at first cancer presentation and previous anxiety and depressive symptoms: the HUNT study. <i>British Journal of Psychiatry</i> , 2020, 217, 427-433.	1.7	3

#	ARTICLE	IF	CITATIONS
109	DETERMinants of quality of life, care and costs, and consequences of INequalities in people with Dementia and their carers (DETERMIND): A protocol paper. <i>International Journal of Geriatric Psychiatry</i> , 2020, 35, 290-301.	1.3	17
110	Predictors of mortality in people with late-life depression: A retrospective cohort study. <i>Journal of Affective Disorders</i> , 2020, 266, 695-701.	2.0	21
111	Empowering Better End-of-Life Dementia Care (EMBED-Care): A mixed methods protocol to achieve integrated person-centred care across settings. <i>International Journal of Geriatric Psychiatry</i> , 2020, 35, 820-832.	1.3	13
112	Late-life depression in people from ethnic minority backgrounds: Differences in presentation and management. <i>Journal of Affective Disorders</i> , 2020, 264, 340-347.	2.0	17
113	Association of physical health multimorbidity with mortality in people with schizophrenia spectrum disorders: Using a novel semantic search system that captures physical diseases in electronic patient records. <i>Schizophrenia Research</i> , 2020, 216, 408-415.	1.1	21
114	Pharmacoevidence research: delivering evidence about drug safety and effectiveness in mental health. <i>Lancet Psychiatry</i> , 2020, 7, 363-370.	3.7	23
115	T97. REAL WORLD IMPLEMENTATION OF A TRANSDIAGNOSTIC RISK CALCULATOR FOR THE AUTOMATIC DETECTION OF INDIVIDUALS AT RISK OF PSYCHOSIS IN CLINICAL ROUTINE. <i>Schizophrenia Bulletin</i> , 2020, 46, S268-S268.	2.3	4
116	T109. TRAVERSING THE TRANSDIAGNOSTIC GAP BETWEEN DEPRESSION, MANIA AND PSYCHOSIS WITH NATURAL LANGUAGE PROCESSING. <i>Schizophrenia Bulletin</i> , 2020, 46, S272-S273.	2.3	0
117	Sleep problems associated with long-term mortality in acute coronary syndrome: Effects of depression comorbidity and treatment. <i>General Hospital Psychiatry</i> , 2020, 66, 125-132.	1.2	6
118	Generation and evaluation of artificial mental health records for Natural Language Processing. <i>Npj Digital Medicine</i> , 2020, 3, 69.	5.7	32
119	Real time monitoring of antipsychotic prescribing in patients with dementia: a study using the Clinical Record Interactive Search (CRIS) platform to enhance safer prescribing. <i>BMJ Open Quality</i> , 2020, 9, e000778.	0.4	2
120	The association between neighbourhood characteristics and physical victimisation in men and women with mental disorders. <i>BJPsych Open</i> , 2020, 6, e73.	0.3	6
121	Community treatment orders and associations with readmission rates and duration of psychiatric hospital admission: a controlled electronic case register study. <i>BMJ Open</i> , 2020, 10, e035121.	0.8	19
122	Impact of matching error on linked mortality outcome in a data linkage of secondary mental health data with Hospital Episode Statistics (HES) and mortality records in South East London: a cross-sectional study. <i>BMJ Open</i> , 2020, 10, e035884.	0.8	6
123	Cohort profile: the eLIXIR Partnership's a maternity-child data linkage for life course research in South London, UK. <i>BMJ Open</i> , 2020, 10, e039583.	0.8	5
124	T127. GENDER DIFFERENCES IN CLINICAL PRESENTATION AND ILLICIT SUBSTANCE USE DURING FIRST EPISODE PSYCHOSIS: AN ELECTRONIC CASE REGISTER NATURAL LANGUAGE PROCESSING ANALYSIS. <i>Schizophrenia Bulletin</i> , 2020, 46, S278-S279.	2.3	0
125	Clinician-recalled quoted speech in electronic health records and risk of suicide attempt: a case crossover study. <i>BMJ Open</i> , 2020, 10, e036186.	0.8	3
126	Severe mental illness diagnosis in English general hospitals 2006-2017: A registry linkage study. <i>PLoS Medicine</i> , 2020, 17, e1003306.	3.9	8



#	ARTICLE	IF	CITATIONS
127	Multisite data linkage projects in mental health research. <i>Lancet Psychiatry</i> , 2020, 7, e61.	3.7	2
128	Linking electronic dementia care records to national inpatient data in dementia with Lewy bodies: Frequency, duration and cost implications of hospitalization and recording of delirium episodes. <i>Alzheimer's and Dementia</i> , 2020, 16, e039139.	0.4	1
129	8â€...Catatonia: demographic, clinical and laboratory associations in a large dataset. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2020, 91, e3.3-e4.	0.9	0
130	Mitigating mental health consequences during the <scp>COVID</scp>â€19 outbreak: Lessons from China. <i>Psychiatry and Clinical Neurosciences</i> , 2020, 74, 407-408.	1.0	13
131	The anticholinergic effect on cognition ( AEC ) scaleâ€Associations with mortality, hospitalisation and cognitive decline following dementia diagnosis. <i>International Journal of Geriatric Psychiatry</i> , 2020, 35, 1069-1077.	1.3	22
132	Potential gains in life expectancy from reducing amenable mortality among people diagnosed with serious mental illness in the United Kingdom. <i>PLoS ONE</i> , 2020, 15, e0230674.	1.1	22
133	Implementation of a Real-Time Psychosis Risk Detection and Alerting System Based on Electronic Health Records using CogStack. <i>Journal of Visualized Experiments</i> , 2020, , .	0.2	19
134	Clinical factors associated with progression to dementia in people with late-life depression: a cohort study of patients in secondary care. <i>BMJ Open</i> , 2020, 10, e035147.	0.8	10
135	Predictors of cerebrovascular event reoccurrence in patients with depression: a retrospective cohort study. <i>BMJ Open</i> , 2020, 10, e031927.	0.8	3
136	Short and long-term treatment outcomes of stepwise psychopharmacotherapy based on early clinical decision in patients with depressive disorders. <i>Journal of Affective Disorders</i> , 2020, 274, 315-325.	2.0	19
137	New Use for Old Drugs: The Protective Effect of Risperidone on Colorectal Cancer. <i>Cancers</i> , 2020, 12, 1560.	1.7	9
138	Temporal information extraction from mental health records to identify duration of untreated psychosis. <i>Journal of Biomedical Semantics</i> , 2020, 11, 2.	0.9	16
139	Predicting high-cost care in a mental health setting. <i>BJPsych Open</i> , 2020, 6, e10.	0.3	9
140	Benefits and Harms of Statins in People with Dementia: A Systematic Review and Metaâ€Analysis. <i>Journal of the American Geriatrics Society</i> , 2020, 68, 650-658.	1.3	17
141	Suicide attempts requiring hospitalization in patients with eating disorders: A retrospective cohort study. <i>International Journal of Eating Disorders</i> , 2020, 53, 728-735.	2.1	25
142	Associations Between Depression, Arterial Stiffness, and Metabolic Syndrome Among Adults in the UK Biobank Population Study. <i>JAMA Psychiatry</i> , 2020, 77, 598.	6.0	61
143	Mental health-related conversations on social media and crisis episodes: a time-series regression analysis. <i>Scientific Reports</i> , 2020, 10, 1342.	1.6	19
144	Synergistic effects of depression and NR3C1 methylation on prognosis of acute coronary syndrome. <i>Scientific Reports</i> , 2020, 10, 5519.	1.6	7

#	ARTICLE	IF	CITATIONS
145	Risk of Hospitalized Falls and Hip Fractures in 22,103 Older Adults Receiving Mental Health Care vs 161,603 Controls: A Large Cohort Study. <i>Journal of the American Medical Directors Association</i> , 2020, 21, 1893-1899.	1.2	17
146	Predictors of physical activity recording in routine mental healthcare. <i>Mental Health and Physical Activity</i> , 2020, 18, 100329.	0.9	2
147	The association between dementia severity and hospitalisation profile in a newly assessed clinical cohort: the South London and Maudsley case register. <i>BMJ Open</i> , 2020, 10, e035779.	0.8	9
148	Methotrexate and relative risk of dementia amongst patients with rheumatoid arthritis: a multi-national multi-database case-control study. <i>Alzheimer's Research and Therapy</i> , 2020, 12, 38.	3.0	18
149	Incidence of Type 2 Diabetes in Patients With Chronic Hepatitis C Receiving Interferon-Based Therapy. <i>Diabetes Care</i> , 2020, 43, e63-e64.	4.3	4
150	Ethnicity and impact on the receipt of cognitive-behavioural therapy in people with psychosis or bipolar disorder: an English cohort study. <i>BMJ Open</i> , 2020, 10, e034913.	0.8	22
151	Vascular and metabolic risk factor differences prior to dementia diagnosis: a multidatabase case-control study using European electronic health records. <i>BMJ Open</i> , 2020, 10, e038753.	0.8	12
152	The side effect profile of Clozapine in real world data of three large mental health hospitals. <i>PLoS ONE</i> , 2020, 15, e0243437.	1.1	28
153	Comparative Analysis of Text Classification Approaches in Electronic Health Records. , 2020, , .		24
154	User Perspectives of Mood-Monitoring Apps Available to Young People: Qualitative Content Analysis. <i>JMIR MHealth and UHealth</i> , 2020, 8, e18140.	1.8	23
155	Telephone based Interventions for Psychological Problems in Hospital Isolated Patients with COVID-19. <i>Clinical Psychopharmacology and Neuroscience</i> , 2020, 18, 616-620.	0.9	30
156	The Development of the Military Service Identification Tool: Identifying Military Veterans in a Clinical Research Database Using Natural Language Processing and Machine Learning. <i>JMIR Medical Informatics</i> , 2020, 8, e15852.	1.3	5
157	Guidance for researchers wanting to link NHS data using non-consent approaches: a thematic analysis of feedback from the Health Research Authority Confidentiality Advisory Group. <i>International Journal of Population Data Science</i> , 2020, 5, 1355.	0.1	2
158	Guidance for researchers wanting to link NHS data using non-consent approaches: a thematic analysis of feedback from the Health Research Authority Confidentiality Advisory Group. <i>International Journal of Population Data Science</i> , 2020, 5, 1355.	0.1	2
159	Severe mental illness diagnosis in English general hospitals 2006-2017: A registry linkage study. , 2020, 17, e1003306.		0
160	Severe mental illness diagnosis in English general hospitals 2006-2017: A registry linkage study. , 2020, 17, e1003306.		0
161	Severe mental illness diagnosis in English general hospitals 2006-2017: A registry linkage study. , 2020, 17, e1003306.		0
162	Severe mental illness diagnosis in English general hospitals 2006-2017: A registry linkage study. , 2020, 17, e1003306.		0

#	ARTICLE	IF	CITATIONS
163	Severe mental illness diagnosis in English general hospitals 2006-2017: A registry linkage study. , 2020, 17, e1003306.		0
164	Title is missing!. , 2020, 15, e0230674.		0
165	Title is missing!. , 2020, 15, e0230674.		0
166	Title is missing!. , 2020, 15, e0230674.		0
167	Title is missing!. , 2020, 15, e0230674.		0
168	The side effect profile of Clozapine in real world data of three large mental health hospitals. , 2020, 15, e0243437.		0
169	The side effect profile of Clozapine in real world data of three large mental health hospitals. , 2020, 15, e0243437.		0
170	The side effect profile of Clozapine in real world data of three large mental health hospitals. , 2020, 15, e0243437.		0
171	The side effect profile of Clozapine in real world data of three large mental health hospitals. , 2020, 15, e0243437.		0
172	Increased risk of developing psychiatric disorders in children with attention deficit and hyperactivity disorder (ADHD) receiving sensory integration therapy: a population-based cohort study. European Child and Adolescent Psychiatry, 2019, 28, 247-255.	2.8	9
173	Psychiatric comorbidity as a risk factor for mortality in people with anorexia nervosa. European Archives of Psychiatry and Clinical Neuroscience, 2019, 269, 351-359.	1.8	50
174	Relapse in the first three months postpartum in women with history of serious mental illness. Schizophrenia Research, 2019, 204, 46-54.	1.1	23
175	Attention-Deficit/Hyperactivity Disorder and Mortality Risk in Taiwan. JAMA Network Open, 2019, 2, e198714.	2.8	41
176	Modifying effects of depression on the association between BDNF methylation and prognosis of acute coronary syndrome. Brain, Behavior, and Immunity, 2019, 81, 422-429.	2.0	14
177	F55. CLINICAL OUTCOMES ASSOCIATED WITH ILLICIT SUBSTANCE USE IN FIRST EPISODE PSYCHOSIS (FEP): A TEXT MINING STUDY OF ELECTRONIC HEALTH RECORDS. Schizophrenia Bulletin, 2019, 45, S276-S276.	2.3	0
178	T131. THE EFFECT OF PALIPERIDONE PALMITATE (PP) MAINTENANCE ON HEALTH CARE PROFESSIONAL USE IN SECONDARY MENTAL HEALTH CARE: MIRROR IMAGE COHORT STUDY. Schizophrenia Bulletin, 2019, 45, S254-S254.	2.3	0
179	Use of Natural Language Processing to identify Obsessive Compulsive Symptoms in patients with schizophrenia, schizoaffective disorder or bipolar disorder. Scientific Reports, 2019, 9, 14146.	1.6	27
180	General hospital admission rates in people diagnosed with personality disorder. Acta Psychiatrica Scandinavica, 2019, 139, 248-255.	2.2	12

#	ARTICLE	IF	CITATIONS
181	Hospitalisation of people with dementia: evidence from English electronic health records from 2008 to 2016. <i>European Journal of Epidemiology</i> , 2019, 34, 567-577.	2.5	44
182	Post stroke depression and risk of stroke recurrence and mortality: A systematic review and meta-analysis. <i>Ageing Research Reviews</i> , 2019, 50, 102-109.	5.0	188
183	Understanding which people with dementia are at risk of inappropriate care and avoidable transitions to hospital near the end-of-life: a retrospective cohort study. <i>Age and Ageing</i> , 2019, 48, 672-679.	0.7	25
184	Recorded poor insight as a predictor of service use outcomes: cohort study of patients with first-episode psychosis in a large mental healthcare database. <i>BMJ Open</i> , 2019, 9, e028929.	0.8	22
185	Psychiatric Diagnoses Differ Considerably in Their Associations With Alcohol/Drug-Related Problems Among Adolescents. A Norwegian Population-Based Survey Linked With National Patient Registry Data. <i>Frontiers in Psychology</i> , 2019, 10, 1003.	1.1	20
186	The Maudsley Biomedical Research Centre (BRC) data linkage service user and carer advisory group: creating and sustaining a successful patient and public involvement group to guide research in a complex area. <i>Research Involvement and Engagement</i> , 2019, 5, 20.	1.1	24
187	Homocysteine, rather than age of onset, is a better predictor for cognitive function in older adults with bipolar disorder. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 1473-1480.	1.3	4
188	Ethnic density and other neighbourhood associations for mortality in severe mental illness: a retrospective cohort study with multi-level analysis from an urbanised and ethnically diverse location in the UK. <i>Lancet Psychiatry</i> , 2019, 6, 506-517.	3.7	21
189	An approach to linking education, social care and electronic health records for children and young people in South London: a linkage study of child and adolescent mental health service data. <i>BMJ Open</i> , 2019, 9, e024355.	0.8	56
190	The relationship between polypharmacy and trajectories of cognitive decline in people with dementia: A large representative cohort study. <i>Experimental Gerontology</i> , 2019, 120, 62-67.	1.2	22
191	Re: Accuracy of general hospital dementia diagnoses in England: Sensitivity, specificity, and predictors of diagnostic accuracy 2008-2016. <i>Alzheimer's and Dementia</i> , 2019, 15, 313-314.	0.4	1
192	Common mental disorders within chronic inflammatory disorders: a primary care database prospective investigation. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 688-695.	0.5	47
193	Reply to critical comments on the article "Increased risk of developing psychiatric disorders in children with attention deficit and hyperactivity disorder (ADHD) receiving sensory integration therapy: a population-based cohort study". <i>European Child and Adolescent Psychiatry</i> , 2019, 28, 1411-1413.	2.8	0
194	Path analyses of risk factors for linear growth faltering in four prospective cohorts of young children in Ghana, Malawi and Burkina Faso. <i>BMJ Global Health</i> , 2019, 4, e001155.	2.0	34
195	Real World Implementation of a Transdiagnostic Risk Calculator for the Automatic Detection of Individuals at Risk of Psychosis in Clinical Routine: Study Protocol. <i>Frontiers in Psychiatry</i> , 2019, 10, 109.	1.3	39
196	Psychiatric comorbidity as a risk factor for the mortality of people with bulimia nervosa. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019, 54, 813-821.	1.6	28
197	Ethnic differences in cognition and age in people diagnosed with dementia: A study of electronic health records in two large mental healthcare providers. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 504-510.	1.3	32
198	Clinical Presentation, Diagnostic Features, and Mortality in Dementia with Lewy Bodies. <i>Journal of Alzheimer's Disease</i> , 2019, 67, 995-1005.	1.2	16

#	ARTICLE	IF	CITATIONS
199	The association between depression and later educational attainment in children and adolescents: a systematic review protocol. <i>BMJ Open</i> , 2019, 9, e031595.	0.8	10
200	Interaction between BDNF val66met polymorphism and personality on long-term cardiac outcomes in patients with acute coronary syndrome. <i>PLoS ONE</i> , 2019, 14, e0226802.	1.1	8
201	Explaining oral health inequalities in European welfare state regimes: The role of health behaviours. <i>Community Dentistry and Oral Epidemiology</i> , 2019, 47, 40-48.	0.9	16
202	Depression and cause-specific mortality in an ethnically diverse cohort from the UK: 8-year prospective study. <i>Psychological Medicine</i> , 2019, 49, 1639-1651.	2.7	13
203	Anxiety and dementia: cause or effect?. <i>Acta Psychiatrica Scandinavica</i> , 2019, 139, 3-5.	2.2	4
204	The Incidence of Recorded Delirium Episodes Before and After Dementia Diagnosis: Differences Between Dementia With Lewy Bodies and Alzheimer's Disease. <i>Journal of the American Medical Directors Association</i> , 2019, 20, 604-609.	1.2	22
205	Survival time and differences between dementia with Lewy bodies and Alzheimer's disease following diagnosis: A meta-analysis of longitudinal studies. <i>Ageing Research Reviews</i> , 2019, 50, 72-80.	5.0	70
206	Risk of readmission in patients with schizophrenia and schizoaffective disorder newly prescribed clozapine. <i>Journal of Psychopharmacology</i> , 2019, 33, 449-458.	2.0	24
207	How data science can advance mental health research. <i>Nature Human Behaviour</i> , 2019, 3, 24-32.	6.2	37
208	Paid employment and common mental disorders in 50-64-year olds: analysis of three cross-sectional nationally representative survey samples in 1993, 2000 and 2007. <i>Epidemiology and Psychiatric Sciences</i> , 2019, 28, 88-99.	1.8	1
209	Participant Experiences of Attending a Community CBT Workshop for Insomnia: A Qualitative Six-Year Follow-Up. <i>Behavioral Sleep Medicine</i> , 2019, 17, 156-173.	1.1	4
210	Efficient Reuse of Natural Language Processing Models for Phenotype-Mention Identification in Free-text Electronic Medical Records: A Phenotype Embedding Approach. <i>JMIR Medical Informatics</i> , 2019, 7, e14782.	1.3	10
211	Annotating Temporal Relations to Determine the Onset of Psychosis Symptoms. <i>Studies in Health Technology and Informatics</i> , 2019, 264, 418-422.	0.2	8
212	Can information on functional and cognitive status improve short-term mortality risk prediction among community-dwelling older people? A cohort study using a UK primary care database. <i>Clinical Epidemiology</i> , 2018, Volume 10, 31-39.	1.5	12
213	Changes in pro-inflammatory cytokine levels and late-life depression: A two year population based longitudinal study. <i>Psychoneuroendocrinology</i> , 2018, 90, 85-91.	1.3	31
214	Dementia prevalence in a population at high vascular risk: the Trinidad national survey of ageing and cognition. <i>BMJ Open</i> , 2018, 8, e018288.	0.8	18
215	Acute general hospital admissions in people with serious mental illness. <i>Psychological Medicine</i> , 2018, 48, 2676-2683.	2.7	38
216	Polypharmacy in people with dementia: Associations with adverse health outcomes. <i>Experimental Gerontology</i> , 2018, 106, 240-245.	1.2	68

#	ARTICLE	IF	CITATIONS
217	SemEHR: A general-purpose semantic search system to surface semantic data from clinical notes for tailored care, trial recruitment, and clinical research*. Journal of the American Medical Informatics Association: JAMIA, 2018, 25, 530-537.	2.2	82
218	Hospitalization in people with dementia with Lewy bodies: Frequency, duration, and cost implications. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2018, 10, 143-152.	1.2	44
219	Antipsychotic polypharmacy prescribing and risk of hospital readmission. Psychopharmacology, 2018, 235, 281-289.	1.5	29
220	Prospective associations between recalled parental bonding and perinatal depression: a cohort study in urban and rural Turkey. Social Psychiatry and Psychiatric Epidemiology, 2018, 53, 385-392.	1.6	3
221	Accuracy of general hospital dementia diagnoses in England: Sensitivity, specificity, and predictors of diagnostic accuracy 2008-2016. Alzheimer's and Dementia, 2018, 14, 933-943.	0.4	97
222	Associations of acetylcholinesterase inhibitor treatment with reduced mortality in Alzheimer's disease: a retrospective survival analysis. Age and Ageing, 2018, 47, 88-94.	0.7	40
223	Replicable and Coupled Changes in Innate and Adaptive Immune Gene Expression in Two Case-Control Studies of Blood Microarrays in Major Depressive Disorder. Biological Psychiatry, 2018, 83, 70-80.	0.7	158
224	Predictors of emergency department attendance by people with dementia in their last year of life: Retrospective cohort study using linked clinical and administrative data. Alzheimer's and Dementia, 2018, 14, 20-27.	0.4	46
225	Excess overdose mortality immediately following transfer of patients and their care as well as after cessation of opioid substitution therapy. Addiction, 2018, 113, 946-951.	1.7	6
226	Dementia prevalence and incidence in a federation of European Electronic Health Record databases: The European Medical Informatics Framework resource. Alzheimer's and Dementia, 2018, 14, 130-139.	0.4	44
227	O1.2 PERIPHERAL INFLAMMATORY MARKERS ARE PREDICTIVE OF CLINICAL CHARACTERISTICS AND OUTCOME IN PSYCHOSIS. Schizophrenia Bulletin, 2018, 44, S72-S72.	2.3	0
228	S221. QUANTITATIVE SYSTEMS PHARMACOLOGY AS AN ALTERNATIVE TO CHLORPROMAZINE EQUIVALENTS: PREDICTIVE VALIDATION FROM A CRIS DATABASE EXPERIMENT. Schizophrenia Bulletin, 2018, 44, S411-S412.	2.3	0
229	S1-01-04: EPIDEMIOLOGY IN THE ERA OF BIG DATA: OPPORTUNITIES AND CHALLENGES. , 2018, 14, P198-P198.		0
230	Knowledge discovery for Deep Phenotyping serious mental illness from Electronic Mental Health records. F1000Research, 2018, 7, 210.	0.8	12
231	O4.5. INVESTIGATING GENETIC PROFILES ASSOCIATED WITH "REAL WORLD" CLINICAL OUTCOMES IN PSYCHOSIS: A RETROSPECTIVE COHORT STUDY. Schizophrenia Bulletin, 2018, 44, S84-S85.	2.3	0
232	Latent Iron Deficiency as a Marker of Negative Symptoms in Patients with First-Episode Schizophrenia Spectrum Disorder. Nutrients, 2018, 10, 1707.	1.7	31
233	Cardiac Outcomes After Treatment for Depression in Patients With Acute Coronary Syndrome"Reply. JAMA - Journal of the American Medical Association, 2018, 320, 2152.	3.8	1
234	Longitudinal Associations Between Serum Cytokine Levels and Dementia. Frontiers in Psychiatry, 2018, 9, 606.	1.3	17

#	ARTICLE	IF	CITATIONS
235	Recorded atypical hallucinations in psychotic and affective disorders and associations with non-benzodiazepine hypnotic use: the South London and Maudsley Case Register. <i>BMJ Open</i> , 2018, 8, e025216.	0.8	4
236	Genomic African and Native American Ancestry and 15-Year Cognitive Trajectory: Bambui Study, Brazil. <i>Journal of the American Geriatrics Society</i> , 2018, 66, 1956-1962.	1.3	2
237	Predicting parkinsonism side-effects of antipsychotic polypharmacy prescribed in secondary mental healthcare. <i>Journal of Psychopharmacology</i> , 2018, 32, 1191-1196.	2.0	8
238	Demographic and clinical factors associated with different antidepressant treatments: a retrospective cohort study design in a UK psychiatric healthcare setting. <i>BMJ Open</i> , 2018, 8, e022170.	0.8	7
239	Using clinical Natural Language Processing for health outcomes research: Overview and actionable suggestions for future advances. <i>Journal of Biomedical Informatics</i> , 2018, 88, 11-19.	2.5	139
240	Predictors of falls and fractures leading to hospitalization in people with schizophrenia spectrum disorder: A large representative cohort study. <i>Schizophrenia Research</i> , 2018, 201, 70-78.	1.1	27
241	Long-term antipsychotic polypharmacy prescribing in secondary mental health care and the risk of mortality. <i>Acta Psychiatrica Scandinavica</i> , 2018, 138, 123-132.	2.2	25
242	Predictors of severe relapse in pregnant women with psychotic or bipolar disorders. <i>Journal of Psychiatric Research</i> , 2018, 104, 100-107.	1.5	25
243	CogStack - experiences of deploying integrated information retrieval and extraction services in a large National Health Service Foundation Trust hospital. <i>BMC Medical Informatics and Decision Making</i> , 2018, 18, 47.	1.5	86
244	Comparisons between different elements of reported burden and common mental disorder in caregivers of ethnically diverse people with dementia in Trinidad. <i>PLoS ONE</i> , 2018, 13, e0201165.	1.1	6
245	Effect of Escitalopram vs Placebo Treatment for Depression on Long-term Cardiac Outcomes in Patients With Acute Coronary Syndrome. <i>JAMA - Journal of the American Medical Association</i> , 2018, 320, 350.	3.8	130
246	Inpatient use and area-level socio-environmental factors in people with psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018, 53, 1133-1140.	1.6	8
247	Predictors of Falls and Fractures Leading to Hospitalization in People With Dementia: A Representative Cohort Study. <i>Journal of the American Medical Directors Association</i> , 2018, 19, 607-612.	1.2	46
248	Identifying Suicide Ideation and Suicidal Attempts in a Psychiatric Clinical Research Database using Natural Language Processing. <i>Scientific Reports</i> , 2018, 8, 7426.	1.6	116
249	A Systematic Review and Meta-Analysis of the Effectiveness of Acetylcholinesterase Inhibitors and Memantine in Treating the Cognitive Symptoms of Dementia. <i>Dementia and Geriatric Cognitive Disorders</i> , 2018, 45, 131-151.	0.7	102
250	Impact of Suicidal Ideation on Long-Term Cardiac Outcomes in Patients with Acute Coronary Syndrome: Sex-Specific Differences. <i>Psychotherapy and Psychosomatics</i> , 2018, 87, 311-312.	4.0	6
251	Serotonin Transporter Gene Association Between Anxiety and Long-Term Cardiac Outcomes in Acute Coronary Syndromes. <i>Journal of the American College of Cardiology</i> , 2018, 71, 2706-2707.	1.2	7
252	Can risk assessment predict suicide in secondary mental healthcare? Findings from the South London and Maudsley NHS Foundation Trust Biomedical Research Centre (SLaM BRC) Case Register. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018, 53, 1161-1171.	1.6	14

#	ARTICLE	IF	CITATIONS
253	The Camden & Islington Research Database: Using electronic mental health records for research. PLoS ONE, 2018, 13, e0190703.	1.1	27
254	Knowledge discovery for Deep Phenotyping serious mental illness from Electronic Mental Health records. F1000Research, 2018, 7, 210.	0.8	6
255	Using data linkage to electronic patient records to assess the validity of selected mental health diagnoses in English Hospital Episode Statistics (HES). PLoS ONE, 2018, 13, e0195002.	1.1	34
256	Type 2 diabetes mellitus in people with severe mental illness: inequalities by ethnicity and age. Cross-sectional analysis of 588 408 records from the <sc>UK</sc>. Diabetic Medicine, 2017, 34, 916-924.	1.2	40
257	Associations Between Left Ventricular Dysfunction and Brain Structure and Function: Findings From the SABRE (Southall and Brent Revisited) Study. Journal of the American Heart Association, 2017, 6, .	1.6	20
258	Natural language processing to extract symptoms of severe mental illness from clinical text: the Clinical Record Interactive Search Comprehensive Data Extraction (CRIS-CODE) project. BMJ Open, 2017, 7, e012012.	0.8	169
259	Depression following Acute Coronary Syndrome: Time-Specific Interactions between Stressful Life Events, Social Support Deficits, and 5-HTTLPR. Psychotherapy and Psychosomatics, 2017, 86, 62-64.	4.0	10
260	Myocardial infarction risk and antipsychotics use revisited: a meta-analysis of 10 observational studies. Journal of Psychopharmacology, 2017, 31, 1544-1555.	2.0	17
261	Ethnicity and excess mortality in severe mental illness: a cohort study. Lancet Psychiatry,the, 2017, 4, 389-399.	3.7	82
262	Contributions of specific causes of death to lost life expectancy in severe mental illness. European Psychiatry, 2017, 43, 109-115.	0.1	71
263	Admission to acute mental health services after contact with crisis resolution and home treatment teams: an investigation in two large mental health-care providers. Lancet Psychiatry,the, 2017, 4, 49-56.	3.7	36
264	[P4â€“341]: LEVELS OF BLOOD PRESSURE, BODY MASS INDEX AND TOTAL SERUM CHOLESTEROL AT DIFFERENT TIME POINTS PRIOR TO DEMENTIA DIAGNOSIS: A CASE CONTROL STUDY OF OVER 28 MILLION ELECTRONIC HEALTH RECORDS FROM THE EMIF EHR DATA RESOURCE. Alzheimer's and Dementia, 2017, 13, P1420.	0.4	1
265	Identification of the delivery of cognitive behavioural therapy for psychosis (CBTp) using a cross-sectional sample from electronic health records and open-text information in a large UK-based mental health case register. BMJ Open, 2017, 7, e015297.	0.8	31
266	Associations of Neuropsychiatric Symptoms and Antidepressant Prescription with Survival in Alzheimer's Disease. Journal of the American Medical Directors Association, 2017, 18, 1076-1081.	1.2	26
267	Ethnicity, mortality, and severe mental illness â€“ Authors' reply. Lancet Psychiatry,the, 2017, 4, 517-518.	3.7	0
268	Antenatal depressive symptoms as a predictor of deterioration in perceived social support across the perinatal period: a four-wave cohort study in Turkey. Psychological Medicine, 2017, 47, 766-775.	2.7	9
269	What proportion of patients with psychosis is willing to take part in research? A mental health electronic case register analysis. BMJ Open, 2017, 7, e013113.	0.8	25
270	Hospital admissions for respiratory system diseases in adults with intellectual disabilities in Southeast London: a register-based cohort study. BMJ Open, 2017, 7, e014846.	0.8	15



#	ARTICLE	IF	CITATIONS
271	Big data and data repurposing - using existing data to answer new questions in vascular dementia research. BMC Neurology, 2017, 17, 72.	0.8	24
272	[O1â€“13â€“03]: CULTUREâ€“AND EDUCATIONâ€“FAIR 10/66 DEMENTIA DIAGNOSTIC ASSESSMENT: VALIDITY OF THE CORE MEASURES IN SUBâ€“SAHARAN AFRICAN POPULATIONS. Alzheimer's and Dementia, 2017, 13, P226.	0.4	0
273	SemEHR: surfacing semantic data from clinical notes in electronic health records for tailored care, trial recruitment, and clinical research. Lancet, The, 2017, 390, S97.	6.3	3
274	Intensive versus Guideline Blood Pressure and Lipid Lowering in Patients with Previous Stroke: Main Results from the Pilot â€“Prevention of Decline in Cognition after Stroke Trialâ€“™ (PODCAST) Randomised Controlled Trial. PLoS ONE, 2017, 12, e0164608.	1.1	60
275	The association between subjective memory complaint and objective cognitive function in older people with previous major depression. PLoS ONE, 2017, 12, e0173027.	1.1	27
276	Gender preference and perinatal depression in Turkey: A cohort study. PLoS ONE, 2017, 12, e0174558.	1.1	8
277	Trajectories of dementia-related cognitive decline in a large mental health records derived patient cohort. PLoS ONE, 2017, 12, e0178562.	1.1	30
278	ADEPT, a semantically-enriched pipeline for extracting adverse drug events from free-text electronic health records. PLoS ONE, 2017, 12, e0187121.	1.1	41
279	Knowledge graph prediction of unknown adverse drug reactions and validation in electronic health records. Scientific Reports, 2017, 7, 16416.	1.6	69
280	Associations of centrally acting ACE inhibitors with cognitive decline and survival in Alzheimer's disease. BJPsych Open, 2017, 3, 158-164.	0.3	38
281	Analysis of diagnoses extracted from electronic health records in a large mental health case register. PLoS ONE, 2017, 12, e0171526.	1.1	9
282	Predictive value of homocysteine for depression after acute coronary syndrome. Oncotarget, 2016, 7, 69032-69040.	0.8	7
283	Cervical and breast cancer screening uptake among women with serious mental illness: a data linkage study. BMC Cancer, 2016, 16, 819.	1.1	55
284	Utility of the Health of the Nation Outcome Scales (HoNOS) in Predicting Mental Health Service Costs for Patients with Common Mental Health Problems: Historical Cohort Study. PLoS ONE, 2016, 11, e0167103.	1.1	12
285	PS160. Predictive value of homocysteine for depression after acute coronary syndrome: Finding from the K-DEPACS study. International Journal of Neuropsychopharmacology, 2016, 19, 58-58.	1.0	0
286	Relationship between antidepressant prescription and breast cancer: a population based study in Taiwan. Psycho-Oncology, 2016, 25, 803-807.	1.0	10
287	Influences of the Big Five personality traits on the treatment response and longitudinal course of depression in patients with acute coronary syndrome: A randomised controlled trial. Journal of Affective Disorders, 2016, 203, 38-45.	2.0	12
288	Predictors of care home and hospital admissions and their costs for older people with Alzheimer's disease: findings from a large London case register. BMJ Open, 2016, 6, e013591.	0.8	58

#	ARTICLE	IF	CITATIONS
289	Association of cannabis use with hospital admission and antipsychotic treatment failure in first episode psychosis: an observational study. <i>BMJ Open</i> , 2016, 6, e009888.	0.8	109
290	Development of a brief assessment and algorithm for ascertaining dementia in low-income and middle-income countries: the 10/66 short dementia diagnostic schedule. <i>BMJ Open</i> , 2016, 6, e010712.	0.8	25
291	Service and treatment engagement of people with very late-onset schizophrenia-like psychosis. <i>BJPsych Bulletin</i> , 2016, 40, 185-186.	0.7	17
292	“He left me a message on Facebook”: comparing the risk profiles of self-harming patients who leave paper suicide notes with those who leave messages on new media. <i>BJPsych Open</i> , 2016, 2, 217-220.	0.3	18
293	Risk assessment and suicide by patients with schizophrenia in secondary mental healthcare: a case-control study. <i>BMJ Open</i> , 2016, 6, e011929.	0.8	22
294	O502: Dementia Prevalence and Incidence in a Combination of European Electronic Health Records Databases: the EMIFad EHR Resource. <i>Alzheimer's and Dementia</i> , 2016, 12, P232.	0.4	0
295	The prevalence and correlates of self-harm in pregnant women with psychotic disorder and bipolar disorder. <i>Archives of Women's Mental Health</i> , 2016, 19, 909-915.	1.2	22
296	Predictors of long-term (≥ 6 months) antipsychotic polypharmacy prescribing in secondary mental healthcare. <i>Schizophrenia Research</i> , 2016, 174, 106-112.	1.1	24
297	Novel psychoactive substances: An investigation of temporal trends in social media and electronic health records. <i>European Psychiatry</i> , 2016, 38, 15-21.	0.1	19
298	Data science for mental health: a UK perspective on a global challenge. <i>Lancet Psychiatry</i> , 2016, 3, 993-998.	3.7	47
299	Clinical outcomes and mortality associated with weekend admission to psychiatric hospital. <i>British Journal of Psychiatry</i> , 2016, 209, 29-34.	1.7	22
300	Services for people at high risk improve outcomes in patients with first episode psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2016, 133, 76-85.	2.2	44
301	“Big data” in mental health research: current status and emerging possibilities. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 1055-1072.	1.6	56
302	Chronic obstructive pulmonary disease and anxiety disorders: a nationwide population-based study in Taiwan. <i>General Hospital Psychiatry</i> , 2016, 42, 1-6.	1.2	9
303	Reviving the “double jeopardy” hypothesis: Physical health inequalities, ethnicity and severe mental illness. <i>British Journal of Psychiatry</i> , 2016, 209, 183-185.	1.7	19
304	A randomised controlled trial of calcium channel blockade (CCB) with Amlodipine For the treatment of subcortical ischaemic vascular dementia (AFFECT): study protocol. <i>Trials</i> , 2016, 17, 324.	0.7	6
305	Cardiovascular disease treatment among patients with severe mental illness: a data linkage study between primary and secondary care. <i>British Journal of General Practice</i> , 2016, 66, e374-e381.	0.7	40
306	Cohort profile of the South London and Maudsley NHS Foundation Trust Biomedical Research Centre (SLaM BRC) Case Register: current status and recent enhancement of an Electronic Mental Health Record-derived data resource. <i>BMJ Open</i> , 2016, 6, e008721.	0.8	369

#	ARTICLE	IF	CITATIONS
307	Identifying mortality risks in patients with opioid use disorder using brief screening assessment: Secondary mental health clinical records analysis. <i>Drug and Alcohol Dependence</i> , 2016, 164, 82-88.	1.6	9
308	Clinical outcomes and mortality associated with weekend admission to psychiatric hospital: implications for provision of 7 day mental health care in the National Health Service. <i>Lancet</i> , The, 2016, 387, S79.	6.3	1
309	Reporting of clinically diagnosed dementia on death certificates: retrospective cohort study. <i>Age and Ageing</i> , 2016, 45, 667-672.	0.7	55
310	Ethnicity and cardiovascular health inequalities in people with severe mental illnesses: protocol for the E-CHASM study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 627-638.	1.6	16
311	Association of asthma and anxiety: A nationwide population-based study in Taiwan. <i>Journal of Affective Disorders</i> , 2016, 189, 98-105.	2.0	35
312	Clinical predictors of antipsychotic use in children and adolescents with autism spectrum disorders: a historical open cohort study using electronic health records. <i>European Child and Adolescent Psychiatry</i> , 2016, 25, 649-658.	2.8	35
313	Factors associated with cognitive impairment in patients with newly diagnosed type 2 diabetes: a cross-sectional study. <i>Aging and Mental Health</i> , 2016, 20, 840-847.	1.5	20
314	Associations between Retinal Markers of Microvascular Disease and Cognitive Impairment in Newly Diagnosed Type 2 Diabetes Mellitus: A Case Control Study. <i>PLoS ONE</i> , 2016, 11, e0147160.	1.1	16
315	Depressive symptoms are doubled in older British South Asian and Black Caribbean people compared with Europeans: associations with excess co-morbidity and socioeconomic disadvantage. <i>Psychological Medicine</i> , 2015, 45, 1861-1871.	2.7	31
316	Associations between the schizophrenia susceptibility gene ZNF804A and clinical outcomes in psychosis. <i>Translational Psychiatry</i> , 2015, 5, e698-e698.	2.4	16
317	Negative symptoms in schizophrenia: a study in a large clinical sample of patients using a novel automated method. <i>BMJ Open</i> , 2015, 5, e007619.	0.8	77
318	Baseline characteristics, analysis plan and report on feasibility for the Prevention Of Decline in Cognition After Stroke Trial (PODCAST). <i>Trials</i> , 2015, 16, 509.	0.7	5
319	Mental disorders and mortality: so many publications, so little change. <i>Acta Psychiatrica Scandinavica</i> , 2015, 132, 410-411.	2.2	21
320	Scientific theory, the publishing crisis and the wisdom of editors. <i>Acta Psychiatrica Scandinavica</i> , 2015, 132, 427-427.	2.2	1
321	Antipsychotic use and unexpected death: a hospital-based case-control study. <i>Acta Psychiatrica Scandinavica</i> , 2015, 132, 479-488.	2.2	4
322	5-HTTLPR genotype, asthma, diabetes and late-life depression in an older French population. <i>International Journal of Geriatric Psychiatry</i> , 2015, 30, 1017-1022.	1.3	3
323	Risk Factors for Sudden Cardiac Death Among Patients with Alcohol Dependence: A Nested Case-Control Study. <i>Alcoholism: Clinical and Experimental Research</i> , 2015, 39, 1797-1804.	1.4	4
324	Statin use is associated with reduced depressive symptoms in Europeans, but increased symptoms in ethnic minorities in the UK: an observational study. <i>British Journal of Clinical Pharmacology</i> , 2015, 80, 172-173.	1.1	4

#	ARTICLE	IF	CITATIONS
325	Correlates and Escitalopram Treatment Effects on Sleep Disturbance in Patients with Acute Coronary Syndrome: K-DEPACS and EsDEPACS. <i>Sleep</i> , 2015, 38, 1105-1111.	0.6	13
326	Delays before Diagnosis and Initiation of Treatment in Patients Presenting to Mental Health Services with Bipolar Disorder. <i>PLoS ONE</i> , 2015, 10, e0126530.	1.1	63
327	Suicide and Other-Cause Mortality after Early Exposure to Smoking and Second Hand Smoking: A 12-Year Population-Based Follow-Up Study. <i>PLoS ONE</i> , 2015, 10, e0130044.	1.1	23
328	Identification of Adverse Drug Events from Free Text Electronic Patient Records and Information in a Large Mental Health Case Register. <i>PLoS ONE</i> , 2015, 10, e0134208.	1.1	62
329	PSYCHIATRIC COMORBIDITY AND EXCESS ALL-CAUSE AND CAUSE-SPECIFIC MORTALITY IN OPIOID ADDICTS. <i>Canadian Journal of Addiction</i> , 2015, 6, 36.	0.2	0
330	The characteristics and health needs of pregnant women with schizophrenia compared with bipolar disorder and affective psychoses. <i>BMC Psychiatry</i> , 2015, 15, 88.	1.1	46
331	Mood instability is a common feature of mental health disorders and is associated with poor clinical outcomes. <i>BMJ Open</i> , 2015, 5, e007504-e007504.	0.8	95
332	The Effect of Clozapine on Premature Mortality: An Assessment of Clinical Monitoring and Other Potential Confounders. <i>Schizophrenia Bulletin</i> , 2015, 41, 644-655.	2.3	105
333	Dynamics of resilience in forced migration: a 1-year follow-up study of longitudinal associations with mental health in a conflict-affected, ethnic Muslim population. <i>BMJ Open</i> , 2015, 5, e006000-e006000.	0.8	25
334	Social support and the incidence and persistence of depression between antenatal and postnatal examinations in Turkey: a cohort study. <i>BMJ Open</i> , 2015, 5, e006456-e006456.	0.8	41
335	Do antidepressants increase the risk of mania and bipolar disorder in people with depression? A retrospective electronic case register cohort study: Table A1. <i>BMJ Open</i> , 2015, 5, e008341.	0.8	64
336	Double trouble: Psychiatric comorbidity and opioid addiction—All-cause and cause-specific mortality. <i>Drug and Alcohol Dependence</i> , 2015, 148, 85-92.	1.6	69
337	Is infertility really associated with higher levels of mental distress in the female population? Results from the North-Trøndelag Health Study and the Medical Birth Registry of Norway. <i>Journal of Psychosomatic Obstetrics and Gynaecology</i> , 2015, 36, 38-45.	1.1	27
338	Effects of depression co-morbidity and treatment on quality of life in patients with acute coronary syndrome: the Korean depression in ACS (K-DEPACS) and the escitalopram for depression in ACS (EsDEPACS) study. <i>Psychological Medicine</i> , 2015, 45, 1641-1652.	2.7	16
339	Serotonergic genes and depressive disorder in acute coronary syndrome: The Korean depression in ACS (K-DEPACS) study. <i>European Neuropsychopharmacology</i> , 2015, 25, 882-888.	0.3	7
340	Developing Electronic Health Records Databases for Mental Health Research. <i>European Psychiatry</i> , 2015, 30, 147.	0.1	0
341	Predictors of depressive disorder following acute coronary syndrome: Results from K-DEPACS and EsDEPACS. <i>Journal of Affective Disorders</i> , 2015, 181, 1-8.	2.0	17
342	Predictors of mortality for people aged over 65 years receiving mental health care for delirium in a South London Mental Health Trust, UK: a retrospective survival analysis. <i>International Journal of Geriatric Psychiatry</i> , 2015, 30, 639-646.	1.3	19

#	ARTICLE	IF	CITATIONS
343	Effects of depression screening on psychiatric outcomes in patients with acute coronary syndrome: Findings from the K-DEPACS and EsDEPACS studies. <i>International Journal of Cardiology</i> , 2015, 190, 114-121.	0.8	13
344	Midlife mental distress and risk for dementia up to 27 years later: the Nord-Trøndelag Health Study (HUNT) in linkage with a dementia registry in Norway. <i>BMC Geriatrics</i> , 2015, 15, 23.	1.1	27
345	Changes in mental disorder prevalence among conflict-affected populations: a prospective study in Sri Lanka (COMRAID-R). <i>BMC Psychiatry</i> , 2015, 15, 41.	1.1	12
346	Cannabis use and treatment resistance in first episode psychosis: a natural language processing study. <i>Lancet</i> , The, 2015, 385, S79.	6.3	23
347	Associations Between Oral Health and Risk of Dementia in a 37-Year Follow-Up Study: The Prospective Population Study of Women in Gothenburg. <i>Journal of the American Geriatrics Society</i> , 2015, 63, 100-105.	1.3	49
348	BDNF methylation and depressive disorder in acute coronary syndrome: The K-DEPACS and EsDEPACS studies. <i>Psychoneuroendocrinology</i> , 2015, 62, 159-165.	1.3	33
349	Antipsychotic exposure prior to acute myocardial infarction in patients with serious mental illness. <i>Acta Psychiatrica Scandinavica</i> , 2015, 131, 213-222.	2.2	15
350	A comparison of mental state examination documentation by junior clinicians in electronic health records before and after the introduction of a semi-structured assessment template (OPCRIT+). <i>International Journal of Medical Informatics</i> , 2015, 84, 675-682.	1.6	9
351	Extracting antipsychotic polypharmacy data from electronic health records: developing and evaluating a novel process. <i>BMC Psychiatry</i> , 2015, 15, 166.	1.1	45
352	Neuropsychological and Behavioral Disturbance Correlates of Unawareness of Memory Impairment in Dementia. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2015, 28, 3-11.	1.2	11
353	Associations between Skeletal Growth in Childhood and Cognitive Function in Mid-Life in a 53-Year Prospective Birth Cohort Study. <i>PLoS ONE</i> , 2015, 10, e0124163.	1.1	11
354	Relative Risk of Acute Myocardial Infarction in People with Schizophrenia and Bipolar Disorder: A Population-Based Cohort Study. <i>PLoS ONE</i> , 2015, 10, e0134763.	1.1	24
355	Escitalopram Treatment for Depressive Disorder Following Acute Coronary Syndrome. <i>Journal of Clinical Psychiatry</i> , 2015, 76, 62-68.	1.1	62
356	Predictors of Natural and Unnatural Mortality among Patients with Personality Disorder: Evidence from a Large UK Case Register. <i>PLoS ONE</i> , 2014, 9, e100979.	1.1	43
357	Associations between risk of mortality and atypical antipsychotic use in vascular dementia: a clinical cohort study. <i>International Journal of Geriatric Psychiatry</i> , 2014, 29, 1249-1254.	1.3	31
358	Construct validity of the mini mental state examination across time in a sample with low education levels: 10-year follow-up of the Bambu-Cohort Study of Ageing. <i>International Journal of Geriatric Psychiatry</i> , 2014, 29, 1294-1303.	1.3	10
359	Genetic Predisposition to Increased Blood Cholesterol and Triglyceride Lipid Levels and Risk of Alzheimer Disease: A Mendelian Randomization Analysis. <i>PLoS Medicine</i> , 2014, 11, e1001713.	3.9	75
360	Current prevalence of dementia, depression and behavioural problems in the older adult care home sector: the South East London Care Home Survey. <i>Age and Ageing</i> , 2014, 43, 562-567.	0.7	66

#	ARTICLE	IF	CITATIONS
361	Developing a new model for patient recruitment in mental health services: a cohort study using Electronic Health Records. <i>BMJ Open</i> , 2014, 4, e005654.	0.8	34
362	Early life factors in relation to cardiovascular risk and cardiovascular disease in old age in Bergen: a Norwegian retrospective cohort study based on the Hordaland Health Study (HUSK). <i>JRSM Open</i> , 2014, 5, 205427041452793.	0.2	1
363	Reply. <i>Acta Psychiatrica Scandinavica</i> , 2014, 130, 407-408.	2.2	1
364	The big case register. <i>Acta Psychiatrica Scandinavica</i> , 2014, 130, 83-86.	2.2	19
365	Asthma and self-harm: A population-based cohort study in Taiwan. <i>Journal of Psychosomatic Research</i> , 2014, 77, 462-467.	1.2	14
366	A Prospective Study of Statin Use and Poststroke Depression. <i>Journal of Clinical Psychopharmacology</i> , 2014, 34, 72-79.	0.7	27
367	Comment: How personal is Alzheimer disease?. <i>Neurology</i> , 2014, 83, 1542-1542.	1.5	1
368	Subjective cognitive complaints across the adult life span: a 14-year analysis of trends and associations using the 1993, 2000 and 2007 English Psychiatric Morbidity Surveys. <i>Psychological Medicine</i> , 2014, 44, 1977-1987.	2.7	42
369	Personality Disorder and Self-Rated Health: A Population-Based Cross-Sectional Survey. <i>Journal of Personality Disorders</i> , 2014, 28, 319-333.	0.8	35
370	The effect of using high facilitation when implementing the Gold Standards Framework in Care Homes programme: A cluster randomised controlled trial. <i>Palliative Medicine</i> , 2014, 28, 1099-1109.	1.3	55
371	The provision of care for residents dying in UK nursing care homes. <i>Age and Ageing</i> , 2014, 43, 375-379.	0.7	70
372	Suicidal ideation in elderly Korean population: a two-year longitudinal study. <i>International Psychogeriatrics</i> , 2014, 26, 59-67.	0.6	30
373	Interactions between a serotonin transporter gene, life events and social support on suicidal ideation in Korean elders. <i>Journal of Affective Disorders</i> , 2014, 160, 14-20.	2.0	13
374	A conceptual framework for research on subjective cognitive decline in preclinical Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2014, 10, 844-852.	0.4	1,863
375	Alleles that increase risk for type 2 diabetes mellitus are not associated with increased risk for Alzheimer's disease. <i>Neurobiology of Aging</i> , 2014, 35, 2883.e3-2883.e10.	1.5	9
376	Association of asthma and bipolar disorder: A nationwide population-based study in Taiwan. <i>Journal of Affective Disorders</i> , 2014, 168, 30-36.	2.0	18
377	A systematic review of resilience and mental health outcomes of conflict-driven adult forced migrants. <i>Conflict and Health</i> , 2014, 8, 13.	1.0	160
378	Suicide completion in secondary mental healthcare: a comparison study between schizophrenia spectrum disorders and all other diagnoses. <i>BMC Psychiatry</i> , 2014, 14, 213.	1.1	16

#	ARTICLE	IF	CITATIONS
379	The impact of co-morbid personality disorder on use of psychiatric services and involuntary hospitalization in people with severe mental illness. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 1631-1640.	1.6	24
380	A cross-sectional study of antenatal depression and associated factors in Malawi. <i>Archives of Women's Mental Health</i> , 2014, 17, 145-154.	1.2	96
381	Retrospective chart review on exposure to psychotropic medications associated with neuroleptic malignant syndrome. <i>Acta Psychiatrica Scandinavica</i> , 2014, 130, 52-60.	2.2	48
382	Longitudinal associations between serum cholesterol levels and suicidal ideation in an older Korean population. <i>Journal of Affective Disorders</i> , 2014, 152-154, 517-521.	2.0	24
383	Investigation of negative symptoms in schizophrenia with a machine learning text-mining approach. <i>Lancet, The</i> , 2014, 383, S16.	6.3	13
384	A cohort study on mental disorders, stage of cancer at diagnosis and subsequent survival. <i>BMJ Open</i> , 2014, 4, e004295.	0.8	99
385	Betel Chewing and Arecoline Affects Eotaxin-1, Asthma and Lung Function. <i>PLoS ONE</i> , 2014, 9, e91889.	1.1	16
386	Mini-Mental State Examination as a Predictor of Mortality among Older People Referred to Secondary Mental Healthcare. <i>PLoS ONE</i> , 2014, 9, e105312.	1.1	21
387	Factors Associated with Response to Acetylcholinesterase Inhibition in Dementia: A Cohort Study from a Secondary Mental Health Care Case Register in London. <i>PLoS ONE</i> , 2014, 9, e109484.	1.1	58
388	Prevalence and Correlates of Problematic Internet Experiences and Computer-Using Time: A Two-Year Longitudinal Study in Korean School Children. <i>Psychiatry Investigation</i> , 2014, 11, 24.	0.7	21
389	TextHunter--A User Friendly Tool for Extracting Generic Concepts from Free Text in Clinical Research. <i>AMIA ... Annual Symposium proceedings</i> , 2014, 2014, 729-38.	0.2	25
390	Subjective memory impairment, objective cognitive functioning and social activity in French older people: Findings from the Three Cities study. <i>Geriatrics and Gerontology International</i> , 2013, 13, 139-145.	0.7	35
391	Risk and predictors of suicide and non-suicide mortality following non-fatal self-harm in Northern Taiwan. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013, 48, 1621-1627.	1.6	11
392	An investigation of factors identified at birth in relation to anxiety and depression in old age: the Hordaland Health Study (HUSK). <i>BMC Psychiatry</i> , 2013, 13, 136.	1.1	3
393	The association between social relationships and self-harm: a case-control study in Taiwan. <i>BMC Psychiatry</i> , 2013, 13, 101.	1.1	11
394	Differences in predictors of traditional and cyber-bullying: a 2-year longitudinal study in Korean school children. <i>European Child and Adolescent Psychiatry</i> , 2013, 22, 309-318.	2.8	124
395	Dementia severity and weight loss: A comparison across eight cohorts. The 10/66 study. <i>Alzheimer's and Dementia</i> , 2013, 9, 649-656.	0.4	60
396	The impact of early life factors on cognitive function in old age: The Hordaland Health Study (HUSK). <i>BMC Psychology</i> , 2013, 1, 16.	0.9	8

#	ARTICLE	IF	CITATIONS
397	Development and evaluation of a de-identification procedure for a case register sourced from mental health electronic records. <i>BMC Medical Informatics and Decision Making</i> , 2013, 13, 71.	1.5	156
398	Impact of exposure to conflict, tsunami and mental disorders on school absenteeism: findings from a national sample of Sri Lankan children aged 12-17 years. <i>BMC Public Health</i> , 2013, 13, 560.	1.2	19
399	Physical health and incident late-life depression: modification by cytokine genes. <i>Neurobiology of Aging</i> , 2013, 34, 356.e1-356.e9.	1.5	20
400	Socioeconomic disadvantage, mental disorders and risk of 12-month suicide ideation and attempt in the National Comorbidity Survey Replication (NCS-R) in US. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013, 48, 71-79.	1.6	22
401	Association of SLC6A4 methylation with early adversity, characteristics and outcomes in depression. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013, 44, 23-28.	2.5	215
402	Obsessive and Compulsive Symptoms in a National Sample of Older People: Prevalence, Comorbidity, and Associations With Cognitive Function. <i>American Journal of Geriatric Psychiatry</i> , 2013, 21, 263-271.	0.6	11
403	Reducing depression in nursing homes: so little, so late. <i>Lancet, The</i> , 2013, 381, 2227-2228.	6.3	5
404	A longitudinal study of SLC6A4 DNA promoter methylation and poststroke depression. <i>Journal of Psychiatric Research</i> , 2013, 47, 1222-1227.	1.5	63
405	Comparative validity of depression assessment scales for screening poststroke depression. <i>Journal of Affective Disorders</i> , 2013, 147, 186-191.	2.0	38
406	Response to antidepressants in major depressive disorder with melancholic features: the CRESCEND study. <i>Journal of Affective Disorders</i> , 2013, 144, 42-50.	2.0	16
407	A longitudinal study of BDNF promoter methylation and genotype with poststroke depression. <i>Journal of Affective Disorders</i> , 2013, 149, 93-99.	2.0	77
408	Influences of Personality Traits on Quality of Life after Stroke. <i>European Neurology</i> , 2013, 69, 185-192.	0.6	23
409	A one year longitudinal study of cytokine genes and depression in breast cancer. <i>Journal of Affective Disorders</i> , 2013, 148, 57-65.	2.0	41
410	Prevention of Decline in Cognition after Stroke Trial (PODCAST): a study protocol for a factorial randomised controlled trial of intensive versus guideline lowering of blood pressure and lipids. <i>Trials</i> , 2013, 14, 401.	0.7	16
411	Diagnostic Procedures, Revascularization, and Inpatient Mortality After Acute Myocardial Infarction in Patients With Schizophrenia and Bipolar Disorder. <i>Psychosomatic Medicine</i> , 2013, 75, 52-59.	1.3	44
412	Dementia and lower blood pressure in Latin America, India, and China. <i>Neurology</i> , 2013, 81, 228-235.	1.5	13
413	Cardiovascular risk factors and cognitive decline in adults aged 50 and over: a population-based cohort study. <i>Age and Ageing</i> , 2013, 42, 338-345.	0.7	136
414	Help-seeking Response to Subjective Memory Complaints in Older Adults: Toward a Conceptual Model. <i>Gerontologist, The</i> , 2013, 53, 462-473.	2.3	33



#	ARTICLE	IF	CITATIONS
415	White Matter Hyperintensities and Functional Outcomes at 2 Weeks and 1 Year after Stroke. <i>Cerebrovascular Diseases</i> , 2013, 35, 138-145.	0.8	36
416	Snus use and cardiovascular risk factors in the general population: the HUNT3 study. <i>Addiction</i> , 2013, 108, 2019-2028.	1.7	9
417	Adverse Oral Health and Cognitive Decline: The Health, Aging and Body Composition Study. <i>Journal of the American Geriatrics Society</i> , 2013, 61, 177-184.	1.3	81
418	Determinants of suicidal ideation in patients with breast cancer. <i>Psycho-Oncology</i> , 2013, 22, 2848-2856.	1.0	48
419	Participation in productive activities and depression among older Europeans: Survey of Health, Ageing and Retirement in Europe (SHARE). <i>International Journal of Geriatric Psychiatry</i> , 2013, 28, 1157-1165.	1.3	55
420	Response to Thomas Finucane. <i>Journal of the American Geriatrics Society</i> , 2013, 61, 2060-2060.	1.3	0
421	Avoidable mortality in people with schizophrenia or bipolar disorder in England. <i>Acta Psychiatrica Scandinavica</i> , 2013, 127, 195-201.	2.2	91
422	Midlife Hypertensive Status and Cognitive Function 20 Years Later: The Southall and Brent Revisited Study. <i>Journal of the American Geriatrics Society</i> , 2013, 61, 1489-1498.	1.3	32
423	Forced migration and mental health: prolonged internal displacement, return migration and resilience. <i>International Health</i> , 2013, 5, 19-23.	0.8	90
424	Anxiety and mortality risk in community-dwelling elderly people. <i>British Journal of Psychiatry</i> , 2013, 203, 303-309.	1.7	39
425	Harnessing Clinical Psychiatric Data with an Electronic Assessment Tool (OPCRIT+): The Utility of Symptom Dimensions. <i>PLoS ONE</i> , 2013, 8, e58790.	1.1	10
426	Prolonged Internal Displacement and Common Mental Disorders in Sri Lanka: The COMRAID Study. <i>PLoS ONE</i> , 2013, 8, e64742.	1.1	63
427	Evaluation of Smoking Status Identification Using Electronic Health Records and Open-Text Information in a Large Mental Health Case Register. <i>PLoS ONE</i> , 2013, 8, e74262.	1.1	69
428	Prevalences of illicit drug use in people aged 50 years and over from two surveys. <i>Age and Ageing</i> , 2012, 41, 553-556.	0.7	64
429	The Association of Dementia With Upper Arm and Waist Circumference in Seven Low- and Middle-Income Countries: The 10/66 Cross-Sectional Surveys. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2012, 67, 897-904.	1.7	13
430	Ascertaining instances of neuroleptic malignant syndrome in a secondary mental healthcare electronic medical records database: the SLAM BRC Case Register. <i>Therapeutic Advances in Psychopharmacology</i> , 2012, 2, 75-83.	1.2	10
431	Associations between $\omega$ -3 PUFA concentrations and cognitive function after recovery from late-life depression. <i>American Journal of Clinical Nutrition</i> , 2012, 95, 420-427.	2.2	42
432	Pathways to Care and Help-Seeking Experience Prior to Self-Harm. <i>The Journal of Nursing Research: JNR</i> , 2012, 20, 32-42.	0.7	19

#	ARTICLE	IF	CITATIONS
433	Subjective cognitive impairment. <i>Current Opinion in Psychiatry</i> , 2012, 25, 445-450.	3.1	120
434	Associations of cytokine gene polymorphisms with post-stroke depression. <i>World Journal of Biological Psychiatry</i> , 2012, 13, 579-587.	1.3	58
435	Clinical risk assessment rating and all-cause mortality in secondary mental healthcare: the South London and Maudsley NHS Foundation Trust Biomedical Research Centre (SLAM BRC) Case Register. <i>Psychological Medicine</i> , 2012, 42, 1581-1590.	2.7	29
436	Letter to the Editor: Well controls in case-control studies. <i>Psychological Medicine</i> , 2012, 42, 216-217.	2.7	0
437	Personality disorders, common mental disorders and receipt of disability benefits: evidence from the British National Survey of Psychiatric Morbidity. <i>Psychological Medicine</i> , 2012, 42, 2631-2640.	2.7	23
438	Anxiety disorders in older people. <i>Reviews in Clinical Gerontology</i> , 2012, 22, 204-217.	0.5	11
439	Increased Prevalence of Insomnia and Changes in Hypnotics Use in England over 15 Years: Analysis of the 1993, 2000, and 2007 National Psychiatric Morbidity Surveys. <i>Sleep</i> , 2012, 35, 377-384.	0.6	139
440	Unawareness of memory impairment in dementia: a population-based study. <i>International Psychogeriatrics</i> , 2012, 24, 931-939.	0.6	66
441	Mild Cognitive Impairment—The Continuing Challenge of its “Real-world” Detection and Diagnosis. <i>Archives of Medical Research</i> , 2012, 43, 609-614.	1.5	29
442	Anxiety symptoms and disorder predict activity limitations in the elderly. <i>Journal of Affective Disorders</i> , 2012, 141, 276-285.	2.0	40
443	Depressed mood and blood pressure: The moderating effect of situation-specific arousal levels. <i>International Journal of Psychophysiology</i> , 2012, 85, 212-223.	0.5	21
444	Associations between symptoms and all-cause mortality in individuals with serious mental illness. <i>Journal of Psychosomatic Research</i> , 2012, 72, 114-119.	1.2	23
445	Life expectancy at birth and all-cause mortality among people with personality disorder. <i>Journal of Psychosomatic Research</i> , 2012, 73, 104-107.	1.2	183
446	Relationship Between Depressive Symptoms, Anemia, and Iron Status in Older Residents From a National Survey Population. <i>Psychosomatic Medicine</i> , 2012, 74, 208-213.	1.3	72
447	P-620 - Anxiety: a risk factor for the incidence of activity limitations in the elderly. <i>European Psychiatry</i> , 2012, 27, 1.	0.1	0
448	Anthropometry of Head Circumference, Limb Length and Dementia. , 2012, , 2341-2356.		0
449	Importance of Thinking Locally for Mental Health: Data from Cross-Sectional Surveys Representing South East London and England. <i>PLoS ONE</i> , 2012, 7, e48012.	1.1	33
450	Associations of BDNF Genotype and Promoter Methylation with Acute and Long-Term Stroke Outcomes in an East Asian Cohort. <i>PLoS ONE</i> , 2012, 7, e51280.	1.1	79

#	ARTICLE	IF	CITATIONS
451	Serotonergic and BDNF Genes Associated With Depression 1 Week and 1 Year After Mastectomy for Breast Cancer. <i>Psychosomatic Medicine</i> , 2012, 74, 8-15.	1.3	25
452	Subjective memory impairment in older adults: aetiology, salience and help seeking. <i>International Journal of Geriatric Psychiatry</i> , 2012, 27, 612-620.	1.3	50
453	Associations of serotonergic genes with poststroke emotional incontinence. <i>International Journal of Geriatric Psychiatry</i> , 2012, 27, 799-806.	1.3	13
454	Weekly lottery sales volume and suicide numbers: a time series analysis on national data from Taiwan. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012, 47, 1055-1059.	1.6	7
455	Associations of polyunsaturated fatty acids with residual depression or anxiety in older people with major depression. <i>Journal of Affective Disorders</i> , 2012, 136, 918-925.	2.0	30
456	Serotonergic and BDNF genes and risk of depression after stroke. <i>Journal of Affective Disorders</i> , 2012, 136, 833-840.	2.0	60
457	Impact of perinatal somatic and common mental disorder symptoms on functioning in Ethiopian women: The P-MaMiE population-based cohort study. <i>Journal of Affective Disorders</i> , 2012, 136, 340-349.	2.0	62
458	The effectiveness of community day-long CBT workshops for participants with insomnia symptoms: a randomised controlled trial. <i>Journal of Sleep Research</i> , 2012, 21, 270-280.	1.7	44
459	Predictors of depression in Korean breast cancer patients: A one-year longitudinal study. <i>Asia-Pacific Psychiatry</i> , 2012, 4, 250-257.	1.2	3
460	Anxiety and depression symptoms in arterial hypertension: the influence of antihypertensive treatment. The HUNT study, Norway. <i>European Journal of Epidemiology</i> , 2012, 27, 63-72.	2.5	42
461	Prevalence, Distribution, and Impact of Mild Cognitive Impairment in Latin America, China, and India: A 10/66 Population-Based Study. <i>PLoS Medicine</i> , 2012, 9, e1001170.	3.9	143
462	Functional Status and All-Cause Mortality in Serious Mental Illness. <i>PLoS ONE</i> , 2012, 7, e44613.	1.1	52
463	Associations between substance use disorder sub-groups, life expectancy and all-cause mortality in a large British specialist mental healthcare service. <i>Drug and Alcohol Dependence</i> , 2011, 118, 56-61.	1.6	64
464	Physical comorbidity and 12-week treatment outcomes in Korean patients with depressive disorders: The CRESCEND study. <i>Journal of Psychosomatic Research</i> , 2011, 71, 311-318.	1.2	12
465	Cholesterol and serotonin transporter polymorphism interactions in late-life depression. <i>Neurobiology of Aging</i> , 2011, 32, 336-343.	1.5	26
466	Role of BDNF val66met polymorphism on the association between physical activity and incident dementia. <i>Neurobiology of Aging</i> , 2011, 32, 551.e5-551.e12.	1.5	41
467	Gender differences in 12-week antidepressant treatment outcomes for a naturalistic secondary care cohort: The CRESCEND study. <i>Psychiatry Research</i> , 2011, 189, 82-90.	1.7	29
468	Associations between IQ and common mental disorders: The 2000 British National Survey of Psychiatric Morbidity. <i>European Psychiatry</i> , 2011, 26, 390-395.	0.1	20

#	ARTICLE	IF	CITATIONS
469	Trajectories of cognitive decline over 10 years in a Brazilian elderly population: the BambuÃ-cohort study of aging. <i>Cadernos De Saude Publica</i> , 2011, 27, s345-s350.	0.4	22
470	Life Expectancy at Birth for People with Serious Mental Illness and Other Major Disorders from a Secondary Mental Health Care Case Register in London. <i>PLoS ONE</i> , 2011, 6, e19590.	1.1	525
471	Mortality after hospital discharge for people with schizophrenia or bipolar disorder: retrospective study of linked English hospital episode statistics, 1999-2006. <i>BMJ: British Medical Journal</i> , 2011, 343, d5422-d5422.	2.4	179
472	P2-37 Association between sleep duration and all-cause mortality in old age: 9-year follow-up of the Bambui Cohort Study, Brazil. <i>Journal of Epidemiology and Community Health</i> , 2011, 65, A229-A230.	2.0	2
473	Insomnia Subtypes and Their Relationship to Excessive Daytime Sleepiness in Brazilian Community-Dwelling Older Adults. <i>Sleep</i> , 2011, 34, 1111-1117.	0.6	10
474	Relationship Between a History of a Suicide Attempt and Treatment Outcomes in Patients With Depression. <i>Journal of Clinical Psychopharmacology</i> , 2011, 31, 449-456.	0.7	46
475	Leg length, skull circumference, and the prevalence of dementia in low and middle income countries: a 10/66 population-based cross sectional survey. <i>International Psychogeriatrics</i> , 2011, 23, 202-213.	0.6	12
476	Could reverse causality or selective mortality explain associations between leg length, skull circumference and dementia? A South Indian cohort study. <i>International Psychogeriatrics</i> , 2011, 23, 328-330.	0.6	5
477	Mortality and suicide after self-harm: community cohort study in Taiwan. <i>British Journal of Psychiatry</i> , 2011, 198, 31-36.	1.7	62
478	OPCRIT+: an electronic system for psychiatric diagnosis and data collection in clinical and research settings. <i>British Journal of Psychiatry</i> , 2011, 199, 151-155.	1.7	48
479	Association between sleep duration and all-cause mortality in old age: 9-year follow-up of the BambuÃ-Cohort Study, Brazil. <i>Journal of Sleep Research</i> , 2011, 20, 303-310.	1.7	50
480	Improvement within 2weeks and later treatment outcomes in patients with depressive disorders: The CRESCEND study. <i>Journal of Affective Disorders</i> , 2011, 129, 183-190.	2.0	43
481	Stressful events, stress perception and treatment outcomes in patients with depressive disorders: The CRESCEND study. <i>Journal of Affective Disorders</i> , 2011, 133, 528-536.	2.0	14
482	The impact of quality and quantity of social support on help-seeking behavior prior to deliberate self-harm. <i>General Hospital Psychiatry</i> , 2011, 33, 37-44.	1.2	33
483	Social support and antenatal depression in extended and nuclear family environments in Turkey: a cross-sectional survey. <i>BMC Psychiatry</i> , 2011, 11, 48.	1.1	67
484	Identifying socio-demographic and socioeconomic determinants of health inequalities in a diverse London community: the South East London Community Health (SELCoH) study. <i>BMC Public Health</i> , 2011, 11, 861.	1.2	92
485	Temporal orientation in a national community sample of older people. <i>International Journal of Geriatric Psychiatry</i> , 2011, 26, 144-149.	1.3	3
486	Adverse childhood environment and late-life cognitive functioning. <i>International Journal of Geriatric Psychiatry</i> , 2011, 26, 503-510.	1.3	90

#	ARTICLE	IF	CITATIONS
487	Happiness across age groups: results from the 2007 National Psychiatric Morbidity Survey. <i>International Journal of Geriatric Psychiatry</i> , 2011, 26, 608-614.	1.3	37
488	Synergistic associations of depression and apolipoprotein E genotype with incidence of dementia. <i>International Journal of Geriatric Psychiatry</i> , 2011, 26, 893-898.	1.3	29
489	Predictors of 12-week remission in a nationwide cohort of people with depressive disorders: the CRESCEND study. <i>Human Psychopharmacology</i> , 2011, 26, 41-50.	0.7	34
490	Longitudinal neuroimaging correlates of subjective memory impairment: 4-year prospective community study. <i>British Journal of Psychiatry</i> , 2011, 198, 199-205.	1.7	147
491	Association of delirium post-stroke with early and late mortality. <i>Age and Ageing</i> , 2011, 40, 271-274.	0.7	13
492	Have we forgotten about dementia in care homes? The importance of maintaining survey research in this sector. <i>Age and Ageing</i> , 2011, 40, 5-6.	0.7	8
493	Mental and personality disorders and abstinence from alcohol: results from a national household survey. <i>Psychological Medicine</i> , 2011, 41, 809-818.	2.7	14
494	Caregiver Burden and Quality of Life of Older Persons With Stroke. <i>Journal of Applied Gerontology</i> , 2011, 30, 643-654.	1.0	21
495	Neuropathological correlates of late-life depression in older people. <i>British Journal of Psychiatry</i> , 2011, 198, 109-114.	1.7	155
496	The Role of n-3 Long Chain Polyunsaturated Fatty Acids in Cognitive Function. , 2011, , 23-38.		0
497	Incidence and persistence of sleep complaints in a community older population. <i>International Journal of Geriatric Psychiatry</i> , 2010, 25, 37-45.	1.3	42
498	Neurological signs and late-life depressive symptoms in a community population: the ESPRIT study. <i>International Journal of Geriatric Psychiatry</i> , 2010, 25, 672-678.	1.3	6
499	Social phobia in late-life: is it worth a diagnosis?. <i>Acta Psychiatrica Scandinavica</i> , 2010, 122, 1-3.	2.2	1
500	Relationship Between Vitamin D Levels and Depressive Symptoms in Older Residents From a National Survey Population. <i>Psychosomatic Medicine</i> , 2010, 72, 608-612.	1.3	96
501	Non-fatal repetition of self-harm: population-based prospective cohort study in Taiwan. <i>British Journal of Psychiatry</i> , 2010, 196, 31-35.	1.7	29
502	The treatment of common mental disorders across age groups: Results from the 2007 adult psychiatric morbidity survey. <i>Journal of Affective Disorders</i> , 2010, 127, 96-101.	2.0	48
503	An investigation of associations between alcohol use disorder and polymorphisms on <i>ALDH2</i> , <i>BDNF</i> , <i>HTTLPR</i> , and <i>MTHFR</i> genes in older Korean men. <i>International Journal of Geriatric Psychiatry</i> , 2010, 25, 441-448.	1.3	31
504	General health status and vascular disorders as correlates of late-life depressive symptoms in a national survey sample. <i>International Journal of Geriatric Psychiatry</i> , 2010, 25, 483-488.	1.3	6

#	ARTICLE	IF	CITATIONS
505	Moroccan national study on prevalence of mental disorders: a community-based epidemiological study. <i>Acta Psychiatrica Scandinavica</i> , 2010, 121, 71-74.	2.2	45
506	Impairment, disability, social support and depression among older parents in rural Thailand. <i>Psychological Medicine</i> , 2010, 40, 1711-1721.	2.7	44
507	All-cause mortality among people with serious mental illness (SMI), substance use disorders, and depressive disorders in southeast London: a cohort study. <i>BMC Psychiatry</i> , 2010, 10, 77.	1.1	206
508	Asthma and Suicide Mortality in Young People: A 12-Year Follow-Up Study. <i>American Journal of Psychiatry</i> , 2010, 167, 1092-1099.	4.0	82
509	Gender and Genotype Modulation of the Association Between Lipid Levels and Depressive Symptomatology in Community-Dwelling Elderly (The ESPRIT Study). <i>Biological Psychiatry</i> , 2010, 68, 125-132.	0.7	72
510	Resilience and mental health. <i>Clinical Psychology Review</i> , 2010, 30, 479-495.	6.0	823
511	5-HTTLPR genotype, stressful life events and late-life depression: No evidence of interaction in a French population. <i>Neurobiology of Aging</i> , 2010, 31, 886-887.	1.5	28
512	Thyroid Stimulating Hormone, Cognitive Impairment and Depression in an Older Korean Population. <i>Psychiatry Investigation</i> , 2010, 7, 264.	0.7	28
513	The psychiatric case register: noble past, challenging present, but exciting future. <i>British Journal of Psychiatry</i> , 2009, 195, 191-193.	1.7	36
514	Mouths and brains. Could oral infection be a risk factor for dementia?. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2009, 80, 1184-1184.	0.9	4
515	Modelling complex pathways between late-life depression and disability: evidence for mediating and moderating factors. <i>Psychological Medicine</i> , 2009, 39, 1587.	2.7	17
516	Levels of anxiety and depression as predictors of mortality: the HUNT study. <i>British Journal of Psychiatry</i> , 2009, 195, 118-125.	1.7	235
517	Physical activity improves cognitive function in people with memory impairment. <i>Evidence-Based Mental Health</i> , 2009, 12, 57-57.	2.2	1
518	The course of delirium in acute stroke. <i>Age and Ageing</i> , 2009, 38, 385-389.	0.7	82
519	Change in Blood Pressure and Incident Dementia. <i>Hypertension</i> , 2009, 54, 233-240.	1.3	180
520	Population normative data for the 10/66 Dementia Research Group cognitive test battery from Latin America, India and China: a cross-sectional survey. <i>BMC Neurology</i> , 2009, 9, 48.	0.8	85
521	Cognitive function and common mental disorders in older people with vascular and non-vascular disorders: a national survey. <i>International Journal of Geriatric Psychiatry</i> , 2009, 24, 701-708.	1.3	5
522	The evaluation of delirium post-stroke. <i>International Journal of Geriatric Psychiatry</i> , 2009, 24, 1251-1256.	1.3	23

#	ARTICLE	IF	CITATIONS
523	The influence of limitation in activity of daily living and physical health on suicidal ideation: results from a population survey of Great Britain. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009, 44, 608-613.	1.6	51
524	A community-based study of case fatality proportion among those who carry out suicide acts. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009, 44, 1005-1011.	1.6	32
525	The South London and Maudsley NHS Foundation Trust Biomedical Research Centre (SLAM BRC) case register: development and descriptive data. <i>BMC Psychiatry</i> , 2009, 9, 51.	1.1	367
526	Subjective Memory Deficits in People with and without Dementia: Findings from the 10/66 Dementia Research Group Pilot Studies in Low- and Middle-income Countries. <i>Journal of the American Geriatrics Society</i> , 2009, 57, 2118-2124.	1.3	12
527	Association Between Magnesium Intake and Depression and Anxiety in Community-Dwelling Adults: The Hordaland Health Study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2009, 43, 45-52.	1.3	116
528	Social Activity and Improvement in Depressive Symptoms in Older People: A Prospective Community Cohort Study. <i>American Journal of Geriatric Psychiatry</i> , 2009, 17, 688-696.	0.6	83
529	Dimensions Underlying the Mini-Mental State Examination in a Sample With Low-Education Levels: The Bambu-Health and Aging Study. <i>American Journal of Geriatric Psychiatry</i> , 2009, 17, 863-872.	0.6	29
530	Modification by Two Genes of Associations Between General Somatic Health and Incident Depressive Syndrome in Older People. <i>Psychosomatic Medicine</i> , 2009, 71, 286-291.	1.3	25
531	Mental capacity assessments among general hospital inpatients referred to a specialist liaison psychiatry service for older people. <i>International Psychogeriatrics</i> , 2009, 21, 729-737.	0.6	7
532	Insomnia, Depression, and Physical Disorders in Late Life: A 2-year Longitudinal Community Study in Koreans. <i>Sleep</i> , 2009, 32, 1221-1228.	0.6	104
533	Pesticide exposure and suicidal ideation in rural communities in Zhejiang Province, China. <i>Bulletin of the World Health Organization</i> , 2009, 87, 745-753.	1.5	59
534	Association of Adverse Childhood Environment and 5-HTTLPR Genotype With Late-Life Depression. <i>Journal of Clinical Psychiatry</i> , 2009, 70, 1281-1288.	1.1	103
535	Ascertaining late-life depressive symptoms in Europe: an evaluation of the survey version of the EURO-D scale in 10 nations. The SHARE project. <i>International Journal of Methods in Psychiatric Research</i> , 2008, 17, 12-29.	1.1	125
536	Associations between head circumference, leg length and dementia in a Korean population. <i>International Journal of Geriatric Psychiatry</i> , 2008, 23, 41-48.	1.3	44
537	Methylenetetrahydrofolate reductase gene and risk of Alzheimer's disease in Koreans. <i>International Journal of Geriatric Psychiatry</i> , 2008, 23, 454-459.	1.3	27
538	The 10/66 Dementia Research Group's fully operationalised DSM-IV dementia computerized diagnostic algorithm, compared with the 10/66 dementia algorithm and a clinician diagnosis: a population validation study. <i>BMC Public Health</i> , 2008, 8, 219.	1.2	108
539	Alzheimer's disease and vascular dementia in developing countries: prevalence, management, and risk factors. <i>Lancet Neurology</i> , The, 2008, 7, 812-826.	4.9	960
540	The epidemiology of chronic fatigue, physical illness, and symptoms of common mental disorders: A cross-sectional survey from the second British National Survey of Psychiatric Morbidity. <i>Journal of Psychosomatic Research</i> , 2008, 64, 357-362.	1.2	62

#	ARTICLE	IF	CITATIONS
541	BDNF genotype potentially modifying the association between incident stroke and depression. <i>Neurobiology of Aging</i> , 2008, 29, 789-792.	1.5	59
542	The effects of omega-3 fatty acids monotherapy in Alzheimer's disease and mild cognitive impairment: A preliminary randomized double-blind placebo-controlled study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008, 32, 1538-1544.	2.5	313
543	Smoking in relation to anxiety and depression: Evidence from a large population survey: The HUNT study. <i>European Psychiatry</i> , 2008, 23, 77-84.	0.1	177
544	Changes in folate, vitamin B12 and homocysteine associated with incident dementia. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2008, 79, 864-868.	0.9	71
545	Neuroimaging correlates of subjective memory deficits in a community population. <i>Neurology</i> , 2008, 70, 1601-1607.	1.5	104
546	Predictive value of folate, vitamin B <sub>12</sub> and homocysteine levels in late-life depression. <i>British Journal of Psychiatry</i> , 2008, 192, 268-274.	1.7	198
547	Public health significance of mixed anxiety and depression: beyond current classification. <i>British Journal of Psychiatry</i> , 2008, 192, 171-177.	1.7	174
548	Late-life depression and mortality: influence of gender and antidepressant use. <i>British Journal of Psychiatry</i> , 2008, 192, 12-18.	1.7	86
549	Oral Health and Cognitive Function in the Third National Health and Nutrition Examination Survey (NHANES III). <i>Psychosomatic Medicine</i> , 2008, 70, 936-941.	1.3	108
550	A Comparison of Insomnia and Depression as Predictors of Disability Pension: The HUNT Study. <i>Sleep</i> , 2008, 31, 875-880.	0.6	73
551	El tabaquismo relacionado con la ansiedad y la depresi3n: evidencias de una encuesta de poblaci3n: estudio HUNT. <i>European Psychiatry (Ed Espa3ola)</i> , 2008, 15, 237-245.	0.0	0
552	Delirium post-stroke. <i>Age and Ageing</i> , 2007, 36, 613-618.	0.7	104
553	Prevalence of depressive symptoms and syndromes in later life in ten European countries. <i>British Journal of Psychiatry</i> , 2007, 191, 393-401.	1.7	215
554	Twenty-six-Year Change in Total Cholesterol Levels and Incident Dementia. <i>Archives of Neurology</i> , 2007, 64, 103.	4.9	169
555	Safeguarding the rights of patients who lack capacity in general hospitals. Do the Bournemouth proposals for England and Wales help or hinder?. <i>Age and Ageing</i> , 2007, 36, 120-121.	0.7	2
556	Anxiety, Depression, and Cause-Specific Mortality: The HUNT Study. <i>Psychosomatic Medicine</i> , 2007, 69, 323-331.	1.3	231
557	Diabetes, Common Mental Disorders, and Disability: Findings From the UK National Psychiatric Morbidity Survey. <i>Psychosomatic Medicine</i> , 2007, 69, 543-550.	1.3	144
558	The spectrum of suicidal ideation in Great Britain: comparisons across a 16-74 years age range. <i>Psychological Medicine</i> , 2007, 37, 795-805.	2.7	54



#	ARTICLE	IF	CITATIONS
559	Bias in psychiatric case-control studies. <i>British Journal of Psychiatry</i> , 2007, 190, 204-209.	1.7	85
560	Interactions Between Life Stressors and Susceptibility Genes (5-HTTLPR and BDNF) on Depression in Korean Elders. <i>Biological Psychiatry</i> , 2007, 62, 423-428.	0.7	252
561	Dental health, nutritional status and recent-onset dementia in a Korean community population. <i>International Journal of Geriatric Psychiatry</i> , 2007, 22, 850-855.	1.3	118
562	Markers of inflammation and cognitive decline in an African-Caribbean population. <i>International Journal of Geriatric Psychiatry</i> , 2007, 22, 966-973.	1.3	49
563	Dental Health and Cognitive Impairment in an English National Survey Population. <i>Journal of the American Geriatrics Society</i> , 2007, 55, 1410-1414.	1.3	72
564	The protocols for the 10/66 dementia research group population-based research programme. <i>BMC Public Health</i> , 2007, 7, 165.	1.2	298
565	Age variation in life events and their relationship with common mental disorders in a national survey population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007, 42, 611-616.	1.6	51
566	Personality Disorder and Cardiovascular Disease. <i>Journal of Clinical Psychiatry</i> , 2007, 68, 69-74.	1.1	115
567	Screening for mental disorders in leprosy patients: comparing the internal consistency and screening properties of HADS and GHQ-12. <i>Leprosy Review</i> , 2007, 78, 231-242.	0.1	11
568	A Prospective Study of Changes in Subjective Memory Complaints and Onset of Dementia in South Korea. <i>American Journal of Geriatric Psychiatry</i> , 2006, 14, 949-956.	0.6	37
569	Hypertension and depression in late life. <i>British Journal of Psychiatry</i> , 2006, 188, 85-85.	1.7	2
570	Adult Neurology, 2nd edition Editors: J. COREY-BLOOM AND R. B. DAVID Oxford: Blackwell Publishing, 2005, £69.50. Hardback, 435 pp. ISBN: 1 4051 1766 4. <i>International Psychogeriatrics</i> , 2006, 18, 765-766.	0.6	0
571	Insomnia Comorbidity and Impact and Hypnotic Use by Age Group in a National Survey Population Aged 16 to 74 Years. <i>Sleep</i> , 2006, 29, 1391-1397.	0.6	221
572	Worry content across the lifespan: an analysis of 16- to 74-year-old participants in the British National Survey of Psychiatric Morbidity 2000. <i>Psychological Medicine</i> , 2006, 36, 1625-1633.	2.7	47
573	Outcome of major depression in Ethiopia. <i>British Journal of Psychiatry</i> , 2006, 189, 241-246.	1.7	107
574	Vascular risk factors and incident late-life depression in a Korean population. <i>British Journal of Psychiatry</i> , 2006, 189, 26-30.	1.7	75
575	Does Social Activity Influence the Accuracy of Subjective Memory Deficit? Findings from a British Community Survey. <i>Journal of the American Geriatrics Society</i> , 2006, 54, 1108-1113.	1.3	34
576	Leg length, cognitive impairment and cognitive decline in an African-Caribbean population. <i>International Journal of Geriatric Psychiatry</i> , 2006, 21, 266-272.	1.3	36

#	ARTICLE	IF	CITATIONS
577	Male gender influences response to an educational package for delirium prevention among older people: a stratified analysis. <i>International Journal of Geriatric Psychiatry</i> , 2006, 21, 493-497.	1.3	8
578	Correlates of caregiver burden for Korean elders according to cognitive and functional status. <i>International Journal of Geriatric Psychiatry</i> , 2006, 21, 853-861.	1.3	31
579	Exploring the Ethnic Density Effect: A Qualitative Study of a London Electoral Ward. <i>International Journal of Social Psychiatry</i> , 2006, 52, 376-391.	1.6	55
580	Mental health legislation and decision making capacity: Autonomy in Alzheimer's disease is ignored and neglected. <i>BMJ: British Medical Journal</i> , 2006, 332, 118.3-119.	2.4	7
581	Physical health, depression and cognitive function as correlates of disability in an older Korean population. <i>International Journal of Geriatric Psychiatry</i> , 2005, 20, 160-167.	1.3	92
582	Migrant status, age, gender and social isolation in very late-onset schizophrenia-like psychosis. <i>International Journal of Geriatric Psychiatry</i> , 2005, 20, 1046-1051.	1.3	23
583	Mitochondrial aldehyde dehydrogenase polymorphism is not associated with incidence of Alzheimer's disease. <i>International Journal of Geriatric Psychiatry</i> , 2005, 20, 1075-1080.	1.3	22
584	The validity of the Parental Bonding Instrument as a measure of maternal bonding among young Pakistani women. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005, 40, 276-282.	1.6	40
585	Mental capacity assessments and discharge decisions. <i>Age and Ageing</i> , 2005, 34, 549-550.	0.7	21
586	A 32-Year Prospective Study of Change in Body Weight and Incident Dementia. <i>Archives of Neurology</i> , 2005, 62, 55.	4.9	453
587	Vascular disease/risk and late-life depression in a Korean community population. <i>British Journal of Psychiatry</i> , 2004, 185, 102-107.	1.7	55
588	Depressive symptoms and cognitive decline--disentangling the effect of affect. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2004, 75, 5-5.	0.9	8
589	Angiotensin Receptor Blockade With Candesartan Attenuates Atherosclerosis, Plaque Disruption, and Macrophage Accumulation Within the Plaque in a Rabbit Model. <i>Circulation</i> , 2004, 110, 2060-2065.	1.6	55
590	Review: in older people, decline of cognitive function is more likely than improvement, but rate of change is very variable. <i>Evidence-Based Mental Health</i> , 2004, 7, 92-92.	2.2	0
591	The effect of ethnicity and gender on first-contact rates for schizophrenia-like psychosis in Bangladeshi, Black and White elders in Tower Hamlets, London. <i>International Journal of Geriatric Psychiatry</i> , 2004, 19, 286-290.	1.3	20
592	Lifetime urban/rural residence, social support and late-life depression in Korea. <i>International Journal of Geriatric Psychiatry</i> , 2004, 19, 843-851.	1.3	59
593	ACE genotype and cognitive decline in an African-Caribbean population. <i>Neurobiology of Aging</i> , 2004, 25, 1369-1375.	1.5	18
594	Assessment of association between mitochondrial aldehyde dehydrogenase polymorphism and Alzheimer's disease in an older Korean population. <i>Neurobiology of Aging</i> , 2004, 25, 295-301.	1.5	50

#	ARTICLE	IF	CITATIONS
595	Diagnosing dementia in a developing nation: an evaluation of the GMSâ€AGECAT algorithm in an older Korean population. <i>International Journal of Geriatric Psychiatry</i> , 2003, 18, 331-336.	1.3	35
596	Age, Vascular Risk, and Cognitive Decline in an Older, British, African-Caribbean Population. <i>Journal of the American Geriatrics Society</i> , 2003, 51, 1547-1553.	1.3	39
597	Limb length and dementia in an older Korean population. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2003, 74, 427-432.	0.9	76
598	Education and the Association Between Vascular Risk Factors and Cognitive Function: A Cross-Sectional Study in Older Koreans With Cognitive Impairment. <i>International Psychogeriatrics</i> , 2003, 15, 27-36.	0.6	42
599	Are Black Caribbean Patients More Likely to Receive an Incorrect Diagnosis of Very-Late-Onset Schizophrenia-Like Psychosis Than Their White British Counterparts?. <i>American Journal of Geriatric Psychiatry</i> , 2003, 11, 674-677.	0.6	9
600	Subjective Memory Impairment, Cognitive Function and Depression â€“ A Community Study in Older Koreans. <i>Dementia and Geriatric Cognitive Disorders</i> , 2003, 15, 218-225.	0.7	62
601	A 30-Year Prospective Analysis of Change in Body Weight and Incident Dementia. <i>Clinical Science</i> , 2003, 104, 39P-39P.	0.0	0
602	Are Black Caribbean patients more likely to receive an incorrect diagnosis of very-late-onset schizophrenia-like psychosis than their white British counterparts?. <i>American Journal of Geriatric Psychiatry</i> , 2003, 11, 674-7.	0.6	5
603	Vascular dementia: A diagnosis running out of time. <i>British Journal of Psychiatry</i> , 2002, 180, 152-156.	1.7	39
604	Surveying older people from minority ethnic groups: an evaluation of a primary care sampling method for UK African-Caribbean elders. <i>International Journal of Methods in Psychiatric Research</i> , 2002, 11, 178-183.	1.1	3
605	Service contact and psychopathology in very-late-onset schizophrenia-like psychosis: the effects of gender and ethnicity. <i>International Journal of Geriatric Psychiatry</i> , 2002, 17, 473-479.	1.3	25
606	Previous stroke but not vascular risk factors are associated with depression in a cognitively impaired older Korean population. <i>International Journal of Geriatric Psychiatry</i> , 2002, 17, 453-458.	1.3	16
607	Prevalence and correlates of late-life depression compared between urban and rural populations in Korea. <i>International Journal of Geriatric Psychiatry</i> , 2002, 17, 409-415.	1.3	66
608	Alcoholism in older Korean men: prevalence, aetiology, and comorbidity with cognitive impairment and dementia in urban and rural communities. <i>International Journal of Geriatric Psychiatry</i> , 2002, 17, 821-827.	1.3	22
609	The distribution of Mini-Mental State Examination scores in an older UK African-Caribbean population compared to MRC CFA study norms. <i>International Journal of Geriatric Psychiatry</i> , 2002, 17, 745-751.	1.3	35
610	Quality of accommodation and risk of depression in later life: An analysis of prospective data from the Gospel Oak Project. <i>International Journal of Geriatric Psychiatry</i> , 2002, 17, 1091-1098.	1.3	19
611	Plasma Homocysteine and Cognitive Impairment in an Older British Africanâ€Caribbean Population. <i>Journal of the American Geriatrics Society</i> , 2002, 50, 1227-1232.	1.3	44
612	Low cholesterol, cognitive function and Alzheimer s disease in a community population with cognitive impairment. <i>Journal of Nutrition, Health and Aging</i> , 2002, 6, 320-3.	1.5	14

#	ARTICLE	IF	CITATIONS
613	Applications of cholinesterase inhibitors. <i>Lancet, The</i> , 2001, 358, 73-74.	6.3	1
614	Neuroimaging in dementia and depression. <i>Current Opinion in Psychiatry</i> , 2001, 14, 371-375.	3.1	2
615	Increased first-contact rates for very-late-onset schizophrenia-like psychosis in African and Caribbean-born elders. <i>British Journal of Psychiatry</i> , 2001, 179, 172-174.	1.7	47
616	Stroke, vascular risk factors and depression. <i>British Journal of Psychiatry</i> , 2001, 178, 23-28.	1.7	70
617	Vascular Risk and Cognitive Impairment in an Older, British, African-Caribbean Population. <i>Journal of the American Geriatrics Society</i> , 2001, 49, 263-269.	1.3	54
618	Cognitive function in UK community-dwelling African Caribbean elders: normative data for a test battery. <i>International Journal of Geriatric Psychiatry</i> , 2001, 16, 518-527.	1.3	48
619	Cerebral white matter lesions and subjective cognitive dysfunction: The Rotterdam Scan Study. <i>Neurology</i> , 2001, 57, 2149-2149.	1.5	7
620	Apolipoprotein E Genotype, Vascular Risk and Early Cognitive Impairment in an African Caribbean Population. <i>Dementia and Geriatric Cognitive Disorders</i> , 2001, 12, 251-256.	0.7	22
621	In Vivo Magnetic Resonance Imaging of Experimental Thrombosis in a Rabbit Model. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2001, 21, 1556-1560.	1.1	79
622	NICE guidelines and the treatment of Alzheimer's disease: evidence-based medicine may be discriminatory. <i>British Journal of Psychiatry</i> , 2001, 179, 367-367.	1.7	2
623	Low blood pressure and depression in the elderly. <i>British Journal of Psychiatry</i> , 2000, 177, 181-182.	1.7	4
624	Hypertension and cognitive decline. <i>British Journal of Psychiatry</i> , 1999, 174, 286-287.	1.7	15
625	Type 2 diabetes mellitus, cognitive impairment and dementia. <i>Diabetic Medicine</i> , 1999, 16, 93-112.	1.2	518
626	Vascular Risk Factors and Alzheimer's Disease. <i>Australian and New Zealand Journal of Psychiatry</i> , 1999, 33, 809-813.	1.3	21
627	Longer staying patients on an acute old age psychiatric unit - characteristics and outcome. <i>Age and Ageing</i> , 1997, 26, 237-237.	0.7	1
628	Mortality after hospital discharge for people with schizophrenia or bipolar disorder: retrospective study of linked English hospital episode statistics, 1999-2006. , 0, .		1