

Steven A Porcelli

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4522245/publications.pdf>

Version: 2024-02-01

96
papers

5,362
citations

101543

36
h-index

85541

71
g-index

98
all docs

98
docs citations

98
times ranked

5441
citing authors

#	ARTICLE	IF	CITATIONS
1	Murine CD1d-Restricted T Cell Recognition of Cellular Lipids. <i>Immunity</i> , 2000, 12, 211-221.	14.3	445
2	Modulation of CD1d-restricted NKT cell responses by using N-acyl variants of β -galactosylceramides. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 3383-3388.	7.1	308
3	Mycobacteria release active membrane vesicles that modulate immune responses in a TLR2-dependent manner in mice. <i>Journal of Clinical Investigation</i> , 2011, 121, 1471-1483.	8.2	300
4	Mycobacterium tuberculosis nuoG Is a Virulence Gene That Inhibits Apoptosis of Infected Host Cells. <i>PLoS Pathogens</i> , 2007, 3, e110.	4.7	267
5	Enhanced priming of adaptive immunity by a proapoptotic mutant of Mycobacterium tuberculosis. <i>Journal of Clinical Investigation</i> , 2007, 117, 2279-2288.	8.2	259
6	A recombinant Mycobacterium smegmatis induces potent bactericidal immunity against Mycobacterium tuberculosis. <i>Nature Medicine</i> , 2011, 17, 1261-1268.	30.7	192
7	A Subset of Liver NK T Cells Is Activated during Leishmania donovani Infection by CD1d-bound Lipophosphoglycan. <i>Journal of Experimental Medicine</i> , 2004, 200, 895-904.	8.5	191
8	Kinetics and Cellular Site of Glycolipid Loading Control the Outcome of Natural Killer T Cell Activation. <i>Immunity</i> , 2009, 30, 888-898.	14.3	159
9	Lipid length controls antigen entry into endosomal and nonendosomal pathways for CD1b presentation. <i>Nature Immunology</i> , 2002, 3, 435-442.	14.5	146
10	Suppression of autophagy and antigen presentation by Mycobacterium tuberculosis PE_PGRS47. <i>Nature Microbiology</i> , 2016, 1, 16133.	13.3	133
11	The diverse functions of CD1d-restricted NKT cells and their potential for immunotherapy. <i>Immunology Letters</i> , 2005, 100, 42-55.	2.5	119
12	Recognition of β -linked self glycolipids mediated by natural killer T cell antigen receptors. <i>Nature Immunology</i> , 2011, 12, 827-833.	14.5	111
13	Lipid and glycolipid antigens of CD1d-restricted natural killer T cells. <i>Seminars in Immunology</i> , 2010, 22, 68-78.	5.6	110
14	Mechanisms for Glycolipid Antigen-Driven Cytokine Polarization by β -14 NKT Cells. <i>Journal of Immunology</i> , 2010, 184, 141-153.	0.8	108
15	A Molecular Basis for the Exquisite CD1d-Restricted Antigen Specificity and Functional Responses of Natural Killer T Cells. <i>Immunity</i> , 2011, 34, 327-339.	14.3	107
16	Enrichment of Human CD4+ β 24/ β 211 Invariant NKT Cells in Intrahepatic Malignant Tumors. <i>Journal of Immunology</i> , 2009, 182, 5140-5151.	0.8	103
17	Invariant NKT Cells Biased for IL-5 Production Act as Crucial Regulators of Inflammation. <i>Journal of Immunology</i> , 2007, 179, 3452-3462.	0.8	98
18	Mycolic Acid Modification by the mmaA4 Gene of M. tuberculosis Modulates IL-12 Production. <i>PLoS Pathogens</i> , 2008, 4, e1000081.	4.7	92

#	ARTICLE	IF	CITATIONS
19	Human Cd1b and Cd1c Isoforms Survey Different Intracellular Compartments for the Presentation of Microbial Lipid Antigens. <i>Journal of Experimental Medicine</i> , 2000, 192, 281-288.	8.5	90
20	The T cell antigen receptor expressed by V α 14i NKT cells has a unique mode of glycosphingolipid antigen recognition. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 12254-12259.	7.1	90
21	A Single Subset of Dendritic Cells Controls the Cytokine Bias of Natural Killer T Cell Responses to Diverse Glycolipid Antigens. <i>Immunity</i> , 2014, 40, 105-116.	14.3	90
22	Synthesis and Evaluation of Sphinganine Analogues of KRN7000 and OCH. <i>Journal of Organic Chemistry</i> , 2005, 70, 10260-10270.	3.2	87
23	Improved Outcomes in NOD Mice Treated with a Novel Th2 Cytokine-Biasing NKT Cell Activator. <i>Journal of Immunology</i> , 2007, 178, 1415-1425.	0.8	81
24	Incorporation of NKT Cell-Activating Glycolipids Enhances Immunogenicity and Vaccine Efficacy of <i>Mycobacterium bovis</i> Bacillus Calmette-Guérin. <i>Journal of Immunology</i> , 2009, 183, 1644-1656.	0.8	74
25	Enhanced control of <i>Mycobacterium tuberculosis</i> extrapulmonary dissemination in mice by an arabinomannan-protein conjugate vaccine. <i>PLoS Pathogens</i> , 2017, 13, e1006250.	4.7	74
26	Optimizing NKT cell ligands as vaccine Adjuvants. <i>Immunotherapy</i> , 2014, 6, 309-320.	2.0	73
27	Lysosomal recycling terminates CD1d-mediated presentation of short and polyunsaturated variants of the NKT cell lipid antigen α -GalCer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 10254-10259.	7.1	68
28	A review of the PD-1/PD-L1 checkpoint in bladder cancer: From mediator of immune escape to target for treatment 1 IMPS is an investor in and consultant for Urogen. SAP is consultant and advisor for Vaccinex. The remaining authors have nothing to disclose.. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017, 35, 14-20.	1.6	67
29	Production and characterization of monoclonal antibodies against complexes of the NKT cell ligand α -galactosylceramide bound to mouse CD1d. <i>Journal of Immunological Methods</i> , 2007, 323, 11-23.	1.4	65
30	Combined Natural Killer T-Cell-Based Immunotherapy Eradicates Established Tumors in Mice. <i>Cancer Research</i> , 2007, 67, 7495-7504.	0.9	64
31	Immunization of V β 2V α 2 T cells programs sustained effector memory responses that control tuberculosis in nonhuman primates. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 6371-6378.	7.1	63
32	Synthetic glycolipid activators of natural killer T cells as immunotherapeutic agents. <i>Clinical and Translational Immunology</i> , 2016, 5, e69.	3.8	57
33	Targeting <i>Mycobacterium tuberculosis</i> Tumor Necrosis Factor Alpha-Downregulating Genes for the Development of Antituberculous Vaccines. <i>MBio</i> , 2016, 7, .	4.1	52
34	Expression of CD1d Molecules by Human Schwann Cells and Potential Interactions with Immunoregulatory Invariant NK T Cells. <i>Journal of Immunology</i> , 2006, 177, 5226-5235.	0.8	49
35	In vitro culture medium influences the vaccine efficacy of <i>Mycobacterium bovis</i> BCG. <i>Vaccine</i> , 2012, 30, 1038-1049.	3.8	44
36	Lysine Auxotrophy Combined with Deletion of the SecA2 Gene Results in a Safe and Highly Immunogenic Candidate Live Attenuated Vaccine for Tuberculosis. <i>PLoS ONE</i> , 2011, 6, e15857.	2.5	42

#	ARTICLE	IF	CITATIONS
37	Tuberculosis: unsealing the apoptotic envelope. <i>Nature Immunology</i> , 2008, 9, 1101-1102.	14.5	39
38	Glycolipids that Elicit IFN- γ -Biased Responses from Natural Killer T Cells. <i>Chemistry and Biology</i> , 2011, 18, 1620-1630.	6.0	37
39	α 2 natural killer T cell antigen receptor-mediated recognition of CD1d-glycolipid antigen. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 19007-19012.	7.1	36
40	Human CD1d knock-in mouse model demonstrates potent antitumor potential of human CD1d-restricted invariant natural killer T cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 2963-2968.	7.1	36
41	Human and Mouse Type I Natural Killer T Cell Antigen Receptors Exhibit Different Fine Specificities for CD1d-Antigen Complex. <i>Journal of Biological Chemistry</i> , 2012, 287, 39139-39148.	3.4	34
42	A Rapid Fluorescence-Based Assay for Classification of iNKT Cell Activating Glycolipids. <i>Journal of the American Chemical Society</i> , 2011, 133, 5198-5201.	13.7	33
43	α -Galactosylceramide Analogs with Weak Agonist Activity for Human iNKT Cells Define New Candidate Anti-Inflammatory Agents. <i>PLoS ONE</i> , 2010, 5, e14374.	2.5	31
44	Structural Basis for the Recognition of C20:2- α GalCer by the Invariant Natural Killer T Cell Receptor-like Antibody L363*. <i>Journal of Biological Chemistry</i> , 2012, 287, 1269-1278.	3.4	29
45	The Type of Growth Medium Affects the Presence of a Mycobacterial Capsule and Is Associated With Differences in Protective Efficacy of BCG Vaccination Against <i>Mycobacterium tuberculosis</i> . <i>Journal of Infectious Diseases</i> , 2016, 214, 426-437.	4.0	29
46	A Novel Glycolipid Antigen for NKT Cells That Preferentially Induces IFN- γ Production. <i>Journal of Immunology</i> , 2015, 195, 924-933.	0.8	28
47	Dual Modifications of α -Galactosylceramide Synergize to Promote Activation of Human Invariant Natural Killer T Cells and Stimulate Anti-tumor Immunity. <i>Cell Chemical Biology</i> , 2018, 25, 571-584.e8.	5.2	27
48	CD1d and Natural Killer T Cells in Immunity to <i>Mycobacterium tuberculosis</i> . <i>Advances in Experimental Medicine and Biology</i> , 2013, 783, 199-223.	1.6	24
49	Improving <i>Mycobacterium bovis</i> Bacillus Calmette-Guérin as a Vaccine Delivery Vector for Viral Antigens by Incorporation of Glycolipid Activators of NKT Cells. <i>PLoS ONE</i> , 2014, 9, e108383.	2.5	24
50	Recombinant pro-apoptotic <i>Mycobacterium tuberculosis</i> generates CD8+ T cell responses against human immunodeficiency virus type 1 Env and <i>M. tuberculosis</i> in neonatal mice. <i>Vaccine</i> , 2009, 28, 152-161.	3.8	23
51	Synthesis and biological activity of α -glucosyl C24:0 and C20:2 ceramides. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010, 20, 3475-3478.	2.2	23
52	Colocalization of a CD1d-Binding Glycolipid with a Radiation-Attenuated Sporozoite Vaccine in Lymph Node Resident Dendritic Cells for a Robust Adjuvant Effect. <i>Journal of Immunology</i> , 2015, 195, 2710-2721.	0.8	22
53	Autoimmune response to transthyretin in juvenile idiopathic arthritis. <i>JCI Insight</i> , 2016, 1, .	5.0	22
54	Glycolipid activators of invariant NKT cells as vaccine adjuvants. <i>Immunogenetics</i> , 2016, 68, 597-610.	2.4	22

#	ARTICLE	IF	CITATIONS
55	Mycobacterium tuberculosis PE_PGRS20 and PE_PGRS47 Proteins Inhibit Autophagy by Interaction with Rab1A. <i>MSphere</i> , 2021, 6, e0054921.	2.9	22
56	Identification of Autophagy-Inhibiting Factors of Mycobacterium tuberculosis by High-Throughput Loss-of-Function Screening. <i>Infection and Immunity</i> , 2020, 88, .	2.2	21
57	Stable Expression of Lentiviral Antigens by Quality-Controlled Recombinant Mycobacterium bovis BCG Vectors. <i>Vaccine Journal</i> , 2015, 22, 726-741.	3.1	16
58	Mycobacterium tuberculosis PPE51 Inhibits Autophagy by Suppressing Toll-Like Receptor 2-Dependent Signaling. <i>MBio</i> , 2022, 13, e0297421.	4.1	16
59	Rapid Identification of Immunostimulatory α -Galactosylceramides Using Synthetic Combinatorial Libraries. <i>ACS Combinatorial Science</i> , 2007, 9, 1084-1093.	3.3	14
60	Synthesis and biological activity of α -l-fucosyl ceramides, analogues of the potent agonist, α -d-galactosyl ceramide KRN7000. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010, 20, 3223-3226.	2.2	14
61	Photoactivable Glycolipid Antigens Generate Stable Conjugates with CD1d for Invariant Natural Killer T Cell Activation. <i>Bioconjugate Chemistry</i> , 2018, 29, 3161-3173.	3.6	14
62	Gene Deletions in Mycobacterium bovis BCG Stimulate Increased CD8 ⁺ T Cell Responses. <i>Infection and Immunity</i> , 2014, 82, 5317-5326.	2.2	13
63	Identification of Mycobacterial RplJ/L10 and RpsA/S1 Proteins as Novel Targets for CD4 ⁺ T Cells. <i>Infection and Immunity</i> , 2017, 85, .	2.2	13
64	Rapid ex vivo expansion of highly enriched human invariant natural killer T cells via single antigenic stimulation for cell therapy to prevent graft-versus-host disease. <i>Cytotherapy</i> , 2018, 20, 1089-1101.	0.7	13
65	A Subset of CD8 α ⁺ CD122 ⁺ Invariant NKT Cells in a Humanized Mouse Model. <i>Journal of Immunology</i> , 2015, 195, 1459-1469.	0.8	11
66	Current efforts and future prospects in the development of live mycobacteria as vaccines. <i>Expert Review of Vaccines</i> , 2015, 14, 1493-1507.	4.4	11
67	Mrp1 is involved in lipid presentation and iNKT cell activation by Streptococcus pneumoniae. <i>Nature Communications</i> , 2018, 9, 4279.	12.8	11
68	Expression Patterns of Bovine CD1 In Vivo and Assessment of the Specificities of the Anti-Bovine CD1 Antibodies. <i>PLoS ONE</i> , 2015, 10, e0121923.	2.5	11
69	Endocytic pH regulates cell surface localization of glycolipid antigen loaded CD1d complexes. <i>Chemistry and Physics of Lipids</i> , 2016, 194, 49-57.	3.2	10
70	Transcriptome Analysis of Mycobacteria-Specific CD4 ⁺ T Cells Identified by Activation-Induced Expression of CD154. <i>Journal of Immunology</i> , 2017, 199, 2596-2606.	0.8	10
71	Promotion or Suppression of Murine Intestinal Polyp Development by iNKT Cell Directed Immunotherapy. <i>Frontiers in Immunology</i> , 2019, 10, 352.	4.8	10
72	BCG-Prime and boost with Esx-5 secretion system deletion mutant leads to better protection against clinical strains of Mycobacterium tuberculosis. <i>Vaccine</i> , 2020, 38, 7156-7165.	3.8	10

#	ARTICLE	IF	CITATIONS
73	Contribution of NKT cells to the immune response and pathogenesis triggered by respiratory viruses. <i>Virulence</i> , 2020, 11, 580-593.	4.4	8
74	Serial Stimulation of Invariant Natural Killer T Cells with Covalently Stabilized Bispecific T-cell Engagers Generates Antitumor Immunity While Avoiding Anergy. <i>Cancer Research</i> , 2021, 81, 1788-1801.	0.9	8
75	Aspirin Actions in Treatment of NSAID-Exacerbated Respiratory Disease. <i>Frontiers in Immunology</i> , 2021, 12, 695815.	4.8	8
76	Cutting glycolipids down to size. <i>Nature Immunology</i> , 2001, 2, 191-192.	14.5	7
77	Bird genes give new insights into the origins of lipid antigen presentation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 8399-8400.	7.1	7
78	Identification of Mycobacterial Ribosomal Proteins as Targets for CD4 ⁺ T Cells That Enhance Protective Immunity in Tuberculosis. <i>Infection and Immunity</i> , 2018, 86, .	2.2	7
79	An Efficient and High Yield Method for Isolation of Mouse Dendritic Cell Subsets. <i>Journal of Visualized Experiments</i> , 2016, , e53824.	0.3	6
80	Co-localization of a CD1d-binding glycolipid with an adenovirus-based malaria vaccine for a potent adjuvant effect. <i>Vaccine</i> , 2017, 35, 3171-3177.	3.8	6
81	Isolation of intact RNA from murine CD4 ⁺ T cells after intracellular cytokine staining and fluorescence-activated cell sorting. <i>Journal of Immunological Methods</i> , 2018, 456, 77-80.	1.4	6
82	Amide-Linked C4 ^α -Saccharide Modification of KRN7000 Provides Potent Stimulation of Human Invariant NKT Cells and Anti-Tumor Immunity in a Humanized Mouse Model. <i>ACS Chemical Biology</i> , 2020, 15, 3176-3186.	3.4	6
83	Suppression of Th1 Priming by TLR2 Agonists during Cutaneous Immunization Is Mediated by Recruited CCR2 ⁺ Monocytes. <i>Journal of Immunology</i> , 2018, 201, 3604-3616.	0.8	5
84	Structure-Function Implications of the Ability of Monoclonal Antibodies Against Î±-Galactosylceramide-CD1d Complex to Recognize Î²-Mannosylceramide Presentation by CD1d. <i>Frontiers in Immunology</i> , 2019, 10, 2355.	4.8	5
85	Evasion of Innate and Adaptive Immunity by <i>Mycobacterium tuberculosis</i> . , 0, , 747-772.		5
86	Endocytic pH regulates cell surface localization of glycolipid antigen loaded CD1d complexes. <i>Chemistry and Physics of Lipids</i> , 2015, 191, 75-83.	3.2	4
87	Exacting Edward Jenner's revenge: The quest for a new tuberculosis vaccine. <i>Science Translational Medicine</i> , 2019, 11, .	12.4	4
88	Generation of IL-3 ⁺ Secreting CD4 ⁺ T Cells by Microbial Challenge at Skin and Mucosal Barriers. <i>ImmunoHorizons</i> , 2019, 3, 161-171.	1.8	4
89	Species Specific Differences of CD1d Oligomer Loading In Vitro. <i>PLoS ONE</i> , 2015, 10, e0143449.	2.5	3
90	Exploiting Pre-Existing CD4 ⁺ T Cell Help from Bacille Calmette-Guérin Vaccination to Improve Antiviral Antibody Responses. <i>Journal of Immunology</i> , 2020, 205, 425-437.	0.8	3

#	ARTICLE	IF	CITATIONS
91	Harnessing the Versatility of Invariant NKT Cells in a Stepwise Approach to Sepsis Immunotherapy. <i>Journal of Immunology</i> , 2021, 206, 386-397.	0.8	3
92	Isolation and in vivo Transfer of Antigen Presenting Cells. <i>Bio-protocol</i> , 2014, 4, .	0.4	3
93	Identification of Novel Mycobacterial Targets for Murine CD4+ T-Cells by IFN γ ELISPOT. <i>Methods in Molecular Biology</i> , 2018, 1808, 143-150.	0.9	1
94	Sterilization by Adaptive Immunity of a Conditionally Persistent Mutant of <i>Mycobacterium tuberculosis</i> . <i>MBio</i> , 2021, 12, .	4.1	1
95	CD1 and nonpeptide antigen recognition systems in microbial immunity. , 2003, , 21-38.		0
96	Antigen Processing and Presentation by CD1 Family Proteins. , 2006, , 129-156.		0