Rainer leonhart

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/452226/publications.pdf

Version: 2024-02-01

63 papers 2,424 citations

279798 23 h-index 223800 46 g-index

71 all docs

71 docs citations

times ranked

71

3626 citing authors

#	Article	IF	CITATIONS
1	Working Alliance Inventoryâ€Short Revised (WAIâ€SR): psychometric properties in outpatients and inpatients. Clinical Psychology and Psychotherapy, 2010, 17, 231-239.	2.7	325
2	The impact of patient participation on adherence and clinical outcome in primary care of depression. Patient Education and Counseling, 2007, 65, 69-78.	2.2	208
3	Researcher allegiance in psychotherapy outcome research: An overview of reviews. Clinical Psychology Review, 2013, 33, 501-511.	11.4	190
4	The Obsessive–Compulsive Inventory-Revised (OCI-R): Validation of the German version in a sample of patients with OCD, anxiety disorders, and depressive disorders. Journal of Anxiety Disorders, 2008, 22, 734-749.	3.2	162
5	Communication matters: The impact of communication and participation in decision making on breast cancer patients' depression and quality of life. Patient Education and Counseling, 2009, 77, 391-397.	2.2	128
6	Auxiliary variables in multiple imputation in regression with missing X: a warning against including too many in small sample research. BMC Medical Research Methodology, 2012, 12, 184.	3.1	107
7	Validation of patient health questionnaire (PHQ) for major depression in Chinese outpatients with multiple somatic symptoms: A multicenter cross-sectional study. Journal of Affective Disorders, 2015, 174, 636-643.	4.1	78
8	Corticomuscular Coherence Reflects Interindividual Differences in the State of the Corticomuscular Network During Low-Level Static and Dynamic Forces. Cerebral Cortex, 2012, 22, 628-638.	2.9	67
9	A cross-cultural comparison of climacteric symptoms, self-esteem, and perceived social support between Mosuo women and Han Chinese women. Menopause, 2016, 23, 784-791.	2.0	63
10	Validation of the Chinese version of the PHQ-15 in a tertiary hospital. BMC Psychiatry, 2016, 16, 89.	2.6	57
11	Time course of anger and other emotions in women with borderline personality disorder: A preliminary study. Journal of Behavior Therapy and Experimental Psychiatry, 2008, 39, 391-402.	1.2	51
12	A multicentre RCT on community occupational therapy in Alzheimer's disease: 10 sessions are not better than one consultation. BMJ Open, 2011, 1, e000096-e000096.	1.9	49
13	Dissociating frontal and temporal correlates of phonological and semantic fluency in a large sample of left hemisphere stroke patients. NeuroImage: Clinical, 2019, 23, 101840.	2.7	43
14	Why did an effective Dutch complex psycho-social intervention for people with dementia not work in the German healthcare context? Lessons learnt from a process evaluation alongside a multicentre RCT. BMJ Open, 2011, 1, e000094-e000094.	1.9	41
15	Emotional distress and dysfunctional illness perception are associated with low mental and physical quality of life in Chinese breast cancer patients. Health and Quality of Life Outcomes, 2017, 15, 231.	2.4	36
16	Are semantic and phonological fluency based on the same or distinct sets of cognitive processes? Insights from factor analyses in healthy adults and stroke patients. Neuropsychologia, 2017, 99, 148-155.	1.6	35
17	Psychological and behavioral variables associated with the somatic symptom severity of general hospital outpatients in China. General Hospital Psychiatry, 2013, 35, 297-303.	2.4	33
18	Structured relearning of activities of daily living in dementia: the randomized controlled REDALI-DEM trial on errorless learning. Alzheimer's Research and Therapy, 2017, 9, 22.	6.2	31

#	Article	IF	Citations
19	Comparison of the Factor Structure of the Patient Health Questionnaire for Somatic Symptoms (PHQ-15) in Germany, the Netherlands, and China. A Transcultural Structural Equation Modeling (SEM) Study. Frontiers in Psychiatry, 2018, 9, 240.	2.6	29
20	The psychological impact of COVID-19 on Chinese healthcare workers: a systematic review and meta-analysis. Social Psychiatry and Psychiatric Epidemiology, 2022, 57, 1515-1529.	3.1	26
21	How to make your own response boxes: A step-by-step guide for the construction of reliable and inexpensive parallel-port response pads from computer mice. Behavior Research Methods, 2007, 39, 797-801.	4.0	25
22	Consumers' perceptions and preference profiles for wood surfaces tested with pairwise comparison in Germany. Annals of Forest Science, 2015, 72, 741-751.	2.0	25
23	Prevalence of DSM-5 somatic symptom disorder in Chinese outpatients from general hospital care. General Hospital Psychiatry, 2020, 62, 63-71.	2.4	25
24	Development of planning abilities in normal aging: Differential effects of specific cognitive demands Developmental Psychology, 2014, 50, 293-303.	1.6	24
25	Quality of doctor–patient relationship in patients with high somatic symptom severity in China. Complementary Therapies in Medicine, 2015, 23, 23-31.	2.7	24
26	The impact of pre-existing anxiety on affective and cognitive processing of a Virtual Reality analogue trauma. PLoS ONE, 2017, 12, e0190360.	2.5	24
27	Physical and psychological correlates of high somatic symptom severity in Chinese breast cancer patients. Psycho-Oncology, 2017, 26, 656-663.	2.3	23
28	The Padua Inventory: Do Revisions Need Revision?. Assessment, 2010, 17, 89-106.	3.1	21
29	Revising Superior Planning Performance in Chess Players: The Impact of Time Restriction and Motivation Aspects. American Journal of Psychology, 2011, 124, 213-225.	0.3	21
30	Dysfunctional illness perception and illness behaviour associated with high somatic symptom severity and low quality of life in general hospital outpatients in China. Journal of Psychosomatic Research, 2014, 77, 187-195.	2.6	21
31	Effect of a Website That Presents Patients' Experiences on Self-Efficacy and Patient Competence of Colorectal Cancer Patients: Web-Based Randomized Controlled Trial. Journal of Medical Internet Research, 2017, 19, e334.	4.3	21
32	Sense of coherence contributes to physical and mental health in general hospital patients in China. Psychology, Health and Medicine, 2015, 20, 614-622.	2.4	20
33	WHEDA study: Effectiveness of occupational therapy at home for older people with dementia and their caregivers - the design of a pragmatic randomised controlled trial evaluating a Dutch programme in seven German centres. BMC Geriatrics, 2009, 9, 44.	2.7	19
34	Shortâ€ŧerm intervention to reduce anxiety before coronary artery bypass surgery – a randomised controlled trial. Journal of Clinical Nursing, 2016, 25, 351-361.	3.0	18
35	Negative illness perceptions associated with low mental and physical health status in general hospital outpatients in China. Psychology, Health and Medicine, 2014, 19, 273-285.	2.4	17
36	Interview for Deterioration in Daily Living Activities in Dementia: construct and concurrent validity in patients with mild to moderate dementia. International Psychogeriatrics, 2012, 24, 382-390.	1.0	16

3

#	Article	IF	CITATIONS
37	Operationalization of diagnostic criteria of DSM-5 somatic symptom disorders. BMC Psychiatry, 2017, 17, 361.	2.6	14
38	Dementia quality of life instrument – construct and concurrent validity in patients with mild to moderate dementia. European Journal of Neurology, 2012, 19, 376-384.	3.3	13
39	Validation of the Chinese Version of the Somatic Symptom Disorder–B Criteria Scale for Detecting DSM-5 Somatic Symptom Disorders: A Multicenter Study. Psychosomatic Medicine, 2020, 82, 337-344.	2.0	13
40	Multidimensional assessment of OCD: integration and revision of the vancouver obsessionalâ€compulsive inventory and the symmetry ordering and arranging questionnaire. Journal of Clinical Psychology, 2010, 66, 739-757.	1.9	12
41	Psychological and somatic distress in Chinese outpatients at general hospitals: a cross-sectional study. Annals of General Psychiatry, 2017, 16, 35.	2.7	12
42	Mental Health in German Paralympic Athletes During the 1st Year of the COVID-19 Pandemic Compared to a General Population Sample. Frontiers in Sports and Active Living, 2022, 4, 870692.	1.8	12
43	Reliability of the Perceive, Recall, Plan, and Perform (PRPP) assessment in community-dwelling dementia patients: test consistency and inter-rater agreement. International Psychogeriatrics, 2012, 24, 659-665.	1.0	10
44	Planning Decrements in Healthy Aging: Mediation Effects of Fluid Reasoning and Working Memory Capacity. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2016, 71, 230-242.	3.9	10
45	Antidepressants vs. Placebo for the Treatment of Functional Gastrointestinal Disorders in Adults: A Systematic Review and Meta-Analysis. Frontiers in Psychiatry, 2018, 9, 659.	2.6	10
46	Diagnostic Discrimination of Patients with Different OCD Main Symptom Domains from each Other and from Anxious and Depressive Controls. Journal of Psychopathology and Behavioral Assessment, 2009, 31, 159-167.	1.2	9
47	Identifikation der Hauptsymptome von Zwangspatienten anhand von Symptomskalen. Verhaltenstherapie, 2009, 19, 251-258.	0.4	9
48	Classification of wood surfaces according to visual appearance by multivariate analysis of wood feature data. Journal of Wood Science, 2015, 61, 89-112.	1.9	9
49	How do consumers express their appreciation of wood surfaces? Norway spruce floors in Germany as an example. Annals of Forest Science, 2016, 73, 703-712.	2.0	9
50	Study protocol of the multi-site randomised controlled REDALI-DEM trial - The effects of structured Relearning methods on Daily Living task performance of persons with Dementia. BMC Geriatrics, 2011, 11, 44.	2.7	8
51	The Effect of Active Creation on Psychological Health: A Feasibility Study on (Therapeutic) Mechanisms. Behavioral Sciences (Basel, Switzerland), 2018, 8, 25.	2.1	8
52	Assessment of the structured clinical interview (SCID) for DSM-5 for somatic symptom disorder in general hospital outpatient clinics in China. BMC Psychiatry, 2021, 21, 144.	2.6	7
53	Psychometric Evaluation of the Whiteley Index-8 in Chinese Outpatients in General Hospitals. Frontiers in Psychology, 2021, 12, 557662.	2.1	7
54	Demographic and Psychosocial Variables Could Predict the Occurrence of Major Depressive Disorder, but Not the Severity of Depression in Patients with First-episode Major Depressive Disorder in China. Journal of Affective Disorders, 2020, 274, 103-111.	4.1	7

#	Article	IF	CITATIONS
55	Psychometric Evaluation of the Major Depression Inventory (MDI) as a Depression Severity Scale in Chinese Patients With Coronary Artery Disease. Findings From the MEDEA FAR-EAST Study Frontiers in Psychiatry, 2019, 10, 493.	2.6	5
56	Psychophysiological correlates of the misinformation effect. International Journal of Psychophysiology, 2017, 117, 1-9.	1.0	4
57	Prevalence of DSMâ€5 somatic symptom disorder in Chinese patients with breast cancer. Psycho-Oncology, 2022, 31, 1302-1312.	2.3	4
58	Measuring effect sizes using manifest versus latent variables: consequences and implications for research. International Journal of Rehabilitation Research, 2008, 31, 207-216.	1.3	3
59	Severe sleep disturbance is associated with executive function impairment in patients with first-episode, treatment-naà ve major depressive disorders. BMC Psychiatry, 2021, 21, 198.	2.6	2
60	Validation of the Chinese version bodily distress syndrome checklist in Chinese out-patients of general hospitals. Journal of Psychosomatic Research, 2022, 153, 110702.	2.6	2
61	381â€Implementation of psychiatric/psychotherapeutic support within a longitudinal health monitoring in competitive para athletes. , 2021, , .		1
62	How can learning effects be measured in Balint groups? Validation of a Balint group questionnaire in China. BMC Medical Education, 2021, 21, 608.	2.4	1
63	077â€The importance of health monitoring in competitive para athletes: results of the German injury and illness surveillance system. , 2021, , .		O