

Kunle Odunsi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4523591/publications.pdf>

Version: 2024-02-01

130
papers

10,194
citations

53794

45
h-index

40979

93
g-index

134
all docs

134
docs citations

134
times ranked

18064
citing authors

#	ARTICLE	IF	CITATIONS
1	High Prediagnosis Inflammation-Related Risk Score Associated with Decreased Ovarian Cancer Survival. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2022, 31, 443-452.	2.5	2
2	Polygenic risk modeling for prediction of epithelial ovarian cancer risk. <i>European Journal of Human Genetics</i> , 2022, 30, 349-362.	2.8	23
3	VSSP abrogates murine ovarian tumor-associated myeloid cell-driven immune suppression and induces M1 polarization in tumor-associated macrophages from ovarian cancer patients. <i>Cancer Immunology, Immunotherapy</i> , 2022, 71, 2355-2369.	4.2	5
4	Metabolic adaptation of ovarian tumors in patients treated with an IDO1 inhibitor constrains antitumor immune responses. <i>Science Translational Medicine</i> , 2022, 14, eabg8402.	12.4	28
5	Tcf-1 protects anti-tumor TCR-engineered CD8+ T-cells from GzmB mediated self-destruction. <i>Cancer Immunology, Immunotherapy</i> , 2022, 71, 2881-2898.	4.2	4
6	Tissue residency of memory CD8+ T cells matters in shaping immunogenicity of ovarian cancer. <i>Cancer Cell</i> , 2022, 40, 452-454.	16.8	2
7	Cross-Cancer Genome-Wide Association Study of Endometrial Cancer and Epithelial Ovarian Cancer Identifies Genetic Risk Regions Associated with Risk of Both Cancers. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 217-228.	2.5	12
8	Population-based targeted sequencing of 54 candidate genes identifies <i>PALB2</i> as a susceptibility gene for high-grade serous ovarian cancer. <i>Journal of Medical Genetics</i> , 2021, 58, 305-313.	3.2	26
9	Efficacy and Safety of Pembrolizumab in Combination With Bevacizumab and Oral Metronomic Cyclophosphamide in the Treatment of Recurrent Ovarian Cancer. <i>JAMA Oncology</i> , 2021, 7, 78.	7.1	103
10	Circulating CD14 + HLA-DR ^{lo} monocytic cells as a biomarker for epithelial ovarian cancer progression. <i>American Journal of Reproductive Immunology</i> , 2021, 85, e13343.	1.2	4
11	Perspectives in immunotherapy: meeting report from the Immunotherapy Bridge (December 4th-5th), Tj ETQq1 1 0,784314	4.4	3
12	Breast Tumor Microenvironment in Black Women: A Distinct Signature of CD8+ T-Cell Exhaustion. <i>Journal of the National Cancer Institute</i> , 2021, 113, 1036-1043.	6.3	50
13	RNA editing enzyme APOBEC3A promotes pro-inflammatory M1 macrophage polarization. <i>Communications Biology</i> , 2021, 4, 102.	4.4	28
14	IDO1 Expression in Ovarian Cancer Induces PD-1 in T Cells via Aryl Hydrocarbon Receptor Activation. <i>Frontiers in Immunology</i> , 2021, 12, 678999.	4.8	40
15	A prime/boost vaccine platform efficiently identifies CD27 agonism and depletion of myeloid-derived suppressor cells as therapies that rationally combine with checkpoint blockade in ovarian cancer. <i>Cancer Immunology, Immunotherapy</i> , 2021, 70, 3451-3460.	4.2	9
16	Co-regulation and function of FOXM1/RHNO1 bidirectional genes in cancer. <i>ELife</i> , 2021, 10, .	6.0	15
17	Mechanisms Driving Neutrophil-Induced T-cell Immunoparalysis in Ovarian Cancer. <i>Cancer Immunology Research</i> , 2021, 9, 790-810.	3.4	29
18	Extensive three-dimensional intratumor proteomic heterogeneity revealed by multiregion sampling in high-grade serous ovarian tumor specimens. <i>IScience</i> , 2021, 24, 102757.	4.1	20

#	ARTICLE	IF	CITATIONS
19	GEN-1 in Combination with Neoadjuvant Chemotherapy for Patients with Advanced Epithelial Ovarian Cancer: A Phase I Dose-escalation Study. <i>Clinical Cancer Research</i> , 2021, 27, 5536-5545.	7.0	15
20	Quantitative global lipidomics analysis of patients with ovarian cancer versus benign adnexal mass. <i>Scientific Reports</i> , 2021, 11, 18156.	3.3	11
21	Induction of cell death in ovarian cancer cells by doxorubicin and oncolytic vaccinia virus is associated with CREB3L1 activation. <i>Molecular Therapy - Oncolytics</i> , 2021, 23, 38-50.	4.4	9
22	CXCR6 by increasing retention of memory CD8 ⁺ T cells in the ovarian tumor microenvironment promotes immunosurveillance and control of ovarian cancer. , 2021, 9, e003329.		25
23	RNA Splicing and Immune-Checkpoint Inhibition. <i>New England Journal of Medicine</i> , 2021, 385, 1807-1809.	27.0	3
24	The Great Debate at "Immunotherapy Bridge"™, Naples, December 5, 2019. , 2020, 8, e000921.		3
25	Global DNA Hypomethylation in Epithelial Ovarian Cancer: Passive Demethylation and Association with Genomic Instability. <i>Cancers</i> , 2020, 12, 764.	3.7	47
26	Transmission of X-linked Ovarian Cancer: Characterization and Implications. <i>Diagnostics</i> , 2020, 10, 90.	2.6	5
27	Sublethal Radiation Affects Antigen Processing and Presentation Genes to Enhance Immunogenicity of Cancer Cells. <i>International Journal of Molecular Sciences</i> , 2020, 21, 2573.	4.1	9
28	Quantification of Early-Stage Myeloid-Derived Suppressor Cells in Cancer Requires Excluding Basophils. <i>Cancer Immunology Research</i> , 2020, 8, 819-828.	3.4	25
29	Oncolytic Maraba virus armed with tumor antigen boosts vaccine priming and reveals diverse therapeutic response patterns when combined with checkpoint blockade in ovarian cancer. , 2019, 7, 189.		41
30	Treatment recommendations to cancer patients in the context of FDA guidance for next generation sequencing. <i>BMC Medical Informatics and Decision Making</i> , 2019, 19, 14.	3.0	16
31	Efficient identification of neoantigen-specific T-cell responses in advanced human ovarian cancer. , 2019, 7, 156.		65
32	A combination of the immunohistochemical markers CK7 and SATB2 is highly sensitive and specific for distinguishing primary ovarian mucinous tumors from colorectal and appendiceal metastases. <i>Modern Pathology</i> , 2019, 32, 1834-1846.	5.5	54
33	Immune Checkpoint and Poly(ADP-ribose) Polymerase Inhibition for Recurrent Platinum-Resistant Ovarian and Metastatic Triple-Negative Breast Cancers. <i>JAMA Oncology</i> , 2019, 5, 1103.	7.1	2
34	Evaluation of vitamin D biosynthesis and pathway target genes reveals UGT2A1/2 and EGFR polymorphisms associated with epithelial ovarian cancer in African American Women. <i>Cancer Medicine</i> , 2019, 8, 2503-2513.	2.8	6
35	Joint exposure to smoking, excessive weight, and physical inactivity and survival of ovarian cancer patients, evidence from the Ovarian Cancer Association Consortium. <i>Cancer Causes and Control</i> , 2019, 30, 537-547.	1.8	16
36	Epigenetic activation of POTE genes in ovarian cancer. <i>Epigenetics</i> , 2019, 14, 185-197.	2.7	24

#	ARTICLE	IF	CITATIONS
37	A rare population of tumor antigen-specific CD4+CD8+ double-positive $\hat{I}\hat{I}^2$ T lymphocytes uniquely provide CD8-independent TCR genes for engineering therapeutic T cells. , 2019, 7, 7.		14
38	Mitochondrial DNA in the tumour microenvironment activates neutrophils and is associated with worse outcomes in patients with advanced epithelial ovarian cancer. <i>British Journal of Cancer</i> , 2019, 120, 207-217.	6.4	62
39	Mature neutrophils suppress T cell immunity in ovarian cancer microenvironment. <i>JCI Insight</i> , 2019, 4, .	5.0	93
40	Oncologist uptake of comprehensive genomic profile guided targeted therapy. <i>Oncotarget</i> , 2019, 10, 4616-4629.	1.8	13
41	Hereditary association between testicular cancer and familial ovarian cancer: A Familial Ovarian Cancer Registry study. <i>Cancer Epidemiology</i> , 2018, 53, 184-186.	1.9	7
42	Adult height is associated with increased risk of ovarian cancer: a Mendelian randomisation study. <i>British Journal of Cancer</i> , 2018, 118, 1123-1129.	6.4	15
43	Anthropometric characteristics and ovarian cancer risk and survival. <i>Cancer Causes and Control</i> , 2018, 29, 201-212.	1.8	4
44	Exosomes Associated with Human Ovarian Tumors Harbor a Reversible Checkpoint of T-cell Responses. <i>Cancer Immunology Research</i> , 2018, 6, 236-247.	3.4	61
45	Cancer in primary immunodeficiency diseases: Cancer incidence in the United States Immune Deficiency Network Registry. <i>Journal of Allergy and Clinical Immunology</i> , 2018, 141, 1028-1035.	2.9	172
46	NY-ESO-1 Vaccination in Combination with Decitabine Induces Antigen-Specific T-lymphocyte Responses in Patients with Myelodysplastic Syndrome. <i>Clinical Cancer Research</i> , 2018, 24, 1019-1029.	7.0	87
47	Sialic Acidâ€“Dependent Inhibition of T Cells by Exosomal Ganglioside GD3 in Ovarian Tumor Microenvironments. <i>Journal of Immunology</i> , 2018, 201, 3750-3758.	0.8	77
48	Expression of the POTE gene family in human ovarian cancer. <i>Scientific Reports</i> , 2018, 8, 17136.	3.3	21
49	Prognostic impact of adjuvant chemotherapy treatment intensity for ovarian cancer. <i>PLoS ONE</i> , 2018, 13, e0206913.	2.5	9
50	Ultrarestrictive Opioid Prescription Protocol for Pain Management After Gynecologic and Abdominal Surgery. <i>JAMA Network Open</i> , 2018, 1, e185452.	5.9	100
51	Emerging Role and Future Directions of Immunotherapy in Advanced Ovarian Cancer. <i>Hematology/Oncology Clinics of North America</i> , 2018, 32, 1025-1039.	2.2	11
52	Variants in genes encoding small GTPases and association with epithelial ovarian cancer susceptibility. <i>PLoS ONE</i> , 2018, 13, e0197561.	2.5	9
53	rs495139 in the TYMS-ENOSF1 Region and Risk of Ovarian Carcinoma of Mucinous Histology. <i>International Journal of Molecular Sciences</i> , 2018, 19, 2473.	4.1	3
54	Active Estrogen Receptor-alpha Signaling in Ovarian Cancer Models and Clinical Specimens. <i>Clinical Cancer Research</i> , 2017, 23, 3802-3812.	7.0	43

#	ARTICLE	IF	CITATIONS
55	Gene expression markers of Tumor Infiltrating Leukocytes. , 2017, 5, 18.		572
56	NY-ESO-1 expression predicts an aggressive phenotype of ovarian cancer. <i>Gynecologic Oncology</i> , 2017, 145, 420-425.	1.4	61
57	Prognostic value of miliary versus non-miliary sub-staging in advanced ovarian cancer. <i>Gynecologic Oncology</i> , 2017, 146, 52-57.	1.4	12
58	Multiplex profiling identifies distinct local and systemic alterations during intraperitoneal chemotherapy for ovarian cancer: An NRG Oncology/Gynecologic Oncology Group Study. <i>Gynecologic Oncology</i> , 2017, 146, 137-145.	1.4	4
59	Impact of ascites volume on clinical outcomes in ovarian cancer: A cohort study. <i>Gynecologic Oncology</i> , 2017, 146, 491-497.	1.4	53
60	A Pilot Study of Stereotactic Body Radiation Therapy Combined with Cytoreductive Nephrectomy for Metastatic Renal Cell Carcinoma. <i>Clinical Cancer Research</i> , 2017, 23, 5055-5065.	7.0	62
61	Identification of 12 new susceptibility loci for different histotypes of epithelial ovarian cancer. <i>Nature Genetics</i> , 2017, 49, 680-691.	21.4	356
62	Suppressive IL-17A+Foxp3+ and ex-Th17 IL-17AnegFoxp3+ Treg cells are a source of tumour-associated Treg cells. <i>Nature Communications</i> , 2017, 8, 14649.	12.8	128
63	History of hypertension, heart disease, and diabetes and ovarian cancer patient survival: evidence from the ovarian cancer association consortium. <i>Cancer Causes and Control</i> , 2017, 28, 469-486.	1.8	28
64	History of thyroid disease and survival of ovarian cancer patients: results from the Ovarian Cancer Association Consortium, a brief report. <i>British Journal of Cancer</i> , 2017, 117, 1063-1069.	6.4	16
65	History of Comorbidities and Survival of Ovarian Cancer Patients, Results from the Ovarian Cancer Association Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017, 26, 1470-1473.	2.5	10
66	The Association of Peripheral Blood Regulatory T-Cell Concentrations With Epithelial Ovarian Cancer: A Brief Report. <i>International Journal of Gynecological Cancer</i> , 2017, 27, 11-16.	2.5	9
67	A phase I trial of intraperitoneal GEN-1, an IL-12 plasmid formulated with PEG-PEI-cholesterol lipopolymer, administered with pegylated liposomal doxorubicin in patients with recurrent or persistent epithelial ovarian, fallopian tube or primary peritoneal cancers: An NRG Oncology/Gynecologic Oncology Group study. <i>Gynecologic Oncology</i> , 2017, 147, 283-290.	1.4	37
68	Compensatory upregulation of PD-1, LAG-3, and CTLA-4 limits the efficacy of single-agent checkpoint blockade in metastatic ovarian cancer. <i>Oncolmmunology</i> , 2017, 6, e1249561.	4.6	252
69	No Evidence That Genetic Variation in the Myeloid-Derived Suppressor Cell Pathway Influences Ovarian Cancer Survival. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017, 26, 420-424.	2.5	3
70	Immunotherapy in ovarian cancer. <i>Annals of Oncology</i> , 2017, 28, viii1-viii7.	1.2	276
71	Tryptophan Catabolism and Cancer Immunotherapy Targeting IDO Mediated Immune Suppression. <i>Advances in Experimental Medicine and Biology</i> , 2017, 1036, 129-144.	1.6	62
72	Robust detection of immune transcripts in FFPE samples using targeted RNA sequencing. <i>Oncotarget</i> , 2017, 8, 3197-3205.	1.8	53

#	ARTICLE	IF	CITATIONS
73	Germline whole exome sequencing and large-scale replication identifies FANCM as a likely high grade serous ovarian cancer susceptibility gene. <i>Oncotarget</i> , 2017, 8, 50930-50940.	1.8	43
74	Adult body mass index and risk of ovarian cancer by subtype: a Mendelian randomization study. <i>International Journal of Epidemiology</i> , 2016, 45, 884-895.	1.9	71
75	<i>PALB2</i> , <i>CHEK2</i> and <i>ATM</i> rare variants and cancer risk: data from COGS. <i>Journal of Medical Genetics</i> , 2016, 53, 800-811.	3.2	174
76	Evaluation of satisfaction with work-life balance among U.S. Gynecologic Oncology fellows: A cross-sectional study. <i>Gynecologic Oncology Reports</i> , 2016, 16, 17-20.	0.6	8
77	HLA superfamily assignment is a predictor of immune response to cancer testis antigens and survival in ovarian cancer. <i>Gynecologic Oncology</i> , 2016, 142, 158-162.	1.4	8
78	The CD47 α doesn't eat me signal is highly expressed in human ovarian cancer. <i>Gynecologic Oncology</i> , 2016, 143, 393-397.	1.4	53
79	Genome-Wide Meta-Analyses of Breast, Ovarian, and Prostate Cancer Association Studies Identify Multiple New Susceptibility Loci Shared by at Least Two Cancer Types. <i>Cancer Discovery</i> , 2016, 6, 1052-1067.	9.4	157
80	Discovery of candidate tumor biomarkers for treatment with intraperitoneal chemotherapy for ovarian cancer. <i>Scientific Reports</i> , 2016, 6, 21591.	3.3	18
81	Functional mechanisms underlying pleiotropic risk alleles at the 19p13.1 breast-ovarian cancer susceptibility locus. <i>Nature Communications</i> , 2016, 7, 12675.	12.8	78
82	Synuclein- β (SNCG) expression in ovarian cancer is associated with high-risk clinicopathologic disease. <i>Journal of Ovarian Research</i> , 2016, 9, 75.	3.0	13
83	DNA Methylome Analyses Implicate Fallopian Tube Epithelia as the Origin for High-Grade Serous Ovarian Cancer. <i>Molecular Cancer Research</i> , 2016, 14, 787-794.	3.4	38
84	Recreational physical inactivity and mortality in women with invasive epithelial ovarian cancer: evidence from the Ovarian Cancer Association Consortium. <i>British Journal of Cancer</i> , 2016, 115, 95-101.	6.4	39
85	Synergistic COX2 Induction by IFN γ and TNF α Self-Limits Type-1 Immunity in the Human Tumor Microenvironment. <i>Cancer Immunology Research</i> , 2016, 4, 303-311.	3.4	53
86	Unlocking tumor vascular barriers with CXCR3: Implications for cancer immunotherapy. <i>Oncolmmunology</i> , 2016, 5, e1116675.	4.6	9
87	Metabolomics of biomarker discovery in ovarian cancer: a systematic review of the current literature. <i>Metabolomics</i> , 2016, 12, 1.	3.0	57
88	Assessment of variation in immunosuppressive pathway genes reveals TGFBR2 to be associated with risk of clear cell ovarian cancer. <i>Oncotarget</i> , 2016, 7, 69097-69110.	1.8	5
89	Inherited variants affecting RNA editing may contribute to ovarian cancer susceptibility: results from a large-scale collaboration. <i>Oncotarget</i> , 2016, 7, 72381-72394.	1.8	13
90	PRAME expression and promoter hypomethylation in epithelial ovarian cancer. <i>Oncotarget</i> , 2016, 7, 45352-45369.	1.8	72

#	ARTICLE	IF	CITATIONS
91	Vaccination with NY-ESO-1 in Combination with Decitabine for Patients with MDS. <i>Blood</i> , 2016, 128, 4326-4326.	1.4	1
92	Epithelial-Mesenchymal Transition (EMT) Gene Variants and Epithelial Ovarian Cancer (EOC) Risk. <i>Genetic Epidemiology</i> , 2015, 39, 689-697.	1.3	22
93	Use of Common Analgesics Is Not Associated with Ovarian Cancer Survival. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 1291-1294.	2.5	7
94	Common Genetic Variation In Cellular Transport Genes and Epithelial Ovarian Cancer (EOC) Risk. <i>PLoS ONE</i> , 2015, 10, e0128106.	2.5	44
95	LAG3 and PD1 co-inhibitory molecules collaborate to limit CD8+ T cell signaling and dampen antitumor immunity in a murine ovarian cancer model. <i>Oncotarget</i> , 2015, 6, 27359-27377.	1.8	242
96	Identification of six new susceptibility loci for invasive epithelial ovarian cancer. <i>Nature Genetics</i> , 2015, 47, 164-171.	21.4	221
97	Network-Based Integration of GWAS and Gene Expression Identifies a HOX-Centric Network Associated with Serous Ovarian Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 1574-1584.	2.5	28
98	Non-redundant requirement for CXCR3 signalling during tumoricidal T-cell trafficking across tumour vascular checkpoints. <i>Nature Communications</i> , 2015, 6, 7458.	12.8	383
99	Evaluating the ovarian cancer gonadotropin hypothesis: A candidate gene study. <i>Gynecologic Oncology</i> , 2015, 136, 542-548.	1.4	15
100	Association of Type and Location of BRCA1 and BRCA2 Mutations With Risk of Breast and Ovarian Cancer. <i>JAMA - Journal of the American Medical Association</i> , 2015, 313, 1347.	7.4	390
101	TP53 hot spot mutations in ovarian cancer: Selective resistance to microtubule stabilizers in vitro and differential survival outcomes from The Cancer Genome Atlas. <i>Gynecologic Oncology</i> , 2015, 138, 159-164.	1.4	21
102	Cis-eQTL analysis and functional validation of candidate susceptibility genes for high-grade serous ovarian cancer. <i>Nature Communications</i> , 2015, 6, 8234.	12.8	63
103	Common variants at the CHEK2 gene locus and risk of epithelial ovarian cancer. <i>Carcinogenesis</i> , 2015, 36, 1341-1353.	2.8	24
104	Extracellular Vesicles Present in Human Ovarian Tumor Microenvironments Induce a Phosphatidylserine-Dependent Arrest in the T-cell Signaling Cascade. <i>Cancer Immunology Research</i> , 2015, 3, 1269-1278.	3.4	84
105	Targeting myeloid cells in the tumor microenvironment enhances vaccine efficacy in murine epithelial ovarian cancer. <i>Oncotarget</i> , 2015, 6, 11310-11326.	1.8	45
106	Survival of patients with structurally-grouped TP53 mutations in ovarian and breast cancers. <i>Oncotarget</i> , 2015, 6, 18641-18652.	1.8	20
107	Genetic determinants of FOXM1 overexpression in epithelial ovarian cancer and functional contribution to cell cycle progression. <i>Oncotarget</i> , 2015, 6, 27613-27627.	1.8	54
108	Common Genetic Variation in Circadian Rhythm Genes and Risk of Epithelial Ovarian Cancer (EOC). <i>Journal of Genetics and Genome Research</i> , 2015, 2, .	0.3	25

#	ARTICLE	IF	CITATIONS
109	Satisfaction with work-life balance among U.S. gynecologic oncologists, a cross-sectional study. <i>American Journal of Clinical and Experimental Obstetrics and Gynecology</i> , 2015, 2, 166-175.	0.5	1
110	Ovarian Cancer Spheroid Cells with Stem Cell-Like Properties Contribute to Tumor Generation, Metastasis and Chemotherapy Resistance through Hypoxia-Resistant Metabolism. <i>PLoS ONE</i> , 2014, 9, e84941.	2.5	279
111	Evidence for a time-dependent association between FOLR1 expression and survival from ovarian carcinoma: implications for clinical testing. An Ovarian Tumour Tissue Analysis consortium study. <i>British Journal of Cancer</i> , 2014, 111, 2297-2307.	6.4	76
112	LINE1 and Alu repetitive element DNA methylation in tumors and white blood cells from epithelial ovarian cancer patients. <i>Gynecologic Oncology</i> , 2014, 132, 462-467.	1.4	47
113	Tumor-associated macrophages: Co-conspirators and orchestrators of immune suppression in endometrial adenocarcinoma. <i>Gynecologic Oncology</i> , 2014, 135, 173-175.	1.4	13
114	Epigenetic Potentiation of NY-ESO-1 Vaccine Therapy in Human Ovarian Cancer. <i>Cancer Immunology Research</i> , 2014, 2, 37-49.	3.4	168
115	Expression and Immune Responses to MAGE Antigens Predict Survival in Epithelial Ovarian Cancer. <i>PLoS ONE</i> , 2014, 9, e104099.	2.5	65
116	Cigarette smoking and risk of ovarian cancer: a pooled analysis of 21 case-control studies. <i>Cancer Causes and Control</i> , 2013, 24, 989-1004.	1.8	84
117	Adjuvant treatment for uterine leiomyosarcoma. <i>European Journal of Gynaecological Oncology (discontinued)</i> , 2013, 34, 409-14.	0.2	2
118	Elevated Expression of the Serine-Arginine Protein Kinase 1 Gene in Ovarian Cancer and Its Role in Cisplatin Cytotoxicity In Vitro. <i>PLoS ONE</i> , 2012, 7, e51030.	2.5	41
119	Efficacy of vaccination with recombinant vaccinia and fowlpox vectors expressing NY-ESO-1 antigen in ovarian cancer and melanoma patients. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 5797-5802.	7.1	173
120	Conventional Dose Hypomethylating Agents Induce CG Antigen Genes In Vivo. <i>Blood</i> , 2011, 118, 2441-2441.	1.4	1
121	Efficacy of Levo-1-Methyl Tryptophan and Dextro-1-Methyl Tryptophan in Reversing Indoleamine-2,3-Dioxygenase-Mediated Arrest of T-Cell Proliferation in Human Epithelial Ovarian Cancer. <i>Cancer Research</i> , 2009, 69, 5498-5504.	0.9	140
122	REVIEW ARTICLE: Harnessing the Immune System for Ovarian Cancer Therapy. <i>American Journal of Reproductive Immunology</i> , 2008, 59, 62-74.	1.2	20
123	Vaccination with an NY-ESO-1 peptide of HLA class I/II specificities induces integrated humoral and T cell responses in ovarian cancer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 12837-12842.	7.1	239
124	Detection of epithelial ovarian cancer using ¹ H-NMR-based metabonomics. <i>International Journal of Cancer</i> , 2005, 113, 782-788.	5.1	322
125	Intraepithelial CD8 ⁺ tumor-infiltrating lymphocytes and a high CD8 ⁺ /regulatory T cell ratio are associated with favorable prognosis in ovarian cancer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 18538-18543.	7.1	2,100
126	Primary primitive neuroectodermal tumor of the uterus: a report of two cases and review of the literature. <i>Gynecologic Oncology</i> , 2004, 92, 689-696.	1.4	27

#	ARTICLE	IF	CITATIONS
127	Phase I trial of the anti-idiotypic monoclonal antibody (mAb) ACA-125 in patients with epithelial ovarian, fallopian tube or primary peritoneal cancer. <i>Journal of Clinical Oncology</i> , 2004, 22, 5018-5018.	1.6	2
128	Vaccine therapy for cancer: fact or fiction?. <i>Surgical Technology International</i> , 2004, 13, 39-47.	0.2	0
129	NY-ESO-1 and LAGE-1 cancer-testis antigens are potential targets for immunotherapy in epithelial ovarian cancer. <i>Cancer Research</i> , 2003, 63, 6076-83.	0.9	191
130	Evaluation of α 1,4-galactosyltransferase as a potential biomarker for the detection of subclinical disease after the completion of primary therapy for ovarian cancer. <i>American Journal of Obstetrics and Gynecology</i> , 2002, 187, 575-580.	1.3	13