

Jürgen Kesselmeier

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4524431/publications.pdf>

Version: 2024-02-01

153
papers

9,671
citations

41344

49
h-index

66911

78
g-index

196
all docs

196
docs citations

196
times ranked

7342
citing authors

#	ARTICLE	IF	CITATIONS
1	Tropical and Boreal Forest " Atmosphere Interactions: A Review. <i>Tellus, Series B: Chemical and Physical Meteorology</i> , 2022, 74, 24.	1.6	27
2	Bioaerosols in the Amazon rain forest: temporal variations and vertical profiles of Eukarya, Bacteria, and Archaea. <i>Biogeosciences</i> , 2021, 18, 4873-4887.	3.3	12
3	Chapter 6: Biogeochemical Cycles in the Amazon. , 2021, , .		7
4	Aerosol measurement methods to quantify spore emissions from fungi and cryptogamic covers in the Amazon. <i>Atmospheric Measurement Techniques</i> , 2020, 13, 153-164.	3.1	14
5	Amazonian biogenic volatile organic compounds under global change. <i>Global Change Biology</i> , 2020, 26, 4722-4751.	9.5	38
6	Microclimatic conditions and water content fluctuations experienced by epiphytic bryophytes in an Amazonian rain forest. <i>Biogeosciences</i> , 2020, 17, 5399-5416.	3.3	10
7	Microbial community responses determine how soil" atmosphere exchange of carbonyl sulfide, carbon monoxide, and nitric oxide responds to soil moisture. <i>Soil</i> , 2019, 5, 121-135.	4.9	8
8	C4-like photosynthesis and the effects of leaf senescence on C4-like physiology in <i>Sesuvium sesuvioides</i> (Aizoaceae). <i>Journal of Experimental Botany</i> , 2019, 70, 1553-1565.	4.8	6
9	Monoterpene chemical speciation in a tropical rainforest: variation with season, height, and time of day at the Amazon Tall Tower Observatory (ATTO). <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 3403-3418.	4.9	50
10	Long-term observations of cloud condensation nuclei over the Amazon rain forest " Part 2: Variability and characteristics of biomass burning, long-range transport, and pristine rain forest aerosols. <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 10289-10331.	4.9	64
11	Total OH Reactivity Changes Over the Amazon Rainforest During an El Ni"o Event. <i>Frontiers in Forests and Global Change</i> , 2018, 1, .	2.3	14
12	Reviews and syntheses: Carbonyl sulfide as a multi-scale tracer for carbon and water cycles. <i>Biogeosciences</i> , 2018, 15, 3625-3657.	3.3	98
13	Strong sesquiterpene emissions from Amazonian soils. <i>Nature Communications</i> , 2018, 9, 2226.	12.8	55
14	Volatile organic compounds (VOCs) in photochemically aged air from the eastern and western Mediterranean. <i>Atmospheric Chemistry and Physics</i> , 2017, 17, 9547-9566.	4.9	35
15	Exchange of carbonyl sulfide (OCS) between soils and atmosphere under various CO ₂ concentrations. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2017, 122, 1343-1358.	3.0	17
16	Assessing a New Clue to How Much Carbon Plants Take Up. <i>Eos</i> , 2017, , .	0.1	2
17	Twin-cuvette measurement technique for investigation of dry deposition of O ₃ and PAN to plant leaves under controlled humidity conditions. <i>Atmospheric Measurement Techniques</i> , 2016, 9, 599-617.	3.1	18
18	Investigation of the influence of liquid surface films on O ₃ and PAN deposition to plant leaves coated with organic/inorganic solution. <i>Journal of Geophysical Research D: Atmospheres</i> , 2016, 121, 14,239.	3.3	24

#	ARTICLE	IF	CITATIONS
19	Unexpected seasonality in quantity and composition of Amazon rainforest air reactivity. <i>Nature Communications</i> , 2016, 7, 10383.	12.8	74
20	Atmospheric mixing ratios of methyl ethyl ketone (2-butanone) in tropical, boreal, temperate and marine environments. <i>Atmospheric Chemistry and Physics</i> , 2016, 16, 10965-10984.	4.9	37
21	Long-term observations of cloud condensation nuclei in the Amazon rain forest – Part 1: Aerosol size distribution, hygroscopicity, and new model parametrizations for CCN prediction. <i>Atmospheric Chemistry and Physics</i> , 2016, 16, 15709-15740.	4.9	105
22	ACRIDICON – CHUVA Campaign: Studying Tropical Deep Convective Clouds and Precipitation over Amazonia Using the New German Research Aircraft HALO. <i>Bulletin of the American Meteorological Society</i> , 2016, 97, 1885-1908.	3.3	124
23	Opposite OH reactivity and ozone cycles in the Amazon rainforest and megacity Beijing: Subversion of biospheric oxidant control by anthropogenic emissions. <i>Atmospheric Environment</i> , 2016, 125, 112-118.	4.1	56
24	Observations of atmospheric monoaromatic hydrocarbons at urban, semi-urban and forest environments in the Amazon region. <i>Atmospheric Environment</i> , 2016, 128, 175-184.	4.1	22
25	A new mechanistic framework to predict OCS fluxes from soils. <i>Biogeosciences</i> , 2016, 13, 2221-2240.	3.3	41
26	Dimethyl sulfide in the Amazon rain forest. <i>Global Biogeochemical Cycles</i> , 2015, 29, 19-32.	4.9	58
27	Diel and seasonal changes of biogenic volatile organic compounds within and above an Amazonian rainforest. <i>Atmospheric Chemistry and Physics</i> , 2015, 15, 3359-3378.	4.9	83
28	The Amazon Tall Tower Observatory (ATTO): overview of pilot measurements on ecosystem ecology, meteorology, trace gases, and aerosols. <i>Atmospheric Chemistry and Physics</i> , 2015, 15, 10723-10776.	4.9	218
29	Effects of the hydroedaphic gradient on tree species composition and aboveground wood biomass of oligotrophic forest ecosystems in the central Amazon basin. <i>Folia Geobotanica</i> , 2015, 50, 185-205.	0.9	46
30	Soil CO ₂ exchange in seven pristine Amazonian rain forest sites in relation to soil temperature. <i>Agricultural and Forest Meteorology</i> , 2014, 192-193, 96-107.	4.8	16
31	From emissions to ambient mixing ratios: online seasonal field measurements of volatile organic compounds over a Norway spruce-dominated forest in central Germany. <i>Atmospheric Chemistry and Physics</i> , 2014, 14, 6495-6510.	4.9	32
32	Emissions of putative isoprene oxidation products from mango branches under abiotic stress. <i>Journal of Experimental Botany</i> , 2013, 64, 3669-3679.	4.8	72
33	Field investigations of nitrogen dioxide (NO ₂) exchange between plants and the atmosphere. <i>Atmospheric Chemistry and Physics</i> , 2013, 13, 773-790.	4.9	46
34	Seasonal measurements of total OH reactivity emission rates from Norway spruce in 2011. <i>Biogeosciences</i> , 2013, 10, 4241-4257.	3.3	37
35	Preface – Earth observation for land-atmosphere interaction science.	3.3	13
36	Leaf level emissions of volatile organic compounds (VOC) from some Amazonian and Mediterranean plants. <i>Biogeosciences</i> , 2013, 10, 5855-5873.	3.3	46

#	ARTICLE	IF	CITATIONS
37	Coupling processes and exchange of energy and reactive and non-reactive trace gases at a forest site â€œ results of the EGER experiment. <i>Atmospheric Chemistry and Physics</i> , 2012, 12, 1923-1950.	4.9	81
38	Impact of the Manaus urban plume on trace gas mixing ratios near the surface in the Amazon Basin: Implications for the NO ₂ â€œNO ₃ photostationary state and peroxy radical levels. <i>Journal of Geophysical Research</i> , 2012, 117, .	3.3	29
39	The diversification of terpene emissions in Mediterranean oaks: lessons from a study of <i>Quercus suber</i> , <i>Quercus canariensis</i> and its hybrid <i>Quercus afares</i> . <i>Tree Physiology</i> , 2012, 32, 1082-1091.	3.1	32
40	Sulfur Fertilization and Fungal Infections Affect the Exchange of H ₂ S and COS from Agricultural Crops. <i>Journal of Agricultural and Food Chemistry</i> , 2012, 60, 7588-7596.	5.2	48
41	Root anoxia effects on physiology and emissions of volatile organic compounds (VOC) under short-and long-term inundation of trees from Amazonian floodplains. <i>SpringerPlus</i> , 2012, 1, 9.	1.2	24
42	The dynamic chamber method: trace gas exchange fluxes (NO,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 552 Td (NO<sub>2</sub>2 plants and the atmosphere in the laboratory and in the field. <i>Atmospheric Measurement Techniques</i> , 2012, 5, 955-989.	3.1	43
43	Observations of the uptake of carbonyl sulfide (COS) by trees under elevated atmospheric carbon dioxide concentrations. <i>Biogeosciences</i> , 2012, 9, 2935-2945.	3.3	15
44	Soil CO ₂ efflux in central Amazonia: environmental and methodological effects. <i>Acta Amazonica</i> , 2012, 42, 173-184.	0.7	10
45	Plant-specific volatile organic compound emission rates from young and mature leaves of Mediterranean vegetation. <i>Journal of Geophysical Research</i> , 2011, 116, .	3.3	52
46	Ecosystem-scale compensation points of formic and acetic acid in the central Amazon. <i>Biogeosciences</i> , 2011, 8, 3709-3720.	3.3	36
47	Editorial Note "Effects of water discharge and sediment load on evolution of modern Yellow River Delta, China, over the period from 1976 to 2009" published in <i>Biogeosciences</i> , 8, 2427â€œ2435, 2011. <i>Biogeosciences</i> , 2011, 8, 2867-2867.	3.3	2
48	Estimations of isoprenoid emission capacity from enclosure studies: measurements, data processing, quality and standardized measurement protocols. <i>Biogeosciences</i> , 2011, 8, 2209-2246.	3.3	166
49	Within-canopy sesquiterpene ozonolysis in Amazonia. <i>Journal of Geophysical Research</i> , 2011, 116, .	3.3	73
50	Nitrogen dioxide (NO ₂) uptake by vegetation controlled by atmospheric concentrations and plant stomatal aperture. <i>Atmospheric Environment</i> , 2011, 45, 5742-5750.	4.1	109
51	Influence of drainage status on soil and water chemistry, litter decomposition and soil respiration in central Amazonian forests on sandy soils. <i>Revista Ambiente & Agua</i> , 2011, 6, 6-29.	0.3	18
52	Impact of Manaus City on the Amazon Green Ocean atmosphere: ozone production, precursor sensitivity and aerosol load. <i>Atmospheric Chemistry and Physics</i> , 2010, 10, 9251-9282.	4.9	103
53	A kinetic analysis of leaf uptake of COS and its relation to transpiration, photosynthesis and carbon isotope fractionation. <i>Biogeosciences</i> , 2010, 7, 333-341.	3.3	78
54	The leaf-level emission factor of volatile isoprenoids: caveats, model algorithms, response shapes and scaling. <i>Biogeosciences</i> , 2010, 7, 1809-1832.	3.3	135

#	ARTICLE	IF	CITATIONS
55	Quantitative and enantioselective analysis of monoterpenes from plant chambers and in ambient air using SPME. <i>Atmospheric Measurement Techniques</i> , 2010, 3, 1615-1627.	3.1	25
56	Emission of Volatile Organic Compounds After Herbivory from <i>Trifolium pratense</i> (L.) Under Laboratory and Field Conditions. <i>Journal of Chemical Ecology</i> , 2009, 35, 1335-1348.	1.8	91
57	Natural volatile organic compound emissions from plants and their roles in oxidant balance and particle formation. <i>Geophysical Monograph Series</i> , 2009, , 183-206.	0.1	25
58	The Amazonian boundary layer and mesoscale circulations. <i>Geophysical Monograph Series</i> , 2009, , 163-181.	0.1	18
59	Methanol emissions from deciduous tree species: dependence on temperature and light intensity. <i>Plant Biology</i> , 2008, 10, 65-75.	3.8	77
60	Volatile organic compounds in the biosphere-atmosphere system: a preface. <i>Plant Biology</i> , 2008, 10, 2-7.	3.8	17
61	Net ecosystem fluxes of isoprene over tropical South America inferred from Global Ozone Monitoring Experiment (GOME) observations of HCHO columns. <i>Journal of Geophysical Research</i> , 2008, 113, .	3.3	99
62	Automated in situ analysis of volatile sulfur gases using a Sulfur Gas Analyser (SUGAR) based on cryogenic trapping and gas-chromatographic separation. <i>International Journal of Environmental Analytical Chemistry</i> , 2008, 88, 303-315.	3.3	14
63	Soil atmosphere exchange of carbonyl sulfide (COS) regulated by diffusivity depending on water-filled pore space. <i>Biogeosciences</i> , 2008, 5, 475-483.	3.3	59
64	The CO ₂ exchange of biological soil crusts in a semiarid grass-shrubland at the northern transition zone of the Negev desert, Israel. <i>Biogeosciences</i> , 2008, 5, 1411-1423.	3.3	49
65	The effect of flooding on the exchange of the volatile C ₂ -compounds ethanol, acetaldehyde and acetic acid between leaves of Amazonian floodplain tree species and the atmosphere. <i>Biogeosciences</i> , 2008, 5, 1085-1100.	3.3	52
66	Isoprene and monoterpene fluxes from Central Amazonian rainforest inferred from tower-based and airborne measurements, and implications on the atmospheric chemistry and the local carbon budget. <i>Atmospheric Chemistry and Physics</i> , 2007, 7, 2855-2879.	4.9	181
67	The Missing Link in COS Metabolism: A Model Study on the Reactivation of Carbonic Anhydrase from its Hydrosulfide Analogue. <i>ChemBioChem</i> , 2007, 8, 530-536.	2.6	48
68	Isoprenoid emissions of trees in a tropical rainforest in Xishuangbanna, SW China. <i>Atmospheric Environment</i> , 2007, 41, 3748-3757.	4.1	12
69	Significant light and temperature dependent monoterpene emissions from European beech (<i>Fagus</i>) <i>Tj ETQq1 1 0.784314 rgBT /Overl</i> <i>Geophysical Research</i> , 2006, 111, .	3.3	75
70	Relationships between Normalized Difference Vegetation Index (NDVI) and carbon fluxes of biologic soil crusts assessed by ground measurements. <i>Journal of Arid Environments</i> , 2006, 64, 651-669.	2.4	53
71	Ground and space spectral measurements for assessing the semi-arid ecosystem phenology related to CO ₂ fluxes of biological soil crusts. <i>Remote Sensing of Environment</i> , 2006, 101, 1-12.	11.0	24
72	Terpene emissions from European beech (shape <i>Fagus sylvatica</i> -L.): Pattern and Emission Behaviour Over two Vegetation Periods. <i>Journal of Atmospheric Chemistry</i> , 2006, 55, 81-102.	3.2	51

#	ARTICLE	IF	CITATIONS
73	Coupling isoprene and monoterpene emissions from Amazonian tree species with physiological and environmental parameters using a neural network approach. <i>Plant, Cell and Environment</i> , 2005, 28, 287-301.	5.7	13
74	Formaldehyde and acetaldehyde exchange during leaf development of the Amazonian deciduous tree species <i>Hymenaea courbaril</i> . <i>Atmospheric Environment</i> , 2005, 39, 2275-2279.	4.1	35
75	Coupled carbon-water exchange of the Amazon rain forest, II. Comparison of predicted and observed seasonal exchange of energy, CO ₂ , isoprene and ozone at a remote site in Rondônia. <i>Biogeosciences</i> , 2005, 2, 255-275.	3.3	9
76	Global uptake of carbonyl sulfide (COS) by terrestrial vegetation: Estimates corrected by deposition velocities normalized to the uptake of carbon dioxide (CO ₂). <i>Biogeosciences</i> , 2005, 2, 125-132.	3.3	116
77	Coupled carbon-water exchange of the Amazon rain forest, I. Model description, parameterization and sensitivity analysis. <i>Biogeosciences</i> , 2005, 2, 231-253.	3.3	9
78	Design and field application of an automated cartridge sampler for VOC concentration and flux measurements. <i>Journal of Environmental Monitoring</i> , 2005, 7, 568.	2.1	15
79	Lagrangian dispersion of ²²² Rn, H ₂ O and CO ₂ within Amazonian rain forest. <i>Agricultural and Forest Meteorology</i> , 2005, 132, 286-304.	4.8	20
80	QUALITY CONTROL IN BIOGEOSCIENCES AND OTHER INTERACTIVE JOURNALS OF THE EUROPEAN GEOSCIENCES UNION. <i>Limnology and Oceanography Bulletin</i> , 2004, 13, 36-37.	0.4	0
81	EXCHANGE OF SHORT-CHAIN ALDEHYDES BETWEEN AMAZONIAN VEGETATION AND THE ATMOSPHERE. , 2004, 14, 247-262.		61
82	Strong correlation between isoprene emission and gross photosynthetic capacity during leaf phenology of the tropical tree species <i>Hymenaea courbaril</i> with fundamental changes in volatile organic compounds emission composition during early leaf development. <i>Plant, Cell and Environment</i> , 2004, 27, 1469-1485.	5.7	82
83	Seasonal differences in isoprene and light-dependent monoterpene emission by Amazonian tree species. <i>Global Change Biology</i> , 2004, 10, 663-682.	9.5	119
84	Central Amazonian Floodplain Forests: Tree Adaptations in a Pulsing System. <i>Botanical Review</i> , The, 2004, 70, 357-380.	3.9	245
85	How Does the Exchange of One Oxygen Atom with Sulfur Affect the Catalytic Cycle of Carbonic Anhydrase?. <i>Chemistry - A European Journal</i> , 2004, 10, 3091-3105.	3.3	54
86	Comparing forward and inverse models to estimate the seasonal variation of hemisphere-integrated fluxes of carbonyl sulfide. <i>Atmospheric Chemistry and Physics</i> , 2002, 2, 343-361.	4.9	20
87	Exchange fluxes of NO ₂ and O ₃ at soil and leaf surfaces in an Amazonian rain forest. <i>Journal of Geophysical Research</i> , 2002, 107, LBA 27-1.	3.3	53
88	Isoprene and monoterpene emissions of Amazonian tree species during the wet season: Direct and indirect investigations on controlling environmental functions. <i>Journal of Geophysical Research</i> , 2002, 107, LBA 38-1.	3.3	92
89	Impact of drought on seasonal monoterpene emissions from <i>Quercus ilex</i> in southern France. <i>Journal of Geophysical Research</i> , 2002, 107, ACH 15-1-ACH 15-9.	3.3	78
90	Global budget of atmospheric carbonyl sulfide: Temporal and spatial variations of the dominant sources and sinks. <i>Journal of Geophysical Research</i> , 2002, 107, ACH 25-1.	3.3	182

#	ARTICLE	IF	CITATIONS
91	Concentrations and species composition of atmospheric volatile organic compounds (VOCs) as observed during the wet and dry season in Rondônia (Amazonia). <i>Journal of Geophysical Research</i> , 2002, 107, LBA 20-1.	3.3	98
92	Exchange of short-chain monocarboxylic acids by vegetation at a remote tropical forest site in Amazonia. <i>Journal of Geophysical Research</i> , 2002, 107, LBA 36-1.	3.3	61
93	Volatile organic compound emissions in relation to plant carbon fixation and the terrestrial carbon budget. <i>Global Biogeochemical Cycles</i> , 2002, 16, 73-1-73-9.	4.9	155
94	Exchange of reduced volatile sulfur compounds between leaf litter and the atmosphere. <i>Atmospheric Environment</i> , 2002, 36, 4679-4686.	4.1	33
95	Exchange of Short-Chain Oxygenated Volatile Organic Compounds (VOCs) between Plants and the Atmosphere: A Compilation of Field and Laboratory Studies. <i>Journal of Atmospheric Chemistry</i> , 2001, 39, 219-233.	3.2	128
96	Effect of elevated CO ₂ on monoterpene emission of young <i>Quercus ilex</i> trees and its relation to structural and ecophysiological parameters. <i>Tree Physiology</i> , 2001, 21, 437-445.	3.1	99
97	Atmospheric volatile organic compounds (VOC) at a remote tropical forest site in central Amazonia. <i>Atmospheric Environment</i> , 2000, 34, 4063-4072.	4.1	164
98	Field measurements on the exchange of carbonyl sulfide between lichens and the atmosphere. <i>Atmospheric Environment</i> , 2000, 34, 4867-4878.	4.1	26
99	Enzymatic consumption of carbonyl sulfide (COS) by marine algae. <i>Biogeochemistry</i> , 2000, 48, 185-197.	3.5	33
100	Title is missing!. <i>Biogeochemistry</i> , 2000, 48, 199-216.	3.5	29
101	Patterns of CO ₂ exchange in biological soil crusts of successional age. <i>Soil Biology and Biochemistry</i> , 2000, 32, 959-966.	8.8	135
102	Emissions of volatile organic compounds from <i>Quercus ilex</i> L. measured by Proton Transfer Reaction Mass Spectrometry under different environmental conditions. <i>Journal of Geophysical Research</i> , 2000, 105, 20573-20579.	3.3	135
103	Environmental variables controlling the uptake of carbonyl sulfide by lichens. <i>Journal of Geophysical Research</i> , 2000, 105, 26783-26792.	3.3	28
104	Biogenic Volatile Organic Compounds (VOC): An Overview on Emission, Physiology and Ecology. , 1999, 33, 23-88.		1,504
105	Carbonyl sulfide exchange on an ecosystem scale: soil represents a dominant sink for atmospheric COS. <i>Atmospheric Environment</i> , 1999, 33, 995-1008.	4.1	92
106	Factors controlling the emissions of volatile organic acids from leaves of <i>Quercus ilex</i> L. (Holm oak). <i>Atmospheric Environment</i> , 1999, 33, 1347-1355.	4.1	42
107	First measurements of the C ₁ - and C ₂ -organic acids and aldehydes exchange between boreal lichens and the atmosphere. <i>Physics and Chemistry of the Earth</i> , 1999, 24, 725-728.	0.3	10
108	Induction of steroidal hydroxylase activity by plant defence compounds in the filamentous fungus <i>Cochliobolus lunatus</i> . <i>Chemosphere</i> , 1999, 38, 853-863.	8.2	11

#	ARTICLE	IF	CITATIONS
109	Controlling variables for the uptake of atmospheric carbonyl sulfide by soil. <i>Journal of Geophysical Research</i> , 1999, 104, 11577-11584.	3.3	106
110	Apoplastic Solute Concentrations of Organic Acids and Mineral Nutrients in the Leaves of Several Fagaceae. <i>Plant and Cell Physiology</i> , 1999, 40, 604-612.	3.1	33
111	Exchange of atmospheric formic and acetic acids with trees and crop plants under controlled chamber and purified air conditions. <i>Atmospheric Environment</i> , 1998, 32, 1765-1775.	4.1	100
112	Simultaneous field measurements of terpene and isoprene emissions from two dominant mediterranean oak species in relation to a North American species. <i>Atmospheric Environment</i> , 1998, 32, 1947-1953.	4.1	50
113	Use of the isoprene algorithm for predicting the monoterpene emission from the Mediterranean holm oak <i>Quercus ilex</i> L.: Performance and limits of this approach. <i>Journal of Geophysical Research</i> , 1997, 102, 23319-23328.	3.3	60
114	Cryogenic trapping of atmospheric organic acids under laboratory and field conditions. <i>Atmospheric Environment</i> , 1997, 31, 1275-1284.	4.1	31
115	Emission of short chained organic acids, aldehydes and monoterpenes from <i>Quercus ilex</i> L. and <i>Pinus pinea</i> L. in relation to physiological activities, carbon budget and emission algorithms. <i>Atmospheric Environment</i> , 1997, 31, 119-133.	4.1	218
116	An overview of the Castelporziano experiments. <i>Atmospheric Environment</i> , 1997, 31, 5-17.	4.1	105
117	The uptake of gaseous sulphur dioxide by non-gelatinous lichens. <i>New Phytologist</i> , 1997, 135, 595-602.	7.3	21
118	The relation of H ₂ S release to SO ₂ , fumigation of lichens. <i>New Phytologist</i> , 1997, 136, 703-711.	7.3	4
119	Biosphere – Atmosphere Exchange of Ammonia. , 1997, , 15-44.		3
120	Ammonia Exchange between Terrestrial Plants and the Atmosphere Controlled by Plant Physiology: Compensation Point and CO ₂ Exchange. , 1997, , 445-449.		1
121	Exchange of Sulfur Gases between the Biosphere and the Atmosphere. , 1997, , 167-198.		10
122	Biological Mechanisms involved in the Exchange of Trace Gases. , 1997, , 117-133.		3
123	Emission of monoterpenes and isoprene from a Mediterranean oak species <i>Quercus ilex</i> L. measured within the BEMA (Biogenic Emissions in the Mediterranean Area) project. <i>Atmospheric Environment</i> , 1996, 30, 1841-1850.	4.1	184
124	Consumption of carbonyl sulphide (COS) by higher plant carbonic anhydrase (CA). <i>Atmospheric Environment</i> , 1996, 30, 3151-3156.	4.1	142
125	Consumption of Carbonyl Sulphide by <i>Chlamydomonas reinhardtii</i> with Different Activities of Carbonic Anhydrase (CA) Induced by Different CO ₂ Growing Regimes. <i>Botanica Acta</i> , 1995, 108, 445-448.	1.6	44
126	Exchange of reduced sulfur gases between lichens and the atmosphere. <i>Biogeochemistry</i> , 1994, 26, 25-39.	3.5	49

#	ARTICLE	IF	CITATIONS
127	Reduced sulfur compound exchange between the atmosphere and tropical tree species in southern Cameroon. <i>Biogeochemistry</i> , 1993, 23, 23.	3.5	48
128	Exchange of carbonyl sulfide (COS) between agricultural plants and the atmosphere: Studies on the deposition of COS to peas, corn and rapeseed. <i>Biogeochemistry</i> , 1993, 23, 47.	3.5	67
129	COS and H ₂ S fluxes over a wet meadow in relation to photosynthetic activity: An analysis of measurements made on 6 September 1990. <i>Atmospheric Environment Part A General Topics</i> , 1993, 27, 1851-1864.	1.3	37
130	Enzymatic Pathways for the Consumption of Carbonyl Sulphide (COS) by Higher Plants*. <i>Botanica Acta</i> , 1992, 105, 206-212.	1.6	101
131	Cryogenic trapping of reduced sulfur compounds using a nafion drier and cotton wadding as an oxidant scavenger. <i>Atmospheric Environment Part A General Topics</i> , 1992, 26, 2445-2449.	1.3	46
132	Biosphere/Atmosphere interactions: Integrated research in a European coniferous forest ecosystem. <i>Atmospheric Environment Part A General Topics</i> , 1992, 26, 171-189.	1.3	74
133	Emission of Sulfur Compounds from Vegetation and Global-Scale Extrapolation. , 1991, , 261-265.		10
134	Biological activities of furostanol saponins from <i>Nicotiana tabacum</i> . <i>Phytochemistry</i> , 1990, 29, 2485-2490.	2.9	18
135	Prolamellar bodies of oat, wheat, and rye: Structure, lipid composition, and adsorption of saponins. <i>Protoplasma</i> , 1988, 146, 1-9.	2.1	6
136	[59] Separation of molecular species of plant glycolipids and phospholipids by high-performance liquid chromatography. <i>Methods in Enzymology</i> , 1987, 148, 650-661.	1.0	9
137	Sterols and sterylglucosides of oats (<i>Avena sativa</i>). Distribution in the leaf tissue and medium-induced glycosylation of sterols during protoplast isolation. <i>Physiologia Plantarum</i> , 1987, 70, 610-616.	5.2	17
138	Prolamellar-body structure, composition of molecular species and amount of galactolipids in etiolated, greening and reetiolated primary leaves of oat, wheat and rye. <i>Planta</i> , 1986, 168, 453-460.	3.2	5
139	High Performance Liquid Chromatography of Molecular Species from Free Sterols and Sterylglucosides Isolated from Oat Leaves and Seeds1. <i>Plant and Cell Physiology</i> , 1985, 26, 463-471.	3.1	46
140	Characterization of a membrane bound Î²-glucosidase responsible for the activation of oat leaf saponins. <i>Phytochemistry</i> , 1985, 24, 1941-1943.	2.9	22
141	Separation and quantitation of molecular species from plant lipids by high-performance liquid chromatography. <i>Analytical Biochemistry</i> , 1985, 144, 319-328.	2.4	47
142	Some Observations on the Artificial Adsorption of Monodesmosidic Steroidal Saponins to Prolamellar Bodies. , 1984, , 623-626.		0
143	Subcellular localization of saponins in green and etiolated leaves and green protoplasts of oat (<i>Avena sativa</i> L.). <i>Protoplasma</i> , 1983, 114-114, 133-140.	2.1	40
144	Saponin distribution in the etiolated leaf tissue and subcellular localization of steroidal saponins in etiolated protoplasts of oat (<i>Avena sativa</i> L.). <i>Protoplasma</i> , 1983, 118, 121-123.	2.1	7

#	ARTICLE	IF	CITATIONS
145	Some Observations on the Saponin Accumulation in Oat Seedlings and on the Transformation of the Avenacosides to the Antibiotic 26-Desgluco-avenacosides. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 1982, 37, 1095-1099.	1.4	9
146	Steroidal saponins in etiolated, greening and green leaves and in isolated etioplasts and chloroplasts of <i>Avena sativa</i> . Protoplasma, 1982, 112, 127-132.	2.1	24
147	5-Oxo-prolinase in <i>Nicotiana tabacum</i> : catalytic properties and subcellular localization. Physiologia Plantarum, 1981, 52, 211-224.	5.2	23
148	High Performance Liquid Chromatographic Analysis of Steroidal Saponins from <i>Avena sativa</i> L. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 1981, 36, 1072-1074.	1.4	25
149	Development of chloro-etioplasts containing prolamellar bodies and steroidal saponins in suspension cultures of <i>Nicotiana tabacum</i> . Protoplasma, 1980, 104, 295-306.	2.1	14
150	Relations between Saponin Concentration and Prolamellar Body Structure in Etioplasts of <i>Avena sativa</i> during Greening and Re-Etiolating and in Etioplasts of <i>Hordeum vulgare</i> and <i>Pisum sativum</i> . Zeitschrift Für Pflanzenphysiologie, 1979, 93, 171-184.	1.4	20
151	Identification of Saponins as Structural Building Units in Isolated Prolamellar Bodies from Etioplasts of <i>Avena sativa</i> L.. Zeitschrift Für Pflanzenphysiologie, 1979, 91, 333-344.	1.4	35
152	Biochemical and Cytological Observations on Chloroplast Development V. Reaggregations of Prolamellar Body Tubules without Protein Participation. Zeitschrift Für Pflanzenphysiologie, 1978, 90, 101-110.	1.4	13
153	Biochemical and Cytological Observations on Chloroplast Development. Zeitschrift Für Pflanzenphysiologie, 1977, 85, 327-340.	1.4	10